

# Fiyat Listesi 2023



# Fiyat Listesi 2023

Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine “[industrial.omron.com.tr](http://industrial.omron.com.tr)” internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: [satis@eu.omron.com](mailto:satis@eu.omron.com)

Online Destek:

[industrial.omron.com.tr](http://industrial.omron.com.tr)

[myomron.com](http://myomron.com)

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<b>Auto ID Ürün V600</b>												
CJ1W-V600C11	<a href="#">ID Sensor Unit, single-head, compatible with V600 RFID series</a>	1,751.00	EC001422	<a href="#">108924</a>	4536854870866			AA	AAB	JPN	8473.3080.00	
CJ1W-V600C12	<a href="#">ID Sensor Unit, double-head, compatible with V600 RFID series</a>	2,477.00	EC001422	<a href="#">148904</a>	4536854870873			AA	AAB	JPN	8473.3080.00	
CS1W-V600C12	<a href="#">ID Sensor Unit, double-head, compatible with V600 RFID series</a>	2,538.00	EC001422	108923	4536854870859			AA	AAB	JPN	8473.3080.00	
V600-D23P55	<a href="#">V600 RFID</a>	34.99	EC002996	108943	4536854707070	50	AA	AAB	JPN	8473.3080.00		
V600-D8KF04	<a href="#">V600 ID Tag, rectangular</a>	245.00	EC002996	684616	4547648173049	4	AA	AAB	JPN	8473.3080.00		
V600-HA51 2M	<a href="#">Pre-Amplifier antenna 530KHz, Cable 2m</a>	633.50	EC002998	151533	4536854629938			AA	AAB	JPN	8473.3080.00	
V600-A86	<a href="#">V680-D1KP66T ID Tag attachment</a>	11.34	EC002997	<a href="#">109000</a>	4536854706745	10	AA	AAB	JPN	8473.3080.00		
V780-HMD68-EIP-EU	<a href="#">V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC</a>	3,175.00	EC002998	<a href="#">687037</a>	4549734218641			AA	AAB	JPN	9031.8080.00	
V780-HMD68-ETN-EU	<a href="#">V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC</a>	3,126.00	EC002998	<a href="#">680457</a>	4549734137638			AA	AAB	JPN	9031.8080.00	
<b>Auto ID Ürün V680</b>												
V680-CASD01-V2	<a href="#">V680 ID controller, single-head, RS-232C/422/485 communications</a>	1,758.00	EC002997	<a href="#">237733</a>	4547648409377			AA	AAD	JPN	9031.8080.00	
V680-CH1D	<a href="#">V680 Handheld Reader/Writer 2.5m</a>	1,698.00	EC002997	245174	4547648488570			AA	AAD	JPN	9031.8080.00	
V680S-HMD63-EIP	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, EtherNet/IP, IP67, 24VDC</a>	976.50	EC002998	<a href="#">419015</a>	4548583561960	#		AA	AAD	JPN	9031.8080.00	
V680S-HMD63-ETN	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Modbus TCP/IP, IP67, 24VDC</a>	1,086.00	EC002998	<a href="#">419014</a>	4548583561953			AA	AAD	JPN	9031.8080.00	
V680S-HMD63-PNT	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Profinet, IP67, 24VDC</a>	976.50	EC002998	<a href="#">419011</a>	4548583561977			AA	AAD	JPN	9031.8080.00	
V680S-HMD64-EIP	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 75x75x40mm, EtherNet/IP, IP67, 24VDC</a>	1,273.00	EC002998	<a href="#">419016</a>	4548583561984	#		AA	AAD	JPN	9031.8080.00	
V680S-HMD64-ETN	<a href="#">V680S ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC</a>	1,437.00	EC002998	<a href="#">376241</a>	4548583407695			AA	AAD	JPN	9031.8080.00	
V680S-HMD64-PNT	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 75x75x40mm, Profinet, IP67, 24VDC</a>	1,273.00	EC002998	<a href="#">419012</a>	4548583561991			AA	AAD	JPN	9031.8080.00	
V680S-HMD66-EIP	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 120x120x40mm, EtherNet/IP, IP67, 24VDC</a>	1,565.00	EC002998	<a href="#">419017</a>	4548583562004	#		AA	AAD	JPN	9031.8080.00	
V680S-HMD66-ETN	<a href="#">V680S ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC</a>	1,779.00	EC002998	<a href="#">376240</a>	4548583407688			AA	AAD	JPN	9031.8080.00	
V680S-HMD66-PNT	<a href="#">V680S RFID okuyucu/yazıcı ünitesi, 120x120x40mm, Profinet, IP67, 24VDC</a>	1,565.00	EC002998	<a href="#">419013</a>	4548583562011			AA	AAD	JPN	9031.8080.00	
V680-D1KPS2MT	<a href="#">V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 8mm diameter x 5mm</a>	37.23	EC002996	<a href="#">237730</a>	4547648393645	10	AA	AAD	JPN	8526.9200.90		
V680-D1KPS3M	<a href="#">V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 10mm diameter x 4.5mm</a>	36.72	EC002996	<a href="#">323787</a>	4547648616966	50	AA	AAD	JPN	8526.9200.90		
V680-D1KPS4T	<a href="#">V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 20mm diameter x 7mm</a>	34.63	EC002996	<a href="#">346282</a>	4547648826693	50	AA	AAD	JPN	8526.9200.90		
V680-D1KP66MT	<a href="#">V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces</a>	38.86	EC002996	<a href="#">237732</a>	4547648393652	20	AA	AAD	JPN	8526.9200.90		
V680-D1KP66T	<a href="#">V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces</a>	31.94	EC002996	<a href="#">237731</a>	4547648393669			AA	AAD	JPN	8526.9200.90	
V680S-D2KF67	<a href="#">V680S RF Tag, 2 kbytes, 40x40x5, metal olmayan yüzeyler için montaj</a>	46.06	EC002996	<a href="#">386321</a>	4548583453951	#	20	AA	AAD	JPN	8473.3080.00	
V680S-D2KF67M	<a href="#">V680S RF Tag, 2 kbytes, 40x40x5, metal yüzeyler için montaj</a>	84.35	EC002996	<a href="#">386322</a>	4548583453968			20	AA	AAD	JPN	8473.3080.00
V680S-D8KF67	<a href="#">V680S RF Tag, 8 kbytes, 40x40x5 for flush mounting on nonmetallic surface</a>	180.40	EC002996	386315	4548583453975	20	AA	AAD	JPN	8473.3080.00		
V680S-D8KF68	<a href="#">V680S RF Tag, 8 kbytes, 66x54x10 for flush mounting on nonmetallic surface</a>	174.30	EC002996	386319	4548583454019	10	AA	AAD	JPN	8473.3080.00		
V680-H01-V02	<a href="#">Square antenna with integrated amplifier, 250x200x35mm, cable 0.5 meters</a>	3,338.00	EC002998	260925	4547648637008			AA	AAD	JPN	9031.8080.00	
V680-HA63A 5M	<a href="#">V680 Amplifier unit, for 1KB ID Tags, 5m cable</a>	617.00	EC002998	<a href="#">231865</a>	4547648318495			AA	AAD	JPN	8473.3080.00	
V680-HA63B 5M	<a href="#">V680 Amplifier unit, for 2KB ID Tags, 5m cable</a>	565.50	EC002998	<a href="#">231855</a>	4547648318518			AA	AAD	JPN	8473.3080.00	
V680-HA642-DRT	<a href="#">V680 DeviceNet Slave controller</a>	1,008.00	EC002998	<a href="#">246937</a>	4547648546140			AA	AAD	JPN	9031.8080.00	
V680-HS51 2M	<a href="#">V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m</a>	283.70	EC002998	<a href="#">245177</a>	4547648514545			AA	AAD	JPN	9031.8080.00	
V680-HS52-W 2M	<a href="#">V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m</a>	257.00	EC002998	<a href="#">231857</a>	4547648318402			AA	AAD	JPN	8473.3080.00	
V680-HS63-W 2M	<a href="#">V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 connector, 2m</a>	227.90	EC002998	<a href="#">231861</a>	4547648318457			AA	AAD	JPN	8473.3080.00	
V680S-A41 5M	<a href="#">V680S ID okuyucu/yazıcı Ethernet ve güç kablosu, M12 - RJ45, 5m uzunluk</a>	327.90	EC002997	<a href="#">376246</a>	4548583408036			AA	AAD	JPN	9031.8080.00	
<b>Kontrol Sistemi CP1L/H</b>												
CP1H-X40DR-A	<a href="#">CPU, 100-240 VAC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x röle 2 A, 20K step program kapasitesi, 32K word veri hafızası, USB port</a>	1,136.00	EC000236	<a href="#">209400</a>	4547648203579	#		BA	BAB	CHN	8471.4100.00	
CP1H-X40DT1-D	<a href="#">CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor PNP, 20K step program kapasitesi, 32K word veri hafızası, USB port</a>	1,136.00	EC000236	<a href="#">209402</a>	4547648203593	#		BA	BAB	CHN	8471.4100.00	
CP1H-X40DT1-D	<a href="#">CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor NPN, 20K step program kapasitesi, 32K word data hafızası, USB port</a>	1,136.00	EC000236	<a href="#">209401</a>	4547648203586			BA	BAB	CHN	8471.4100.00	
CP1H-X40DRB-A	<a href="#">CPU, 100-240 VAC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x röle 2 A + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port</a>	1,746.00	EC000236	<a href="#">209397</a>	4547648203548	#		BA	BAB	CHN	8471.4100.00	
CP1H-X40DT1-D	<a href="#">CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor PNP + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port</a>	1,746.00	EC000236	<a href="#">209399</a>	4547648203562	#		BA	BAB	CHN	8471.4100.00	
CP1H-X40DT1-D	<a href="#">CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor NPN + 2x analog, 20K step program kapasitesi, 32K word veri hafızası, USB port</a>	1,746.00	EC000236	<a href="#">209398</a>	4547648203555	#		BA	BAB	CHN	8471.4100.00	
CP1L-EL 20DR-D	<a href="#">CPU, 24 VDC, 12x 24 VDC giriş, 8x röle, çıkış 2A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port</a>	445.80	EC000236	<a href="#">667993</a>	4548583751880			BA	BAB	NLD	8471.4100.00	
CP1L-EL 20DT1-D	<a href="#">CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port</a>	445.80	EC000236	<a href="#">667994</a>	4548583751897			BA	BAB	NLD	8471.4100.00	
CP1L-EL 20DT1-D	<a href="#">CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port</a>	445.80	EC000236	<a href="#">667986</a>	4548583751903			BA	BAB	NLD	8471.4100.00	
CP1L-FM30DR-D	<a href="#">CPU, 24 VDC, 18x 24 VDC giriş, 12x röle, çıkış 2A, 2 analog giriş, 5K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port</a>	577.50	EC000236	<a href="#">667992</a>	4548583751910	#		BA	BAB	NLD	8471.4100.00	
CP1L-FM30DT1-D	<a href="#">CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port</a>	577.50	EC000236	<a href="#">667990</a>	4548583751927	#		BA	BAB	NLD	8471.4100.00	
CP1L-FM30DT1-D	<a href="#">CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port</a>	577.50	EC000236	<a href="#">667988</a>	4548583751934			BA	BAB	NLD	8471.4100.00	
CP1L-FM40DR-D	<a href="#">CPU, 24 VDC, 24x 24 VDC giriş, 16x röle, çıkış 2A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port</a>	719.50	EC000236	<a href="#">667987</a>	4548583751941	#		BA	BAB	NLD	8471.4100.00	
CP1L-FM40DT1-D	<a href="#">CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port</a>	719.50	EC000236	<a href="#">667991</a>	4548583751958	#		BA	BAB	NLD	8471.4100.00	
CP1L-FM40DT1-D	<a href="#">CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port</a>	719.50	EC000236	<a href="#">667989</a>	4548583751965			BA	BAB	NLD	8471.4100.00	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1L-I14DR-A	PLC,100-240VAC besleme, 8 x 24 VDC giriş, 6 x röle çıkışı 2 A, 1K adimlik program + 10K kelime veri hafızası	384.70	EC000236	668664	4548583764675			BA	BAB	NLD	8471.4100.00
CP1L-I10DR-A	CPU,100-240 VAC,6x 24 VDC giriş,4x röle çıkış 2 A, 5K step program kapasitesi, 10K word hafızası	354.20	EC000236	668681	4548583764736			BA	BAB	NLD	8471.4100.00
CP1L-I10DR-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	342.70	EC000236	668679	4548583764743			BA	BAB	NLD	8471.4100.00
CP1L-I10DT1-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	336.40	EC000236	668671	4548583764750			BA	BAB	NLD	8471.4100.00
CP1L-I14DR-A	CPU, 100-240 VAC, 8x 24 VDC giriş, 6x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	449.90	EC000236	668670	4548583764781			BA	BAB	NLD	8471.4100.00
CP1L-I14DR-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	396.00	EC000236	668663	4548583764798			BA	BAB	NLD	8471.4100.00
CP1L-I14DT1-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	399.90	EC000236	668660	4548583764804			BA	BAB	NLD	8471.4100.00
CP1L-I14DT-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x NPN çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	398.90	EC000236	668666	4548583764828			BA	BAB	NLD	8471.4100.00
CP1L-I20DR-A	CPU, 100-240 VAC, 12x 24 VDC giriş, 8x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668673	4548583764835			BA	BAB	NLD	8471.4100.00
CP1L-I20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668692	4548583764842	#		BA	BAB	NLD	8471.4100.00
CP1L-I20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668690	4548583764859			BA	BAB	NLD	8471.4100.00
CP1L-I20DT-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668694	4548583764873			BA	BAB	NLD	8471.4100.00
CP1L-M30DR-A	CPU, 100-240 VAC, 18x 24 VDC giriş, 12x röle çıkış 2 A, 10K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668695	4548583764880	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2 A, 10K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668668	4548583764897	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3 A, 10K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668688	4548583764903			BA	BAB	NLD	8471.4100.00
CP1L-M30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3 A, 10K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668662	4548583764927			BA	BAB	NLD	8471.4100.00
CP1L-M40DR-A	CPU, 100-240 VAC, 24x 24 VDC giriş, 16x röle çıkış 2 A, 10K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668686	4548583764934			BA	BAB	NLD	8471.4100.00
CP1L-M40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2 A, 10K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668689	4548583764941			BA	BAB	NLD	8471.4100.00
CP1L-M40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A, 10K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668678	4548583764958	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3 A, 10K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668674	4548583764972	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-A	CPU, 100-240 VAC, 36x 24 VDC giriş, 24x röle çıkış 2 A, 10K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668661	4548583764989			BA	BAB	NLD	8471.4100.00
CP1L-M60DR-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x röle çıkış 2 A, 10K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668676	4548583764996	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT1-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x PNP çıkış 0.3 A, 10K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668665	4548583765009	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x NPN çıkış 0.3 A, 10K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668672	4548583765023			BA	BAB	NLD	8471.4100.00
<b>Kontrol Sistemi CP1E-E</b>											
CP1E-E10DR-A	CPU,100-240VAC, 6 x 24 VDC giriş, 4 x röle çıkış 2 A, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333280	4547648800792			BA	BAC	CHN	8471.6070.00
CP1E-E10DR-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x röle çıkış 2 A, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333283	4547648800822			BA	BAC	CHN	8471.6070.00
CP1E-E10DT1-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x PNP transistor çıkış, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333285	4547648800846			BA	BAC	CHN	8471.6070.00
<b>Kontrol Sistemi CP1E-N</b>											
CP1E-NA20DT1-D	CPU, 24 VDC, 12 x 24 VDC giriş, 8 x PNP transistor çıkış, 8K step program kapasitesi, 8K word data hafızası, RS-232C port, giriş, 2x analog çıkış, 1x analog, çözünürlük 1/6.000	870.00	EC000236	328740	4547648800785	#		BA	BAD	CHN	8471.6070.00
<b>Kontrol Sistemi CS1</b>											
CS1H-CPU64H	CPU, 30K steps program, 64K words data memory, 7 expansion racks max.	3,766.00	EC000236	153563	4536854781667			BA	BAF	JPN	8471.4100.00
CS1H-CPU65H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	4,609.00	EC000236	135644	4536854781698			BA	BAF	JPN	8471.4100.00
CS1G-CPU42H	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.	1,724.00	EC000236	135641	4536854781612			BA	BAF	JPN	8471.4100.00
CS1G-CPU43H	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.	1,907.00	EC000236	147099	4536854781629			BA	BAF	JPN	8471.4100.00
CS1G-CPU44H	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.	2,438.00	EC000236	135642	4536854781636			BA	BAF	JPN	8471.4100.00
CS1G-CPU45H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	3,406.00	EC000236	153562	4536854781643			BA	BAF	JPN	8471.4100.00
CS1W-BC033	CPU backplane with C200H I/O BUS, 3 I/O slots	334.00	EC000810	135557	4536854845659			BA	BAF	CHN	8538.9099.99
CS1W-BC053	CPU backplane with C200H I/O BUS, 5 I/O slots	373.30	EC000810	135558	4536854845666			BA	BAF	CHN	8538.9099.99
CS1W-BC083	CPU backplane with C200H I/O BUS, 8 I/O slots	480.20	EC000810	135559	4536854845673			BA	BAF	CHN	8538.9099.99
CS1W-BC103	CPU backplane with C200H I/O BUS, 10 I/O slots	662.50	EC000810	156857	4536854845680			BA	BAF	CHN	8538.9099.99
CS1W-BI053	Expansion backplane with C200H I/O BUS, 5 I/O slots	448.80	EC000810	135561	4536854845703			BA	BAF	CHN	8538.9099.99
CS1W-BI083	Expansion backplane with C200H I/O BUS, 8 I/O slots	640.50	EC000810	135562	4536854845710			BA	BAF	CHN	8538.9099.99
CS1W-BI103	Expansion backplane with C200H I/O BUS, 10 I/O slots	794.00	EC000810	135563	4536854845727			BA	BAF	CHN	8538.9099.99
CS1D-PA20ZB	Power supply unit for duplex system, 100-120/200-240 VAC high power, BUN output, CS1 duplex backplanes only	1,055.00	EC000599	135743	4536854880483			BA	BAF	JPN	8523.8090.00
CS1W-CLK23	Controller Link unit, 2-wire twisted pair, screw connectors	1,070.00	EC001423	296520	4547648706674			BA	BAF	CHN	8537.1098.99
CS1W-DRM21-V1	DeviceNet master / slave unit	1,150.00	EC001423	296523	4547648708548			BA	BAF	CHN	8537.1098.99
CS1W-EIP21	EtherNet/IP unit, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	1,979.00	EC001423	296519	4547648706650	#		BA	BAF	CHN	8471.6070.00
CS1W-ETN21	Ethernet unit, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	2,164.00	EC001423	296515	4547648706568	#		BA	BAF	CHN	8471.6070.00
CS1W-PINT21	PROFINET IO Controller (master) unit, 1 x RJ45 socket	1,344.00	EC001423	343249	4547648831093			BA	BAF	NLD	8529.1095.00
CS1W-PRM21	PROFIBUS DP master unit	1,605.00	EC001423	168023	4547648010962			BA	BAF	NLD	8529.1095.00
CS1W-SCB21-V1	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	626.50	EC001423	296510	4547648706490			BA	BAF	CHN	8538.9099.99
CS1W-SCB41-V1	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	708.00	EC001423	296511	4547648706506			BA	BAF	CHN	8538.9099.99
CS1W-SCU21-V1	Serial communications unit, 2 x RS-232C ports, Protocol Macro, Host Link, 1-N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,195.00	EC001423	296512	4547648706513			BA	BAF	CHN	8537.1098.99
CS1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1-N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,249.00	EC001423	296518	4547648706643			BA	BAF	CHN	8537.1098.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">CS1W-ID211</a>	<a href="#">Dijital giriş ünitesi, 16 x 24VDC giriş, NPN/PNP</a>	321.40	EC001419	<a href="#">182912</a>	4547648096539			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-ID231</a>	<a href="#">Dijital giriş ünitesi, 32 x 24VDC giriş, NPN/PNP</a>	597.50	EC001419	<a href="#">182913</a>	4547648096546			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-ID261</a>	<a href="#">Dijital giriş ünitesi, 64 x 24VDC giriş, NPN/PNP</a>	948.50	EC001419	<a href="#">182914</a>	4547648096553			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OC211</a>	<a href="#">Dijital çıkış ünitesi, 16 x röle çıkış, 2 A, 24 VDC/250 VAC, 2 commons</a>	450.60	EC001419	<a href="#">182918</a>	4547648096591			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD211</a>	<a href="#">Dijital çıkış ünitesi, 16 x transistor çıkış, NPN, 0.5 A, 12-24 VDC</a>	377.90	EC001419	<a href="#">182919</a>	4547648096607			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD212</a>	<a href="#">Dijital çıkış ünitesi, 16 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC</a>	607.50	EC001419	<a href="#">182910</a>	4547648096614			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD232</a>	<a href="#">Dijital çıkış ünitesi, 32 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC</a>	888.00	EC001419	<a href="#">182911</a>	4547648096638			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD261</a>	<a href="#">Dijital çıkış ünitesi, 64 x transistor çıkış, NPN, 0.3 A, 12-24 VDC</a>	1,275.00	EC001419	<a href="#">182921</a>	4547648096645			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD262</a>	<a href="#">Dijital çıkış ünitesi, 64 x transistor çıkış, PNP with short circuit protection, 0.3 A, 24 VDC</a>	1,485.00	EC001419	<a href="#">135626</a>	4536854615290			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-AD041-V1</a>	<a href="#">Analog giriş ünitesi, 4 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük</a>	1,261.00	EC001420	<a href="#">143686</a>	4536854819704			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-AD081-V1</a>	<a href="#">Analog giriş ünitesi, 8 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük</a>	2,033.00	EC001420	<a href="#">135647</a>	4536854819711			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-PT556</a>	<a href="#">İzolasyonlu RTD giriş ünitesi, 8 x giriş (Pt100, JIS, IEC, JPt100), 0.1°C çözünürlük</a>	2,122.00	EC001420	<a href="#">172048</a>	4547648086271			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-DA041</a>	<a href="#">Analog çıkış ünitesi, 4 x 4-20mA/1-5V/0-5V/0-10V/-10 to +10V çıkış, vidalı terminal, 12 bit çözünürlük</a>	1,340.00	EC001420	<a href="#">135612</a>	4536854493584			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-DA08-C</a>	<a href="#">Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidalı terminal, 12 bit çözünürlük</a>	2,026.00	EC001420	<a href="#">144480</a>	4536854493577			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-DA08-V</a>	<a href="#">Analog çıkış ünitesi, 8 x 1-5V/0-5V/0-10V/-10 to +10V çıkış, vidalı terminal, 12 bit çözünürlük</a>	2,033.00	EC001420	<a href="#">142228</a>	4536854493560			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-CT021</a>	<a href="#">Yüksek hızlı sayıcı ünitesi, 2 Kanals, 500 kHz, open collector (5/12/24 VDC) &amp; line driver giriş, 4 integral çıkış</a>	1,185.00	EC001422	<a href="#">135576</a>	4536854681639			BA	BAF	NLD	9029.1000.90
<a href="#">CS1W-CT041</a>	<a href="#">Yüksek hızlı sayıcı ünitesi, 4 Kanals, 500 kHz, open collector (5/12/24 VDC) &amp; line driver giriş, 4 integral çıkış</a>	1,589.00	EC001422	<a href="#">153791</a>	4536854681646			BA	BAF	NLD	9029.1000.90
<a href="#">CS1W-CT521</a>	<a href="#">Yüksek hızlı sayıcı ünitesi, SSI absolute encoder 2 Kanals, 9 to 31 bit, Gray/Binary/Taunbaum/Baw coding, 4x Dijital giriş, 4x Dijital çıkış NPN ve PNP</a>	1,430.00	EC001422	<a href="#">135577</a>	4536854842627			BA	BAF	NLD	9029.1000.90
<b>Kontrol Sistemi XW2</b>											
<a href="#">XW2Z-200S-CV</a>	<a href="#">Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port</a>	116.70	EC001681	<a href="#">147534</a>	4536854488191			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200S-V</a>	<a href="#">Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port</a>	111.20	EC001681	<a href="#">149609</a>	4536854230660			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200T</a>	<a href="#">Kablo, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m</a>	108.50	EC001681	<a href="#">105353</a>	4536854230226			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-500T</a>	<a href="#">Kablo, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m</a>	107.80	EC001681	<a href="#">155978</a>	4536854230233			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-20G6</a>	<a href="#">General-purpose I/O terminal block, MIL 20 socket, M3 captive screws, 20 points</a>	45.61	EC002780	<a href="#">703441</a>	4549734723121			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-34G6</a>	<a href="#">General-purpose I/O terminal block, MIL 34 socket, M3 captive screws, 34 points</a>	59.70	EC002780	<a href="#">703440</a>	4549734723152			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-40G6</a>	<a href="#">Terminal Blok, 40 point (M3 vidalı)</a>	69.85	EC002780	<a href="#">703439</a>	4549734723183	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-50G6</a>	<a href="#">General-purpose I/O terminal block, MIL 50 socket, M3 captive screws, 50 points</a>	63.70	EC002780	<a href="#">703436</a>	4549734723213			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2F-20G7-IN16</a>	<a href="#">Terminal block, MIL 20 socket, 20 point input, screwless connections</a>	90.65	EC002780	<a href="#">172652</a>	4547648093880			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2F-20G7-OUT16</a>	<a href="#">Terminal block, MIL 20 socket, 20 point output, screwless connections</a>	90.65	EC002780	<a href="#">172653</a>	4547648093897			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-F40G-T</a>	<a href="#">DIN-rail mounting terminal block, MIL 40 socket, screw clamp, 40 points, general-purpose</a>	69.95	EC002780	<a href="#">372890</a>	4548583367388			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-I40G-T</a>	<a href="#">DIN-rail mounting terminal block, MIL 40 socket, M3 screws, 40 points, general-purpose</a>	70.15	EC002780	<a href="#">372885</a>	4548583367326			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P32GD-C2-COM</a>	<a href="#">DIN-rail mounting terminal block, MIL 40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with MIL 40 connectors</a>	75.10	EC002780	<a href="#">410805</a>	4548583546547			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34G-C2</a>	<a href="#">DIN-rail mounting terminal block, MIL 40 socket, push-in clamp, 32x IN + power, for Omron PLC units with MIL 40 connectors</a>	47.18	EC002780	<a href="#">373000</a>	4548583367555			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34G-C4</a>	<a href="#">DIN-rail mounting terminal block, MIL 40 socket, push-in clamp, 32x OUT + power, for Omron PLC units with MIL 40 connectors</a>	47.18	EC002780	<a href="#">373002</a>	4548583367579			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34GD-T</a>	<a href="#">DIN-rail mounting terminal block, MIL 34 socket, screw clamp, 34 points, general-purpose, push in spring</a>	48.48	EC002780	<a href="#">670881</a>	4548583547131			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P40G-T</a>	<a href="#">DIN-rail mounting terminal block, MIL 40 socket, push-in clamp, 40 points, general-purpose</a>	54.85	EC002780	<a href="#">372996</a>	4548583367432			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-20G4</a>	<a href="#">General-purpose I/O terminal block, MIL 20 socket, screw clamp, 20 points</a>	71.40	EC002780	<a href="#">154108</a>	4536854229503			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-20G5</a>	<a href="#">General-purpose I/O terminal block, MIL 20 socket, M3.5 screws, 20 points</a>	63.70	EC002780	<a href="#">152948</a>	4536854229541			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-34G4</a>	<a href="#">General-purpose I/O terminal block, MIL 34 socket, screw clamp, 34 points</a>	98.30	EC002780	<a href="#">107557</a>	4536854229510			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-40G4</a>	<a href="#">Terminal Blok, 40 nokta (vidalı)</a>	116.00	EC002780	<a href="#">156303</a>	4536854229527	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-40G5</a>	<a href="#">Terminal Blok, 40 point (M3.5 vidalı)</a>	108.00	EC002780	<a href="#">150730</a>	4536854229565			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-50G4</a>	<a href="#">General-purpose I/O terminal block, MIL 50 socket, screw clamp, 50 points</a>	104.00	EC002780	<a href="#">105351</a>	4536854229534			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-50G5</a>	<a href="#">Genel amaçlı servo terminal bloğu, M3.5 for fork/round terminal</a>	125.30	EC002780	<a href="#">143060</a>	4536854229572			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2G-40GZ</a>	<a href="#">Giriş Terminal Blok, C11W-CTL41-F (XW2Z-xxxk kablo ile birlikte kullanın)</a>	127.90	EC002780	<a href="#">180645</a>	4547648089852	#		BA	BAJ	NLD	8536.9010.00
<a href="#">XW2K-20G-O16A-IN</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Input, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707448</a>	4549734758116			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-20G-O16B-OUT</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Output, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707445</a>	4549734758161			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-20G-T</a>	<a href="#">General purpose interface wiring system with push-in plus technology, 20 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting</a>	43.20	EC002780	<a href="#">707455</a>	4549734758024			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-34G-T</a>	<a href="#">General purpose interface wiring system with push-in plus technology, 34 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting</a>	56.70	EC002780	<a href="#">707454</a>	4549734758031			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32A</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting</a>	64.80	EC002780	<a href="#">707451</a>	4549734758052			BA	BAJ	CHN	8536.9010.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XW2K-40G-O32A-IN</a>	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	<a href="#">707447</a>	4549734758123			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32B</a>	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	64.80	EC002780	<a href="#">707450</a>	4549734758079			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32B-OUT</a>	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	<a href="#">707444</a>	4549734758178			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32C</a>	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	64.80	EC002780	<a href="#">707449</a>	4549734758086			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32C-IN</a>	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	<a href="#">707446</a>	4549734758130			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32C-OUT</a>	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	<a href="#">707443</a>	4549734758185			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-T</a>	General purpose interface wiring system with push-in plus technology, 40 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	67.50	EC002780	<a href="#">707453</a>	4549734758048			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-50G-T</a>	General purpose interface wiring system with push-in plus technology, 50 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	78.30	EC002780	<a href="#">707452</a>	4549734758055			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-COM20</a>	Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	75.60	EC002780	<a href="#">707440</a>	4549734758239			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-COM20N</a>	Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	75.60	EC002780	<a href="#">707441</a>	4549734758222			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-COM20P</a>	Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	75.60	EC002780	<a href="#">707442</a>	4549734758215			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2Z-0030FF-L</a>	I/O connection cable, unshielded, MIL40 to MIL40, 30 cm	26.37	EC000237	377664	4548583449138			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0050FF-L</a>	I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m	27.36	EC000237	377665	4548583449145			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100BF-L</a>	I/O connection cable, unshielded, FCN40 to MIL40, 1 m	55.75	EC000237	377616	4548583448650			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100DL-L</a>	I/O connection cable, unshielded, MIL20 to open ends, 1 m	30.99	EC000237	377642	4548583448919			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100FF-L</a>	I/O bağlantı kabloyu, MIL40 to MIL40, L = 100 cm	39.80	EC000237	377666	4548583449152			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100FN-L</a>	I/O connection cable, unshielded, MIL40 to open ends, 1 m	37.73	EC000237	377671	4548583449206			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0150FF-L</a>	I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m	68.80	EC000237	377667	4548583449169			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0150FN-L</a>	I/O connection cable, unshielded, MIL40 to open ends, 1.5 m	59.20	EC000237	377672	4548583449213			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0200BN-L</a>	I/O connection cable, unshielded, FCN40 to open ends, 2 m	81.60	EC000237	377622	4548583448711			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0200EE-L</a>	I/O connection cable, unshielded, MIL34 to MIL34, 2 m	39.91	EC000237	377653	4548583449022			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0200FN-L</a>	I/O connection cable, unshielded, MIL40 to open ends, 2 m	46.87	EC000237	377673	4548583449220			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0300BN-L</a>	I/O connection cable, unshielded, FCN40 to open ends, 3 m	110.60	EC000237	377623	4548583448728			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0300FF-L</a>	I/O connection cable, unshielded, MIL40 to MIL40, 3 m	68.10	EC000237	377669	4548583449183			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0300FN-L</a>	I/O connection cable, unshielded, MIL40 to open ends, 3 m	42.04	EC000237	377675	4548583449244			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0500DL-L</a>	I/O connection cable, unshielded, MIL20 to open ends, 5 m	70.20	EC000237	377646	4548583448957			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-050B</a>	I/O connection cable, FCN40 to MIL40, 0.5 m	70.20	EC000237	<a href="#">107459</a>	4536854230479			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100A</a>	I/O connection cable, FCN24 to MIL20, 1 m	73.00	EC000237	107454	4536854230370			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100B</a>	kablo - 40 pin Fujitsu konektör (XW2*-40G*), 1m	99.55	EC000237	<a href="#">107457</a>	4536854230448	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100D</a>	I/O connection cable, FCN40 to 2 x MIL20, 1 m	94.35	EC000237	152949	4536854229909			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100K</a>	kablo, 40 pin MIL konektör (XW2*-40G*), 1m	63.70	EC000237	<a href="#">107448</a>	4536854792908	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100N</a>	I/O connection cable, MIL40 to 2 x MIL20, 1 m, cross-wired	65.65	EC000237	167714	4536854771613			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-150B</a>	I/O connection cable, FCN40 to MIL40, 1.50 m	76.85	EC000237	<a href="#">107460</a>	4536854230523			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-150K</a>	I/O connection cable, MIL40 to MIL40, 1.5 m	76.85	EC000237	<a href="#">107449</a>	4536854792915			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200A</a>	I/O connection cable, FCN24 to MIL20, 2 m	52.05	EC000237	143062	4536854230387			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200B</a>	I/O connection cable, FCN40 to MIL40, 2 m	111.90	EC000237	<a href="#">151789</a>	4536854230455	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200D</a>	I/O connection cable, FCN40 to 2 x MIL20, 2 m	101.80	EC000237	107487	4536854229923			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200K</a>	I/O connection cable, MIL40 to MIL40, 2 m	83.90	EC000237	<a href="#">107451</a>	4536854792939			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-300B</a>	I/O connection cable, FCN40 to MIL40, 3 m	119.70	EC000237	<a href="#">107458</a>	4536854230462			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-300K</a>	I/O connection cable, MIL40 to MIL40, 3 m	113.10	EC000237	<a href="#">107450</a>	4536854792922			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-500K</a>	I/O connection cable, MIL40 to MIL40, 5 m	126.00	EC000237	<a href="#">103604</a>	4536854792946			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-C50K</a>	I/O connection cable, MIL40 to MIL40, 0.5 m	80.65	EC000237	153570	4536854633157			BA	BAJ	JPN	8536.9010.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">CJ2H-CPU64</a>	CPU, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l, CPU, Dahili EtherNet/IP portu, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l,	2,975.00	EC000236	<a href="#">268696</a>	4547648638630			BA	BAK	JPN	8471.4100.00
<a href="#">CJ2H-CPU64-FIP</a>	CPU, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l,	3,976.00	EC000236	<a href="#">249739</a>	4547648519113			BA	BAK	JPN	8471.6070.00
<a href="#">CJ2H-CPU65</a>	CPU, 100K step program hafızası, 32K word veri hafızası, 32K words x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l, CPU, Dahili EtherNet/IP portu, 100K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l,	3,605.00	EC000236	<a href="#">268697</a>	4547648638647			BA	BAK	JPN	8471.4100.00
<a href="#">CJ2H-CPU65-FIP</a>	CPU, 100K step program hafızası, 32K word veri hafızası, 32K words x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l,	4,287.00	EC000236	<a href="#">249800</a>	4547648519120			BA	BAK	JPN	8471.6070.00
<a href="#">CJ2H-CPU66-FIP</a>	CPU, Dahili EtherNet/IP portu, 150K step program hafızası, 32K word veri hafızası, 32K word x 10 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l,	5,775.00	EC000236	<a href="#">249801</a>	4547648519144			BA	BAK	JPN	8537.1098.99
<a href="#">CJ2H-CPU67-FIP</a>	CPU, Dahili EtherNet/IP portu, 250K step program hafızası, 32K word veri hafızası, 32K word x 15 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l,	7,430.00	EC000236	<a href="#">249802</a>	4547648519151			BA	BAK	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ2H-CPU68-EIP	CPU, Dahili EtherNet/IP portu, 400K step program hafızası, 32K word veri hafızası, 32K word x 25 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	9,445.00	EC000236	249803	4547648519168			BA	BAK	JPN	8471.6070.00
CJ2M-CPU11	CPU, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	516.00	EC000236	392391	4548583498389	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU12	CPU, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	743.00	EC000236	392392	4548583498396	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU13	CPU, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	1,040.00	EC000236	392393	4548583498402			BA	BAK	NLD	8471.4100.00
CJ2M-CPU14	CPU, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	1,297.00	EC000236	392394	4548583498419			BA	BAK	NLD	8471.4100.00
CJ2M-CPU15	CPU, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	1,585.00	EC000236	392395	4548583498426			BA	BAK	NLD	8471.4100.00
CJ2M-CPU31	CPU, Dahili EtherNet/IP portu, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,304.00	EC000236	392396	4548583498433	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU32	CPU, Dahili EtherNet/IP portu, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,403.00	EC000236	392397	4548583498440	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU33	CPU, Dahili EtherNet/IP portu, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,726.00	EC000236	392398	4548583498457	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU34	CPU, Dahili EtherNet/IP portu, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	2,034.00	EC000236	392399	4548583498464	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU35	CPU, Dahili EtherNet/IP portu, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	2,311.00	EC000236	392400	4548583498471	#		BA	BAK	NLD	8471.4100.00
CJ1W-PA202	Güç kaynağı ünitesi, 100-240 VAC, çıkış kapasitesi: 14 W	244.30	EC000599	136004	4536854806018	#		BA	BAK	JPN	8504.4030.00
CJ1W-PA205C	Güç kaynağı ünitesi, 100-240 VAC, çıkış gücü: 25 W, bakım monitörü	450.30	EC000599	183314	4547648156936			BA	BAK	JPN	8504.4030.00
CJ1W-PA205B	Güç kaynağı ünitesi, 100-240 VAC, çıkış gücü: 25 W, RUN çıkışı	346.30	EC000599	386939	4548583452244	#		BA	BAK	CHN	8504.4030.00
CJ1W-PD022	Güç kaynağı ünitesi, 24 VDC, çıkış kapasitesi: 19.6 W	154.10	EC000599	315604	4547648706117	#		BA	BAK	CHN	8504.4030.00
CJ1W-PD025	Güç kaynağı, 24 VDC, çıkış gücü: 25 W	341.80	EC000599	136016	4536854827761	#		BA	BAK	JPN	8504.4030.00
CJ1W-TC001	Sıcaklık kontrol ünitesi, R/S/K/I/T/L/B termokupl giriş, transistör (NPN) çıkış, 4 çevrim	1,053.00	EC001421	135989	4536854740749			BA	BAK	JPN	8471.6070.00
CJ1W-TC002	Sıcaklık kontrol ünitesi, R/S/K/I/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 4 çevrim	1,074.00	EC001421	142660	4536854740534	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC004	Sıcaklık kontrol ünitesi, R/S/K/I/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	932.00	EC001421	155601	4536854903519	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC101	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (NPN) çıkış, 4 çevrim	1,040.00	EC001421	151404	4536854740565			BA	BAK	JPN	8471.6070.00
CJ1W-TC102	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 4 çevrim	1,040.00	EC001421	143742	4536854740572	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC104	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	932.00	EC001421	135992	4536854740596			BA	BAK	JPN	8471.6070.00
CJ1W-CLK23	ControllerLink arayüzü	1,019.00	EC001423	258834	4547648597661			BA	BAK	CHN	8471.6070.00
CJ1W-CORT21	Kullanıcı tanımlı CAN ünitesi (11 ve 29-bit tanımlayıcı)	1,090.00	EC001423	172669	4547648093477	#		BA	BAK	NLD	8529.1095.00
CJ1W-CRM21	CompoNet CJ1 master ünitesi	743.00	EC001423	315606	4547648708661			BA	BAK	CHN	8471.6070.00
CJ1W-DRM21	DeviceNet master/slave ünitesi	953.00	EC001423	258836	4547648597197	#		BA	BAK	CHN	8471.6070.00
CJ1W-FCT21	CJ-series EtherCAT Slave ünitesi	972.00	EC001423	659361	4548583576568			BA	BAK	NLD	8471.8000.00
CJ1W-FIP21	CJ1 EtherNet/IP ünitesi, 100Base-TX, CIP, FINS/UDP ve FINS/TCP destekler	1,789.00	EC001423	258403	4547648597692	#		BA	BAK	CHN	8471.6070.00
CJ1W-FTN21	Ethernet ünitesi, R/45 (100Base-TX ve 10 Base-T) konektör ile (TCP/IP & UDP/IP soket servisleri, FTP, SMTP, FINS)	1,723.00	EC001423	258832	4547648597586	#		BA	BAK	CHN	8471.6070.00
CJ1W-PN21	Profibus-DP master ünitesi	1,255.00	EC001423	291927	4547648476584			BA	BAK	NLD	8529.1095.00
CJ1W-PRM21	Profibus-DP Master ünitesi	1,397.00	EC001423	168022	4547648010955	#		BA	BAK	NLD	8529.1095.00
CJ1W-PRT21	Profibus-DP slave ünitesi, 100 word'e kadar giriş çıkış, 180 word maksimum	941.00	EC001423	136031	4536854859908			BA	BAK	NLD	8529.1095.00
CJ1W-SCU21-V1	Seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	660.00	EC001423	258830	4547648597272	#		BA	BAK	CHN	8471.6070.00
CJ1W-SCU22	Yüksek hız seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	660.00	EC001423	323397	4547648779173			BA	BAK	JPN	8471.8000.00
CJ1W-SCU31-V1	Seri haberleşme ünitesi, 2x RS422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	904.00	EC001423	258835	4547648597685	#		BA	BAK	CHN	8471.6070.00
CJ1W-SCU32	Yüksek hız seri haberleşme ünitesi, 2x RS-422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	904.00	EC001423	323398	4547648779180			BA	BAK	JPN	8471.8000.00
CJ1W-SCU41-V1	Seri haberleşme ünitesi, 1x RS-232C port + 1x RS422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	829.50	EC001423	258831	4547648597517	#		BA	BAK	CHN	8471.6070.00
CJ1W-SCU42	Yüksek hız seri haberleşme ünitesi, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	829.50	EC001423	323399	4547648779197			BA	BAK	JPN	8471.8000.00
CJ1W-HC101	Genişleme I/O kontrol ünitesi, CPU'nun sağ tarafına bağlanır	268.60	EC002584	315594	4547648705998		2	BA	BAK	CHN	8471.6070.00
CJ1W-HI101	Genişleme I/O arayüz ünitesi, Genişleme I/O'larının soluna bağlanır, 3 genişletme Back'l maks.	311.20	EC002584	315595	4547648706001		2	BA	BAK	CHN	8471.6070.00
CJ1W-JA111	Dijital input unit, 16 x 100-120 VAC inputs, screw terminal	370.20	EC001419	315597	4547648706025			BA	BAK	CHN	8471.6070.00
CJ1W-JA201	Dijital giriş ünitesi, Bx 200-240 VAC, vida terminal	286.80	EC001419	315598	4547648706049			BA	BAK	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C11W-ID201	Dijital giriş ünitesi, 8x 24VDC, bağımsız girişler, vida terminal	189.20	EC001419	382928	4548583424968			BA	BAK	NLD	8471.6070.00
C11W-ID211	Dijital giriş ünitesi, 16x 24VDC, vida terminal	235.20	EC001419	382929	4548583424975	#		BA	BAK	NLD	8471.6070.00
C11W-ID211(SL)	Dijital giriş ünitesi, 16x 24VDC, vidasız kelepçe terminal	235.20	EC001419	171731	4547648023092	#		BA	BAK	NLD	8471.6070.00
C11W-ID212	Dijital yüksek-hız giriş ünitesi, 16x 24VDC, vida terminal	297.50	EC001419	382930	4548583424982			BA	BAK	NLD	8471.6070.00
C11W-ID231	Dijital giriş ünitesi, 32x 24VDC, FCN konektör (dahil değil)	400.10	EC001419	177393	4547648050302	#		BA	BAK	CHN	8471.6070.00
C11W-ID232	Dijital giriş ünitesi, 32x 24VDC, MLI konektör (dahil değil)	390.40	EC001419	177394	4547648050319	#		BA	BAK	CHN	8471.6070.00
C11W-ID233	Dijital high-speed input unit, 32 x 24 VDC inputs, MLI40 connector (not included)	507.00	EC001419	270545	4547648610537			BA	BAK	CHN	8471.6070.00
C11W-ID261	Dijital giriş ünitesi, 64x 24VDC, 2 x FCN konektör (dahil değil)	658.00	EC001419	177395	4547648050326	#		BA	BAK	CHN	8471.6070.00
C11W-ID262	Dijital giriş ünitesi, 64x 24VDC, MLI konektör (dahil değil)	683.00	EC001419	177396	4547648050333	#		BA	BAK	CHN	8471.6070.00
C11W-IDB01	Dijital hızlı cevap giriş ünitesi, 16x 24VDC, single shot puls capture, 30 µs minimum, vida terminal	433.70	EC001419	315602	4547648706094			BA	BAK	CHN	8471.6070.00
C11W-INT01	Dijital interrupt giriş ünitesi, 16x 24VDC, CPU başına maks. 2 tane, vida terminal	597.00	EC001419	315596	4547648706018			BA	BAK	CHN	8471.6070.00
C11W-OA201	Dijital output unit, 8 x triac outputs, 250VAC, 0.6 A, screw terminal	310.30	EC001419	315599	4547648706056			BA	BAK	CHN	8471.6070.00
C11W-OQ201	Dijital çıkış ünitesi, 8x röle, 250VAC/24VDC, 2 A max, bağımsız ortak uçlar, vida terminal	277.70	EC001419	382931	4548583424999			BA	BAK	NLD	8471.6070.00
C11W-OQ201(SL)	Dijital çıkış ünitesi, 8x röle, 250VAC/24VDC, 2 A max, bağımsız ortak uçlar, vidasız kelepçe terminal	277.70	EC001419	171732	4547648023108			BA	BAK	NLD	8471.6070.00
C11W-OQ211	Dijital çıkış ünitesi, 16x röle, 250VAC/24VDC, 2 A max, vida terminal	350.00	EC001419	382932	4548583425002	#		BA	BAK	NLD	8471.6070.00
C11W-OQ211(SL)	Dijital çıkış ünitesi, 16x röle, 250VAC/24VDC, 2 A max, vidasız kelepçe terminal	350.00	EC001419	171733	4547648023122	#		BA	BAK	NLD	8471.6070.00
C11W-OD201	Dijital çıkış ünitesi, 8x transistör, NPN, 2.0 A, 12 to 24VDC, vida terminal	340.10	EC001419	315600	4547648706070			BA	BAK	CHN	8471.6070.00
C11W-OD202	Dijital çıkış ünitesi, 8x transistör, PNP, 2.0 A, 24VDC, vida terminal	321.10	EC001419	315601	4547648706087			BA	BAK	CHN	8471.6070.00
C11W-OD203	Dijital çıkış ünitesi, 8x transistör, NPN, 0.5 A, 24VDC, vida terminal	238.70	EC001419	143440	4536854961182			BA	BAK	CHN	8471.6070.00
C11W-OD204	Dijital çıkış ünitesi, 8x transistör, PNP, 0.5 A, 24VDC, kısa devre ve alarm korumalı, vida terminal	255.30	EC001419	315603	4547648706100			BA	BAK	CHN	8471.6070.00
C11W-OD211	Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24VDC, vida terminal	277.70	EC001419	382933	4548583425019	#		BA	BAK	NLD	8471.6070.00
C11W-OD211(SL)	Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24VDC, vidasız kelepçe terminal	277.70	EC001419	171734	4547648023139	#		BA	BAK	NLD	8471.6070.00
C11W-OD212	Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24VDC, kısa devre yük koruması, vida terminal	320.50	EC001419	382934	4548583425026	#		BA	BAK	NLD	8471.6070.00
C11W-OD212(SL)	Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24VDC, kısa devre yük koruması, vidasız kelepçe terminal	320.50	EC001419	171735	4547648023146			BA	BAK	NLD	8471.6070.00
C11W-OD213	Dijital high-speed output unit, 16 x transistor outputs, NPN, 0.5 A, 24VDC, screw terminal	364.30	EC001419	270548	4547648610568			BA	BAK	CHN	8471.6070.00
C11W-OD231	Dijital çıkış ünitesi, 32x transistör, NPN, 0.5 A, 12 to 24VDC, FCN konektör (dahil değil)	477.60	EC001419	177398	4547648050357	#		BA	BAK	CHN	8471.6070.00
C11W-OD232	Dijital çıkış ünitesi, 32x transistör, PNP, 0.5 A, 24VDC, kısa devre yük koruması, MLI konektör (dahil değil)	560.00	EC001419	177399	4547648050364	#		BA	BAK	CHN	8471.6070.00
C11W-OD233	Dijital output unit, 32 x transistor outputs, NPN, 0.5 A, 24 VDC, MLI40 connector (not included)	482.50	EC001419	177400	4547648050371			BA	BAK	CHN	8471.6070.00
C11W-OD234	Dijital high-speed output unit, 32 x transistor outputs, NPN, 0.5 A, 24VDC, MLI40 connector (not included)	531.50	EC001419	270546	4547648610544			BA	BAK	CHN	8471.6070.00
C11W-OD261	Dijital çıkış ünitesi, 64x transistör, NPN, 0.5 A, 12 to 24VDC, FCN konektör (dahil değil)	761.50	EC001419	177401	4547648050388	#		BA	BAK	CHN	8471.6070.00
C11W-OD262	Dijital çıkış ünitesi, 64x transistör, PNP, 0.3 A, 24VDC, MLI konektör (dahil değil)	646.50	EC001419	136029	4536854961205	#		BA	BAK	CHN	8471.9000.00
C11W-MD231	Dijital I/O ünitesi, 16 x 24VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24VDC, 2 A max, 2 x FCN24 connectors (not included)	412.90	EC001419	104549	4536854880971			BA	BAK	CHN	8541.2900.00
C11W-MD232	Dijital I/O ünitesi, 16 x 24VDC inputs, 16 x transistor outputs, PNP, 0.5 A, 24VDC, 2 A max, 2 x MLI20 connectors (not included)	522.50	EC001419	156708	4536854961212			BA	BAK	CHN	8541.2900.00
C11W-MD233	Dijital I/O ünitesi, 16 x 24VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24VDC, 2 A max, 2 x MLI20 connectors (not included)	416.60	EC001419	136023	4536854880988			BA	BAK	CHN	8541.2900.00
C11W-MD261	Dijital I/O ünitesi, 32 x 24VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24VDC, 3.2 A max, 2 x FCN40 connectors (not included)	761.50	EC001419	136024	4536854880995			BA	BAK	CHN	8541.2900.00
C11W-MD263	Dijital I/O ünitesi, 32 x 24VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24VDC, 3.2 A max, 2 x MLI40 connectors (not included)	650.50	EC001419	156856	4536854881008			BA	BAK	CHN	8541.2900.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
C11W-AD041-V1	Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, vida terminal	966.50	EC001420	136033	4536854912948	#		BA	BAK	NLD	8471.6070.00
C11W-AD041-V1(SL)	Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, screwless clamp terminal	966.50	EC001420	171999	4547648023252			BA	BAK	NLD	8471.6070.00
C11W-AD042	Analog yüksek-hız giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, 1-5 V, 0-10 V, -5-5 V, -10-10 V, 4-20 mA, vida terminal	1,585.00	EC001420	318067	4547648722797			BA	BAK	JPN	8471.6070.00
C11W-AD044	Evrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, vida terminal	997.00	EC001420	235350	4547648318266	#		BA	BAK	NLD	8471.6070.00
C11W-AD044(SL)	Evrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, vidasız kelepçe terminal	997.00	EC001420	235351	4547648318273			BA	BAK	NLD	8471.6070.00
C11W-AD081-V1	Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, vida terminal	1,261.00	EC001420	136032	4536854912931	#		BA	BAK	NLD	8471.6070.00
C11W-AD081-V1(SL)	Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, screwless clamp terminal	1,261.00	EC001420	172000	4547648023269			BA	BAK	NLD	8471.6070.00
C11W-PDC15	Isolated analog input unit, 2 x inputs 4 to 20 mA, 0 to 20 mA, 1 to 5 V, 0 to 5 V, -5 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 1.25 V, -1.25 to 1.25 V, resolution 1:64000, 10 ms conversion time, screw terminal	1,183.00	EC001420	183665	4547648164108			BA	BAK	JPN	8471.6070.00
C11W-PH41U	Evrensel analog giriş ünitesi, yüksek çözünürlük, 4x ±100mV up to ±10V, potansiyometre, 0/4 to 20mA, Termokupl (K, J, T, L, U, N, R, S, B), Pt100 (3-kablo), vida terminal	1,845.00	EC001420	247114	4547648513999			BA	BAK	JPN	8471.4100.00
C11W-PT551	İzole sıcaklık kontrol ünitesi, 4 x giriş (K, J, L, R, S, B), 0.1°C çözünürlük, vida terminal	874.50	EC001420	168518	4547648023214			BA	BAK	JPN	8471.6070.00
C11W-PT552	İzole RTD giriş ünitesi, 4 x giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük, vida terminal	871.00	EC001420	168519	4547648023221			BA	BAK	JPN	8471.6070.00
C11W-TS561	Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vida terminal	740.50	EC001420	168013	4547648023467	#		BA	BAK	NLD	8473.3080.00
C11W-TS561(SL)	Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vidasız kelepçe terminal	740.50	EC001420	180447	4547648023320			BA	BAK	NLD	8473.3080.00
C11W-TS562	Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vida terminal	724.50	EC001420	168014	4547648023474	#		BA	BAK	NLD	8473.3080.00
C11W-TS562(SL)	Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vidasız kelepçe terminal	724.50	EC001420	172733	4547648023337			BA	BAK	NLD	8473.3080.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
C11W-DA021	Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA harici besleme, 24VDC 140mA, vida terminal	772.50	EC001420	151233	4536854912962			BA	BAK	NLD	8471.6070.00
C11W-DA021(SL)	Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme, 24VDC 140mA, vidasız kelepçe terminal	772.50	EC001420	172001	4547648023276			BA	BAK	NLD	8471.6070.00
C11W-DA041	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme, 24VDC 200mA, vida terminal	858.50	EC001420	104446	4536854912955	#		BA	BAK	NLD	8471.6070.00
C11W-DA041(SL)	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme, 24VDC 200mA, vidasız kelepçe terminal	858.50	EC001420	172002	4547648023283			BA	BAK	NLD	8471.6070.00
C11W-DA042V	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 10V, -10 to 10V, 1:10,000/20,000/40,000 çözünürlük, 20µs/25µs/30µs/35µs dönüşürme periyodu, vida terminal	1,503.00	EC001420	318068	4547648722810			BA	BAK	JPN	8471.6070.00
C11W-DA08C	Analog çıkış ünitesi, 8x 4-20mA çıkış, vida terminals, 12 bit çözünürlük, vida terminal	1,186.00	EC001420	171897	4547648023436	#		BA	BAK	NLD	8471.6070.00



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">CJ1W-DA08C(SL)</a>	Analog çıkış ünitesi, 8x 4-20mA çıkış, vidasız kelepçe terminal, 12 bit çözünürlük, vida terminal	1,186.00	EC001420	<a href="#">172003</a>	4547648023290			BA	BAK	NLD	8471.6070.00
<a href="#">CJ1W-DA08V</a>	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/+10V çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalaveilabilir, vida terminal	1,166.00	EC001420	<a href="#">171895</a>	4547648023443	#		BA	BAK	NLD	8471.6070.00
<a href="#">CJ1W-DA08V(SL)</a>	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/+10V çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalaveilabilir, vidasız kelepçe terminal	1,166.00	EC001420	<a href="#">172004</a>	4547648023306			BA	BAK	NLD	8471.6070.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">CJ1W-MAD42</a>	Analog I/O ünitesi, 4x +10V/0-5V/0-10V/1-5V/4-20mA giriş, 2x +10V/0-5V/0-10V/1-5V/4-20mA çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalaveilabilir, vida terminal	817.00	EC001420	<a href="#">171895</a>	4547648023450	#		BA	BAK	NLD	8471.6070.00
<a href="#">CJ1W-MAD42(SL)</a>	Analog I/O ünitesi, 4x +10V/0-5V/0-10V/1-5V/4-20mA giriş, 2x +10V/0-5V/0-10V/1-5V/4-20mA çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalaveilabilir, vidasız kelepçe terminal	817.00	EC001420	<a href="#">172005</a>	4547648023313	#		BA	BAK	NLD	8471.6070.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">CJ1W-CT021</a>	Yüksek hızlı sayıcı ünitesi, 2 eksen, 500 kHz, RS422 line driver ve ya open collector girişi	898.50	EC001422	<a href="#">315605</a>	4547648708890			BA	BAK	CHN	8471.6070.00
<a href="#">CJ1W-CT141-E</a>	Yüksek hızlı sayıcı ünitesi, 4x puls girişi, 24 VDC open collector ve line driver encoder tipi destekler, 24 VDC open collector 100 kHz giriş maks., XW2G-40G7-E terminal, bloğu ve XW2Z-XXXX kabloyu kullanılmıdır	724.50	EC001422	<a href="#">180688</a>	4547648089753	#		BA	BAK	NLD	9029.1000.90
<a href="#">CJ1W-CTS21-E</a>	Yüksek hızlı sayıcı ünitesi, SSI mutlak enkoder 2 kanal, 9-31 bit, Gray/Binary/Taunenbaum/Raw kodlama, vida terminal	846.00	EC001422	<a href="#">180381</a>	4547648089739			BA	BAK	NLD	9029.1000.90
<a href="#">CJ1W-DCM11-E</a>	DC Motor Control Unit, 24 V, 4 A (10 A peak), PWM control, plug-in terminals	1,035.00	EC001422	<a href="#">227033</a>	4547648273626			BA	BAK	NLD	8529.1095.00
<a href="#">CJ2M-MD211</a>	Puls I/O Module for CJ2M, NPN with 10 giriş, (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	301.20	EC001422	<a href="#">341746</a>	4547648833080	#		BA	BAK	CHN	8471.6070.00
<a href="#">CJ2M-MD212</a>	Puls I/O Module for CJ2M, PNP with 10 giriş, (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	301.20	EC001422	<a href="#">341747</a>	4547648833097	#		BA	BAK	CHN	8471.6070.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">CJ1W-V680C11</a>	V680 RFID Sensor unit, one channel, for CJ-series PLCs	1,822.00	EC001422	<a href="#">244991</a>	4547648510714			BA	BAK	JPN	9031.8080.00
<a href="#">CJ1W-V680C12</a>	V680 RFID Sensor unit, two channel, for CJ-series PLCs	2,598.00	EC001422	<a href="#">244992</a>	4547648510721			BA	BAK	JPN	9031.8080.00
<b>Kontrol Sistemi CP1</b>											
<a href="#">CP1W-16ER</a>	CP1 Serisi ek ünite, 16x röle çıkış 2 A	278.30	EC001419	<a href="#">670917</a>	4548583810747	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-16ET</a>	CP1 Serisi Ek ünite, 16x NPN çıkış 0.3 A	246.00	EC001419	<a href="#">670913</a>	4548583810754	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-16FT1</a>	CP1 Serisi Ek ünite, 16x PNP çıkış 0.3 A	246.00	EC001419	<a href="#">670918</a>	4548583810761	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-20EDR1</a>	CP1 Serisi Ek ünite, 12x 24 VDC giriş ve 8x röle çıkış 2 A	267.40	EC001419	<a href="#">670923</a>	4548583810778	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-20EDT</a>	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x NPN çıkış 0.3 A	277.20	EC001419	<a href="#">670912</a>	4548583810785	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-20EDT1</a>	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A	277.20	EC001419	<a href="#">670919</a>	4548583810792	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-32ER</a>	CP1 Serisi Ek ünite, 32x röle çıkış 2 A	472.90	EC001419	<a href="#">670914</a>	4548583810808	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-32ET1</a>	CP1 Serisi Ek ünite, 32x NPN çıkış 0.3 A	472.90	EC001419	<a href="#">670920</a>	4548583810815	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-32ET1</a>	CP1 Serisi Ek ünite, 32x PNP çıkış 0.3 A	472.90	EC001419	<a href="#">670910</a>	4548583810822	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-40FDR</a>	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x röle çıkış 2 A	489.80	EC001419	<a href="#">670909</a>	4548583810839	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-40FDT</a>	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x NPN çıkış 0.3 A	493.30	EC001419	<a href="#">670915</a>	4548583810846	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-40EDT1</a>	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A	481.90	EC001419	<a href="#">670921</a>	4548583810853	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8FD</a>	CP1 Serisi Ek ünite, 8x 24 VDC giriş	189.70	EC001419	<a href="#">670916</a>	4548583810860	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8ER</a>	CP1 Serisi Ek ünite, 8x röle çıkış 2 A	192.50	EC001419	<a href="#">670922</a>	4548583810877	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8ET</a>	CP1 Serisi Ek ünite, 8x NPN çıkış 0.3 A	208.10	EC001419	<a href="#">670911</a>	4548583810884	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8ET1</a>	CP1 Serisi Ek ünite, 8x PNP çıkış 0.3 A	213.60	EC001419	<a href="#">670924</a>	4548583810891	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-AD041</a>	CP1 Serisi analog giriş ek ünitesi, giriş: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	485.40	EC001420	<a href="#">671145</a>	4548583810907	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-AD042</a>	CP1 Serisi Ek ünite, 4x analog giriş (0 to 5 V, 1 to 5 V, 0 to 10 V, +10 V, 0 to 20 mA, 4 to 20 mA)	266.30	EC001420	<a href="#">671144</a>	4548583810983	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-ADB21</a>	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 veya 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000	128.80	EC001420	<a href="#">364430</a>	4548583106703	#		BA	BAL	CHN	8471.4100.00
<a href="#">CP1W-BAT01</a>	CP1 PLC için pil	24.02	EC002584	<a href="#">678518</a>	4549734925969	#		BA	BAL	JPN	8506.5010.90
<a href="#">CP1W-CIF01</a>	CP1 RS-232C (15 m maks.) seri haberleşme opsiyon kartı	65.55	EC001423	<a href="#">672569</a>	4548583810914	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-CIF11</a>	CP1 RS422/485 (50 m maks.) seri haberleşme opsiyon kartı	65.55	EC001423	<a href="#">672570</a>	4548583810921	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-CIF21-V1</a>	CP1 RS422/485 (isolated 500 m max.) serial communication option board	148.10	EC001423	<a href="#">688375</a>	4549734446303	#		BA	BAL	NLD	8471.8000.00
<a href="#">CP1W-CIF41</a>	CP1 Ethernet haberleşme opsiyon kartı	390.60	EC001423	<a href="#">673349</a>	4548583810945	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DA021</a>	CP1 Serisi analog çıkış ek ünitesi, Ek analog çıkış ünitesi, çıkış: 2x 0 to 5V, 1 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA, 4 to 20mA, çözünürlük 1/6,000	472.90	EC001420	<a href="#">671147</a>	4548583810952	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DA041</a>	CP1 Serisi analog çıkış ünitesi, çıkış: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	538.50	EC001420	<a href="#">671148</a>	4548583810969	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DA042</a>	CP1 Serisi ek ünite, 4x analog çıkış (1 to 5 V, 0 to 10 V, +10 V, 0 to 20 mA, 4 to 20 mA)	286.90	EC001420	<a href="#">671146</a>	4548583810990	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DAB21V</a>	CP1L analog opsiyonel kart (only CP1L-EL/EM port 1 or 2) çıkış: 2x 0-10 V çözünürlük 1/4,000	128.80	EC001420	<a href="#">364431</a>	4548583106710	#		BA	BAL	CHN	8471.4100.00
<a href="#">CP1W-DAM01</a>	LCD opsiyon kartı CP1L ve CP1H için	148.00	EC002584	<a href="#">247844</a>	4547648527286	#		BA	BAL	CHN	8471.6070.00
<a href="#">CP1W-EIP61</a>	CP1 Ethernet/IP haberleşme opsiyon kartı, sadece datalink fonksiyonu içindir.	503.50	EC001423	<a href="#">365009</a>	4547648934893	#		BA	BAL	USA	8471.6070.00
<a href="#">CP1W-MAB221</a>	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 or 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000 ve çıkış: 2x 0-10 V çözünürlük 1/4,000	223.70	EC001420	<a href="#">364429</a>	4548583106697	#		BA	BAL	CHN	8471.4100.00
<a href="#">CP1W-MAD11</a>	CP1 Serisi ek analog G/C ünitesi, giriş: 2x 0-20mA, 4-20mA, 0-5V, 1-5V, 0-10V, -10 to 10V girişler ve çıkış: 1x 0-20mA, 4-20mA, 1-5V, 0-10V, -10 to 10V çıkışlar, çözünürlük 1/6,000	542.00	EC001420	<a href="#">671149</a>	4548583810976	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-MAD42</a>	CP1 Serisi ek ünite, 4x analog giriş ve 2x analog çıkış	344.80	EC001420	<a href="#">671151</a>	4548583811003	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-MAD44</a>	CP1 Serisi ek ünite, 4x analog giriş ve 4x analog çıkış	489.80	EC001420	<a href="#">671150</a>	4548583811010	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-MODTCP61</a>	CP1 Modbus TCP haberleşme opsiyon kartı, Master or Slave	485.50	EC001423	<a href="#">365010</a>	4547648934909	#		BA	BAL	USA	8471.6070.00
<a href="#">CP1W-TS001</a>	CP1 Serisi sıcaklık sensörü ek ünitesi, 2x J/K Termokupl girişi	449.10	EC001420	<a href="#">673348</a>	4548583811034	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-TS002</a>	CP1 Serisi sıcaklık sensörü ek ünitesi, 4x J/K Termokupl girişi	566.50	EC001420	<a href="#">673347</a>	4548583811041	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-TS003</a>	CP1 Serisi sıcaklık sensörü ek ünitesi, 4x J/K Termokupl girişi ve da 2x J/K giriş ve 2 analog giriş	297.50	EC001420	<a href="#">674253</a>	4548583811027	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-TS004</a>	CP1 Serisi sıcaklık sensörü ek ünitesi, 12x J/K Termokupl girişi	489.50	EC001420	<a href="#">401523</a>	4548583557932	#		BA	BAL	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1W-TS101	CP1 Serisi sıcaklık sensörü ek ünite, 2x Pt100 giriş	449.10	EC001420	672572	4548583811058	#		BA	BAL	NLD	8537.1098.99
CP1W-TS102	CP1 Serisi sıcaklık sensörü ek ünite, 4x Pt100 giriş	566.50	EC001420	672573	4548583811065	#		BA	BAL	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	5.51	EC002584	689216	4549734542555	#		BA	BAL	CHN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	109.80	EC001423	689244	4549734542524	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	109.80	EC001423	689245	4549734542531	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	109.80	EC001423	689246	4549734542548	#		BA	BAL	CHN	8471.8000.00
<b>Kontrol Sistemi Yazılımı</b>											
NA-RTSM	Soft-NA installation DVD only, for Windows 10 Pro 64 bit (requires NART-LD** license)	47.88	EC001435	694868	4549734592529			BA	BAM	NLD	8523.4910.00
SYSMAC-DF001L	Sysmac Studio Drive Edition	150.90	EC000809	673372	4548583988262			BA	BAM	NLD	8523.8090.00
SYSMAC-LE201L	Yalnızca Sysmac Studio Lite lisansı, tek kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	1,106.00	EC000809	672883	4548583984103	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LE203L	Yalnızca Sysmac Studio Lite lisansı, 3 kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	2,214.00	EC000809	672793	4548583983205			BA	BAM	NLD	8523.8090.00
SYSMAC-LU501L	Sysmac Studio Lite to Sysmac Studio Standard upgrade, 1-user license only	1,371.00	EC000809	673371	4548583988255			BA	BAM	NLD	8523.8090.00
SYSMAC-RTNC0000D	CNC operatörü DVD'si	48.48	EC000809	679805	4549734166874			BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0001L	CNC operatörü Ek lisans	1,554.00	EC000809	679804	4549734166681			BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0101D	CNC operatörü SDK DVD	2,729.00	EC000809	679803	4549734166698			BA	BAM	JPN	8523.8090.00
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	599.00	EC000809	695814	4549734601375			BA	BAM	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	2,275.00	EC000809	695813	4549734601382			BA	BAM	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	4,549.00	EC000809	695812	4549734601399			BA	BAM	JPN	8523.8090.00
SYSMAC-SA430L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	9,555.00	EC000809	695811	4549734601405			BA	BAM	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	13,210.00	EC000809	695810	4549734601412			BA	BAM	JPN	8523.8090.00
SYSMAC-SA4XXL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	20,480.00	EC000809	695809	4549734601429			BA	BAM	JPN	8523.8090.00
SYSMAC-SE201L	Sysmac Studio lisansı, tek kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	1,879.00	EC000809	355295	4547648909792	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio lisansı, 3 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	3,749.00	EC000809	355296	4547648909808			BA	BAM	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio lisansı, 10 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	7,505.00	EC000809	355297	4547648909815			BA	BAM	NLD	8523.8090.00
SYSMAC-SE2XXL-ED	Sysmac Studio Educational Edition site license	334.00	EC000809	659565	4548583953949			BA	BAM	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	602.00	EC000809	680950	4549734942607			BA	BAM	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1,227.00	EC000809	680952	4549734942621			BA	BAM	NLD	8523.8090.00
SYSMAC-TA410L	Sysmac Studio Team Option 10 Users License	2,385.00	EC000809	680951	4549734942614			BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi Yazılımı</b>											
CXONE-AL01-EV4	Tek kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	1,231.00	EC000809	324682	4547648876711	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Tek kullanıcı lisans güncelleme, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	381.30	EC000809	324688	4547648876773			BA	BAM	NLD	8523.8090.00
CXONE-AL03-EV4	3 kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	2,486.00	EC000809	324683	4547648876728			BA	BAM	NLD	8523.8090.00
CXONE-AL10-EV4	10 kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	4,837.00	EC000809	324684	4547648876735			BA	BAM	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), 1x DVD, (CXOne-Alxx-EV4-xx) gereklidir	18.83	EC000809	324695	4547648876841			BA	BAM	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4 x yazılımı, Windows 2000/XP/Vista, tek kullanıcı lisansı, (Kurulum için CD's, CXOne-LTCD-EV4 gereklidir), yazılım sadece CPx serisi kompakt PLC desteklemektedir	305.80	EC000809	313838	4547648871129	#		BA	BAM	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4 x yazılımı, Windows 2000/XP/Vista, 2x CD's, (CXOne-LT01-EV4), yazılım sadece CPx serisi kompakt PLC desteklemektedir	25.06	EC000809	313839	4547648871136			BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi Yazılımı</b>											
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor Machine Edition Runtime paketi (USB dongle ile birlikte)	724.50	EC001416	695998	4549734667920	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor PLUS Runtime paketi (USB dongle ile birlikte)	1,138.00	EC001416	695997	4549734667937	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-TRIAL-V4	CX-Supervisor V4 trial version, with 2 hours communication (and other limitations)	61.15	EC001416	696220	4549734667944			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V3 to V4.0 developer upgrade	765.50	EC001416	696221	4549734667913			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package, Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	724.50	EC001416	695839	4549734667906	#		BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi Yazılımı</b>											
CX-COMPLETE-EV1-01L	1 kullanıcı lisansı, PC ve PLC arası, Visual Studio, .NET2003/2005/2008/2010/2013, Developm. languages: VB, .NET, Visual C#	482.50	EC001435	342189	4547648887182			BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi CP2</b>											
CP2E-F14DR-A	CP2E series compact PLC - Essential Type: 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	327.10	EC000236	689939	4549734542470	#		BA	BAN	CHN	8471.4100.00
CP2E-F20DR-A	CP2E series compact PLC - Essential Type: 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	350.80	EC000236	689940	4549734542487	#		BA	BAN	CHN	8471.4100.00
CP2E-F30DR-A	CP2E series compact PLC - Essential Type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	476.40	EC000236	689941	4549734542494	#		BA	BAN	CHN	8471.4100.00
CP2E-F40DR-A	CP2E series compact PLC - Essential Type: 24 DI, 16DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	550.50	EC000236	689942	4549734542500			BA	BAN	CHN	8471.4100.00
CP2E-F60DR-A	CP2E series compact PLC - Essential Type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	664.50	EC000236	689943	4549734542517		3	BA	BAN	CHN	8471.4100.00
CP2E-N14DR-A	CP2E series compact PLC - Network type: 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	476.40	EC000236	689981	4549734542135			BA	BAN	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type: 8 DI, 6DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	476.40	EC000236	689976	4549734542180			BA	BAN	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type: 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	476.40	EC000236	689925	4549734542333	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type: 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	550.50	EC000236	689980	4549734542142			BA	BAN	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type: 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	550.50	EC000236	689975	4549734542197	#		BA	BAN	CHN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-N20DT1-D	CP2E series compact PLC - Network type: 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	550.50	EC000236	689926	4549734542340	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-A	CP2E series compact PLC - Network type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	664.50	EC000236	689979	4549734542159	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type: 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689974	4549734542203	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type: 18 DI, 12DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689927	4549734542357	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type: 18 DI, 12DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689922	4549734542302	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	827.50	EC000236	689978	4549734542166	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689973	4549734542210	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689928	4549734542364	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689923	4549734542319	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	1,052.00	EC000236	689977	4549734542173	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type: 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	1,052.00	EC000236	689972	4549734542227	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type: 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	1,052.00	EC000236	689929	4549734542371	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	550.50	EC000236	689930	4549734542388	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type: 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	550.50	EC000236	689936	4549734542449	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-D	CP2E series compact PLC - Standard Type: 18 DI, 12DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	550.50	EC000236	689933	4549734542418	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	664.50	EC000236	689931	4549734542395	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	664.50	EC000236	689937	4549734542456	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-D	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	664.50	EC000236	689934	4549734542425	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	827.50	EC000236	689932	4549734542401	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type: 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	827.50	EC000236	689938	4549734542463	#		BA	BAN	CHN	8471.4100.00
<b>Diğer Kontrol Sistemleri</b>											
W4S1-05D	5-port enhanced Ethernet switch	362.40	EC000734	702123	4549734712224	#		BA	BAX	JPN	8517.6200.00
<b>Diğer Kontrol Sistemleri</b>											
HMC-EF283	Flash hafıza kartı, 256MB	697.00	EC000192	699230	4549734599733	#		BA	BAX	TWN	8471.6070.00
HMC-EF583	Flash hafıza kartı, 512MB	1,005.00	EC000192	706998	4549734599740	#		BA	BAX	TWN	8471.6070.00
<b>Diğer Kontrol Sistemleri</b>											
G70A-ZOC16-3-DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	184.50	EC002780	377345	4548583411821	#		BA	BAX	CHN	8536.4900.99
G70A-ZOC16-4-DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	184.50	EC002780	377346	4548583411838	#		BA	BAX	CHN	8536.4900.99
<b>Özel Kontrol Sistemleri</b>											
CJ1W-F130	Load cell giriş ünitesi, 1 Kanal, high-performance, 10 VDC or 2.5 VDC, max 4x 350 Ohm load cells, vida terminal	4,999.00	EC001422	372912	4547648949613	#		BA	BAY	JPN	8471.6070.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CP1W-CN221	USB Programlama kablosu, A-tip erkek - B-tip erkek, 1.8 m	11.99	EC001681	676856	4549734914413	#		BA	BAZ	CHN	8544.4290.90
CP1W-CN811	CP1 CPU'dan CP1 Ek ünitelerine uzatma kablosu, 80 cm	98.40	EC002584	209406	4547648203630	#		BA	BAZ	CHN	8544.4290.90
CP1W-EX010	CP1H CPU'dan CJ1W ek ünite adaptörü, CJ sonlandırıcı kapağı dahil	118.30	EC002584	209407	4547648203647	#		BA	BAZ	CHN	8473.3080.00
CP1W-ME05M	CP1 hafıza kartı (kullanıcı programı yüklemek/çekmek için)	78.10	EC000192	209405	4547648203623	#		BA	BAZ	CHN	8542.3255.00
CP1W-SWB06	Input simulation switch board	64.40	EC000238	239599	4536853913489	#		BA	BAZ	NLD	8473.3080.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CPM2C-BAT01	Battery for CPM2C PLCs	67.20	EC002584	157651	4536854490033	#		BA	BAZ	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1m, converts peripheral port into RS-232C port and a peripheral port	157.50	EC001681	224547	4547648227148	#		BA	BAZ	CHN	8544.4290.90
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CPM2A-BAT01	Battery for CPM2A/COM1H/C11G/C11H PLCs	83.35	EC002584	659247	4548583951709	#		BA	BAZ	JPN	8506.5090.90
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CJ1W-BAT01	CJ1M PLC için batarya	61.85	EC002584	659004	4548583950603	#		BA	BAZ	JPN	8506.5090.90
CJ1W-TER01	CJ1 CPU için sonlandırma kapağı, sadece vedek parça olarak gerekli.	123.10	EC002584	136072	4536854716195	#		BA	BAZ	JPN	8471.9000.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CS1W-CN133	CS1/CJ/NJ ek şase bağlantı kablosu, 10m	582.00	EC002584	224537	4547648226868	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN133-B2	CS1/CJ/NJ ek şase bağlantı kablosu, 12m	730.50	EC002584	224538	4547648226875	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN223	CS1/CJ/NJ ek şase bağlantı kablosu, 2m	274.10	EC002584	224550	4547648226837	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN313	CS1/CJ/NJ ek şase bağlantı kablosu, 30cm	121.70	EC002584	224548	4547648226813	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN323	CS1/CJ/NJ ek şase bağlantı kablosu, 3m	313.80	EC002584	224551	4547648226844	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN523	CS1/CJ/NJ ek şase bağlantı kablosu, 5m	365.50	EC002584	224552	4547648226851	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN713	CS1/CJ/NJ ek şase bağlantı kablosu, 70cm	181.80	EC002584	224549	4547648226820	#		BA	BAZ	CHN	8544.4290.90
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CS1W-BAT01	Battery for CS1 PLCs	56.80	EC002584	668348	4548583960404	#		BA	BAZ	JPN	8506.5090.90
CS1W-SP001	Space unit for vacant I/O slots on CS1 backplane	12.37	EC002584	168049	4547648023191	#		BA	BAZ	JPN	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">C11W-C1F11</a>	RS-485 adaptörü, 2 veya 4 kablo, seri PLC link için doğrudan 9-pin RS-232C portuna bağlanır. RS-485 tarafı vida terminal	194.60	EC001467	147038	4536854855863			BA	BAZ	JPN	8471.6070.00
<a href="#">C11W-C1F31</a>	kablo, PC USB, RS-232C çevirici kablo, an Omron Programlama kablosu gerekli	282.30	EC001467	103601	4536854935596	#		BA	BAZ	JPN	8471.6070.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">CS1W-CN114</a>	kablo, 5cm, bağlantı için COM1-PRO01_CS1/COM1H/CPM2C	100.00	EC001681	224561	4547648227056			BA	BAZ	CHN	8544.4290.90
<a href="#">CS1W-CN118</a>	Peripheral-B5232 çevirici	100.00	EC001681	224559	4547648227025			BA	BAZ	CHN	8544.4290.90
<a href="#">CS1W-CN226</a>	Kablo, 2m, bağlantı için CS1/COM1H/CPM2C peripheral port to PC 9-pin RS-232C port	143.30	EC001681	224557	4547648226998	#		BA	BAZ	CHN	8544.4290.90
<a href="#">CS1W-CN626</a>	Kablo, 6m, bağlantı için CS1/COM1H/CPM2C peripheral port to PC 9-pin RS-232C port	206.70	EC001681	224558	4547648227001			BA	BAZ	CHN	8544.4290.90
<a href="#">XSSW-T421-BM2-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 0.5 m	49.52	EC002599	375715	4548583003774		10	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-BMD-K</a>	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 0.5 m	152.10	EC002599	357508	4547648843898		10	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-CM2-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 1 m	56.00	EC002599	375716	4548583003781		10	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-CM2-SS</a>	EtherCAT kablo, zirhli, M12 düz, erkek/M12 düz, erkek, 1 m	81.35	EC002599	671205	4548583869233		6	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-CMC-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 1 m	63.35	EC002599	375724	4548583003873		10	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-CMD-K</a>	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 1 m	146.10	EC002599	357509	4547648843904		10	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-DMC-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 2 m	71.85	EC002599	375712	4547648832212			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-DMC-SS</a>	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 2 m	129.50	EC002599	671204	4548583869301		11	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-DMD-K</a>	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 2 m	148.70	EC002599	357510	4547648843911	#	5	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-EM2-SS</a>	EtherCAT kablo, zirhli, M12 düz, erkek/M12 düz, erkek, 3 m	112.70	EC002599	671208	4548583869257			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-FMC-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 3 m	80.65	EC002599	375725	4548583003880		5	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-FMC-SS</a>	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 3 m	145.00	EC002599	671211	4548583869318		5	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-GM2-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 5 m	98.75	EC002599	375719	4548583003828		5	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-GMC-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 5 m	96.30	EC002599	375713	4547648832229		2	BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-GMC-SS</a>	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 5 m	173.30	EC002599	671207	4548583869325			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-GMD-K</a>	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 5 m	197.60	EC002599	357512	4547648843935			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-JM2-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 10 m	145.70	EC002599	375720	4548583003835			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-JMC-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 10 m	139.50	EC002599	375726	4548583003897	#		BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-JMC-SS</a>	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 10 m	242.20	EC002599	671212	4548583869332			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-JMD-K</a>	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 10 m	263.70	EC002599	357513	4547648843942			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-KMC-K</a>	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 15 m	170.30	EC002599	375714	4547648832236			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T421-KMD-K</a>	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 15 m	271.80	EC002599	357514	4547648843959			BA	BAZ	JPN	8544.4290.90
<a href="#">XSSW-T422-GMC-K</a>	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 5 m	96.30	EC002599	375732	4548583361607		5	BA	BAZ	JPN	8544.4290.90
<a href="#">XS6G-T421-1</a>	RJ45 connector assembly (For AWG22 to AWG24)	46.76	EC001121	357515	4548583002180		16	BA	BAZ	CHE	8544.4290.90
<a href="#">XS6W-5PURB8S1000CM-G</a>	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 10 m	75.05	EC002599	374597	4548583378797			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S1000CM-G</a>	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 1 m	18.15	EC002599	374591	4548583378735	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S1500CM-G</a>	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 15 m	107.20	EC002599	374598	4548583378803			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S2000CM-G</a>	Ethernet Cat.5 patch cable, PUR çift zirhli (Green), 20 m	139.50	EC002599	374599	4548583378810			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S2000CM-G</a>	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 2 m	24.56	EC002599	374593	4548583378759			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S3000CM-G</a>	Ethernet Cat.5 patch cable, PUR çift zirhli (Green), 3 m	30.78	EC002599	374594	4548583378766			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S5000CM-G</a>	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 5 m	43.16	EC002599	374595	4548583378773			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-5PURB8S5000CM-G</a>	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 0.5 m	14.97	EC002599	374590	4548583378728	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1000CM-B</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 10 m	44.90	EC002599	374609	4548583378674			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1000CM-G</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Green), 10 m	44.90	EC002599	374621	4548583378551	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1000CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 10 m	44.90	EC002599	374587	4548583378438	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1000CM-B</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 1 m	10.88	EC002599	374603	4548583378612	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1000CM-G</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 1 m	10.88	EC002599	374615	4548583378490	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1000CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 1 m	10.88	EC002599	374581	4548583378360	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1500CM-B</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 15 m	63.90	EC002599	374610	4548583378681			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1500CM-G</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 15 m	63.90	EC002599	374622	4548583378568			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1500CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 15 m	63.90	EC002599	374588	4548583378445	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S1500CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 1.5 m	12.74	EC002599	374582	4548583378384	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S2000CM-B</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 20 m	82.55	EC002599	374611	4548583378698			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S2000CM-G</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Green), 20 m	82.55	EC002599	374623	4548583378575			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S2000CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 20 m	82.55	EC002599	374589	4548583378452	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S2000CM-B</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 2 m	14.65	EC002599	374605	4548583378636	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S2000CM-G</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 2 m	14.65	EC002599	374617	4548583378513			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S2000CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 2 m	14.65	EC002599	374583	4548583378391	#	5	BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S200CM-B</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 0.2 m	8.14	EC002599	374600	4548583378582			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S200CM-G</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 0.2 m	8.14	EC002599	374612	4548583378469			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S200CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 0.2 m	8.14	EC002599	374578	4548583378322	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S300CM-B</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 3 m	18.41	EC002599	374606	4548583378643			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S300CM-G</a>	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 3 m	18.41	EC002599	374618	4548583378520			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S300CM-Y</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 3 m	18.41	EC002599	374584	4548583378407	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6LSZH8S300CM-B</a>	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 0.3 m	8.43	EC002599	374601	4548583378599			BA	BAZ	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XS6W-6L SZH85530CM-G</a>	<a href="#">Ethernet Cat.6 patch kablo, 1.SZH.cift. zirhli (Green), 0.3 m</a>	8.43	EC002599	<a href="#">374613</a>	4548583378476	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH85530CM-Y</a>	<a href="#">Ethernet Cat.6 patch kablo, 1.SZH.cift. zirhli (Yellow), 0.3 m</a>	8.60	EC002599	<a href="#">374579</a>	4548583378339	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH855500CM-B</a>	<a href="#">Ethernet Cat.6 patch cable, 1.SZH.cift. zirhli (Blue), 5 m</a>	25.95	EC002599	<a href="#">374607</a>	4548583378650	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH855500CM-G</a>	<a href="#">Ethernet Cat.6 patch cable, 1.SZH.cift. zirhli (Green), 5 m</a>	25.95	EC002599	<a href="#">374619</a>	4548583378537	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH855500CM-Y</a>	<a href="#">Ethernet Cat.6 patch kablo, 1.SZH.cift. zirhli (Yellow), 5 m</a>	25.95	EC002599	<a href="#">374585</a>	4548583378414	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH85550CM-B</a>	<a href="#">Ethernet Cat.6 patch cable, 1.SZH.double shielding (Blue), 0.5 m</a>	8.99	EC002599	<a href="#">374602</a>	4548583378605			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH85550CM-G</a>	<a href="#">Ethernet Cat.6 patch cable, 1.SZH.cift. zirhli (Green), 0.5 m</a>	8.99	EC002599	<a href="#">374614</a>	4548583378483			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH85550CM-Y</a>	<a href="#">Ethernet Cat.6 patch kablo, 1.SZH.cift. zirhli (Yellow), 0.5 m</a>	8.99	EC002599	<a href="#">374580</a>	4548583378346	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6L SZH855750CM-Y</a>	<a href="#">Ethernet Cat.6 patch kablo, 1.SZH.cift. zirhli (Yellow), 7.5 m</a>	35.48	EC002599	<a href="#">374586</a>	4548583378421	#		BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR8551000CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m</a>	105.80	EC002599	702423	4549734686044			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR855100CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m</a>	32.02	EC002599	702417	4549734685986			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR8551500CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m</a>	153.50	EC002599	702424	4549734686051			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR855150CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m</a>	38.06	EC002599	702418	4549734685993			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR8552000CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m</a>	199.40	EC002599	702425	4549734686068			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR855200CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m</a>	38.66	EC002599	702419	4549734686006			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR85520CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m</a>	16.32	EC002599	702414	4549734685955			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR855300CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m</a>	41.08	EC002599	702420	4549734686013			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR85530CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m</a>	24.16	EC002599	702415	4549734685962			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR855500CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m</a>	59.85	EC002599	702421	4549734686020			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR85550CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m</a>	26.58	EC002599	702416	4549734685979			BA	BAZ	CHN	8544.4210.00
<a href="#">XS6W-6PUR855750CM-YF</a>	<a href="#">Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m</a>	80.95	EC002599	702422	4549734686037			BA	BAZ	CHN	8544.4210.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">C200H-BAT09</a>	<a href="#">Battery for CMINIH/C200H PLCs</a>	68.50	EC002584	<a href="#">659246</a>	4548583951693			BA	BAZ	JPN	8506.5090.99
<a href="#">C500-BA108</a>	<a href="#">Battery for COM1 (NOT COM1H), CK/C500/C1000H/C2000H/VCV PLCs &amp; NT/NS HMIc</a>	76.05	EC002584	<a href="#">668347</a>	4548583960398			BA	BAZ	JPN	8506.5090.99
<a href="#">HMC-AP001</a>	<a href="#">Hafıza kartı adaptor (hafıza kartı to PC PCMCIA port)</a>	130.70	EC000192	<a href="#">103192</a>	4536854446030			BA	BAZ	JPN	8537.1098.99
<a href="#">HMC-FE1B3</a>	<a href="#">Flash hafıza kartı, 128MB</a>	218.30	EC000192	<a href="#">696105</a>	4549734599726		20	BA	BAZ	TWN	8542.3190.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">CJ-OD507-18P-5</a>	<a href="#">Vida terminal yedeği, 5'li paket</a>	144.10	EC002584	<a href="#">210956</a>	4547648850391			BA	BAZ	NLD	8538.9099.99
<a href="#">CJ-MM01-18P-5</a>	<a href="#">Vidasız kısıkaçlı terminal yedeği, 5'li paket</a>	149.40	EC002584	<a href="#">172166</a>	4536853882853			BA	BAZ	NLD	8538.9099.99
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">C500-CE241</a>	<a href="#">FCN connector, 24 pin, solder type</a>	31.59	EC002584	157398	4536854287541			BA	BAZ	JPN	8473.3080.00
<a href="#">C500-CE404</a>	<a href="#">FCN connector, 40 pin, solder type, with right-angle connector cover</a>	51.70	EC002584	159089	4536854288241			BA	BAZ	JPN	8473.3080.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">G7TC-OC16-DC24</a>	<a href="#">Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 VDC</a>	393.60	EC002780	<a href="#">377357</a>	4548583411807			BA	BAZ	CHN	8536.4900.99
<b>Kontrol Sistemleri için Aksesuarlar</b>											
<a href="#">XWZ2-R100C</a>	<a href="#">I/O connection cable, with shield connection, FCN24 to MIL 20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1 m</a>	72.15	EC000237	<a href="#">670331</a>	4548583800311			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-R200C</a>	<a href="#">I/O connection cable, with shield connection, FCN24 to MIL 20 for G70A-ZOC16-3 / G70A-ZIM16-5, 2 m</a>	91.70	EC000237	<a href="#">670317</a>	4548583800335			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-R200C-175-150</a>	<a href="#">I/O connection cable, with shield connection, FCN56 to 3 x MIL 20 for G70A-ZOC16-3, 2 m / 1.75 m / 1.5 m</a>	199.30	EC000237	<a href="#">670318</a>	4548583800472			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RA200C</a>	<a href="#">I/O bağlantı kablosu, MIL 20 - açık uçlu, 2 m, G70V ile uyumlu</a>	110.60	EC000237	<a href="#">670323</a>	4548583800298			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-R100C-75</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20, 1 m / 0.75 m</a>	91.70	EC000237	<a href="#">670333</a>	4548583800366			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-R120C-175</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20, 2 m / 1.75 m</a>	109.10	EC000237	<a href="#">670310</a>	4548583800380			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-R150C</a>	<a href="#">I/O connection cable, MIL 20 to MIL 20, 0.5 m</a>	89.70	EC000237	<a href="#">670305</a>	4548583800502			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO100-75-D1</a>	<a href="#">I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70V-ZOC16-3, 1 m</a>	104.20	EC000237	<a href="#">688652</a>	4549734137478			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO100C-75</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 1 m / 0.75 m</a>	90.40	EC000237	<a href="#">670320</a>	4548583800410		3	BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO150C-175</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 1.5 m / 1.25 m</a>	101.50	EC000237	<a href="#">670325</a>	4548583800427		3	BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO200-175-D1</a>	<a href="#">I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m</a>	182.60	EC000237	<a href="#">680946</a>	4549734137416			BA	BAZ	JPN	8536.4900.99
<a href="#">XWZ2-RO200C-150</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 2 m / 1.5 m</a>	105.40	EC000237	<a href="#">670324</a>	4548583801738			BA	BAZ	JPN	8536.4900.99
<a href="#">XWZ2-RO200C-175</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 2 m / 1.75 m</a>	109.10	EC000237	<a href="#">670315</a>	4548583800434			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO300-275-D1</a>	<a href="#">I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m</a>	159.60	EC000237	<a href="#">695724</a>	4549734137386			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO300C-275</a>	<a href="#">I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 3 m / 2.75 m</a>	128.80	EC000237	<a href="#">670329</a>	4548583800441			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO50C</a>	<a href="#">I/O connection cable, MIL 20 to MIL 20 for XW2*-20G* or G70A-ZOC16-3, 0.5 m</a>	89.70	EC000237	<a href="#">670335</a>	4548583800526			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RO75-50-D1</a>	<a href="#">I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m</a>	179.10	EC000237	<a href="#">670326</a>	4548583800564			BA	BAZ	JPN	8536.4900.99
<a href="#">XWZ2-RY100C</a>	<a href="#">I/O bağlantı kablosu, MIL 20 - açık uçlu (catal ferrülli), 1 m, G70V ile uyumlu</a>	84.15	EC000237	<a href="#">670328</a>	4548583800243			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RY200C</a>	<a href="#">I/O bağlantı kablosu, MIL 20 - açık uçlu (catal ferrülli), 2 m, G70V ile uyumlu</a>	101.80	EC000237	<a href="#">670307</a>	4548583800267			BA	BAZ	JPN	8544.4290.90
<a href="#">XWZ2-RY300C</a>	<a href="#">I/O bağlantı kablosu, MIL 20 - açık uçlu (catal ferrülli), 3 m, G70V ile uyumlu</a>	104.30	EC000237	<a href="#">670309</a>	4548583800274			BA	BAZ	JPN	8544.4290.90
<b>İnsan Makine Arabirimi Yazılımı</b>											
<a href="#">CX-LITE-EV2</a>	<a href="#">CX-Server Lite yazılım paketi, (tek lisans) desteklediği haberleşmeler, Ethernet, controller Link, işletim sistemleri, Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), CD-ROM</a>	413.80	EC001416	<a href="#">249713</a>	4547648857680			BB	BBG	NLD	8523.8090.00
<a href="#">CX-OPC-EV2</a>	<a href="#">CX-Server OPC yazılımı (Tek Lisans), Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), tek kullanıçlı lisansı, CD-Rom</a>	827.00	EC001416	<a href="#">249714</a>	4547648857703			BB	BBG	NLD	8523.8090.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NS-NSRCL1</a>	<a href="#">NS-Runtime_NS uygulaman.PC'de çalıştırma_1 x USB Dongle</a>	1,663.00	EC001435	<a href="#">235310</a>	4547648352567	#		BB	BBG	JPN	8523.8090.00
<b>İnsan Makine Arabirimi NB</b>											
<a href="#">NB10W-TW01B</a>	<a href="#">HMI dokunmatik ekran, 10.1 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host</a>	1,927.00	EC001412	<a href="#">392035</a>	4548583501881	#		BB	BBP	NLD	8531.2040.90
<a href="#">NB30-TW00B</a>	<a href="#">HMI dokunmatik ekran, 3.5 inç OVGA (320 x 240 piksel) TFT renk</a>	511.00	EC001412	<a href="#">392036</a>	4548583501805	#		BB	BBP	NLD	8531.2040.90
<a href="#">NB30-TW01B</a>	<a href="#">HMI dokunmatik ekran, 3.5 inç OVGA (320 x 240 piksel) TFT renk, Ethernet + USB Host</a>	656.00	EC001412	<a href="#">392037</a>	4548583501812	#		BB	BBP	NLD	8531.2040.90
<a href="#">NB50-TW00B</a>	<a href="#">HMI dokunmatik ekran, 5.6 inç OVGA (320 x 234 piksel) TFT renk</a>	627.00	EC001412	<a href="#">392038</a>	4548583501836	#		BB	BBP	NLD	8531.2040.90
<a href="#">NB50-TW01B</a>	<a href="#">HMI dokunmatik ekran, 5.6 inç OVGA (320 x 234 piksel) TFT renk, Ethernet + USB Host</a>	770.50	EC001412	<a href="#">392039</a>	4548583501850	#		BB	BBP	NLD	8531.2040.90
<a href="#">NB7W-TW00B</a>	<a href="#">HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk</a>	791.50	EC001412	<a href="#">392040</a>	4548583501867	#		BB	BBP	NLD	8531.2040.90
<a href="#">NB7W-TW01B</a>	<a href="#">HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host</a>	982.00	EC001412	<a href="#">392041</a>	4548583501874	#		BB	BBP	NLD	8531.2040.90
<b>İnsan Makine Arabirimi NB</b>											
<a href="#">NB10W-KBA04</a>	<a href="#">Accessory HMI, protective sheets for NB10W (5 sheets)</a>	73.10	EC002584	<a href="#">371955</a>	4548583313880			BB	BBP	CHN	3919.9080.99
<a href="#">NB30-KBA04</a>	<a href="#">Accessory HMI, protective sheets for NB30 (5 sheets)</a>	26.13	EC002584	<a href="#">371958</a>	4548583313873			BB	BBP	CHN	3919.9080.99
<a href="#">NB50-KBA04</a>	<a href="#">HMI için Aksesuar,NB50 için ekran koruyucu (5 parça)</a>	28.85	EC002584	<a href="#">364950</a>	4548583108073			BB	BBP	CHN	3919.9080.99
<a href="#">NB7W-KBA04</a>	<a href="#">HMI için Aksesuar,NB7W için ekran koruyucu (5 parça)</a>	47.87	EC002584	<a href="#">364953</a>	4548583108097			BB	BBP	CHN	3919.9080.99
<a href="#">NB-ATT01</a>	<a href="#">Attachment brackets for NB terminals (10 pcs.)</a>	28.85	EC002584	<a href="#">364946</a>	4548583132771			BB	BBP	CHN	8531.9000.00
<b>İnsan Makine Arabirimi NA</b>											
<a href="#">NA5-12W101B-V1</a>	<a href="#">Dokunmatik Ekran, 12.1 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Siyah</a>	4,619.00	EC001412	<a href="#">693975</a>	4549734556552	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-12W101S-V1</a>	<a href="#">Dokunmatik Ekran, 12.1 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Gümüş</a>	4,619.00	EC001412	<a href="#">693976</a>	4549734556545	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-15W101B-V1</a>	<a href="#">Dokunmatik Ekran, 15.4 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Siyah</a>	5,025.00	EC001412	<a href="#">693973</a>	4549734556576	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-15W101S-V1</a>	<a href="#">Dokunmatik Ekran, 15.4 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Gümüş</a>	5,025.00	EC001412	<a href="#">693974</a>	4549734556569	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-7W001B-V1</a>	<a href="#">Dokunmatik Ekran, 7 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Siyah</a>	2,249.00	EC001412	<a href="#">693979</a>	4549734556514	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-7W001S-V1</a>	<a href="#">Dokunmatik Ekran, 7 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Gümüş</a>	2,249.00	EC001412	<a href="#">693980</a>	4549734556507	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-9W001B-V1</a>	<a href="#">Dokunmatik Ekran, 9 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Siyah</a>	3,397.00	EC001412	<a href="#">693977</a>	4549734556538	#		BB	BBR	NLD	8531.2040.90
<a href="#">NA5-9W001S-V1</a>	<a href="#">Dokunmatik Ekran, 9 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Gümüş</a>	3,397.00	EC001412	<a href="#">693978</a>	4549734556521	#		BB	BBR	NLD	8531.2040.90
<b>İnsan Makine Arabirimi NA</b>											
<a href="#">NA-12WKBA04</a>	<a href="#">Accessory touch screen (HMI), protective cover sheets for NA5 12" (contains 5 sheets)</a>	209.50	EC002584	393040	4548583531994			BB	BBR	NLD	3919.9080.99
<a href="#">NA-15WKBA04</a>	<a href="#">Accessory touch screen (HMI), protective cover sheets for NA5 15" (contains 5 sheets)</a>	355.40	EC002584	393041	4548583532007			BB	BBR	NLD	3919.9080.99
<a href="#">NA-7WATW01</a>	<a href="#">High Pressure waterproof attachment for NA5 7"</a>	226.40	EC002584	667319	4548583748118			BB	BBR	NLD	8531.9000.00
<a href="#">NA-7WKBA04</a>	<a href="#">Accessory touch screen (HMI), protective cover sheets for NA5 7" (contains 5 sheets)</a>	151.90	EC002584	393038	4548583531970			BB	BBR	NLD	3919.9080.99
<a href="#">NA-9WKBA04</a>	<a href="#">Accessory touch screen (HMI), protective cover sheets for NA5 9" (contains 5 sheets)</a>	193.40	EC002584	393039	4548583531987			BB	BBR	NLD	3919.9080.99
<b>İnsan Makine Arabirimi Diğer HMI'lar</b>											
<a href="#">NV3W-MG20L</a>	<a href="#">Touch screen HMI, 3.8 inç STN Mono LED, Green/Orange/Red, RS232C, 5VDC</a>	648.00	EC001412	659076	4548583588028			BB	BBX	JPN	8531.2040.90
<a href="#">NV3W-MB20L</a>	<a href="#">Touch screen HMI, 3.8 inç STN Mono LED, White/Pink/Red, RS232C, 5VDC</a>	648.00	EC001412	659074	4548583588059			BB	BBX	JPN	8531.2040.90
<b>İnsan Makine Arabirimleri için Aksesuarlar</b>											
<a href="#">NSH5-232UL-10M</a>	<a href="#">NSH5 kablo, 10m (RS-232C haberleşme, 24 VDC, fonksiyon tuşu + E-stop + enabling switch kablo)</a>	872.50	EC001681	<a href="#">226939</a>	4547648269582			BB	BBZ	JPN	8531.9000.00
<a href="#">XWZ2-S002-NL</a>	<a href="#">RS-232C haberleşme kabloyu PC ile PLC/HMI arası, 2 m</a>	48.48	EC001681	659674	4548583954366			BB	BBZ	ITA	8544.4210.00
<b>Uzak I/O SRT (CompoBus/S)</b>											
<a href="#">SR51-T</a>	<a href="#">CompoBus/S network terminator Blok, vidalı terminal</a>	16.66	EC002584	<a href="#">338264</a>	4547648812856			BF	BFC	CHN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
<a href="#">DRT2-ID08-1</a>	<a href="#">DeviceNet Dijital giriş ünitesi, 8x 24 VDC giriş, PNP</a>	347.50	EC001599	<a href="#">231467</a>	4547648218825			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-ID08CL-1</a>	<a href="#">DeviceNet dijital input unit, IP67, 8 x inputs, 24 VDC, PNP, M12 I/O connections</a>	620.00	EC001599	<a href="#">338251</a>	4547648813174			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-ID16</a>	<a href="#">DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, NPN</a>	558.00	EC001599	<a href="#">226501</a>	4547648209045			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-ID16-1</a>	<a href="#">DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP</a>	558.00	EC001599	<a href="#">226516</a>	4547648209052			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-ID16TA-1</a>	<a href="#">DeviceNet Dijital giriş ünitesi with 3-tier terminal Blok, 16x 24 VDC PNP giriş</a>	586.00	EC001599	<a href="#">164737</a>	4536854960772			BF	BFD	CHN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
<a href="#">DRT2-OD16</a>	<a href="#">DeviceNet dijital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block</a>	543.50	EC001599	<a href="#">226515</a>	4547648209113			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-OD16-1</a>	<a href="#">DeviceNet Dijital çıkış ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC</a>	543.50	EC001599	<a href="#">226527</a>	4547648209120			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-OD16MLX</a>	<a href="#">DeviceNet dijital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, with M12 connector + 10 cm cable</a>	501.50	EC001599	<a href="#">248825</a>	4547648242615			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-OD16MLX-1</a>	<a href="#">DeviceNet dijital output unit, 16 x transistor outputs 0.5 A, 24 VDC, PNP, with M12 connector + 10 cm cable</a>	467.10	EC001599	<a href="#">248826</a>	4547648242622			BF	BFD	CHN	8471.6070.00
<a href="#">DRT2-ROS16</a>	<a href="#">DeviceNet Dijital çıkış ünitesi, 16x röle çıkış, 3 A</a>	830.50	EC001599	<a href="#">229626</a>	4547648209137			BF	BFD	CHN	8538.9099.99
<b>Uzak I/O DRT (DeviceNet)</b>											
<a href="#">DRT2-MD16TA-1</a>	<a href="#">DeviceNet Dijital I/O ünitesi with 3-tier terminal Blok, 8x 24 VDC PNP giriş &amp; 8x 24 VDC PNP 0.5 A çıkış</a>	586.00	EC001599	<a href="#">164741</a>	4536854960819			BF	BFD	CHN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
<a href="#">DRT2-AD04H</a>	<a href="#">DeviceNet analog giriş ünitesi 4x 0/4-20 mA/ 0/1-5 V/0-10 V giriş, isolated, 1:30,000 çözünürlük</a>	867.50	EC001596	<a href="#">175516</a>	4547648096737			BF	BFD	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">DRT2-TS04P</a>	<a href="#">DeviceNet resistance thermometer giriş ünitesi 4x PT, JPT, PT2, JPT2 giriş</a>	817.00	EC001596	<a href="#">175514</a>	4547648073530			BF	BFD	JPN	8471.6070.00
<a href="#">DRT2-TS04T</a>	<a href="#">DeviceNet Termokupl giriş ünitesi, 4x RS,KJ,T,B,L,E,U,N,W,PLII giriş</a>	844.00	EC001596	<a href="#">175515</a>	4547648096720			BF	BFD	JPN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
<a href="#">DRT1-COM</a>	<a href="#">DeviceNet communications unit, connects 8x GT1 MULTIPLE I/O units max</a>	723.00	EC001603	133630	4536854355400			BF	BFD	JPN	8471.6070.00
<b>Uzak I/O GT1</b>											
<a href="#">GT1-AD04</a>	<a href="#">Multiple I/O analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V</a>	1,055.00	EC001596	121025	4536854467394			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-DA04</a>	<a href="#">Multiple I/O analog output terminal, 4 x outputs 4 to 20 mA, 0/1 to 5 V, -10 to 10 V</a>	1,295.00	EC001596	150827	4536854467400			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-ID16-1</a>	<a href="#">Multiple I/O remote terminal, 16x 24 VDC inputs, PNP</a>	516.00	EC001599	121110	4536854373435			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-OD16-1</a>	<a href="#">Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC</a>	567.50	EC001599	121111	4536854373442			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-OD32ML-1</a>	<a href="#">Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5 A, 24 VDC (requires C500-CF401 connector)</a>	657.00	EC001599	142071	4536854373480			BF	BFG	JPN	8538.9099.99
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-ID4</a>	<a href="#">SmartSlice 4 nokta Dijital giriş NPN</a>	95.60	EC001599	<a href="#">212285</a>	4547648219334			BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-ID4-1</a>	<a href="#">SmartSlice 4 nokta Dijital giriş PNP</a>	95.60	EC001599	<a href="#">212286</a>	4547648219341	#		BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-ID8</a>	<a href="#">SmartSlice 8 nokta Dijital giriş NPN</a>	139.50	EC001599	<a href="#">235172</a>	4547648325646			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-ID8-1</a>	<a href="#">SmartSlice 8 nokta Dijital giriş PNP</a>	139.50	EC001599	<a href="#">235173</a>	4547648325653	#		BF	BFH	NLD	8471.6070.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-OD4</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış NPN, 0.5 A</a>	100.30	EC001599	<a href="#">212287</a>	4547648219358			BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-OD4-1</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış PNP, 0.5 A</a>	100.30	EC001599	<a href="#">212288</a>	4547648219365	#		BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-OD4G-1</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış PNP - aşımakım ve kısa devre koruma, 0.5 A</a>	124.10	EC001599	<a href="#">230602</a>	4547648306829			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD4G-3</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış PNP - aşımakım ve kısa devre koruma, 2 A</a>	124.10	EC001599	<a href="#">246036</a>	4547648487306			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD8</a>	<a href="#">SmartSlice 8 nokta Dijital çıkış NPN, 0.5 A</a>	147.00	EC001599	<a href="#">235174</a>	4547648325660			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD8-1</a>	<a href="#">SmartSlice 8 nokta Dijital çıkış PNP, 0.5 A</a>	147.00	EC001599	<a href="#">235175</a>	4547648325677	#		BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD8G-1</a>	<a href="#">SmartSlice 8 nokta Dijital çıkış PNP - aşımakım ve kısa devre koruma, 0.5 A</a>	165.40	EC001599	<a href="#">235176</a>	4547648325684			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-ROS2</a>	<a href="#">SmartSlice 2 nokta röle çıkış, 250 VAC/24 VDC, 2 A</a>	117.40	EC001599	<a href="#">212289</a>	4547648219372			BF	BFH	JPN	8471.6070.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-AD2</a>	<a href="#">SmartSlice 2 nokta analog giriş, 1-5 VDC, 0-5 VDC, 0-10 VDC, -10-10 VDC, 0-20 mA, 4-20 mA, 1:6000 çözünürlük</a>	409.20	EC001596	<a href="#">224393</a>	4547648221498			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-TS2P</a>	<a href="#">SmartSlice 2 nokta sıcaklık girişi, Pt100</a>	460.00	EC001596	<a href="#">238319</a>	4547648446211			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-TS2T</a>	<a href="#">SmartSlice 2 nokta sıcaklık girişi, Termokupl</a>	460.00	EC001596	<a href="#">246039</a>	4547648511315			BF	BFH	NLD	9032.1080.90
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-DA2C</a>	<a href="#">SmartSlice 2 nokta analog çıkış, 0-20 mA, 4-20 mA, 1:6000 çözünürlük</a>	408.30	EC001596	<a href="#">224394</a>	4547648221504			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-DA2V</a>	<a href="#">SmartSlice 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1:6000 çözünürlük</a>	408.30	EC001596	<a href="#">224395</a>	4547648221511			BF	BFH	JPN	8471.5000.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-CP1-1</a>	<a href="#">SmartSlice 1 Kanal positioning ünitesi, 100 kHz, 24 VDC PNP giriş (A/B/Z) / RS422 line driver, 1 x 24 VDC PNP control girişi, 2 x PNP 0.5 A, control çıkışı</a>	384.30	EC001601	<a href="#">228280</a>	4547648298209			BF	BFH	NLD	9029.1000.90
<a href="#">GRT1-CT1</a>	<a href="#">SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC NPN inputs, 1 x NPN 0.5 A range control output</a>	278.70	EC001601	<a href="#">228278</a>	4547648298186			BF	BFH	NLD	9029.1000.90
<a href="#">GRT1-CT1-1</a>	<a href="#">SmartSlice 1 Kanal Yüksek hızlı sayıcı ünitesi, 60 kHz, 24 VDC PNP giriş (A/B/Z), 1 x PNP 0.5 A, control çıkışı</a>	278.70	EC001601	<a href="#">228279</a>	4547648298193			BF	BFH	NLD	9029.1000.90
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-CRT</a>	<a href="#">SmartSlice communication adaptor for CompoNet</a>	435.20	EC001603	<a href="#">248724</a>	4547648561389			BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-DRT</a>	<a href="#">SmartSlice communication adaptor for DeviceNet, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	497.00	EC001603	<a href="#">211521</a>	4547648219327	#		BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-FCT</a>	<a href="#">SmartSlice communication adaptor for EtherCAT, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	614.50	EC001603	<a href="#">350103</a>	4548583003019			BF	BFH	NLD	8529.1095.00
<a href="#">GRT1-END</a>	<a href="#">SmartSlice end plate</a>	44.54	EC002584	<a href="#">212290</a>	4547648219389	#		BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-END-M</a>	<a href="#">SmartSlice end plate with Profinet memory</a>	179.70	EC002584	<a href="#">258405</a>	4547648476607			BF	BFH	NLD	8473.3080.00
<a href="#">GRT1-PD2</a>	<a href="#">SmartSlice I/O power feed module, 24 VDC input</a>	57.30	EC001600	<a href="#">212291</a>	4547648219396			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-PD8-1</a>	<a href="#">SmartSlice I/O power connection module, 4 x V and 8 x G terminals</a>	57.30	EC001600	<a href="#">235178</a>	4547648325707			BF	BFH	NLD	8504.4030.00
<a href="#">GRT1-PNT</a>	<a href="#">SmartSlice communication adaptor for PROFINET (End plate have to be ordered separately)</a>	894.50	EC001603	<a href="#">258404</a>	4547648476591			BF	BFH	NLD	8529.1095.00
<a href="#">GRT1-PRT</a>	<a href="#">SmartSlice communication adaptor for PROFIBUS-DPV1, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	591.50	EC001603	<a href="#">230167</a>	4547648192071			BF	BFH	NLD	8529.1095.00
<a href="#">GRT1-TBL</a>	<a href="#">SmartSlice left-side turn-back unit</a>	117.40	EC002584	<a href="#">212293</a>	4547648219419			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-TBR</a>	<a href="#">SmartSlice right-side turn-back unit</a>	57.30	EC002584	<a href="#">212292</a>	4547648219402			BF	BFH	JPN	8471.5000.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GCN2-100</a>	<a href="#">SmartSlice turn-back cable (1 m)</a>	64.90	EC002584	<a href="#">212294</a>	4547648219426			BF	BFH	JPN	8544.4210.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-ID08-1</a>	<a href="#">CompoNet IP20 word slave ünitesi, 8x 24 VDC giriş, PNP, vidalı terminal</a>	380.80	EC001599	<a href="#">248768</a>	4547648571326			BF	BFI	JPN	8471.6070.00
<a href="#">CRT1-ID16</a>	<a href="#">CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals</a>	446.60	EC001599	<a href="#">226103</a>	4547648237857			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-ID16-1</a>	<a href="#">CompoNet IP20 word slave ünitesi, 16x 24 VDC giriş, PNP, vidalı terminal</a>	446.60	EC001599	<a href="#">226104</a>	4547648237864			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-ID16TA-1</a>	<a href="#">CompoNet input unit, 16 x 24 VDC inputs, PNP, 3-tier screw terminals</a>	562.50	EC001599	<a href="#">237467</a>	4547648414814			BF	BFI	JPN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">CRT1-OD08-1</a>	<a href="#">CompoNet output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals</a>	449.00	EC001599	<a href="#">2482770</a>	4547648571340			BF	BFI	JPN	8471.6070.00
<a href="#">CRT1-OD16</a>	<a href="#">CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminals</a>	446.60	EC001599	<a href="#">226105</a>	4547648237871			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-OD16-1</a>	<a href="#">CompoNet IP20 word slave ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC, vidalı terminal</a>	446.60	EC001599	<a href="#">226106</a>	4547648237888			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-ROS16</a>	<a href="#">CompoNet output unit, 16 x relay outputs 2 A, screw terminals</a>	774.00	EC001599	<a href="#">237472</a>	4547648414869			BF	BFI	JPN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-MD16-1</a>	<a href="#">CompoNet I/O unit, 8 x 24 VDC inputs PNP &amp; 8 x transistor outputs PNP, 0.5 A, screw terminals</a>	501.50	EC001599	<a href="#">248272</a>	4547648571364			BF	BFI	JPN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-AD04</a>	<a href="#">CompoNet IP20 slave ünitesi, 4 nokta analog giriş, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, 1:6000 çözünürlük, vidalı terminal</a>	817.00	EC001596	<a href="#">226107</a>	4547648237895			BF	BFI	CHN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-DA02</a>	<a href="#">CompoNet IP20 word slave ünitesi, 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1:6000 çözünürlük, vidalı terminal</a>	821.50	EC001596	<a href="#">226108</a>	4547648237901			BF	BFI	CHN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRS1-RP101</a>	<a href="#">CompoNet IP20 Repeater unit</a>	285.20	EC001604	<a href="#">226092</a>	4547648237918			BF	BFI	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-ID1621</a>	<a href="#">EtherCAT digital I/O unit, 16 x inputs, PNP, 1-wire, expandable</a>	543.50	EC001599	<a href="#">343313</a>	4547648821681			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-OD1621</a>	<a href="#">EtherCAT digital I/O unit, 16 x outputs, PNP, 1-wire, expandable</a>	543.50	EC001599	<a href="#">343317</a>	4547648821728			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-MD1621</a>	<a href="#">EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 1-wire, expandable</a>	543.50	EC001599	<a href="#">343315</a>	4547648821704			BF	BFX	CHN	8471.6070.00
<a href="#">GX-MD1622</a>	<a href="#">EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 3-wire</a>	698.00	EC001599	<a href="#">343322</a>	4547648821773			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-AD0471</a>	<a href="#">EtherCAT analog I/O unit, 4 x analog inputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:8000 (full scale)</a>	865.00	EC001596	<a href="#">343327</a>	4547648821827			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-EC0211</a>	<a href="#">EtherCAT I/O unit, 2 x encoder inputs, open collector</a>	1,022.00	EC001601	<a href="#">343325</a>	4547648821803			BF	BFX	CHN	8471.6070.00
<a href="#">GX-EC0241</a>	<a href="#">EtherCAT I/O unit, 2 x encoder inputs, line driver</a>	1,125.00	EC001601	<a href="#">343326</a>	4547648821810			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">XWT-ID16-1</a>	<a href="#">DRT2/CRT1 ek ünitesi, 16x 24 VDC giriş, PNP (Max 1 adet DRT2-*D08(-1)/D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile kullanılır)</a>	440.00	EC001599	226542	4547648209342			BF	BFX	CHN	8471.6070.00
<a href="#">XWT-OD16</a>	<a href="#">DRT2/CRT1 Serisi Ek ünite, 16x 24 VDC çıkış, 0.5 A, NPN (use 1 max with DRT2-*D08(-1)/D16(-1)/ROS16 or CRT1-*D16(-1)/ROS16)</a>	398.60	EC001599	226545	4547648209380			BF	BFX	CHN	8471.6070.00
<a href="#">XWT-OD16-1</a>	<a href="#">DRT2/CRT1 ek ünitesi, 16x 24 VDC çıkış, 0.5 A, PNP (Max 1 adet DRT2-*D08(-1)/D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile birlikte kullanılır)</a>	440.00	EC001599	226546	4547648209397			BF	BFX	CHN	8471.6070.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
<a href="#">GX-IC03</a>	<a href="#">3 portlu EtherCAT switch</a>	281.10	EC000734	<a href="#">355830</a>	4548583075375	#		BF	BFZ	CHN	8471.8000.00
<a href="#">GX-IC06</a>	<a href="#">6 portlu EtherCAT switch</a>	516.00	EC000734	<a href="#">355831</a>	4548583075382	#		BF	BFZ	CHN	8471.8000.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
<a href="#">DCN1-1C</a>	<a href="#">DeviceNet T-branch tap, 1 branch line, vidalı, 3 konnektör, Yandan kablo girişi</a>	124.00	EC002584	133602	4536853181130			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN1-1P</a>	<a href="#">DeviceNet güç tap, 2 konnektör için sonlandırma direnci ve sigorta</a>	266.50	EC002584	133604	4536854553288			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN1-3C</a>	<a href="#">DeviceNet T-branch tap, 3 branch line, vidalı, 5 konnektör, Yandan kablo girişi</a>	188.50	EC002584	133603	4536853181147			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN1-3NC</a>	<a href="#">DeviceNet T-branch tap, 3 branch line, 5 paralel kelepçe konnektör, üstten kablo girişi</a>	130.70	EC002584	226006	4536854895906			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN2-1</a>	<a href="#">DeviceNet IP67 T-branch konnektör (2x dışı, 1x erkek M12)</a>	59.20	EC002584	<a href="#">133605</a>	4536854446139		10	BF	BFZ	JPN	8536.9010.00
<a href="#">DCN4-TB4</a>	<a href="#">CompoNet vida terminal konnektör, M3</a>	21.37	EC002584	<a href="#">226114</a>	4547648206908		10	BF	BFZ	JPN	8503.0099.99
<a href="#">DBS1-T</a>	<a href="#">CompoNet/DeviceNet terminal Blok</a>	12.63	EC002584	<a href="#">133617</a>	4536853181604			BF	BFZ	JPN	8473.3080.00
<a href="#">XW4R-05C4-TE-D</a>	<a href="#">DeviceNet multi-branching connector, parallel with screws, connector insertion and wiring in same direction</a>	41.04	EC002584	167725	4536854700033		25	BF	BFZ	DEU	8536.9010.00
<a href="#">XW4G-05C4-TE-D</a>	<a href="#">DeviceNet konnektör, paralel vidasız, konnektör yerleşimi ve kablolama aynı yönde</a>	32.31	EC002584	231438	4536854936760		25	BF	BFZ	DEU	8536.9010.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
<a href="#">SCA1-4F10</a>	<a href="#">CompoBus/S flat cable, 4-core 0.75 mmsq, 100m</a>	444.40	EC003249	<a href="#">111794</a>	4536853769260			BF	BFZ	JPN	8536.9010.00
<b>Panel içi TC E11</b>											
<a href="#">EJ1N-TC2A-ONHR</a>	<a href="#">CelciuX® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 2 bölge, Termokupl/Pt100/analogue giriş, 2 x 12 VDC gerilim çıkışı, 2 x 30 VDC 0.1 A NPN çıkışı, ısıtma, soğutma, ısıtma/soğutma, heater burnout alarm, M3 vida terminali</a>	593.00	EC001446	<a href="#">225935</a>	4547648235310	#		BG	BGA	JPN	9032.1080.90
<a href="#">EJ1N-TC4A-QO</a>	<a href="#">CelciuX® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokupl/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, M3 vida terminali</a>	693.00	EC001446	<a href="#">225934</a>	4547648235297	#		BG	BGA	JPN	9032.1080.90
<a href="#">EJ1N-TC4B-QO</a>	<a href="#">CelciuX® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokupl/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, vidasız terminal</a>	693.00	EC001446	<a href="#">225930</a>	4547648235303			BG	BGA	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Paneliçi TC E1</b>											
<a href="#">E11C-HFUJA-NFLK</a>	<a href="#">Celciux® In-panel temperature controller high function unit, RS-232C/RS-485 port for program-less communications with C11/CS1 PLCs (1:1 and 1:N), Mitsubishi A and FX series PLCs (1:1 and 1:N), Mitsubishi O series PLCs (1:1), M3 screw terminals</a>	621.50	EC001423	<a href="#">225936</a>	4547648235334			BG	BGA	JPN	9032.1080.90
<a href="#">E11C-HFUB-DPT</a>	<a href="#">Celciux® In-panel Temperature controller High Function unit, DeviceNet interface, screwless clamp terminals</a>	1,086.00	EC001423	<a href="#">243922</a>	4547648510806			BG	BGA	JPN	9032.1080.90
<a href="#">E11C-HFU-ETN</a>	<a href="#">Ethernet - Seri Gateway, PROFINET ya da Modbus/TCP master - herhangi bir Modbus-RTU slave (Celciux(E11), E5 - N ve MX2 gibi)</a>	719.50	EC001423	<a href="#">355917</a>	4548583072527			BG	BGA	NLD	9032.1080.90
<b>Paneliçi TC E1J</b>											
<a href="#">E1JC-EDUA-NFLK</a>	<a href="#">Celciux® Pano içi sıcaklık kontrolörü sonlandırma ünitesi, 24 VDC beslemeli, 1 x RS-485 (115.2kbps'ye kadar, CompoWay/F ya da MODBUS RTU), 1 x programlama kablosu girişi, M3 vida terminali</a>	151.80	EC000599	<a href="#">225933</a>	4547648235457	#		BG	BGA	JPN	9032.1080.90
<a href="#">E1JC-EDUC-NFLK</a>	<a href="#">Celciux® In-panel temperature controller end unit, connects up to 16 x basic &amp; high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, removable screw connector blocks</a>	136.30	EC000599	<a href="#">243921</a>	4547648510844			BG	BGA	JPN	9032.1080.90
<b>Endüstriyel Röle LY</b>											
<a href="#">LY1-24VDC</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 15A, 24 VDC</a>	5.96	EC001437	<a href="#">116888</a>	4536853605544	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY1F-220/240VAC</a>	<a href="#">Relay, flange mount, plug-in, SPDT, 15 A, 220/240 VAC</a>	6.48	EC001437	<a href="#">116798</a>	4536853605650	50	CC	CCA	IDN	8536.4900.99	
<b>Endüstriyel Röle LY</b>											
<a href="#">LY2-100/110VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VAC</a>	6.81	EC001437	<a href="#">144278</a>	4536853611439	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2-100/110VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, 100/110 VDC</a>	7.37	EC001437	<a href="#">153006</a>	4536853611545	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-110/120VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, 110/120 VAC</a>	6.81	EC001437	<a href="#">116738</a>	4536853611446	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2-12VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, 12 VAC</a>	6.81	EC001437	<a href="#">153005</a>	4536853611378	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-12VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, 12 VDC</a>	6.81	EC001437	<a href="#">116741</a>	4536853611491	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-220/240VAC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, 220/240 VAC</a>	7.37	EC001437	<a href="#">154980</a>	4536853611477	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2-24VAC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, 24 VAC</a>	6.81	EC001437	<a href="#">150789</a>	4536853611385	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-24VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, 24 VDC</a>	6.81	EC001437	<a href="#">116742</a>	4536853611507	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2-48VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, 48 VDC</a>	6.81	EC001437	<a href="#">103958</a>	4536853611521	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-0-220/240VAC</a>	<a href="#">Relay, PCB pins, 8-pin, DPDT, 10A, 220/240 VAC</a>	7.37	EC001437	<a href="#">154171</a>	4536853615253	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-0-24VDC</a>	<a href="#">Relay, PCB pins, 8-pin, DPDT, 10A, 24 VDC</a>	7.23	EC001437	<a href="#">116633</a>	4536853615284	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2-D-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, coil suppression, 24 VDC</a>	14.97	EC001437	<a href="#">116787</a>	4536853608477	10	CC	CCA	JPN	8536.4900.99	
<a href="#">LY2F-220/240VAC</a>	<a href="#">Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 220/240 VAC</a>	8.01	EC001437	<a href="#">116656</a>	4536853611668	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2F-24VAC</a>	<a href="#">Relay, flange mount, plug-in, DPDT, 10 A, 24 VAC</a>	7.40	EC001437	<a href="#">148600</a>	4536853611590	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2I4N-110/120VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button</a>	8.44	EC001437	<a href="#">116681</a>	4536853612672	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2I4N-220/240VAC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 220/240 VAC</a>	8.91	EC001437	<a href="#">116682</a>	4536853612702	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2I4N-24VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button</a>	8.44	EC001437	<a href="#">103143</a>	4536853612719	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2I4N-24VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 24 VDC</a>	8.44	EC001437	<a href="#">157562</a>	4536853612757	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2N-100/110VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VAC</a>	8.19	EC001437	<a href="#">150790</a>	4536853612399	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2N-220/240VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 220/240 VAC</a>	12.69	EC001437	<a href="#">116664</a>	4536853612429	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2N-24VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC</a>	23.41	EC001437	<a href="#">151831</a>	4536853612382	50	CC	CCA	IDN	8536.4900.99	
<a href="#">LY2N-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VDC</a>	11.25	EC001437	<a href="#">143665</a>	4536853612450	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2N-D2-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor</a>	18.30	EC001437	<a href="#">156651</a>	4536853608811	#	10	CC	CCA	JPN	8536.4900.99
<b>Endüstriyel Röle LY</b>											
<a href="#">LY1N-D2-24VDC</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 15A, LED indicator, coil suppression, 24 VDC</a>	16.43	EC001437	<a href="#">116875</a>	4536853604868	10	CC	CCA	JPN	8536.4900.99	
<a href="#">LY3-0-12VDC</a>	<a href="#">https://industrial.omron.com.tr/tr/products/ly</a>	13.15	EC001437	<a href="#">116459</a>	4536853619176			CC	CCA	IDN	8536.4900.99
<a href="#">LY3-0-24VDC</a>	<a href="#">Relay, PCB pin, 11-pin, 3PDT, 10A, 24 VDC</a>	13.15	EC001437	<a href="#">116460</a>	4536853619183	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4-24VDC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VDC</a>	13.14	EC001437	<a href="#">116449</a>	4536853621131	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4-D-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10A, coil suppression, 24 VDC</a>	23.88	EC001437	<a href="#">116412</a>	4536853620141	10	CC	CCA	JPN	8536.4900.99	
<a href="#">LY4I4N-230VAC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 230 VAC</a>	15.50	EC001437	<a href="#">103147</a>	4536853621971	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4N-D2-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 24 VDC</a>	26.71	EC001437	<a href="#">153315</a>	4536853620509	10	CC	CCA	JPN	8536.4900.99	
<b>Endüstriyel Röle LY</b>											
<a href="#">LY4-100/110VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10A/100/110 VAC</a>	13.14	EC001437	<a href="#">103860</a>	4536853621063	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4-125VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10 A, 125 VDC</a>	13.14	EC001437	<a href="#">148236</a>	4536853622497	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4-12VDC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, 12 VDC</a>	13.14	EC001437	<a href="#">116448</a>	4536853621124	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4-230VAC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, 230 VAC</a>	13.62	EC001437	<a href="#">116367</a>	4536853621605	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4-24VAC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VAC</a>	13.14	EC001437	<a href="#">116441</a>	4536853621025	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4-48VDC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, 48 VDC</a>	13.14	EC001437	<a href="#">143117</a>	4536853621162	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4I4N-24VDC</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 24 VDC</a>	14.54	EC001437	<a href="#">116399</a>	4536853622039	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4N-100/110VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VAC</a>	14.54	EC001437	<a href="#">145374</a>	4536853621698	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4N-200/220VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 200/220 VAC</a>	15.50	EC001437	<a href="#">116375</a>	4536853621728	20	CC	CCA	IDN	8536.4900.99	
<a href="#">LY4N-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VDC</a>	14.54	EC001437	<a href="#">116382</a>	4536853621797	#	20	CC	CCA	IDN	8536.4900.99
<b>Endüstriyel Röle MK-I/-S</b>											
<a href="#">MKS2P-110VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator</a>	14.79	EC001437	<a href="#">376281</a>	4547648413046	20	CC	CCB	CHN	8536.4900.99	
<a href="#">MKS2P-230VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator</a>	11.72	EC001437	<a href="#">376285</a>	4547648413084	20	CC	CCB	CHN	8536.4900.99	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MKS2P 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	12.92	EC001437	376278	4547648413015		20	CC	CCB	CHN	8536.4900.99
MKS2P 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	10.89	EC001437	376289	4547648413121	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 110VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC	11.06	EC001437	376681	4547648413893	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 110VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC	11.66	EC001437	376692	4547648414005		20	CC	CCB	CHN	8536.4900.99
MKS2PI 12VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	10.89	EC001437	376677	4547648413855		20	CC	CCB	CHN	8536.4900.99
MKS2PI 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC	12.75	EC001437	376688	4547648413961		20	CC	CCB	CHN	8536.4900.99
MKS2PI 230VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC	11.67	EC001437	376685	4547648413930		20	CC	CCB	CHN	8536.4900.99
MKS2PI 240VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	11.67	EC001437	376686	4547648413947		20	CC	CCB	CHN	8536.4900.99
MKS2PI 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC	10.83	EC001437	376678	4547648413862		20	CC	CCB	CHN	8536.4900.99
MKS2PI 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC	10.89	EC001437	376689	4547648413978	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 48VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	12.27	EC001437	377084	45476484767422	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 48VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	11.06	EC001437	376690	4547648413985		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	12.50	EC001437	376766	4547648440868		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 12VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	14.78	EC001437	376723	4547648440936		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	13.26	EC001437	376720	4547648440905		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	14.78	EC001437	376763	4547648440837		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, latchable, test button, 24 VDC	12.32	EC001437	376774	4547648440943		20	CC	CCB	CHN	8536.4900.99
<b>Endüstriyel Röle MK-I/-S</b>											
MKS3P 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.41	EC001437	376323	4547648413466	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.55	EC001437	376349	4547648413725		20	CC	CCB	CHN	8536.4900.99
MKS3P-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	13.53	EC001437	376353	4547648413763		20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.41	EC001437	376346	4547648413695		20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	11.87	EC001437	376357	4547648413800		20	CC	CCB	CHN	8536.4900.99
MKS3PI 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.25	EC001437	376719	4547648414272		20	CC	CCB	CHN	8536.4900.99
MKS3PI 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.41	EC001437	376723	4547648414319	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC	12.03	EC001437	376749	4547648414579	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC	13.26	EC001437	376760	4547648414685	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.41	EC001437	376745	4547648414531		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC	12.22	EC001437	376756	4547648414647	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	13.26	EC001437	376752	4547648414609		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 230VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC	12.63	EC001437	376753	4547648414616	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 240VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.41	EC001437	376754	4547648414623		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC	12.15	EC001437	376746	4547648414548	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC	12.11	EC001437	376757	4547648414654	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	17.18	EC001437	377095	4547648767538		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 48 VDC	13.31	EC001437	376758	4547648414661	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 60VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.26	EC001437	377096	4547648767545		20	CC	CCB	CHN	8536.4900.99
MKS3PI-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button, coil suppression	13.27	EC001437	376902	4547648442220		20	CC	CCB	CHN	8536.4900.99
MKS3PIN 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.00	EC001437	376804	4547648441247		20	CC	CCB	CHN	8536.4900.99
MKS3PIN 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	13.87	EC001437	376808	4547648441285		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	14.01	EC001437	376834	4547648441544		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 12VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	16.63	EC001437	376841	4547648441612		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	14.37	EC001437	376838	4547648441582	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	13.87	EC001437	376831	4547648441513		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	13.79	EC001437	376842	4547648441629	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppression	14.50	EC001437	377017	4547648443371	#	20	CC	CCB	CHN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
G7J-2A2B-B 24VDC	Power Relay, DPST-NO/DPST-NC, screw terminal, 24VDC	23.15	EC001437	377177	4547648393713		20	CC	CCC	CHN	8536.4900.99
G7L-2A2B-T 24VDC	Power Relay, DPST-NO/DPST-NC, quick connect terminal, 12VDC	20.01	EC001437	148665	4536853475956		20	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
G7L-3A1B-B 24VDC	Power relay, W-bracket mounting, 3PST-NO/SPST-NC, 25 A, 24VDC	24.64	EC001437	121804	4536853475390		20	CC	CCC	JPN	8536.4900.99
G7L-3A1B-P 24VDC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24VDC	25.62	EC001437	149737	4536853475239		20	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
G7L-4A-B 24VDC	Power relay, 4PST-NO, screw terminal, 24VDC	29.54	EC001437	377176	4547648393706		20	CC	CCC	CHN	8536.4900.99
G7L-4A-P 24VDC	Power relay, PCB mounting, 4PST-NO, 25 A, 24 VDC	29.90	EC001437	121290	4536853475215		20	CC	CCC	JPN	8536.4900.99
G7L-4A-T 200/240VAC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC	29.42	EC001437	151903	4536853476090		20	CC	CCC	JPN	8536.4900.99
G7L-4A-T 24VDC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24 VDC	28.84	EC001437	121829	4536853476144		20	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
G7Z-2A2B-02Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.	63.35	EC001437	684150	4548583781191			CC	CCC	JPN	8536.4900.99
G7Z-2A2B-11Z-R 24VDC	Güç rölesi, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı	63.35	EC001437	684139	4548583781221			CC	CCC	JPN	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G7Z-2A2B-20Z-R 24VDC</a>	<a href="#">Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.</a>	63.35	EC001437	<a href="#">684142</a>	4548583781245		10	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7Z-3A1B-02Z-R 24VDC</a>	<a href="#">Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.</a>	66.35	EC001437	<a href="#">684141</a>	4548583781269		10	CC	CCC	JPN	8536.4900.99
<a href="#">G7Z-3A1B-20Z-R 12VDC</a>	<a href="#">Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.</a>	66.35	EC001437	<a href="#">684140</a>	4548583781306			CC	CCC	JPN	8536.4900.99
<a href="#">G7Z-3A1B-20Z-R 24VDC</a>	<a href="#">Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.</a>	63.95	EC001437	<a href="#">684146</a>	4548583781313			CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7Z-4A 24VDC</a>	<a href="#">Power relay, 40 A 4PST-NO</a>	82.50	EC001437	<a href="#">351605</a>	4547648298964		10	CC	CCC	JPN	8536.4900.99
<a href="#">G7Z-4A-02Z-R 24VDC</a>	<a href="#">Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.</a>	64.55	EC001437	<a href="#">684143</a>	4548583781337		10	CC	CCC	JPN	8536.4900.99
<a href="#">G7Z-4A-11Z-R 24VDC</a>	<a href="#">Güç rölesi, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC alarm çıkışı</a>	64.55	EC001437	<a href="#">684147</a>	4548583732117		10	CC	CCC	JPN	8536.4900.99
<a href="#">G7Z-4A-20Z-R 24VDC</a>	<a href="#">Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.</a>	64.55	EC001437	<a href="#">684144</a>	4548583781368		10	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">E71F-05</a>	<a href="#">Socket, DIN rail/surface mounting, 5-pin, screw terminals</a>	13.47	EC001456	<a href="#">327103</a>	4536854793455		10	CC	CCC	CHN	8536.4900.99
<b>Endüstriyel Röle G2R-5</b>											
<a href="#">G2R-1-S 12VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 12 VDC</a>	4.88	EC001437	<a href="#">125430</a>	4536854937149		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-S 230VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 230 VAC</a>	9.78	EC001437	<a href="#">163223</a>	4536854936463		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-S 240VAC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 240 VAC</a>	8.79	EC001437	<a href="#">125433</a>	4536854936470		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-S 24VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VAC</a>	5.83	EC001437	<a href="#">157868</a>	4536854936432		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-S 24VDC (S)</a>	<a href="#">Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, 24 VDC</a>	4.76	EC001437	<a href="#">146726</a>	4536854937156	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SD 24VDC (S)</a>	<a href="#">Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC</a>	6.36	EC001437	<a href="#">125347</a>	4536854937187		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 110VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, label facility</a>	10.23	EC001437	<a href="#">125342</a>	4536854936517	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 120VAC (S)</a>	<a href="#">Relay, plug-in, SPDT, 10 A, mech. &amp; LED indicator, 120 VAC</a>	9.21	EC001437	<a href="#">125343</a>	4536854936524		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 12VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, label facility, 12 VAC</a>	8.89	EC001437	<a href="#">204264</a>	4547648001137		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 12VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, label facility</a>	7.38	EC001437	<a href="#">125339</a>	4536854937163	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 230VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, label facility</a>	14.19	EC001437	<a href="#">125344</a>	4536854936531	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 240VAC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör &amp; LED, 240 VAC</a>	13.29	EC001437	<a href="#">142329</a>	4536854936555		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 24VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, label facility</a>	9.35	EC001437	<a href="#">155293</a>	4536854936500	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 24VDC (S)</a>	<a href="#">Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör &amp; LED, 24 VDC</a>	7.38	EC001437	<a href="#">125340</a>	4536854937170	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 48VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, label facility, 48 VDC</a>	5.97	EC001437	<a href="#">125341</a>	4536854936494		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SND 12VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, coil suppressor, label facility, 12 VDC</a>	9.35	EC001437	<a href="#">125350</a>	4536854937194		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SND 24VDC (S)</a>	<a href="#">Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, LED &amp; diyot, 24 VDC</a>	9.35	EC001437	<a href="#">125351</a>	4536854937200	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SND 48VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, coil suppressor, label facility</a>	9.30	EC001437	<a href="#">125352</a>	4536854936616		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SND-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, coil suppressor, label facility, Au-plating</a>	13.75	EC001437	<a href="#">172299</a>	4547648000505		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNDI 12VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebiller test switchi, diyot, 12 VDC</a>	10.64	EC001437	<a href="#">157870</a>	4536854936722		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNDI 24VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebiller test switchi, diyot, 24 VDC</a>	9.78	EC001437	<a href="#">125358</a>	4536854936739	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNDI-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, gold plate contacts, mech &amp; LED indicators, coil suppressor, lockable test button, label facility</a>	9.78	EC001437	<a href="#">171112</a>	4547648074704		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNI 110VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, lockable test button, label facility, 110 AC</a>	10.23	EC001437	<a href="#">142328</a>	4536854936678		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNI 12VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, lockable test button, label facility</a>	7.49	EC001437	<a href="#">152249</a>	4536854936630		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNI 230VAC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebiller test switchi, 230 VAC</a>	12.87	EC001437	<a href="#">152248</a>	4536854936692	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNI 24VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech &amp; LED indicators, lockable test button, label facility</a>	9.35	EC001437	<a href="#">156685</a>	4536854936661		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNI 24VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebiller test switchi, 24 VDC</a>	7.49	EC001437	<a href="#">154479</a>	4536854936647	#	10	CC	CCD	MYS	8536.4900.99
<b>Endüstriyel Röle G2R-5</b>											
<a href="#">G2R-2-S 110VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mechanical indicator, 110 VAC</a>	8.43	EC001437	<a href="#">125365</a>	4536854936791		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 12VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 10 A, mekanik indikatör, 12 VDC</a>	6.15	EC001437	<a href="#">125361</a>	4536854937217		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 230VAC (S)</a>	<a href="#">Relay, plug-in, DPST, 10 A, mechanical indicator, 230 VAC</a>	9.78	EC001437	<a href="#">162371</a>	4536854936814	#	100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 240VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 240 VAC</a>	12.42	EC001437	<a href="#">125367</a>	4536854936821		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 24VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 24 VAC</a>	6.51	EC001437	<a href="#">125364</a>	4536854936784		10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, 24 VDC</a>	6.05	EC001437	<a href="#">125362</a>	4536854937224	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 48VDC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mechanical indicator, 48 VDC</a>	7.18	EC001437	<a href="#">125363</a>	4536854936777		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SD 12VDC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mechanical indicator, diode, 12 VDC</a>	8.08	EC001437	<a href="#">125375</a>	4536854936937		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SD 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech indicators, coil suppressor, label facility</a>	8.08	EC001437	<a href="#">144581</a>	4536854936951		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 110VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 110 VAC</a>	11.10	EC001437	<a href="#">125372</a>	4536854936883	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 110VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 110 VDC</a>	14.65	EC001437	<a href="#">191253</a>	4547648001380		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 120VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mech. &amp; LED indicator, 120 VAC</a>	14.19	EC001437	<a href="#">157869</a>	4536854936890		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 12VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 12 VAC</a>	11.10	EC001437	<a href="#">193950</a>	4547648001229		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 12VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 12 VDC</a>	7.96	EC001437	<a href="#">125369</a>	4536854936845	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 230VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 230 VAC</a>	15.09	EC001437	<a href="#">125373</a>	4536854936906	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 240VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör &amp; LED, 240 VAC</a>	14.19	EC001437	<a href="#">154480</a>	4536854936913		100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 24VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 24 VAC</a>	12.87	EC001437	<a href="#">125371</a>	4536854936876	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör &amp; LED, 24 VDC</a>	7.96	EC001437	<a href="#">143419</a>	4536854936852	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 48VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 48 VAC</a>	11.68	EC001437	<a href="#">679878</a>	4547648001441		100	CC	CCD	MYS	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2R-2-SN 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VDC	7.96	EC001437	125370	4536854936869		100	CC	CCD	MYS	8536.4900.99
G2R-2-SN-AP3 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	22.60	EC001437	127302	4547648000710		100	CC	CCD	MYS	8536.4900.99
G2R-2-SN-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	13.75	EC001437	127303	4547648000727		100	CC	CCD	MYS	8536.4900.99
G2R-2-SND 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	10.64	EC001437	125377	4536854936982		100	CC	CCD	MYS	8536.4900.99
G2R-2-SND 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED & diyet, 24 VDC	11.10	EC001437	105724	4536854936999	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SND 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 48 VDC	10.23	EC001437	145666	4536854937002		100	CC	CCD	MYS	8536.4900.99
G2R-2-SND-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, mech & LED indicators, coil suppressor, label facility	11.10	EC001437	127300	4547648000635		10	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 12VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, diyet, 12 VDC	11.10	EC001437	125290	4536854937118		100	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebilir test switchi & diyet, 24 VDC	10.64	EC001437	125291	4536854937125	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility	11.25	EC001437	125292	4536854937132		100	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI-AP3 24VDC (S)	Relay, plug-in, 8-pin, SPDT, 5 A, mech & LED indicators, coil suppressor, label test button, Au-plating	14.65	EC001437	127113	4547648074711		100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	11.55	EC001437	154482	4536854937064		10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 120 VAC	11.66	EC001437	148906	4536854937071		100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	11.49	EC001437	121109	4547648000390		100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility, 12 VDC	8.43	EC001437	125279	4536854937026		10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 230VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebilir test switchi, 230 VAC	17.33	EC001437	125383	4536854937088	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 240 VAC	14.53	EC001437	125384	4536854937095		100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	8.43	EC001437	125382	4536854937057	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	8.43	EC001437	125380	4536854937033	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	11.10	EC001437	183088	4547648000406		10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI-AP3 230VAC (S)	Relay, plug-in, DPDT (gold plated), 5 A, mech. & LED indicator, test button, 230 VAC	23.06	EC001437	127111	4547648074698		100	CC	CCD	MYS	8536.4900.99
<b>Endüstriyel Röle G2R-S</b>											
G2R-1-SNI-AP3 230VAC (S)	Relay, plug-in, SPDT (gold plated), 10 A, mech. & LED indicator, test button, 230 VAC	19.49	EC001437	127110	4547648074681		100	CC	CCD	MYS	8536.4900.99
<b>Endüstriyel Röle MY-S</b>											
MY2 100/110VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 100/110 VDC	5.51	EC001437	114085	4536854362880		10	CC	CCE	JPN	8536.4900.99
MY2 110/120VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 110/120 VAC	6.65	EC001437	151180	4536854362828		10	CC	CCE	JPN	8536.4900.99
MY2 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 12 VAC	6.52	EC001437	114080	4536854362798		10	CC	CCE	JPN	8536.4900.99
MY2 12VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 12 VDC	6.31	EC001437	114082	4536854362859		10	CC	CCE	JPN	8536.4900.99
MY2 220/240VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 220/240 VAC	6.82	EC001437	114081	4536854362835	#	10	CC	CCE	JPN	8536.4900.99
MY2 24VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 24 VAC	6.57	EC001437	103514	4536854362804		10	CC	CCE	JPN	8536.4900.99
MY2 24VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 24 VDC	6.31	EC001437	114083	4536854362866	#	10	CC	CCE	JPN	8536.4900.99
MY2 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 48/50 VAC	6.61	EC001437	153319	4536854362811		10	CC	CCE	JPN	8536.4900.99
MY2 48VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 48 VDC	6.47	EC001437	114084	4536854362873		10	CC	CCE	JPN	8536.4900.99
MY2IN 100/110VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 100/110 VDC	8.60	EC001437	155266	4536854363177	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 110/120VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 110/120 VAC	7.65	EC001437	114101	4536854363115	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	7.47	EC001437	156657	4536854363085	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 12VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 12 VDC	7.47	EC001437	114103	4536854363146	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 220/240VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 220/240 VAC	8.60	EC001437	156658	4536854363122	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 24VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 24 VAC	7.47	EC001437	114099	4536854363092	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 24VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 24 VDC	7.47	EC001437	153320	4536854363153	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	7.47	EC001437	114100	4536854363108	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 48VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 48 VDC	7.68	EC001437	114104	4536854363160	#	10	CC	CCE	JPN	8536.4900.99
MY2INI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	7.47	EC001437	114020	4536854363320		10	CC	CCE	JPN	8536.4900.99
MY2IN-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	12.14	EC001437	154452	4536854363429		10	CC	CCE	JPN	8536.4900.99
MY2IN-CR 220/240VAC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, RC circuit, 220/240 VAC	9.97	EC001437	114013	4536854363245		10	CC	CCE	JPN	8536.4900.99
MY2IN-D2 12VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, diode, 12 VDC (A2 '+')	14.53	EC001437	114010	4536854363191		10	CC	CCE	JPN	8536.4900.99
MY2IN-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	12.14	EC001437	143510	4536854363207		10	CC	CCE	JPN	8536.4900.99
MY2N 100/110VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 100/110 VDC	8.14	EC001437	114093	4536854362996		10	CC	CCE	JPN	8536.4900.99
MY2N 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 110/120 VAC	7.24	EC001437	114089	4536854362934		10	CC	CCE	JPN	8536.4900.99
MY2N 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 12 VAC	7.00	EC001437	114087	4536854362903		10	CC	CCE	JPN	8536.4900.99
MY2N 12VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 12 VDC	7.00	EC001437	156656	4536854362965		10	CC	CCE	JPN	8536.4900.99
MY2N 220/240VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 220/240 VAC	8.14	EC001437	114090	4536854362941		10	CC	CCE	JPN	8536.4900.99
MY2N 24VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 24 VAC	7.00	EC001437	104348	4536854362910		10	CC	CCE	JPN	8536.4900.99
MY2N 24VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 24 VDC	7.00	EC001437	103515	4536854362972	#	10	CC	CCE	JPN	8536.4900.99
MY2N-CR 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	13.59	EC001437	142429	4536854363054		10	CC	CCE	JPN	8536.4900.99
MY2N-CR 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility	14.09	EC001437	114098	4536854363061		10	CC	CCE	JPN	8536.4900.99
MY2N-D2 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility, 12 VDC	11.19	EC001437	152215	4536854363016		10	CC	CCE	JPN	8536.4900.99
MY2N-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility, 24 VDC	10.70	EC001437	114095	4536854363023	#	10	CC	CCE	JPN	8536.4900.99
<b>Endüstriyel Röle MY-S</b>											
MY4 100/110VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 100/110 VDC	8.33	EC001437	114033	4536854363559		10	CC	CCE	JPN	8536.4900.99
MY4 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 110/120 VAC	7.96	EC001437	145767	4536854363498		10	CC	CCE	JPN	8536.4900.99
MY4 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 12 VAC	7.82	EC001437	114028	4536854363467		10	CC	CCE	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY4.12VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, 12 VDC	7.61	EC001437	114031	4536854363528		10	CC	CCE	JPN	8536.4900.99
MY4.220/240VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, 220/240 VAC	8.09	EC001437	147900	4536854363504	#	10	CC	CCE	JPN	8536.4900.99
MY4.24VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, 24 VAC	7.77	EC001437	103517	4536854363474	#	10	CC	CCE	JPN	8536.4900.99
MY4.24VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, 24 VDC	7.59	EC001437	157842	4536854363535	#	10	CC	CCE	JPN	8536.4900.99
MY4.48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 48/50 VAC	7.92	EC001437	114029	4536854363481		10	CC	CCE	JPN	8536.4900.99
MY4.48VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, 48 VDC	7.79	EC001437	114032	4536854363542		10	CC	CCE	JPN	8536.4900.99
MY4IN.100/110VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, 100/110 VDC	9.85	EC001437	114054	4536854363849	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.110/120VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, test button, label facility	8.89	EC001437	114050	4536854363788	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.125VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicator, test button, 125 VDC (A2 "+")	10.89	EC001437	231415	4536854486012	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	8.89	EC001437	114047	4536854363757	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.12VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, 12 VDC	8.89	EC001437	114053	4536854363818	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.220/240VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, 220/240 VAC	9.85	EC001437	114051	4536854363795	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.24VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, 24 VAC	8.89	EC001437	114048	4536854363764	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.24VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, 24 VDC	8.89	EC001437	152216	4536854363825	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	8.89	EC001437	114049	4536854363771	#	10	CC	CCE	JPN	8536.4900.99
MY4IN.48VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, 48 VDC	8.89	EC001437	103518	4536854363832	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1.100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	9.85	EC001437	113970	4536854364013		10	CC	CCE	JPN	8536.4900.99
MY4IN1.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mekanik, indikatör, LED & kilitlenebilir test switchi, reversed polarity	8.89	EC001437	143511	4536854363993		10	CC	CCE	JPN	8536.4900.99
MY4IN1-D2.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	13.35	EC001437	113975	4536854364099		10	CC	CCE	JPN	8536.4900.99
MY4IN-CR.110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 100/120 VAC	10.95	EC001437	142432	4536854363900		10	CC	CCE	JPN	8536.4900.99
MY4IN-CR.220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 220/240 VAC/VDC	19.74	EC001437	113963	4536854363917		10	CC	CCE	JPN	8536.4900.99
MY4IN-D2.12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 12 VDC	13.35	EC001437	114056	4536854363863		10	CC	CCE	JPN	8536.4900.99
MY4IN-D2.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	13.35	EC001437	146835	4536854363870	#		CC	CCE	JPN	8536.4900.99
MY4IN.100/110VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör & LED, 100/110 VDC	9.40	EC001437	150066	4536854363665		10	CC	CCE	JPN	8536.4900.99
MY4IN.110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 110/120 VAC	8.62	EC001437	155268	4536854363603		10	CC	CCE	JPN	8536.4900.99
MY4IN.125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech, & LED indicator, 125 VDC (A2 "+")	13.32	EC001437	167880	4536854485855		10	CC	CCE	JPN	8536.4900.99
MY4IN.12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 12 VAC	8.43	EC001437	114035	4536854363573		10	CC	CCE	JPN	8536.4900.99
MY4IN.12VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör & LED, 12 VDC	8.43	EC001437	114039	4536854363634		10	CC	CCE	JPN	8536.4900.99
MY4N.220/240VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör & LED, 220/240 VAC	9.40	EC001437	147901	4536854363610	#	10	CC	CCE	JPN	8536.4900.99
MY4N.24VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör & LED, 24 VAC	8.43	EC001437	114036	4536854363580		10	CC	CCE	JPN	8536.4900.99
MY4N.24VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör & LED, 24 VDC	8.43	EC001437	114040	4536854363641	#	10	CC	CCE	JPN	8536.4900.99
MY4N.48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 48/50 VAC	8.89	EC001437	114037	4536854363597		10	CC	CCE	JPN	8536.4900.99
MY4N.48VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik, indikatör & LED, 48 VDC	8.62	EC001437	114041	4536854363658		10	CC	CCE	JPN	8536.4900.99
MY4N1.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, label facility, 24 VDC	11.40	EC001437	113966	4536854363948		10	CC	CCE	JPN	8536.4900.99
MY4N-CR.110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	14.80	EC001437	114044	4536854363726		10	CC	CCE	JPN	8536.4900.99
MY4N-CR.220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 220/240 VAC	15.79	EC001437	114045	4536854363733		10	CC	CCE	JPN	8536.4900.99
MY4N-D2.12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 12 VDC	12.37	EC001437	154453	4536854363689		10	CC	CCE	JPN	8536.4900.99
MY4N-D2.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	11.87	EC001437	144683	4536854363696	#	10	CC	CCE	JPN	8536.4900.99
MY4Z.220/240VAC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 220/240 VAC	14.36	EC001437	103519	4536854364174		10	CC	CCE	JPN	8536.4900.99
MY4Z.24VDC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 24 VDC	13.85	EC001437	113980	4536854364204		10	CC	CCE	JPN	8536.4900.99
MY4ZIN.24VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech, + LED indicator, test button, 24 VDC (A2 "+")	14.11	EC001437	113998	4536854364471		10	CC	CCE	JPN	8536.4900.99
MY4ZIN.110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label facility, 110/120 VAC	17.27	EC001437	113985	4536854364273		10	CC	CCE	JPN	8536.4900.99
MY4ZIN.220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech, + LED indicator, 220/240 VAC	17.27	EC001437	113986	4536854364280		10	CC	CCE	JPN	8536.4900.99
MY4ZIN.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label facility, 24 VDC	16.31	EC001437	113987	4536854364310		10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2.24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	19.74	EC001437	114005	4536854364570		10	CC	CCE	JPN	8536.4900.99
<b>Endüstriyel Röle G2RV</b>											
G2RV-1-S-AP-G.21VDC	Yedek röle, çiris tip, SPDT, 50 mA, G2RV-SR***-AP.24VDC veya 24VAC/DC için	6.47	EC001437	670565	4548583793736		25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G.21VDC	Yedek röle, SPDT, 6 A, G2RV-SR*00.24DC veya 24 VAC/DC için	5.90	EC001437	670574	4548583793705	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G-DC11	Yedek röle, SPDT, 6 A, G2RV-SR*00.12 VDC için	5.90	EC001437	670573	4548583793699		25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G-DC4R	Yedek röle, SPDT, 6 A, G2RV-SR*00.48 VAC/DC, 100VAC, 110 VAC, 200VAC veya 230 VAC için	6.18	EC001437	670572	4548583793712	#	20	CC	CCF	MYS	8536.4900.99
G2RV-1-SI-G.21VDC	Yedek röle, kilitlenebilir test switchli, SPDT, 6 A, G2RV-SR201/501.24VDC veya 24VAC/DC için	6.31	EC001437	670567	4548583793750	#	25	CC	CCF	MYS	8536.4900.99
<b>Endüstriyel Röle G2RV-SR</b>											
G2RV-SR500.110VAC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 110 VAC	15.78	EC001437	678033	4549734135887		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500.12VDC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 12 VDC	15.16	EC001437	678027	4549734135856		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500.230VAC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 230 VAC	15.78	EC001437	678019	4549734135900	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500.24VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC	13.29	EC001437	678028	4549734135917	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500.24VDC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC	15.16	EC001437	678005	4549734135863	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500.48VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 48 VAC/DC	16.53	EC001437	678030	4549734135924		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP.230VAC	Slimline input relay, 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 230 VAC	18.89	EC001437	678039	4549734135825		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP.24VAC/DC	Slimline input relay, 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VAC/DC	16.55	EC001437	678038	4549734135832		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP.24VDC	Slimline input relay, 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VDC	15.06	EC001437	678007	4549734135788		10	CC	CCG	MYS	8536.4900.99
G2RV-SR501.24VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC, Test switch	17.06	EC001437	678017	4549734135948	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR501.24VDC	İnce röle & sıvah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC, Test switch	14.21	EC001437	678015	4549734135931	#	10	CC	CCG	MYS	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Endüstriyel Röle G2RV-SR</b>											
<a href="#">G2RV-SR200-110VAC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 110 VAC</a>	15.31	EC001437	<a href="#">678020</a>	4549734136068	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-12VDC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 12 VDC</a>	14.65	EC001437	<a href="#">678006</a>	4549734136037	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-230VAC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 230 VAC</a>	15.31	EC001437	<a href="#">678040</a>	4549734136082	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-24VAC/DC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC</a>	14.77	EC001437	<a href="#">678013</a>	4549734136099	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-24VDC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 24 VDC</a>	14.65	EC001437	<a href="#">678023</a>	4549734136044	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-48VAC/DC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 48 VAC/DC</a>	14.74	EC001437	<a href="#">678010</a>	4549734136105	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-AP-12VDC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 12 VDC</a>	14.84	EC001437	<a href="#">678021</a>	4549734135955	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-AP-230VAC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 230 VAC</a>	18.66	EC001437	<a href="#">678025</a>	4549734136006	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-AP-24VAC/DC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VAC/DC</a>	17.38	EC001437	<a href="#">678026</a>	4549734136013	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR200-AP-24VDC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VDC</a>	14.84	EC001437	<a href="#">678034</a>	4549734135962	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR201-24VAC/DC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC, test switch</a>	13.74	EC001437	<a href="#">678016</a>	4549734136129	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR201-24VDC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, vidalı terminal, 24 VDC, test switch</a>	16.06	EC001437	<a href="#">678031</a>	4549734136112	#	10	CC	CCG	MYS	8536.4900.99
<b>Endüstriyel Röle MY-GS</b>											
<a href="#">MY2-GS-100/110VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 100/110 VDC</a>	5.05	EC001437	<a href="#">686136</a>	4548583818101			CC	CCK	CHN	8536.4900.99
<a href="#">MY2-GS-12VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 12 VAC</a>	5.98	EC001437	<a href="#">686133</a>	4548583818040		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 220/240 VAC</a>	6.26	EC001437	<a href="#">686128</a>	4548583491250			CC	CCK	CHN	8536.4900.99
<a href="#">MY2-GS-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VDC</a>	5.77	EC001437	<a href="#">686129</a>	4548583491267		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-D2-GS-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, coil suppressor, lockable push test button, 24 VDC</a>	8.06	EC001437	<a href="#">686150</a>	4549734261470		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-100/110VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, lockable push test button, 100/110 VDC</a>	7.17	EC001437	<a href="#">686144</a>	4549734261371			CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-110/120VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, lockable push test button, 110/120 VAC</a>	7.00	EC001437	<a href="#">686149</a>	4549734261432	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-12VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, lockable push test button, 12 VAC</a>	7.00	EC001437	<a href="#">686147</a>	4549734261395			CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, lockable push test button, 220/240 VAC</a>	6.85	EC001437	<a href="#">686139</a>	4549734261456	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-220VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mechanical &amp; LED indicator, 220 VDC</a>	11.51	EC001437	<a href="#">689130</a>	4549734261388		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-24VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, lockable push test button, 24 VAC</a>	6.85	EC001437	<a href="#">686148</a>	4549734261401	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, lockable push test button, 24 VDC</a>	11.51	EC001437	<a href="#">686143</a>	4549734261357	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-110/120VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, built-in CR, 100/110 VAC</a>	6.66	EC001437	<a href="#">686140</a>	4548583818255		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-CR-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, built-in CR, 220/240 VAC</a>	6.43	EC001437	<a href="#">686141</a>	4548583818279		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-D2-GS-12VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, coil suppressor, 12 VDC</a>	7.47	EC001437	<a href="#">686145</a>	4548583818194			CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-D2-GS-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, coil suppressor, 24 VDC</a>	6.43	EC001437	<a href="#">686146</a>	4548583818200		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-100/110VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, 100/110 VAC</a>	6.43	EC001437	<a href="#">686137</a>	4548583818132		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-12VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, 12 VDC</a>	12.47	EC001437	<a href="#">686138</a>	4548583818156		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, 220/240 VAC</a>	12.91	EC001437	<a href="#">686131</a>	4548583491304		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-220VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, Mechanical &amp; LED indicators, lockable push test button, 220 VDC</a>	15.11	EC001437	<a href="#">689132</a>	4548583818187		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-24VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, 24 VAC</a>	10.26	EC001437	<a href="#">686130</a>	4548583491274		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY2IN-GS-24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 7 A, mechanical &amp; LED indicators, 24 VDC</a>	9.81	EC001437	<a href="#">686132</a>	4548583491311		10	CC	CCK	CHN	8536.4900.99
<b>Endüstriyel Röle MY-GS</b>											
<a href="#">MY4-GS-12VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC</a>	7.05	EC001437	<a href="#">686157</a>	4548583818521		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC</a>	7.31	EC001437	<a href="#">686152</a>	4548583491359		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4-GS-24VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC</a>	6.98	EC001437	<a href="#">686151</a>	4548583491328		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4-GS-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC</a>	6.84	EC001437	<a href="#">686153</a>	4548583491366			CC	CCK	CHN	8536.4900.99
<a href="#">MY4-GS-48VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC</a>	7.00	EC001437	<a href="#">686161</a>	4548583818576		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-CR-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, coil suppressor, lockable push test button, 220/240 VAC</a>	8.88	EC001437	<a href="#">686126</a>	4549734261760		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-D2-GS-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, coil suppressor, lockable push test button, 24 VDC</a>	8.02	EC001437	<a href="#">686174</a>	4549734261692	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-48VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, coil suppressor, lockable push test button, 48 VDC</a>	8.02	EC001437	<a href="#">686125</a>	4549734261708	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-100/110VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 100/110 VDC</a>	8.88	EC001437	<a href="#">686170</a>	4549734261593	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-110/120VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 110/120 VAC</a>	8.02	EC001437	<a href="#">686172</a>	4549734261654	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-12VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 12 VDC</a>	8.02	EC001437	<a href="#">686167</a>	4549734261562	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 220/240 VAC</a>	8.02	EC001437	<a href="#">686173</a>	4549734261678	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-24VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 24 VAC</a>	17.76	EC001437	<a href="#">686171</a>	4549734261623	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 24 VDC</a>	12.01	EC001437	<a href="#">686168</a>	4549734261579	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-48VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, lockable push test button, 48 VDC</a>	8.98	EC001437	<a href="#">686169</a>	4549734261586	#	10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-CR-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, coil suppressor, 220/240 VAC</a>	7.78	EC001437	<a href="#">686166</a>	4548583818750		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-D2-GS-12VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, coil suppressor, 12 VDC</a>	7.58	EC001437	<a href="#">686165</a>	4548583818675			CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-D2-GS-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, coil suppressor, 24 VDC</a>	8.46	EC001437	<a href="#">686177</a>	4548583818682		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-110/120VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, 110/120 VAC</a>	7.58	EC001437	<a href="#">686163</a>	4548583818613		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-12VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, 12 VDC</a>	7.58	EC001437	<a href="#">686164</a>	4548583818637		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-220/240VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, 220/240 VAC</a>	8.02	EC001437	<a href="#">686155</a>	4548583491403			CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-220VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical &amp; LED indicators, 220 VDC</a>	15.11	EC001437	<a href="#">689128</a>	4548583818668		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-24VAC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, 24 VAC</a>	14.22	EC001437	<a href="#">686154</a>	4548583491373		10	CC	CCK	CHN	8536.4900.99
<a href="#">MY4IN-GS-24VDC</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical &amp; LED indicators, 24 VDC</a>	11.14	EC001437	<a href="#">686156</a>	4548583491410		10	CC	CCK	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Endüstriyel Röleler için Aksesuarlar</b>											
Y92B-A100	<a href="#">Heat sink, economic model, for G3NA-205B/-210B/-D210B/-220B/-410B/-420B</a>	28.38	EC002056	154222	4536853411190			CC	CCZ	JPN	8536.4900.99
Y92B-N100	<a href="#">Heat sink for G3NA-220/420B SSR</a>	42.51	EC002056	107399	4536854247149	5		CC	CCZ	JPN	8536.4900.99
Y92B-N150	<a href="#">Heat sink for G3NA-240/440B SSR</a>	58.35	EC002056	107400	4536854247156			CC	CCZ	JPN	8536.4900.99
Y92B-N50	<a href="#">Heat sink for G3NA-205/210B SSR</a>	25.09	EC002056	105361	4536854247132	#	10	CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
G78-16-P2RE-E	<a href="#">Relay common busbar for 16x P2RE socket base</a>	6.18	EC002586	143184	4536853484668	50		CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
G7Z-02Z-R	<a href="#">Auxiliary contact block, DPST-NC, for use with G7Z relay</a>	24.75	EC002057	684173	4548583781573			CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
G70V-SID16P	<a href="#">16'lü G/C röle terminali, giriş tip, NPN (- common), Push-in Plus terminal, G2RV röleler üzerinde</a>	203.80	EC002780	670255	4548583798168			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1	<a href="#">16'lü G/C röle terminali, giriş tip, PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde</a>	203.80	EC002780	670254	4548583798151			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1-C16	<a href="#">16'lü G/C röle terminali, giriş tip, PNP (+ common), 16 nokta dahili bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde</a>	209.40	EC002780	675388	4549734144438			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P	<a href="#">16'lü G/C röle terminali, çıkış tip, NPN (+ common), Push-in Plus terminal, G2RV röleler üzerinde</a>	185.40	EC002780	670257	4548583798182			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1	<a href="#">16'lü G/C röle terminali, çıkış tip, PNP (- common), Push-in Plus terminal, G2RV röleler üzerinde</a>	185.40	EC002780	670256	4548583798175			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1-C4	<a href="#">16'lü G/C röle terminali, çıkış tip, PNP (- common), 4'er nokta dahili bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde</a>	173.40	EC002780	675390	4549734144452			CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
P2RV-4-100C	<a href="#">G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 1m</a>	104.90	EC000237	379395	4548583493346	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100FC	<a href="#">G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 1m</a>	106.30	EC000237	379403	4548583493421			CC	CCZ	JPN	8544.4290.90
P2RV-4-100MC	<a href="#">G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 1m</a>	88.05	EC000237	379399	4548583493384			CC	CCZ	JPN	8544.4290.90
P2RV-4-200C	<a href="#">G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 2m</a>	144.70	EC000237	379396	4548583493353			CC	CCZ	JPN	8544.4290.90
P2RV-4-200FC	<a href="#">G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 2m</a>	144.70	EC000237	379404	4548583493438			CC	CCZ	JPN	8544.4290.90
P2RV-4-200MC	<a href="#">G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 2m</a>	120.60	EC000237	379400	4548583493391			CC	CCZ	JPN	8544.4290.90
P2RV-4-300C	<a href="#">G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 3m</a>	108.90	EC000237	379397	4548583493360			CC	CCZ	JPN	8544.4290.90
P2RV-A100C	<a href="#">P2RV-O-F'ye bağlamak için tek taraflı 10 kutuplu IDC, konnektörlü 1 m kablo</a>	31.32	EC000237	379407	4548583493469			CC	CCZ	JPN	8538.9099.99
P2RV-A100C-OMR NX	<a href="#">G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 1m</a>	46.80	EC000237	379416	4548583493551	#		CC	CCZ	JPN	8544.4290.90
P2RV-A200C	<a href="#">G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2m</a>	31.32	EC000237	379408	4548583493476			CC	CCZ	JPN	8538.9099.99
<b>Düşük Gerilim Anahtarlar Elemanı J7MN Motor Koruma</b>											
J7MN-3P-1	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 0.63-1 A</a>	34.34	EC000074	234279	4547648326957	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-10	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 6-10 A</a>	41.51	EC000074	234285	4547648327015	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-13	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 9-13 A</a>	41.51	EC000074	234286	4547648327022	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-17	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 11-17 A</a>	41.51	EC000074	234287	4547648327039	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-1F6	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 1-1.6 A</a>	38.30	EC000074	234280	4547648326964	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-22	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 14-22 A</a>	41.51	EC000074	234288	4547648327046	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-26	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 18-26 A</a>	41.51	EC000074	234289	4547648327053	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-2F5	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 1.6-2.5 A</a>	38.30	EC000074	234281	4547648326971	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-32	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 22-32 A</a>	45.51	EC000074	234290	4547648327060			CD	CDA	KOR	8536.4900.99
J7MN-3P-4	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 2.5-4 A</a>	38.30	EC000074	234282	4547648326988	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-6	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 4-6 A</a>	38.30	EC000074	234283	4547648326995	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-8	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 5-8 A</a>	38.30	EC000074	234284	4547648327008			CD	CDA	KOR	8536.4900.99
J7MN-3P-F25	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 0.16-0.25 A</a>	34.34	EC000074	234276	4547648326926			CD	CDA	KOR	8536.4900.99
J7MN-3P-F4	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 0.25-0.4 A</a>	34.34	EC000074	234277	4547648326933			CD	CDA	KOR	8536.4900.99
J7MN-3P-F63	<a href="#">Motor koruma salteri, switch tip, 3 kutup, 0.4 A-0.63 A</a>	34.34	EC000074	234278	4547648326940	#		CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7MN Motor Koruma</b>											
J7MN-3R-1	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 0.63-1 A</a>	43.19	EC000074	234295	4547648327114	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-10	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 6-10 A</a>	50.65	EC000074	234301	4547648327176	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-13	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 9-13 A</a>	79.65	EC000074	234302	4547648327183	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-17	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 11-17 A</a>	51.45	EC000074	234303	4547648327190			CD	CDA	KOR	8536.4900.99
J7MN-3R-1F6	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 1-1.6 A</a>	55.45	EC000074	234296	4547648327121			CD	CDA	KOR	8536.4900.99
J7MN-3R-22	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 14-22 A</a>	52.85	EC000074	234304	4547648327206			CD	CDA	KOR	8536.4900.99
J7MN-3R-26	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 18-26 A</a>	119.40	EC000074	234305	4547648327213	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-2F5	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 1.6-2.5 A</a>	43.66	EC000074	234297	4547648327138	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-32	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A</a>	65.80	EC000074	234306	4547648327220	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-4	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 2.5-4 A</a>	49.50	EC000074	234298	4547648327145	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-6	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 4-6 A</a>	46.02	EC000074	234299	4547648327152	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-8	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 5-8 A</a>	46.02	EC000074	234300	4547648327169			CD	CDA	KOR	8536.4900.99
J7MN-3R-F25	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 0.16-0.25 A</a>	58.05	EC000074	234292	4547648327084			CD	CDA	KOR	8536.4900.99
J7MN-3R-F4	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 0.25-0.4 A</a>	58.05	EC000074	234293	4547648327091			CD	CDA	KOR	8536.4900.99
J7MN-3R-F63	<a href="#">Motor koruma salteri, döner switch tip, 3 kutup, 0.4-0.63 A</a>	40.61	EC000074	234294	4547648327107	#		CD	CDA	KOR	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Düşük Gerilim Anahtarlar Elemanı J7MN Motor Koruma</b>											
J7MN-6R-32	Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	130.50	EC000074	<a href="#">234208</a>	4547648327244	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-40	Motor koruma salteri, döner switch tip, 3 kutup, 28-40 A	206.90	EC000074	<a href="#">234209</a>	4547648327251	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-50	Motor koruma salteri, döner switch tip, 3 kutup, 34-50 A	218.10	EC000074	<a href="#">234310</a>	4547648327268			CD	CDA	KOR	8536.4900.99
J7MN-6R-63	Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	232.80	EC000074	<a href="#">234311</a>	4547648327275			CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7MN Motor Koruma</b>											
J7MN-9R-63	Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	171.80	EC000074	<a href="#">234312</a>	4547648327282			CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KNA-AR-22 110	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 110 VAC	18.96	EC000196	<a href="#">119093</a>	4536854851193		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 230	Contactör,relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 230 VAC	25.95	EC000196	<a href="#">119094</a>	4536854851216		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 24 VDC	23.76	EC000196	<a href="#">119016</a>	4536854851469		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24D	Contactör,relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15, 24 VDC	20.28	EC000196	<a href="#">119023</a>	4536854851544		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24V5	Contactör,relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	26.98	EC000196	<a href="#">119025</a>	4536854851582		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 230	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 230 VAC	18.55	EC000196	<a href="#">158036</a>	4536854851414		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC	26.16	EC000196	<a href="#">119029</a>	4536854851629		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24V5	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC, diyot koruma	26.98	EC000196	<a href="#">119031</a>	4536854851667		10	CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KNA-09-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	16.71	EC000066	<a href="#">145970</a>	4536854850486	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VAC	16.67	EC000066	<a href="#">119139</a>	4536854850431		10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	23.86	EC000066	<a href="#">119056</a>	4536854850615	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	26.52	EC000066	<a href="#">149193</a>	4536854850653		10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01R 24V5	Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	58.40	EC000010	<a href="#">245056</a>	4547648525664			CD	CDB	AUT	8536.4900.99
J7KNA-09-10 110	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	16.79	EC000066	<a href="#">158034</a>	4536854850363		10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	16.71	EC000066	<a href="#">119134</a>	4536854850387	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	16.71	EC000066	<a href="#">119132</a>	4536854850332		10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	23.86	EC000066	<a href="#">119051</a>	4536854850530	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	26.52	EC000066	<a href="#">119054</a>	4536854850578		10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 400	Mini kontaktör, 3-pole, 4 kW, 9 A (AC3, 400 VAC) + 1 NO, 400 VAC	17.01	EC000066	<a href="#">119136</a>	4536854850400		10	CD	CDB	AUT	8536.4900.99
J7KNA-09-4 230	Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC	21.35	EC000066	<a href="#">158035</a>	4536854850745		10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	20.62	EC000066	<a href="#">119076</a>	4536854850950	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	21.15	EC000066	<a href="#">153496</a>	4536854850905		10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	29.40	EC000066	<a href="#">151253</a>	4536854851087		10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	32.04	EC000066	<a href="#">119087</a>	4536854851124		10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	20.71	EC000066	<a href="#">119068</a>	4536854850851		10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	20.62	EC000066	<a href="#">119065</a>	4536854850806		10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	29.40	EC000066	<a href="#">119080</a>	4536854851001	#	10	CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KN-10D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	19.61	EC000066	<a href="#">367266</a>	4548583135482			CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24	Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	19.66	EC000066	<a href="#">367267</a>	4548583135499			CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24D	Contactör, 3-pole, 4 kW, 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	30.99	EC000066	<a href="#">367268</a>	4548583135505			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	21.15	EC000066	<a href="#">367298</a>	4548583135802			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	21.39	EC000066	<a href="#">367299</a>	4548583135819			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	33.01	EC000066	<a href="#">367300</a>	4548583135826			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	31.51	EC000066	<a href="#">367330</a>	4548583136120			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	31.65	EC000066	<a href="#">367331</a>	4548583136137			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	40.65	EC000066	<a href="#">367332</a>	4548583136144	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	42.82	EC000066	<a href="#">367362</a>	4548583136441			CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	42.96	EC000066	<a href="#">367363</a>	4548583136458			CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	48.55	EC000066	<a href="#">367364</a>	4548583136465			CD	CDB	AUT	8536.4900.99
J7KNG-10-01 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1B auxiliary	37.50	EC000066	<a href="#">183546</a>	4547648171069	#		CD	CDB	AUT	8536.4900.99
J7KNG-14-01 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1B auxiliary	39.68	EC000066	<a href="#">183554</a>	4547648171144			CD	CDB	AUT	8536.4900.99
J7KNG-18-01 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1B auxiliary	40.61	EC000066	<a href="#">183562</a>	4547648171229	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-01 24D	Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1B auxiliary	51.50	EC000066	<a href="#">183570</a>	4547648171304			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KN-10D-10 110	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	19.59	EC000066	<a href="#">367274</a>	4548583135567			CD	CDB	AUT	8536.4900.99
J7KN-10D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	19.51	EC000066	<a href="#">367278</a>	4548583135604	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	19.59	EC000066	<a href="#">367279</a>	4548583135611			CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	30.85	EC000066	<a href="#">367280</a>	4548583135628			CD	CDB	AUT	8536.4900.99
J7KN-14D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	21.26	EC000066	<a href="#">367310</a>	4548583135925	#		CD	CDB	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KN-14D-10.24	Güç kontaktörü, motor kontaktör, 3 kutup, 5,5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	21.29	EC000066	367311	4548583135932			CD	CDB	AUT	8536.4900.99
J7KN-14D-10.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5,5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	33.01	EC000066	367312	4548583135949			CD	CDB	AUT	8536.4900.99
J7KN-18D-10.110	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	31.51	EC000066	367338	4548583136205			CD	CDB	AUT	8536.4900.99
J7KN-18D-10.230	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	31.51	EC000066	367242	4548583136243	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	31.51	EC000066	367343	4548583136250			CD	CDB	AUT	8536.4900.99
J7KN-18D-10.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	40.65	EC000066	367244	4548583136267	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10.400	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 400 VAC	32.15	EC000066	367245	4548583136274			CD	CDB	AUT	8536.4900.99
J7KN-22D-10.230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	42.82	EC000066	367374	4548583136564			CD	CDB	AUT	8536.4900.99
J7KN-22D-10.24	Contactor, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	42.96	EC000066	367375	4548583136571			CD	CDB	AUT	8536.4900.99
J7KN-22D-10.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	48.55	EC000066	367376	4548583136588	#		CD	CDB	AUT	8536.4900.99
J7KNG-10-10.24D	Contactor, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1M auxiliary	37.50	EC000066	183550	4547648171106			CD	CDB	AUT	8536.4900.99
J7KNG-14-10.24D	Contactor, DC-operated (3VA), 3-pole, 14 A/5,5 kW AC3 + 1M auxiliary	39.68	EC000066	183558	4547648171182			CD	CDB	AUT	8536.4900.99
J7KNG-18-10.24D	Contactor, DC-operated (3VA), 3-pole, 18 A/7,5 kW AC3 + 1M auxiliary	47.45	EC000066	183566	4547648171267			CD	CDB	AUT	8536.4900.99
J7KNG-22-10.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, enerji tasarruflu (3 W)	60.85	EC000066	183574	4547648171342	#		CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KNG-22-4.24D	DC solenoid motor contactor, 4-pole, 22A, 24 VDC	57.85	EC000066	197345	4547648205979			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KN-24.230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 230 VAC	44.32	EC000066	148113	4536854852794	#		CD	CDB	AUT	8536.4900.99
J7KN-24.24	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 24 VDC	44.32	EC000066	152417	4536854852749			CD	CDB	AUT	8536.4900.99
J7KN-24.24D	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC	43.24	EC000066	151258	4536854852824			CD	CDB	AUT	8536.4900.99
J7KN-32.110	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 110 VAC	60.55	EC000066	104537	4536854852893			CD	CDB	AUT	8536.4900.99
J7KN-32.230	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 230 VAC	60.55	EC000066	158039	4536854852916	#		CD	CDB	AUT	8536.4900.99
J7KN-32.24	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VAC	60.55	EC000066	118897	4536854852862			CD	CDB	AUT	8536.4900.99
J7KN-32.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VDC	65.90	EC000066	118903	4536854852947			CD	CDB	AUT	8536.4900.99
J7KN-40.230	Güç kontaktörü, motor kontaktör, 3 kutup, 18,5 kW, 40 A (AC3, 400 VAC), 230 VAC	73.30	EC000066	118814	4536854853036	#		CD	CDB	AUT	8536.4900.99
J7KN-40.24	Contactor, 3-pole, 40 A/18,5 kW AC-3 (80 A AC1), 24 VAC	73.85	EC000066	118810	4536854852985			CD	CDB	AUT	8536.4900.99
J7KN-40.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 18,5 kW, 40 A (AC3, 400 VAC), 24 VDC	77.30	EC000066	118816	4536854853067			CD	CDB	AUT	8536.4900.99
J7KNG-24.24D	Contactor, DC-operated (3VA), 3-pole, 24 A/11 kW AC3	64.05	EC000066	197786	4547648206044			CD	CDB	AUT	8536.4900.99
J7KNG-32.24D	Contactor, DC-operated (3VA), 3-pole, 32 A/11 kW AC3	91.30	EC000066	197792	4547648206105			CD	CDB	AUT	8536.4900.99
J7KNG-40.24D	Contactor, DC-operated (3VA), 3-pole, 40 A/18,5 kW AC3	106.50	EC000066	197798	4547648206167			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KN-50.230	Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 230 VAC	92.80	EC000066	118823	4536854853159	#		CD	CDB	AUT	8536.4900.99
J7KN-50.24	Contactor, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VAC	92.80	EC000066	118819	4536854853104	#		CD	CDB	AUT	8536.4900.99
J7KN-50.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 24 VDC	96.00	EC000066	118825	4536854853180			CD	CDB	AUT	8536.4900.99
J7KN-62.230	Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 230 VAC	132.80	EC000066	150146	4536854853272	#		CD	CDB	AUT	8536.4900.99
J7KN-62.24D	Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 24 VDC	131.10	EC000066	118834	4536854853302			CD	CDB	AUT	8536.4900.99
J7KN-74.230	Güç kontaktörü, motor kontaktör, 3 kutup, 37 kW, 74 A (AC3, 400 VAC), 230 VAC	152.90	EC000066	118841	4536854853395			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KN-115.230	Güç kontaktörü, motor kontaktör, 3 kutup, 55 kW, 115 A (AC3, 400 VAC), 230 VAC	238.20	EC000066	245090	4547648526005			CD	CDB	AUT	8536.4900.99
J7KN-90.230	Güç kontaktörü, motor kontaktör, 3 kutup, 45 kW, 90 A (AC3, 400 VAC), 230 VAC	179.00	EC000066	245085	4547648525954			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KN-151.230	Güç kontaktörü, motor kontaktör, 3 kutup, 75 kW, 150 A (AC3, 400 VAC), 230 VAC	337.20	EC000066	183524	4547648170840			CD	CDB	ITA	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KC-12-01.24VDC	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5,5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67,5 x 45 x 46 mm	39.18	EC000066	690066	4549734535656		10	CD	CDB	JPN	8536.4900.99
J7KC-12-10.24VDC	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5,5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67,5 x 45 x 46 mm	39.18	EC000066	690037	4549734535649		10	CD	CDB	JPN	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KCA-22.110VAC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	32.60	EC000196	690063	4549734536394			CD	CDB	JPN	8536.4900.99
J7KCA-22.230VAC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	32.60	EC000196	690061	4549734536516			CD	CDB	JPN	8536.4900.99
J7KCA-22.24VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690058	4549734536721		10	CD	CDB	JPN	8536.4900.99
J7KCA-22.48VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 48 VDC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690057	4549734536752		10	CD	CDB	JPN	8536.4900.99
J7KCA-31.24VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 3 NC 1, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690059	4549734536714		10	CD	CDB	JPN	8536.4900.99
J7KCA-40.230VAC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0, HxWxD 67,5 x 45 x 46 mm	32.60	EC000196	690062	4549734536493			CD	CDB	JPN	8536.4900.99
J7KCA-40.24VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 4 NC 0, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690060	4549734536707		10	CD	CDB	JPN	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>											
J7KNU-05-4.110	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 110 VAC	20.94	EC000066	668444	4548583772373			CD	CDB	AUT	8536.4900.99
J7KNU-05-4.180	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 180 VAC	20.94	EC000066	668445	4548583772380			CD	CDB	AUT	8536.4900.99
J7KNU-05-4.230	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 230 VAC	20.94	EC000066	668443	4548583772397		10	CD	CDB	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNU-05-4 24	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 24 VAC	20.94	EC000066	668442	4548583772403		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 48	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 48 VAC	20.94	EC000066	668446	4548583772410			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VAC	20.94	EC000196	668199	4548583765252			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VDC	25.97	EC000196	675305	4549734134095			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 180 VAC	20.94	EC000196	668221	4548583765269			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 230 VAC	20.94	EC000196	668193	4548583765276		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VAC	20.94	EC000196	668202	4548583765283			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VDC	25.97	EC000196	675309	4549734134064		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VAC	20.94	EC000196	668220	4548583765290			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VDC	25.97	EC000196	675308	4549734134071			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 60 VDC	25.97	EC000196	675299	4549734134088			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 90 VAC	20.94	EC000196	668214	4548583765306			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VAC	20.94	EC000196	668198	4548583765191			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VDC	25.97	EC000196	675311	4549734134132			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 180 VAC	20.94	EC000196	668210	4548583765207			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 230 VAC	20.94	EC000196	668205	4548583765214		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VAC	20.94	EC000196	668194	4548583765221		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VDC	25.97	EC000196	675310	4549734134101		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VAC	20.94	EC000196	668197	4548583765238			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VDC	25.97	EC000196	675304	4549734134118			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 60 VDC	25.97	EC000196	675295	4549734134125			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 90 VAC	20.94	EC000196	668201	4548583765245			CD	CDB	AUT	8536.4900.99

#### Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör

J7KNU-05-01 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VAC	18.86	EC000066	668211	4548583765078			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VDC	23.46	EC000066	675301	4549734134170			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 180 VAC	18.86	EC000066	668195	4548583765085			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 230 VAC	18.86	EC000066	668213	4548583765092		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VAC	18.86	EC000066	668219	4548583765108		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VDC	23.46	EC000066	675298	4549734134149		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VAC	18.86	EC000066	668222	4548583765115		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VDC	23.46	EC000066	675312	4549734134156			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 60 VDC	23.46	EC000066	675302	4549734134163		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 90 VAC	18.86	EC000066	668206	4548583765122			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 110	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VAC	50.20	EC000010	668207	4548583765313			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 110D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VDC	62.85	EC000010	675300	4549734134255		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 180	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 180 VAC	50.20	EC000010	668217	4548583765320			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 230	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 230 VAC	50.20	EC000010	668212	4548583765337		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 24	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VAC	50.20	EC000010	668196	4548583765344		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 24D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VDC	62.85	EC000010	675297	4549734134224		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 48	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VAC	50.20	EC000010	668200	4548583765351		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 48D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VDC	62.85	EC000010	675303	4549734134231			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 60D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 60 VDC	62.85	EC000010	675307	4549734134248			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 90	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 90 VAC	50.20	EC000010	668218	4548583765368			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VAC	18.86	EC000066	668208	4548583765139			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VDC	23.46	EC000066	675334	4549734134217			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 180 VAC	18.86	EC000066	668216	4548583765146			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 230 VAC	18.86	EC000066	668215	4548583765153		#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VAC	18.86	EC000066	668203	4548583765160		#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VDC	23.46	EC000066	675294	4549734134187		#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VAC	18.86	EC000066	668204	4548583765177		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VDC	23.46	EC000066	675296	4549734134194			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 60 VDC	23.46	EC000066	675293	4549734134200			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 90 VAC	18.86	EC000066	668209	4548583765184			CD	CDB	AUT	8536.4900.99	
J7KNU-05-4 90	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 90 VAC	20.94	EC000066	668441	4548583772427			CD	CDB	AUT	8536.4900.99	

#### Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör

J75KN-P-1039	Bağlantı adaptörü, J7KNU için 35 mm DIN raya uyumlu	1.85	EC002498	675306	4549734137188	#	10	CD	CDB	AUT	8536.4900.99
--------------	---	------	----------	--------	---------------	---	----	----	-----	-----	--------------

#### Düşük Gerilim Anahtarlar Elemanı J7TK Termik Aşırıyık

J7TKN-A-11	Termik röle, 3 kutup, 8-11 A, manuel reset, J7KNA ile uyumlu	30.91	EC000106	197815	4547648205658			CD	CDC	AUT	8536.4900.99
J7TKN-A-1E2	Termik röle, 3 kutup, 0.8-1.2 A, manuel reset, J7KNA ile uyumlu	27.29	EC000106	197809	4547648205597			CD	CDC	AUT	8536.4900.99
J7TKN-A-1E8	Termik röle, 3 kutup, 1.2-1.8 A, manuel reset, J7KNA ile uyumlu	25.82	EC000106	197810	4547648205603			CD	CDC	AUT	8536.4900.99
J7TKN-A-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel reset, J7KNA ile uyumlu	25.84	EC000106	197811	4547648205610			CD	CDC	AUT	8536.4900.99
J7TKN-A-4	Termik röle, 3 kutup, 2.7-4 A, manuel reset, J7KNA ile uyumlu	25.84	EC000106	197812	4547648205627			CD	CDC	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">J7KN-A-6</a>	<a href="#">Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset</a>	25.74	EC000106	<a href="#">197813</a>	4547648205634			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-A-9</a>	<a href="#">Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset</a>	25.74	EC000106	<a href="#">197814</a>	4547648205641			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-A-F6</a>	<a href="#">Termik röle, 3 kutup, 0.4-0.6 A, manuel reset, J7KNA ile uyumlu</a>	27.02	EC000106	<a href="#">197807</a>	4547648205573			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-A-F9</a>	<a href="#">Termik röle, 3 kutup, 0.6-0.9 A, manuel reset, J7KNA ile uyumlu</a>	27.02	EC000106	<a href="#">197808</a>	4547648205580			CD	CDC	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7TK Termik Aşırıyük</b>											
<a href="#">J7KN-B-11</a>	<a href="#">Termik röle, 3 kutup, 8-11 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33.53	EC000106	<a href="#">148116</a>	4536854854606			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-14</a>	<a href="#">Termik röle, 3 kutup, 10-14 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33.53	EC000106	<a href="#">118708</a>	4536854854613			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-18</a>	<a href="#">Termik röle, 3 kutup, 13-18 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33.53	EC000106	<a href="#">118709</a>	4536854854620			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-1E2</a>	<a href="#">Termik röle, 3 kutup, 0.8-1.2 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28.44	EC000106	<a href="#">154763</a>	4536854854545			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-24</a>	<a href="#">Termik röle, 3 kutup, 1.7-2.4 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33.53	EC000106	<a href="#">118710</a>	4536854854637			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-2E7</a>	<a href="#">Termik röle, 3 kutup, 1.8-2.7 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28.44	EC000106	<a href="#">148115</a>	4536854854569			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-32</a>	<a href="#">Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset</a>	52.25	EC000106	<a href="#">118711</a>	4536854854644			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-4</a>	<a href="#">Termik röle, 3 kutup, 2.7-4 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28.44	EC000106	<a href="#">118707</a>	4536854854576			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-6</a>	<a href="#">Termik röle, 3 kutup, 4-6 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28.44	EC000106	<a href="#">149068</a>	4536854854583			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-9</a>	<a href="#">Termik röle, 3 kutup, 6-9 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28.44	EC000106	<a href="#">142631</a>	4536854854590			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-B-E6</a>	<a href="#">Termik röle, 3 kutup, 0.4-0.6 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28.44	EC000106	<a href="#">154762</a>	4536854854521			CD	CDC	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7TK Termik Aşırıyük</b>											
<a href="#">J7KN-C-42</a>	<a href="#">Termik röle, 3 kutup, 28-42 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu</a>	53.70	EC000106	<a href="#">118712</a>	4536854854651			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-D-52</a>	<a href="#">Termik röle, 3 kutup, 40-52 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu</a>	72.70	EC000106	<a href="#">118713</a>	4536854854668			CD	CDC	AUT	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlar Elemanları</b>											
<a href="#">J73KN-A-11</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA-AR ile uyumlu</a>	5.03	EC002498	<a href="#">119338</a>	4536854854736		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-A-22</a>	<a href="#">Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA-AR ile uyumlu</a>	8.64	EC002498	<a href="#">119340</a>	4536854854750		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-A-40</a>	<a href="#">Yardımcı kontak, 4 NA, önden montaj, J7KNA-AR ile uyumlu</a>	8.64	EC002498	<a href="#">119341</a>	4536854854767		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-AM-02</a>	<a href="#">Yardımcı kontak, 2 NK, önden montaj, J7KNA ile uyumlu</a>	5.02	EC002498	<a href="#">119343</a>	4536854854781		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-AM-11</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA ile uyumlu</a>	4.85	EC002498	<a href="#">119342</a>	4536854854774		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-AM-22</a>	<a href="#">Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA ile uyumlu</a>	8.64	EC002498	<a href="#">119344</a>	4536854854798	#	10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-01</a>	<a href="#">Yardımcı kontak, 1 NK, 10 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu</a>	2.58	EC002498	<a href="#">119345</a>	4536854854804	#	10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-01A</a>	<a href="#">Yardımcı kontak, 1 NK, 25 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu</a>	6.07	EC002498	<a href="#">183576</a>	4547648171366		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-01U</a>	<a href="#">Auxiliary contact, 1-pole, 1R, front mounting, 10A for J7KN10-74 (EM &amp; LM version)</a>	6.86	EC002498	<a href="#">191890</a>	4547648192057		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-10</a>	<a href="#">Yardımcı kontak, 1 NA, 10 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu</a>	2.58	EC002498	<a href="#">119346</a>	4536854854811	#	10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-10A</a>	<a href="#">Yardımcı kontak, 1 NA, 25 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu</a>	6.07	EC002498	<a href="#">183577</a>	4547648171373		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-C-11S</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, yandan montaj, J7KN(G)-24/-115 ile uyumlu</a>	7.41	EC002498	<a href="#">119347</a>	4536854854828	#		CD	CDX	AUT	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlar Elemanları</b>											
<a href="#">J74KN-B-ML</a>	<a href="#">Mekanik kilit, 2 adet J7KN(G)-10(D)/-40 için</a>	3.46	EC002498	<a href="#">119358</a>	4536854854903			CD	CDX	AUT	8536.4900.99
<a href="#">J74KN-C2-RC230</a>	<a href="#">RC koruma ünitesi, 110-230 VAC/DC, J7KN(G)-10(D)/-74 ile uyumlu</a>	15.29	EC002498	<a href="#">367394</a>	4548583137905		10	CD	CDX	CHN	8536.4900.99
<a href="#">J74KN-C2-RC24</a>	<a href="#">RC koruma ünitesi, 12-48 VAC/DC, J7KN(G)-10(D)/-74 ile uyumlu</a>	14.26	EC002498	<a href="#">367395</a>	4548583137912		10	CD	CDX	CHN	8536.4900.99
<a href="#">J74KN-C-ML</a>	<a href="#">Mekanik kilit, 2 adet J7KN(G)-24/-74 için</a>	7.36	EC002498	<a href="#">119359</a>	4536854854910			CD	CDX	AUT	8536.4900.99
<a href="#">J74KN-D-RC 24</a>	<a href="#">RC koruma ünitesi, 12-48 VAC/DC, J7KNA(-AR) ile uyumlu</a>	14.26	EC002498	<a href="#">169758</a>	4547648044073		10	CD	CDX	CZE	8536.4900.99
<a href="#">J74TK-SM</a>	<a href="#">Separate mounting sets for J7TKN-B</a>	4.53	EC002498	<a href="#">119375</a>	4536854855207			CD	CDX	AUT	8536.4900.99
<a href="#">J74-WKR-B2</a>	<a href="#">Busbars for reversing contactors (2 parts), J7KN-10 - J7KN-22</a>	10.83	EC002498	<a href="#">367391</a>	4548583137929			CD	CDX	CHN	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlar Elemanları</b>											
<a href="#">J77MN-11E</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7MN*R/*P ile uyumlu</a>	7.80	EC002498	<a href="#">234316</a>	4547648327329	#	10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-11S</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, yandan montaj, sol, J7MN*R/*P ile uyumlu</a>	12.32	EC002498	<a href="#">234320</a>	4547648327367	#	2	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-20E</a>	<a href="#">Auxiliary contacts, standard, 2M, for top mounting for all J7MN*R/*P</a>	9.33	EC002498	<a href="#">234318</a>	4547648327343		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-BTC-63-E</a>	<a href="#">Line-side terminal 3-pole, IEC/EN 60949</a>	7.79	EC002498	<a href="#">355552</a>	4548583066458		10	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-BTC-63-SE</a>	<a href="#">Besleme barası girişli, 3 kutup, üstten montaj, IEC/EN 60950</a>	7.64	EC002498	<a href="#">355558</a>	4548583066519		4	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-2</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 2 adet J7MN-3P/-3R için</a>	6.29	EC002498	<a href="#">355560</a>	4548583066533		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-2S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 2 adet J7MN-3P/-3R için</a>	6.29	EC002498	<a href="#">355554</a>	4548583066472		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-3</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 3 adet J7MN-3P/-3R için</a>	8.05	EC002498	<a href="#">355561</a>	4548583066540		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-3S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 3 adet J7MN-3P/-3R için</a>	8.05	EC002498	<a href="#">355555</a>	4548583066489		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-4</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 4 adet J7MN-3P/-3R için</a>	10.02	EC002498	<a href="#">355562</a>	4548583066557		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-4S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 4 adet J7MN-3P/-3R için</a>	10.02	EC002498	<a href="#">355556</a>	4548583066496		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-5</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 5 adet J7MN-3P/-3R için</a>	10.69	EC002498	<a href="#">355563</a>	4548583066564		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-5S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 5 adet J7MN-3P/-3R için</a>	10.69	EC002498	<a href="#">355557</a>	4548583066502		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-DC-3R-11S-RY</a>	<a href="#">Door-coupling, red/yellow, with supporting bracket</a>	58.60	EC002498	<a href="#">265659</a>	4547648694209	#		CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-DC-3R-31S-B</a>	<a href="#">Uzatma şaftı, kilit mekanizması, siyah</a>	73.30	EC002498	<a href="#">265650</a>	4547648637527	#		CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-VKA-3</a>	<a href="#">Bağlantı adaptörü, max. 32 A, mekanik ve elektriksiz bağlantı, J7MN-3P/-R ile J7KNA arasında, DIN ray montaj adaptörüne gerek yoktur</a>	4.89	EC002498	<a href="#">234344</a>	4547648327619			CD	CDX	AUT	8536.4900.99
<a href="#">J77MN-VKG-3</a>	<a href="#">Bağlantı adaptörü, max. 32 A, mekanik ve elektriksiz bağlantı, J7MN-3P/-R ile J7KNG arasında, DIN ray montaj adaptörüne gerek yoktur</a>	5.83	EC002498	<a href="#">234346</a>	4547648327633			CD	CDX	AUT	8536.4900.99
<a href="#">J77MN-VKN-3</a>	<a href="#">Bağlantı adaptörü, max. 32 A, mekanik ve elektriksiz bağlantı, J7MN-3P/-R ile J7KN arasında, DIN ray montaj adaptörüne gerek yoktur</a>	4.91	EC002498	<a href="#">234345</a>	4547648327626			CD	CDX	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<b>Soket PF</b>												
<a href="#">PF083A-E</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	3.51	EC001456	<a href="#">333396</a>	4547648825917	#	50	CF	CFA	CHN	8536.4900.99	
<a href="#">PF085A(N)</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	6.47	EC001456	<a href="#">148890</a>	4536853723064			CF	CFA	JPN	8536.4900.99	
<a href="#">PF113A-E</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)</a>	3.56	EC001456	<a href="#">333397</a>	4547648825931	#	50	CF	CFA	CHN	8536.4900.99	
<b>Soket PF</b>												
<a href="#">PF083A-D</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	6.66	EC001456	<a href="#">694129</a>	4549734994392	#	10	CF	CFA	HUN	8536.6990.99	
<a href="#">PF113A-D</a>	<a href="#">Soket, DIN ray montajlı, 11 pinli, vida terminalli</a>	6.11	EC001456	<a href="#">694130</a>	4549734994408	#	10	CF	CFA	HUN	8536.6990.99	
<a href="#">PF113A-N</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/VDE)</a>	8.53	EC001456	<a href="#">694131</a>	4549734994415	#	10	CF	CFA	HUN	8536.6990.99	
<b>Soket PTF</b>												
<a href="#">PTF11A</a>	<a href="#">Soket, DIN ray montajlı, 11 pinli, vida terminalli</a>	9.49	EC001456	<a href="#">113375</a>	4536853724580			10	CF	CFB	JPN	8536.4900.99
<a href="#">PTFZ-08-E</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	4.65	EC001456	<a href="#">702173</a>	4549734715621	#	10	CF	CFB	CHN	8536.4900.99	
<a href="#">PTFZ-14-E</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli, vida terminalli</a>	8.25	EC001456	<a href="#">702174</a>	4549734715638	#	10	CF	CFB	CHN	8536.4900.99	
<b>Soket PTF</b>												
<a href="#">PTF-08-PU</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals</a>	9.87	EC001456	<a href="#">690036</a>	4549734556002			10	CF	CFB	MYS	8536.4900.99
<a href="#">PTF-08-PU-L</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	9.13	EC001456	<a href="#">690035</a>	4549734556019			10	CF	CFB	MYS	8536.4900.99
<a href="#">PTF-14-PU-L</a>	<a href="#">Socket, DIN rail/surface mounting, 14-pin, push-in plus terminals</a>	12.33	EC001456	<a href="#">690034</a>	4549734556026	#	10	CF	CFB	MYS	8536.4900.99	
<b>Soket PY</b>												
<a href="#">PY08-02</a>	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	1.73	EC001456	<a href="#">104360</a>	4536853725693			10	CF	CFC	JPN	8536.4900.99
<a href="#">PY14-02</a>	<a href="#">Soket, 14 pinli, PCB terminal</a>	2.23	EC001456	<a href="#">149949</a>	4536853725617			10	CF	CFC	JPN	8536.4900.99
<b>Soket PY</b>												
<a href="#">PY08</a>	<a href="#">Soket, 8 pinli, lehim terminal</a>	1.73	EC001456	<a href="#">154461</a>	4536853725259			10	CF	CFC	JPN	8536.4900.99
<b>Soket PY</b>												
<a href="#">PY14</a>	<a href="#">Soket, 14 pinli, lehim terminal</a>	2.23	EC001456	<a href="#">113299</a>	4536853725334			10	CF	CFC	JPN	8536.4900.99
<b>Soket PYE</b>												
<a href="#">PYE08A-N</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	4.89	EC001456	<a href="#">168910</a>	4547648009232	#	50	CF	CFD	CHN	8536.4900.99	
<a href="#">PYE11A</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals</a>	8.77	EC001456	<a href="#">154463</a>	4536853725594			10	CF	CFD	JPN	8536.6990.99
<a href="#">PYE14A-N</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli, vida terminalli</a>	5.44	EC001456	<a href="#">168911</a>	4547648009256	#	50	CF	CFD	CHN	8536.4900.99	
<a href="#">PYEZ-08-E</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)</a>	5.13	EC001456	<a href="#">684980</a>	4549734447713	#	50	CF	CFD	CHN	8536.6990.99	
<a href="#">PYEZ-14-E</a>	<a href="#">Socket, DIN rail/surface mounting, 14-pin, screw terminals (standard)</a>	7.51	EC001456	<a href="#">684981</a>	4549734447720	#	50	CF	CFD	CHN	8536.6990.99	
<b>Soket PYE</b>												
<a href="#">PYE-08-PU</a>	<a href="#">MY2 için 8 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket</a>	5.88	EC001456	<a href="#">685034</a>	4549734218375	#	10	CF	CFD	MYS	8536.6990.99	
<a href="#">PYE-08-PU-L</a>	<a href="#">MY2 için 8 pinli, Push-in Plus terminalli, DIN ray/yüzey montaj soket</a>	5.88	EC001456	<a href="#">685036</a>	4549734218399			10	CF	CFD	MYS	8536.6990.99
<a href="#">PYE-14-PU</a>	<a href="#">MY4 için 14 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket</a>	6.01	EC001456	<a href="#">685035</a>	4549734218382	#	10	CF	CFD	MYS	8536.6990.99	
<a href="#">PYE-14-PU-L</a>	<a href="#">MY4 için 14 pinli, Push-in Plus terminalli, DIN ray/yüzey montaj soket</a>	6.01	EC001456	<a href="#">685037</a>	4549734218405	#	10	CF	CFD	MYS	8536.6990.99	
<b>Soket PYE</b>												
<a href="#">PYE14-FSN-B</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 2/2 seviyeli, vida terminalli (NO/NC kontak terminalleri ortak uç ve bobin terminallerinden ayrılmıştır)</a>	5.06	EC001456	<a href="#">694136</a>	4549734994460	#	10	CF	CFD	HUN	8536.6990.99	
<a href="#">PYE14-FSS-B</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 1/3 seviyeli, vida terminalli (NO/NC kontak terminalleri ortak uç ve bobin terminallerinden ayrılmıştır)</a>	5.75	EC001456	<a href="#">694137</a>	4549734994477	#	10	CF	CFD	HUN	8536.6990.99	
<b>Soket PYF</b>												
<a href="#">PYF08S</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vidatsız terminal</a>	4.97	EC001456	<a href="#">113312</a>	4536854750762			10	CF	CFD	CHN	8536.6990.99
<b>Soket PYF</b>												
<a href="#">PYF14S</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli, vidatsız terminal</a>	5.96	EC001456	<a href="#">113313</a>	4536854750786			10	CF	CFD	CHN	8536.6990.99
<b>Soket P2RE</b>												
<a href="#">P2RE-05-ESS</a>	<a href="#">Soket, DIN ray montajlı, 5 pinli, vida terminalli</a>	5.57	EC001456	<a href="#">695856</a>	4549734616140	#	10	CF	CFG	HUN	8536.6990.99	
<a href="#">P2RE-08-ESS</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	5.21	EC001456	<a href="#">695858</a>	4549734616157	#	10	CF	CFG	HUN	8536.6990.99	
<a href="#">P2REZ-05-E</a>	<a href="#">Socket, DIN rail/surface mounting, 5-pin, screw terminals</a>	4.93	EC001456	<a href="#">690420</a>	4549734578530	#	50	CF	CFG	CHN	8536.6990.99	
<a href="#">P2REZ-08-E</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	7.86	EC001456	<a href="#">690419</a>	4549734578547	#	50	CF	CFG	CHN	8536.6990.99	
<b>Soket P2RE</b>												
<a href="#">P2RE-05-PU</a>	<a href="#">G2R-1-S için 5 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket</a>	5.63	EC001456	<a href="#">685032</a>	4549734218450	#	20	CF	CFG	MYS	8536.4900.99	
<a href="#">P2RE-08-PU</a>	<a href="#">G2R-2-S için 8 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket</a>	6.11	EC001456	<a href="#">685033</a>	4549734218467	#	20	CF	CFG	MYS	8536.4900.99	



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Soket P2RF</b>											
P2RF-05-S	<a href="#">Soket, DIN ray montajlı, 5 pinli, vidasız terminal</a>	5.44	EC001456	<a href="#">113546</a>	4536854883453		10	CF	CFG	CHN	8536.4900.99
P2RF-08-S	<a href="#">Soket, DIN ray montajlı, 8 pinli, vidasız terminal</a>	8.63	EC001456	<a href="#">113547</a>	4536854883460		10	CF	CFG	CHN	8536.4900.99
<b>Diğer Soketler</b>											
P2R-057P	<a href="#">Socket, back-connecting, 5-pin, PCB terminals</a>	2.89	EC001456	<a href="#">113542</a>	4536854742507		10	CF	CFX	CHN	8536.4900.99
P2R-05P	<a href="#">Soket, 5 pinli, PCB terminal</a>	2.04	EC001456	<a href="#">151502</a>	4536854742576	#	10	CF	CFX	CHN	8536.4900.99
P2R-087P	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	3.59	EC001456	<a href="#">113541</a>	4536854742408		10	CF	CFX	CHN	8536.4900.99
P2R-08P	<a href="#">Soket, 8 pinli, PCB terminal</a>	2.53	EC001456	<a href="#">113545</a>	4536854742569	#	10	CF	CFX	CHN	8536.4900.99
<b>Diğer Soketler</b>											
P2R-05A	<a href="#">Socket, back-connecting, 5-pin, solder terminals</a>	2.72	EC001456	<a href="#">113537</a>	4536853726430		10	CF	CFX	CHN	8536.4900.99
<b>Diğer Soketler</b>											
PT08-0	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	1.91	EC001456	<a href="#">113369</a>	4536853724399		10	CF	CFX	JPN	8536.4900.99
PT14-0	<a href="#">Socket, back-connecting, 14-pin, PCB terminals</a>	3.78	EC001456	<a href="#">113372</a>	4536853724443		10	CF	CFX	JPN	8536.4900.99
<b>Diğer Soketler</b>											
11PFA	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals</a>	9.50	EC001456	<a href="#">149957</a>	4536853722760		20	CF	CFX	JPN	8536.4900.99
14PFA	<a href="#">Socket, DIN rail/surface mounting, 14-pin, screw terminals</a>	12.28	EC001456	<a href="#">113518</a>	4536853722777		20	CF	CFX	JPN	8536.4900.99
8PFA	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	5.60	EC001456	<a href="#">113516</a>	4536853722746		20	CF	CFX	JPN	8536.4900.99
8PFA1	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	5.90	EC001456	<a href="#">113517</a>	4536853722753		20	CF	CFX	JPN	8536.4900.99
P2CF-08-E	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminalli</a>	9.35	EC001456	<a href="#">113612</a>	4536854821103		10	CF	CFX	JPN	8536.4900.99
P2CF-11-E	<a href="#">Soket, DIN ray montajlı, 11 pinli, vida terminalli</a>	12.01	EC001456	<a href="#">113613</a>	4536854821004	#	10	CF	CFX	JPN	8536.4900.99
P3G-08	<a href="#">Socket, back-connecting, 8-pin, screw terminals</a>	10.05	EC001456	<a href="#">142420</a>	4536854821035		10	CF	CFX	JPN	8536.6990.99
P3GA-11	<a href="#">Socket, back-connecting, 11-pin, screw terminals</a>	12.78	EC001456	<a href="#">120939</a>	4536854821141		10	CF	CFX	JPN	8536.6990.99
<b>Diğer Soketler</b>											
PLE08-0	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	3.77	EC001456	<a href="#">113442</a>	4536853723934		10	CF	CFX	JPN	8536.4900.99
PLE11-0	<a href="#">Soket, 11 pinli, PCB terminal</a>	4.17	EC001456	<a href="#">154472</a>	4536853724016		10	CF	CFX	JPN	8536.4900.99
<b>Diğer Soketler</b>											
PL08	<a href="#">Soket, 8 pinli, lehim terminal</a>	2.64	EC001456	<a href="#">113440</a>	4536853723903		10	CF	CFX	JPN	8536.4900.99
PL11	<a href="#">Socket, back-connecting, 11-pin, solder terminals</a>	2.90	EC001456	<a href="#">105709</a>	4536853723941		10	CF	CFX	JPN	8536.4900.99
<b>Diğer Soketler</b>											
PFS-50	<a href="#">Relay socket for PCB relays, DIN rail mounting, 2 stages, 1 or 2 PDT, rise-up screw connection</a>	7.14	EC001456	<a href="#">382986</a>	8020028273592		10	CF	CFX	ITA	8536.6990.99
<b>Özel Soketler</b>											
MS16MOLLE	<a href="#">Thermoplastic release lever for PES 35-50-50/3 socket, relay height 16 mm</a>	0.53	EC002586	<a href="#">382980</a>	8020028144274		10	CF	CFY	ITA	8538.9099.99
MS25 MOLLLE	<a href="#">Thermoplastic release lever for relay securing for PES 35-50-50/3 socket, relay height 25 mm</a>	0.50	EC002586	<a href="#">382981</a>	8020028144281	#	10	CF	CFY	ITA	8538.9099.99
PFS-35	<a href="#">G2R-1 serisi PCB röleler için soket, DIN ray montajlı, 5 pinli, vidalı terminal</a>	4.16	EC001456	<a href="#">382985</a>	8020028273509	#	10	CF	CFY	ITA	8536.6990.99
PFS50/3	<a href="#">G2R-2 serisi PCB röleler için soket, DIN ray montajlı, 8 pinli, vidalı terminal</a>	4.99	EC001456	<a href="#">382987</a>	8020028274919	#	10	CF	CFY	ITA	8536.6990.99
TYPE 22	<a href="#">Module with diode, protection against polarity inversion, 6/230 Vdc</a>	2.06	EC002586	<a href="#">382991</a>	8020028142669		20	CF	CFY	ITA	8538.9099.99
TYPE 42	<a href="#">Module with diode and Led, protection against polarity inversion plus signalling through Led, 6/24 Vdc</a>	3.35	EC002586	<a href="#">382992</a>	8020028142683	#	20	CF	CFY	ITA	8538.9099.99
TYPE 42B	<a href="#">Module with diode and Led, protection against polarity inversion plus signalling through Led, 24/60 Vdc</a>	3.43	EC002586	<a href="#">382993</a>	8020028144021			CF	CFY	ITA	8538.9099.99
TYPE 52C	<a href="#">Module with "RC" group, without signalling, arc eliminator circuit, 110/230 Vac</a>	4.23	EC002586	<a href="#">382994</a>	8020028144083		20	CF	CFY	ITA	8538.9099.99
TYPE 62C	<a href="#">Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 6/24 Vac/Vdc</a>	5.36	EC002586	<a href="#">382995</a>	8020028144120		20	CF	CFY	ITA	8538.9099.99
TYPE 92C	<a href="#">Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 110/230 Vac/Vdc</a>	5.32	EC002586	<a href="#">382997</a>	8020028144175		20	CF	CFY	ITA	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
P2DN-15.7-100S	<a href="#">Box of short bar for P2RFZ-E. In the box there are 10pcs of short bar, 15.7 mm pitch, 10 pole (10 terminal) and 20pcs of caps. Color is blue.</a>	25.15	EC002586	690422	4549734578486	#	10	CF	CFZ	CHN	8536.6990.99
P2DN-6.8-100S	<a href="#">Box of short bar for P2RFZ-E. In the box there are 10pcs of short bar, 6.8 mm pitch, 10 pole (20 terminal) and 20pcs of caps. Color is blue.</a>	25.15	EC002586	690423	4549734578479	#		CF	CFZ	CHN	8536.6990.99
P2DN-CP10Q	<a href="#">Box of 100 caps for P2DN short bar, insulation cap for the short bar cut, blue color</a>	13.13	EC002586	690421	4549734578516	#		CF	CFZ	CHN	8536.6990.99
P2RM-SB	<a href="#">Socket bridge (for use with P2RF-S)</a>	31.35	EC002586	<a href="#">113336</a>	4536854894480		10	CF	CFZ	JPN	8536.4900.99
P2RM-SR	<a href="#">Socket bridge (for use with P2RF-S)</a>	32.24	EC002586	<a href="#">103463</a>	4536854894473		10	CF	CFZ	JPN	8536.4900.99
PYDM-08SR	<a href="#">Socket bridge, 2-poles, 19.7 mm length, red, sold in multiples of 50 per package</a>	49.27	EC002586	<a href="#">113332</a>	4536854737145		10	CF	CFZ	JPN	8536.6990.99
PYF-15.5-080R	<a href="#">PYF-PU için bobin köprü aparatı, 8 kutup, kırmızı, A1 terminali için uygun değil</a>	7.17	EC002586	<a href="#">670377</a>	4548583798304	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080S	<a href="#">PYF-PU için bobin köprü aparatı, 8 kutup, mavimsi, A1 terminali için uygun değil</a>	7.17	EC002586	<a href="#">670366</a>	4548583798311		10	CF	CFZ	JPN	8536.6990.99
PYF-15.5-080Y	<a href="#">PYF-PU için bobin köprü aparatı, 8 kutup, sarı, A1 terminali için uygun değil</a>	7.17	EC002586	<a href="#">670356</a>	4548583798328	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080R	<a href="#">PYF-PU için bobin köprü aparatı, 8 kutup, kırmızı</a>	8.32	EC002586	<a href="#">670348</a>	4548583798274		10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080S	<a href="#">PYF-PU için bobin köprü aparatı, 8 kutup, mavimsi</a>	8.32	EC002586	<a href="#">670363</a>	4548583798281	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080Y	<a href="#">PYF-PU için bobin köprü aparatı, 8 kutup, sarı</a>	8.32	EC002586	<a href="#">670375</a>	4548583798298		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020R	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, kırmızı</a>	3.57	EC002586	<a href="#">670352</a>	4548583798458		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020S	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, mavimsi</a>	3.57	EC002586	<a href="#">670362</a>	4548583798465	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020Y	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, sarı</a>	3.57	EC002586	<a href="#">670370</a>	4548583798472		10	CF	CFZ	JPN	8536.6990.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PYDN-6.2-030R	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, kırmızı	5.29	EC002586	670350	4548583798489	10		CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030S	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, mavı	5.29	EC002586	670378	4548583798496	10		CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030Y	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, sarı	5.29	EC002586	670351	4548583798502	10		CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040R	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, kırmızı	7.02	EC002586	670365	4548583798519	10		CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040S	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, mavı	7.02	EC002586	670368	4548583798526	10		CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040Y	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, sarı	7.02	EC002586	670381	4548583798533	10		CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100R	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, kırmızı	7.33	EC002586	670360	4548583798540	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100S	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, mavı	7.33	EC002586	670379	4548583798557	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100Y	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, sarı	7.33	EC002586	670353	4548583798564	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200R	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, kırmızı	8.40	EC002586	670349	4548583798571	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200S	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, mavı	8.40	EC002586	670371	4548583798588	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200Y	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, sarı	8.40	EC002586	670372	4548583798595	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020R	PYF-PU/P2RF-PU için kontak köprü aparatı, 2 kutup, kırmızı	4.65	EC002586	670369	4548583798335	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020S	PYF-PU/P2RF-PU için kontak köprü aparatı, 2 kutup, mavı	4.65	EC002586	670373	4548583798342	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 2 kutup, sarı	4.65	EC002586	670380	4548583798359	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030R	PYF-PU/P2RF-PU için kontak köprü aparatı, 3 kutup, kırmızı	5.79	EC002586	670385	4548583798366	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030S	PYF-PU/P2RF-PU için kontak köprü aparatı, 3 kutup, mavı	5.79	EC002586	670354	4548583798373	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 3 kutup, sarı	5.79	EC002586	670376	4548583798380	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040R	PYF-PU/P2RF-PU için kontak köprü aparatı, 4 kutup, kırmızı	7.17	EC002586	670384	4548583798397	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040S	PYF-PU/P2RF-PU için kontak köprü aparatı, 4 kutup, mavı	7.17	EC002586	670358	4548583798403	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 4 kutup, sarı	7.17	EC002586	670375	4548583798410	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200R	PYF-PU/P2RF-PU için kontak köprü aparatı, 20 kutup, kırmızı	8.55	EC002586	670374	4548583798427	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200S	PYF-PU/P2RF-PU için kontak köprü aparatı, 20 kutup, mavı	8.55	EC002586	670359	4548583798434	10		CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 20 kutup, sarı	8.55	EC002586	670382	4548583798441	10		CF	CFZ	JPN	8536.6990.99
<b>Soketler için Aksesuarlar</b>											
MG-CPM-04 41390N	White modular sheet with 48 marker of size mm:5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box. (In one box: 35 sheets, total markers 1680)	214.30	EC001288	685974	8016692764306			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41391	White modular sheet with 48 marker of size mm:6x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box. (In one box: 28 sheets, total markers 1344)	185.20	EC001288	685975	8016692613079			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41392	White modular sheet with 80 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box. (In one box: 25 sheets, total markers 2000)	236.20	EC001288	685976	8016692769400			CF	CFZ	ITA	8538.9099.99
MG-CPM-05 41490	White modular sheet with 56 marker of size mm:5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box. (In one box: 35 sheets, total markers 1960)	250.00	EC001288	685977	8016692482309			CF	CFZ	ITA	3403.1980.00
MG-CPM-07 41691	White modular sheet with 48 marker of size mm:5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box. (In one box: 35 sheets, total labels 1680)	214.30	EC001288	685978	8016692570174			CF	CFZ	ITA	8538.9099.99
MG-CPM-07 41692	White modular sheets with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box. (In one box: 35 sheets, total markers 1680)	236.20	EC001288	685979	8016692887760			CF	CFZ	ITA	8538.9099.99
PYC-TR1	Labels for PYF14-ESN/ESS sockets. (1 pc = 1 bag including 10 labels)	2.11	EC002586	694135	4549734994453			CF	CFZ	HUN	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
P2CM-SS	P2RF-**-ESS soket için opsiyonel röle tutucu aparat (1 paket = 10 adet)	4.17	EC002586	695857	4549734616133	#		CF	CFZ	HUN	8536.4900.99
P2CM-S	P2RF-S soketi için opsiyonel röle tutucu aparat	0.37	EC002586	145976	4536854886522	50		CF	CFZ	CHN	8536.4900.99
PFC-A1	MKS serisi röle tutturma aparatı	1.10	EC002586	113525	4536853723156	200		CF	CFZ	JPN	8536.4900.99
PFC-N8	Retaining clips for 61F-GP-N8 level controller & PF083A-E socket	2.63	EC002586	151994	4536853885149			CF	CFZ	JPN	8538.9099.99
PYC-Q	Metal retaining clip (wire spring clip) for use with PYF14-ESN/ESS (for use with relays only). Sold in multiples of 10 per package, not available seperately.	3.69	EC002586	694132	4549734994422			CF	CFZ	HUN	8538.9099.99
PYC-35-B	Hold-down clip, plastic, for PYF14-ESS-B/-ES-B, sold in multiples of 10 per package	5.65	EC002586	694133	4549734994439	#		CF	CFZ	HUN	8538.9099.99
PYC-A1	Retaining clips for LY/MY relay & PTF/PYF_E/N socket	0.48	EC002586	113324	4536853726171	#	100	CF	CFZ	JPN	8536.4900.99
PYC-F1	Retaining clips for MY2(IN)S relay & PYF_E/N socket	0.58	EC002586	156669	4536854382406	100		CF	CFZ	JPN	8536.4900.99
PYCM-08S	Clip and release lever for PYF08S socket	0.37	EC002586	157441	4536854750793	200		CF	CFZ	CHN	8536.4900.99
PYCM-14S	Clip and release lever for PYF14S socket	0.52	EC002586	142635	4536854750816	50		CF	CFZ	CHN	8536.4900.99
PYC-P	Retaining clip for LY/MY relay & PT/PY socket	0.30	EC002586	154464	4536853726058	100		CF	CFZ	JPN	8536.4900.99
PYC-TR	Plastik etiket, P2RF-ESS soket için, 1 pakette 10 adet plastik etiket	3.16	EC002586	694134	4549734994446			CF	CFZ	HUN	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
PFP-M	End plate	2.47	EC002586	147906	4536853722715	100		CF	CFZ	JPN	8536.4900.99
<b>Soketler için Aksesuarlar</b>											
PFP-S	Spacer	1.46	EC002848	148889	4536853722722	10		CF	CFZ	JPN	8536.4900.99
<b>Soketler için Aksesuarlar</b>											
PFP-100N	DIN-rail mounting track, 35x7.3mm, 1m length	19.97	EC001285	113513	4536853722692	25		CF	CFZ	CHN	8536.4900.99
PFP-100N2	DIN-rail mounting track, 35x16mm, 1m length	25.65	EC001285	113515	4536853722739			CF	CFZ	CHN	8536.4900.99
PFP-50N	Din rail track, 500mm	14.42	EC001285	113514	4536853722708			CF	CFZ	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Soketler için Aksesuarlar</b>											
R99-04 FOR G5E	Surface mounting W-bracket for G7J relay	1.02	EC002586	112515	4536853729486	100		CF	CFZ	JPN	8536.4900.99
R99-11	Nameplate for MY relay (packet of 100) (not PYF14ESN / ESS)	18.22	EC002586	114027	4536854445897			CF	CFZ	JPN	8536.4900.99
R99-12 FOR G3NA	Mounting bracket for G3NA	18.22	EC002586	166375	4536854912924	10		CF	CFZ	JPN	8536.4900.99
<b>Soketler için Aksesuarlar</b>											
P2RVC-8-I-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	51.70	EC002780	670367	4548583798649			CF	CFZ	JPN	8538.9099.99
P2RVC-8-I-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	51.70	EC002780	670361	4548583798625			CF	CFZ	JPN	8538.9099.99
P2RVC-8-I-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, giriş tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	50.70	EC002780	670364	4548583798632			CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	52.75	EC002780	670386	4548583798670			CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	52.75	EC002780	670383	4548583798656			CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	52.20	EC002780	670355	4548583798663	#		CF	CFZ	JPN	8538.9099.99
<b>Endüstriyel Switch Z15</b>											
Z-15ESR	General purpose basic switch, slim sprung plunger, SPDT, 15A high capacity, solder terminals	14.96	EC000030	103031	4536854262500			CG	CGA	JPN	8536.5015.90
Z-15EW29	General purpose basic switch	17.17	EC000030	224888	4547648247108	80		CG	CGA	JPN	8536.5015.90
Z-15G-B	Genel amaçlı basit switch, üstten basmalı, SPDT, 15 A, vida terminali	9.62	EC000030	382399	4548583364912	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, lehim terminali	10.58	EC000030	382406	4548583364981		20	CG	CGA	IDN	8536.5015.90
Z-15GD55-B	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, sızdırmaz, vida terminali	14.39	EC000030	382407	4548583364998	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD-B	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, vida terminali	10.58	EC000030	382398	4548583364905	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD55-B	General purpose basic switch, plunger (high operating point), SPDT, 15A, screw terminals	17.77	EC000030	105033	4536854263316		20	CG	CGA	JPN	8536.5015.90
Z-15GS-K55	General purpose basic switch, plunger (mid operating point), SPDT, 15A	14.88	EC000030	145324	4536854263354		20	CG	CGA	JPN	8536.5015.90
Z-15GS55-B	Genel amaçlı basit switch, üstten basmalı, (orta OP), SPDT, 15 A, sızdırmaz, vida terminali	15.34	EC000030	106760	4536854263361		20	CG	CGA	JPN	8536.5015.90
Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15A, screw terminals	11.92	EC000030	106644	4536854266126			CG	CGA	JPN	8536.5015.90
Z-15GM	General purpose basic switch, reverse hinge lever, SPDT, 15A, solder terminals	10.58	EC000030	106609	4536854268359		20	CG	CGA	JPN	8536.5015.90
Z-15GM22-B	General purpose basic switch, 15A, reverse short hinge roller lever, screw terminal	12.31	EC000030	152969	4536854268496		20	CG	CGA	JPN	8536.5015.90
Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	10.59	EC000030	106613	4536854268427		20	CG	CGA	JPN	8536.5015.90
Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	10.58	EC000030	106610	4536854268366		20	CG	CGA	JPN	8536.5015.90
Z-15GNJ55-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	21.64	EC000030	154125	4536854266003	#	10	CG	CGA	JPN	8536.5015.90
Z-15GO	Genel amaçlı basit switch, panel montajlı üstten basmalı, (orta OP), SPDT, 15 A, lehim terminali	12.31	EC000030	382403	4548583364950		20	CG	CGA	IDN	8536.5015.90
Z-15GO21	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, lehim terminali	16.82	EC000030	106621	4536854265174		20	CG	CGA	JPN	8536.5015.90
Z-15GO22-B	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, vida terminali	16.82	EC000030	156316	4536854265419	#	20	CG	CGA	JPN	8536.5015.90
Z-15GO22	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, lehim terminali	16.33	EC000030	382404	4548583364967	#	20	CG	CGA	IDN	8536.5015.90
Z-15GO2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15A, drip proof, screw terminals	23.51	EC000030	145325	4536854265983		20	CG	CGA	JPN	8536.5015.90
Z-15GO22A55-B5V	General purpose basic switch, 15A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	31.64	EC000030	106686	4536854264016	#		CG	CGA	JPN	8536.5015.90
Z-15GO22-B	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, vida terminali	16.82	EC000030	382397	4548583364899	#	20	CG	CGA	IDN	8536.5015.90
Z-15GO55-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	19.20	EC000030	106635	4536854265945		20	CG	CGA	JPN	8536.5015.90
Z-15GO8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15A	16.33	EC000030	143082	4536854265433		20	CG	CGA	JPN	8536.5015.90
Z-15GO-B	Genel amaçlı basit switch, panel montajlı üstten basmalı, (orta OP), SPDT, 15 A, vida terminali	13.44	EC000030	382396	4548583364875	#	20	CG	CGA	IDN	8536.5015.90
Z-15GO-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	14.67	EC000030	106533	4536854269325		20	CG	CGA	JPN	8536.5015.90
Z-15GS-R	Genel amaçlı basit switch, ince tip üstten basmalı, SPDT, 15, vida terminali	11.53	EC000030	106694	4536854264559	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, lehim terminali	9.14	EC000030	382401	4548583364936		20	CG	CGA	IDN	8536.5015.90
Z-15GW2	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, lehim terminali	9.62	EC000030	382402	4548583364943		20	CG	CGA	IDN	8536.5015.90
Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15A	8.65	EC000030	103033	4536854266553		20	CG	CGA	JPN	8536.5015.90
Z-15GW22	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, lehim terminali	9.62	EC000030	382400	4548583364929	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	13.44	EC000030	144235	4536854266805		20	CG	CGA	JPN	8536.5015.90
Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals	12.99	EC000030	382408	4548583365001		20	CG	CGA	IDN	8536.5015.90
Z-15GW2277	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, SPDT, 15 A, lehim terminali	12.50	EC000030	106575	4536854266904		20	CG	CGA	JPN	8536.5015.90
Z-15GW2277-B	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, (Düşük OF), SPDT, 15 A, vida terminali	12.99	EC000030	377800	4548583364820	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW22A55-B5V	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	28.77	EC000030	143081	4536854263934	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW22-B	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, vida terminali	9.62	EC000030	377795	4548583364745	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW225	General purpose basic switch, short hinge steel roller lever, SPDT, 15A	9.63	EC000030	106571	4536854266768		20	CG	CGA	JPN	8536.5015.90
Z-15GW255	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	11.07	EC000030	106587	4536854267130		20	CG	CGA	JPN	8536.5015.90
Z-15GW255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof, screw terminal	14.39	EC000030	151808	4536854267147		20	CG	CGA	JPN	8536.5015.90
Z-15GW25-B	General purpose basic switch, hinge roller lever (large roller), SPDT, 15A, screw terminals	9.40	EC000030	377799	4548583364813		20	CG	CGA	IDN	8536.5015.90
Z-15GW2A55-B5V	General purpose basic switch, hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	22.08	EC000030	106681	4536854263910		10	CG	CGA	JPN	8536.5015.90
Z-15GW2-B	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, vida terminali	9.62	EC000030	377796	4548583364752	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2-B7-K	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	10.58	EC000030	377801	4548583364851		10	CG	CGA	IDN	8536.5015.90
Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	9.14	EC000030	106594	4536854267482		20	CG	CGA	JPN	8536.5015.90
Z-15GW4455-B	General purpose basic switch, long hinge lever, SPDT, 15A, drip proof, screw terminals	14.88	EC000030	149618	4536854267581		20	CG	CGA	JPN	8536.5015.90
Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	9.14	EC000030	106595	4536854267499		20	CG	CGA	JPN	8536.5015.90
Z-15GW55	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals	9.62	EC000030	382409	4548583365018		20	CG	CGA	IDN	8536.5015.90
Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	13.44	EC000030	106603	4536854267826		20	CG	CGA	JPN	8536.5015.90
Z-15GW-B	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, vida terminali	9.14	EC000030	377797	4548583364769	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	15.92	EC000030	377802	4548583364868		20	CG	CGA	IDN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15HNJ55-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	25.11	EC000030	143086	4536854270505		10	CG	CGA	JPN	8536.5015.90
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	12.15	EC000030	106474	4536854270871		10	CG	CGA	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	12.02	EC000030	155993	4536854270888	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW28	General purpose basic switch, wire hinge lever, SPDT, 15A	13.15	EC000030	106482	4536854271298		10	CG	CGA	JPN	8536.5015.90
Z-15HW28-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	12.99	EC000030	106483	4536854271304		10	CG	CGA	JPN	8536.5015.90
<b>Endüstriyel Switch D4MC</b>											
D4MC-1000	Kapalı switch, levye kol, SPDT, 10 A	18.32	EC000030	133872	4536853225490	#	10	CG	CGB	JPN	8536.5015.90
D4MC-1020	Kapalı switch, kısa levye kol, SPDT, 10 A	19.15	EC000030	133873	4536853225605		10	CG	CGB	JPN	8536.5015.90
D4MC-2000	Kapalı switch, makaralı levye kol, SPDT, 10 A	18.86	EC000030	150872	4536853226510		10	CG	CGB	JPN	8536.5015.90
D4MC-2020	Kapalı switch, makaralı orta uzunlukta levye kol, SPDT, 10 A	17.88	EC000030	133874	4536853225650	#	10	CG	CGB	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	21.10	EC000030	104167	4536853225933		10	CG	CGB	JPN	8536.5015.90
D4MC-5000	Kapalı switch, panel montajlı üstten basmalı, SPDT, 10 A	23.35	EC000030	156466	4536853225995	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5020	Kapalı switch, panel montajlı makaralı üstten basmalı, SPDT, 10 A	25.82	EC000030	133783	4536853226114	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5040	Kapalı switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 10 A	26.07	EC000030	133785	4536853226244		10	CG	CGB	JPN	8536.5015.90
<b>Endüstriyel Switch WL</b>											
D4V-8108Z	Limit switch D4V, adjustable roller lever, R30 to 75 mm, DPDB, with ground terminal	62.95	EC000030	668126	4547648271691		5	CG	CGC	CHN	8536.5015.90
WL-1A100	WL series limit switch replacement roller lever	9.07	EC002594	108305	4536854171215			CG	CGC	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch; adjustable roller lever, standard roller	11.56	EC002594	108307	4536854171246			CG	CGC	JPN	9032.9000.90
WL-3A100	Replacement actuator for WL series limit switch; adjustable roller lever	27.19	EC002594	108308	4536854171253			CG	CGC	JPN	9032.9000.90
WL-9H100	WL series limit switch replacement head with coil spring lever	19.24	EC001483	108323	4536854171765		20	CG	CGC	JPN	9032.9000.90
WL-9H100-N	WL-N series limit switch replacement head with coil spring lever	25.61	EC001483	674185	4548583547872		10	CG	CGC	JPN	9032.9000.90
WL-9H300-N	Head set for WL-N-2	43.69	EC001483	670508	4548583547926		5	CG	CGC	JPN	9032.9000.90
WLC1A12-G-N	Limit switch, adjustable roller lever, R25 to 89 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 with ground terminal	91.90	EC000030	392898	4548583477452	#		CG	CGC	JPN	8536.5015.90
WLC1A12-2NG-N	Limit switch, ayarlanabilir makaralı kol, R25 - 89 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminalli	120.10	EC000030	392899	4548583477520	#		CG	CGC	JPN	8536.5015.90
WLC1A12-G-N	Limit switch, ayarlanabilir makaralı kol, R25 - 89 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminalli	72.55	EC000030	392927	4548583485198	#		CG	CGC	CHN	8536.5015.90
WLC1A12-THG-N	Limit switch, ayarlanabilir makaralı kol, R25 - 89 mm, pretravel 15+5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminalli	138.90	EC000030	392902	4548583477858	#		CG	CGC	JPN	8536.5015.90
WLC1A12-Y-N	Limit switch, adjustable roller lever, R25 to 89 mm, pretravel 15+5°, DPDB, M20 with ground terminal	63.05	EC000030	392903	4548583477896			CG	CGC	JPN	8536.5015.90
WLC2A2-2G-N	Limit switch, roller lever, R38 mm, pretravel 15+5°, Overtravel 90°, DPDB, Pg13.5 with ground terminal	77.65	EC000030	392945	4548583478077			CG	CGC	JPN	8536.5015.90
WLC2A2-2NG-N	Limit switch, makaralı kol, R38 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminalli	91.90	EC000030	392905	4548583478152	#		CG	CGC	JPN	8536.5015.90
WLC2A2-7G-N	Limit switch, makaralı kol, R50, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminalli	77.00	EC000030	392908	4548583478367			CG	CGC	JPN	8536.5015.90
WLC2A2-G	Limit switch, standard roller lever, DPDB, 10A	68.15	EC000030	154621	4536854160745			CG	CGC	JPN	8536.5015.90
WLC2A2-G1-N	Limit switch, roller lever, R38 mm, pretravel 15+5°, DPDB, G1/2 with ground terminal	58.90	EC000030	392893	4548583478565			CG	CGC	JPN	8536.5015.90
WLC2A2-G-N	Limit switch, makaralı kol, R38 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminalli	68.15	EC000030	392932	4548583485334	#		CG	CGC	CHN	8536.5015.90
WLC2A2-THG-N	Limit switch, makaralı kol, R38 mm, pretravel 15+5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminalli	94.90	EC000030	392912	4548583478862			CG	CGC	JPN	8536.5015.90
WL CA2-Y-N	Limit switch, adjustable roller lever, standard, DPDB, M20 with ground terminal	60.95	EC000030	392936	4548583485402			CG	CGC	CHN	8536.5015.90
WLC3A2-41G-N	Limit switch, lock fork roller lever, DPDB, 10A	85.85	EC000030	411084	4548583543478			CG	CGC	CHN	8536.5015.90
WLC3A2-43G-N	Limit switch, çatal kol, DPDB, 10A	86.30	EC000030	393479	4548583543515			CG	CGC	CHN	8536.5015.90
WLC1A4-G1L-D-N	Limit switch, roller lever, DPDB, LED, G1/2 with ground terminal	140.00	EC000030	674239	4548583478985	#		CG	CGC	JPN	8536.5015.90
WLC1-G-N	Limit switch, ayarlanabilir çubuk kol, 25 - 140 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminalli	71.10	EC000030	392938	4548583485440	#		CG	CGC	CHN	8536.5015.90
WLD18-G-N	Limit switch, üstten basmalı, DPDB, G1/2 Topraklama terminalli	60.65	EC000030	393481	4548583543546			CG	CGC	CHN	8536.5015.90
WLD28-G-N	Limit switch, roller top plunger, DPDB, 10A, Pg13.5 with ground terminal	64.25	EC000030	411106	4548583543614	#		CG	CGC	CHN	8536.5015.90
WLD2-G	Limit switch, üstten basmalı, makaralı, DPDB, 10A	60.65	EC000030	148955	4536854167027	#		CG	CGC	JPN	8536.5015.90
WLD2-G1-N	Limit switch, roller top plunger, DPDB, 10A, with ground terminal	60.05	EC000030	679497	4548583539358			CG	CGC	JPN	8536.5015.90
WLG2-LDPS-DGJS03	Limit switch, roller lever, overtravel, high-sensitivity, LED indicator, DPDB, 10A, spatter proof, pre-wired connector	116.10	EC000030	167202	4536854940071			CG	CGC	JPN	8536.5015.90
WLNJ-2G-N	Limit switch, flexible rod coil spring resin rod, DPDB, 10A	68.15	EC000030	411091	4548583543720	#		CG	CGC	CHN	8536.5007.00
WLNJ-G1-N	Limit switch, Flexible rod, pretravel 20+10 mm, DPDB, G1/2 with ground terminal	51.55	EC000030	393477	4548583542419			CG	CGC	JPN	8536.5007.00
WLNJ-G-N	Limit switch, esnek bobin yaylı, pretravel 20+10 dkm, DPDB, G1/2 Topraklama terminalli	50.60	EC000030	393483	4548583543805	#		CG	CGC	CHN	8536.5007.00
WLNJ-S2G-N	Limit switch, Flexible rod: Steel wire pretravel 20+10 mm, DPDB, Pg13.5 with ground terminal	59.20	EC000030	406411	4548583543836	#		CG	CGC	CHN	8536.5007.00
WLNJ-Y-N	Limit switch, Flexible rod: Coil spring, pretravel 15+5°, DPDB, M20 with ground terminal	56.65	EC000030	411096	4548583543904			CG	CGC	CHN	8536.5007.00
WLS2-G-N	Limit switch, Horizontal roller plunger, Pg13.5 with ground terminal	84.55	EC000030	411092	4548583543911			CG	CGC	CHN	8536.5015.90
<b>Endüstriyel Switch ZC</b>											
ZC-D55	Enclosed basic switch, plunger, SPDT, 15A	32.50	EC000030	106416	4536854251061		10	CG	CGD	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	49.25	EC000030	151806	4536854252907		10	CG	CGD	JPN	8536.5015.90
ZC-O2155	Kapalı basit switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 15 A	38.66	EC000030	106332	4536854251436		10	CG	CGD	JPN	8536.5015.90
ZC-O2255	Kapalı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A	39.09	EC000030	151804	4536854252365	#	10	CG	CGD	JPN	8536.5015.90
ZC-O255	Kapalı basit switch, panel montajlı üstten basmalı, SPDT, 15 A	37.64	EC000030	106425	4536854251276	#	10	CG	CGD	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15A	29.98	EC000030	106351	4536854253249		10	CG	CGD	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15A	31.84	EC000030	106353	4536854253416			CG	CGD	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	31.84	EC000030	106352	4536854253409		10	CG	CGD	JPN	8536.5015.90
<b>Endüstriyel Switch ZE/ZV</b>											
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15A	86.75	EC000030	106372	4536854255120			CG	CGE	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
ZF-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A	86.30	EC000030	104736	4536854255151			CG	CGE	JPN	8536.5015.90	
ZE-N-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	46.59	EC000030	106370	4536854255038			CG	CGE	JPN	8536.5015.90	
ZE-NA2-2G	Kapalı switch, makaralı kol, SPDT, 15 A	58.45	EC000030	151525	4536854255229	#		CG	CGE	JPN	8536.5015.90	
ZF-O21-2G	Kapalı switch, zıt makaralı üstten basmalı, SPDT, 15 A	50.70	EC000030	149257	4536854254840			CG	CGE	JPN	8536.5015.90	
ZF-O22-2G	Kapalı switch, makaralı üstten basmalı, SPDT, 15 A	50.25	EC000030	150415	4536854255496	#		CG	CGE	JPN	8536.5015.90	
ZF-O-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	45.78	EC000030	106359	4536854254789			CG	CGE	JPN	8536.5015.90	
ZF-OA2-2G	Enclosed switch, roller arm lever, SPDT, 15A	51.15	EC000030	152689	4536854254932			CG	CGE	JPN	8536.5015.90	
ZV2-N-2G	Enclosed switch, diagonal side mounting, sealed plunger, SPDT, 15A	55.20	EC000030	154929	4536854260773			CG	CGE	JPN	8536.5015.90	
<b>Endüstriyel Switch D4C</b>												
D4C-1201	Kompak kapalı limit switch, üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	56.05	EC000030	134459	4536853210052	#		CG	CGF	JPN	8536.5015.90	
D4C-1202	Kompak kapalı limit switch, makaralı üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF yağa dayanıklı kablolu	55.70	EC000030	134460	4536853210069	#		CG	CGF	JPN	8536.5015.90	
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	59.70	EC000030	134461	4536853210076			CG	CGF	JPN	8536.5015.90	
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.90	EC000030	105810	4536853210113			CG	CGF	JPN	8536.5015.90	
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	74.05	EC000030	147957	4536853210151			CG	CGF	JPN	8536.5015.90	
D4C-1231	Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	68.85	EC000030	134463	4536853210182			CG	CGF	JPN	8536.5015.90	
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.90	EC000030	134464	4536853210199			CG	CGF	JPN	8536.5015.90	
D4C-1233	Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	70.30	EC000030	134465	4536853210205			CG	CGF	JPN	8536.5015.90	
D4C-1243	Compact enclosed limit switch, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.30	EC000030	134468	4536853210236			CG	CGF	JPN	8536.5015.90	
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.10	EC000030	134469	4536853210243			CG	CGF	JPN	8536.5015.90	
D4C-1302	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	75.45	EC000030	134470	4536853210274			CG	CGF	JPN	8536.5015.90	
D4C-1320	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	82.60	EC000030	156713	4536853210304			CG	CGF	JPN	8536.5015.90	
D4C-1332	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	82.60	EC000030	134473	4536853210342			CG	CGF	JPN	8536.5015.90	
D4C-1G01 5M	Compact enclosed limit switch	111.90	EC000030	289178	4547648734493			CG	CGF	JPN	8536.5015.90	
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	61.90	EC000030	105813	4536853212865			CG	CGF	JPN	8536.5015.90	
D4C-4232	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3m VCTF oil-resistant cable	71.90	EC000030	134317	4536853214043			CG	CGF	JPN	8536.5015.90	
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF oil-resistant cable	81.25	EC000030	144739	4536853214203	#		CG	CGF	JPN	8536.5015.90	
D4CC-3002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	73.75	EC000030	150121	4536853208417			CG	CGF	JPN	8536.5015.90	
D4CC-3024	Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever	81.65	EC000030	153483	4536853208448			CG	CGF	JPN	8536.5015.90	
D4CC-3032	Compact limit switch, connector type, 1 A 30 VDC, Sealed roller plunger	84.70	EC000030	154611	4536853208479			CG	CGF	JPN	8536.5015.90	
D4CC-3050	Compact limit switch, connector type, 1 A 125 VAC, plastic rod	99.65	EC000030	134526	4536853208523	#		CG	CGF	JPN	8536.5015.90	
D4CC-4002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	83.85	EC000030	134529	4536853208561			CG	CGF	JPN	8536.5015.90	
D4CC-4024	Compact limit switch, connector type, 1 A 30 VDC,	88.15	EC000030	134532	4536853208592			CG	CGF	JPN	8536.5015.90	
D4CC-4032	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed roller plunger	86.20	EC000030	155420	4536853208622			CG	CGF	JPN	8536.5015.90	
<b>Endüstriyel Switch HL</b>												
HL-5000G	Limit switch, makaralı kol, Topraklama terminali	47.85	EC000030	378665	4548583439153	#		CG	CGH	CHN	8536.5015.90	
HL-5030G	Limit switch, ayarlanabilir makaralı kol, Topraklama terminali	49.25	EC000030	378666	4548583439177	#		CG	CGH	CHN	8536.5015.90	
HL-5050G	Limit switch, ayarlanabilir çubuk kol, Topraklama terminali	48.94	EC000030	378667	4548583439191			CG	CGH	CHN	8536.5015.90	
HL-5100G	Limit switch, korumalı üstten basmalı, Topraklama terminali	54.25	EC000030	378668	4548583439214			CG	CGH	CHN	8536.5015.90	
HL-5200G	Limit switch, korumalı makaralı üstten basmalı, Topraklama terminali	57.10	EC000030	378654	4548583439238	#		CG	CGH	CHN	8536.5015.90	
HL-5300G	Limit switch, bobin yaylı, Topraklama terminali	57.05	EC000030	378655	4548583439252			CG	CGH	CHN	8536.5015.90	
<b>Endüstriyel Switch SHL</b>												
SHL-D55	Subminiature enclosed switch, plunger actuator	34.80	EC000030	111615	4536853780425			10	CG	CGI	JPN	8536.5015.90
SHL-D55-01	Subminiature enclosed switch, plunger actuator, 0.1A micro load	42.92	EC000030	111705	4536853779016	#		10	CG	CGI	JPN	8536.5015.90
SHL-Q2155	Enclosed switch, panel mount across roller plunger, SPDT, 10A	38.89	EC000030	147187	4536853780821	#		10	CG	CGI	JPN	8536.5015.90
SHL-Q2155-01	Enclosed switch, panel mount across roller plunger, SPDT, 10A micro voltage	41.02	EC000030	111610	4536853779450			10	CG	CGI	JPN	8536.5015.90
SHL-Q2255	Enclosed switch, panel mount roller plunger, SPDT, 10A	39.90	EC000030	145031	4536853781002	#		10	CG	CGI	JPN	8536.5015.90
SHL-Q2255-01	Enclosed switch, panel mount roller plunger, SPDT, 10A micro voltage	40.64	EC000030	111611	4536853779627			10	CG	CGI	JPN	8536.5015.90
SHL-O55	Subminiature enclosed switch, panel mount plunger	35.48	EC000030	106139	4536853780623			5	CG	CGI	JPN	8536.5015.90
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A	35.99	EC000030	111621	4536853781637			10	CG	CGI	JPN	8536.5015.90
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A	36.02	EC000030	153766	4536853781651	#		10	CG	CGI	JPN	8536.5015.90
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A	34.31	EC000030	104735	4536853781408	#		10	CG	CGI	JPN	8536.5015.90
<b>Endüstriyel Switch A22</b>												
A22NZ-2RM-01AA	Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position ALL	12.39	EC000222	662748	4548583717596			10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position LEFT	18.63	EC000222	664829	4548583717602			10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR BLACK	5.75	EC000222	660926	4548583715486			10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR RED	5.76	EC000222	660909	4548583715431			10	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel brushed M, MANUAL, RELEASE position LEFT	15.98	EC000222	664883	4548583717640			20	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.40	EC000222	660010	4548583715721			10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel metal, MANUAL, COLOR BLACK	4.40	EC000222	662124	4548583715967			10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-NBA	Selector A22NZ 022, 3 position, NON-lighted, bezel PLASTIC, AUTO RESETO N L/R, COLOR BLACK	5.98	EC000222	666627	4548583716568			10	CG	CGK	TWN	8536.5015.90
A22NZ-3RM-NBA	Selector A22NZ 022, 3 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR BLACK	5.98	EC000222	660930	4548583716209			10	CG	CGK	TWN	8536.5015.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NZ-3MM-NRA	<a href="#">Selector A22NZ 022, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK</a>	4.13	EC000222	664721	4548583716681		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-NAA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque BLUE</a>	4.14	EC000221	666194	4548583711877		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-NGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque GREEN</a>	4.14	EC000221	666481	4548583711846		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-NRA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque RED</a>	4.14	EC000221	664461	4548583711839		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-NWA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE</a>	4.14	EC000221	664548	4548583711860		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-NYA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW</a>	4.14	EC000221	665917	4548583711853			CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK</a>	4.59	EC000221	662397	4548583712065	#		CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN</a>	4.14	EC000221	665233	4548583712027		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NRA	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque RED</a>	4.14	EC000221	667103	4548583712010		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-LGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN</a>	3.99	EC000221	661172	4548583712140			CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NAA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE</a>	4.59	EC000221	662116	4548583711518		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NBA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK</a>	4.59	EC000221	661703	4548583711525		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN</a>	4.59	EC000221	660475	4548583711488		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NRA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque RED</a>	4.78	EC000221	664957	4548583711471	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NWA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE</a>	4.78	EC000221	662117	4548583711501		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NYA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW</a>	4.60	EC000221	661170	4548583711495		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NAA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE</a>	4.72	EC000221	663145	4548583712232		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NBA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK</a>	4.74	EC000221	661179	4548583712249		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NWA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE</a>	4.72	EC000221	660246	4548583712225		20	CG	CGK	TWN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
A22NZ-2RM-TGA	<a href="#">Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN</a>	5.77	EC000222	660011	4548583715509		10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-TRA	<a href="#">Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED</a>	5.77	EC000222	663831	4548583715493		10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-TWA	<a href="#">Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR WHITE</a>	5.77	EC000222	662172	4548583715523			CG	CGK	TWN	8536.5015.90
A22NZ-2RM-TYA	<a href="#">Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW</a>	4.13	EC000222	664707	4548583715516			CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TGA	<a href="#">Selector A22NZ 022, 2 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN</a>	4.40	EC000222	666621	4548583715745		4	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TYA	<a href="#">Selector A22NZ 022, 2 position, Lighted, bezel brushed M, MANUAL, COLOR YELLOW</a>	5.25	EC000222	660925	4548583715752			CG	CGK	TWN	8536.5015.90
A22NZ-3RM-TGA	<a href="#">Selector A22NZ 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN</a>	6.51	EC000222	661886	4548583716223		10	CG	CGK	TWN	8536.5015.90
A22NZ-3RM-TRA	<a href="#">Selector A22NZ 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED</a>	6.51	EC000222	664720	4548583716216		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-TAA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED</a>	4.14	EC000221	667104	4548583711938	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-TGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	4.14	EC000221	662398	4548583711907		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-TBA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LIGHTED</a>	4.14	EC000221	664971	4548583711891		10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-TWA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED</a>	4.19	EC000221	663373	4548583711921	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-RGM-TYA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED</a>	4.19	EC000221	663382	4548583711914		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TAA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED</a>	2.90	EC000221	661165	4548583711570		20	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	2.90	EC000221	662121	4548583711549		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TBA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED</a>	2.90	EC000221	660238	4548583711532		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TWA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED</a>	2.90	EC000221	663647	4548583711563		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TYA	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED</a>	2.90	EC000221	663117	4548583711556		10	CG	CGK	TWN	8536.5015.90
A22NZ-BPM-TGA	<a href="#">Pushbutton A22NZ 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	4.14	EC000221	665541	4548583711723		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TAA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED</a>	4.74	EC000221	666840	4548583712294		20	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TGA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	4.74	EC000221	665935	4548583712263		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TBA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED</a>	4.74	EC000221	664982	4548583712256		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TWA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED</a>	4.74	EC000221	665234	4548583712287		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TYA	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED</a>	4.74	EC000221	660245	4548583712270		10	CG	CGK	TWN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
A22NS-2RM-NRA-G100-NN	<a href="#">Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED, 1NO</a>	13.71	EC001029	661214	4548583658059	#		CG	CGK	TWN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
A22-01	<a href="#">Contact block, SPST-NC, general-purpose load</a>	4.43	EC000041	150948	4536854356452		50	CG	CGK	JPN	8536.5015.90
A22-02	<a href="#">Contact block, DPST-NC, general-purpose load</a>	12.53	EC000041	160871	4536854453397		30	CG	CGK	JPN	8536.5015.90
A22-10	<a href="#">Contact block, SPST-NO, general-purpose load</a>	4.43	EC000041	157745	4536854356469		50	CG	CGK	JPN	8536.5015.90
A22-24AB	<a href="#">LED, 24 VAC/DC, red</a>	11.13	EC002498	145656	4536853019488		20	CG	CGK	JPN	8536.5015.90
A22NZ-4-AC	<a href="#">Pushbutton accessory A22NZ, Blue LED Lamp 24 VAC/DC</a>	4.10	EC002498	662694	4548583718241	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-4-GB	<a href="#">Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC</a>	5.08	EC002498	666218	4548583718166			CG	CGK	TWN	8536.5015.90
A22NZ-4-GC	<a href="#">Pushbutton accessory A22NZ, Green LED Lamp 24 VAC/DC</a>	4.10	EC002498	663627	4548583718227		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-GE	<a href="#">Pushbutton accessory A22NZ, Green LED Lamp 200/220/230 VAC</a>	4.63	EC002498	666451	4548583718340		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-OC	<a href="#">Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC</a>	4.10	EC002498	659820	4548583718265		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-RC	<a href="#">Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC</a>	4.10	EC002498	663615	4548583718210		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-RE	<a href="#">Pushbutton accessory A22NZ, Red LED Lamp 200/220/230 VAC</a>	4.29	EC002498	666442	4548583718333		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-WA	<a href="#">Pushbutton accessory A22NZ, White LED Lamp 6 VDC</a>	4.29	EC002498	672251	4548583718135		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-WC	<a href="#">Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC</a>	4.48	EC002498	664307	4548583718258	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-4-WE	<a href="#">Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC</a>	4.62	EC002498	660761	4548583718371		50	CG	CGK	TWN	8536.5015.90
A22NZ-4-YC	<a href="#">Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC</a>	4.10	EC002498	662716	4548583718234		50	CG	CGK	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">A22NZ-I-YE</a>	<a href="#">Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC</a>	4.29	EC002498	<a href="#">665251</a>	4548583718357		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-G1A</a>	<a href="#">Pushbutton A22NZ, Contact Block SPST-NO (blue)</a>	3.26	EC000041	<a href="#">667274</a>	4548583718012		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-G1B</a>	<a href="#">Pushbutton A22NZ, Contact Block SPST-NC (orange)</a>	3.26	EC000041	<a href="#">661432</a>	4548583718029		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P1A</a>	<a href="#">A22N Kontak bloklar, SPST-NO, push-in terminali</a>	6.22	EC000041	<a href="#">672599</a>	4548583920903	#	20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P1B</a>	<a href="#">A22N Kontak bloklar, SPST-NC, push-in terminali</a>	6.22	EC000041	<a href="#">672624</a>	4548583920910	#	20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P2A</a>	<a href="#">A22N Kontak bloklar, DPST-NO, push-in terminali</a>	12.08	EC000041	<a href="#">672593</a>	4548583920927		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P2B</a>	<a href="#">A22N kontak bloklar, DPST-NC, push-in terminali</a>	11.95	EC000041	<a href="#">672587</a>	4548583920934		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P2C</a>	<a href="#">A22N Kontak bloklar, SPST-NO + SPST-NC, push-in terminali</a>	16.01	EC000041	<a href="#">672619</a>	4548583920941		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-B</a>	<a href="#">Pushbutton accessory A22NZ, Lighting Unit 12 VAC/DC</a>	3.74	EC000204	<a href="#">662692</a>	4548583718043			CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-C</a>	<a href="#">Pushbutton accessory A22NZ, Lighting Unit 24 VAC/DC</a>	3.16	EC000204	<a href="#">665524</a>	4548583718050		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-CP</a>	<a href="#">A22N Aydınlatma Ünitesi, 24 VAC / DC, push-in terminali</a>	6.01	EC000204	<a href="#">672613</a>	4548583920972	#	20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-E</a>	<a href="#">Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC</a>	3.74	EC000204	<a href="#">662693</a>	4548583718074		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-FP</a>	<a href="#">A22N Aydınlatma Ünitesi, 200/220/230/240 VAC, push-in terminali</a>	10.87	EC000204	<a href="#">672620</a>	4548583920996		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22-TN</a>	<a href="#">Lamp socket, direct lighting</a>	2.60	EC000204	<a href="#">160858</a>	4536854408274		50	CG	CGK	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16L-JR</a>	<a href="#">Pushbutton, illuminated, rectangular, IP40, red</a>	3.61	EC001072	<a href="#">160652</a>	4536853010171		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-JW</a>	<a href="#">Pushbutton, illuminated, rectangular, IP40, white</a>	3.61	EC001072	<a href="#">160064</a>	4536853010188		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-TG</a>	<a href="#">Pushbutton, illuminated, round, IP40, green</a>	3.74	EC001072	<a href="#">160065</a>	4536853010218		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-TR</a>	<a href="#">Pushbutton, illuminated, round, IP40, red</a>	3.72	EC001072	<a href="#">160066</a>	4536853010232		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-TW</a>	<a href="#">Pushbutton, illuminated, round, IP40, white</a>	3.72	EC001072	<a href="#">160067</a>	4536853010249		10	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165L-AR</a>	<a href="#">Pushbutton, illuminated, square, IP65, red</a>	4.77	EC001072	<a href="#">160046</a>	4536853009939		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-AY</a>	<a href="#">Pushbutton, illuminated, square, IP65, yellow</a>	4.40	EC001072	<a href="#">160047</a>	4536853009953		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JA</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, blue</a>	4.86	EC001072	<a href="#">154729</a>	4536853009960		10	CG	CGK	JPN	8536.5015.90
<a href="#">A165L-JB</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, black</a>	4.77	EC001072	<a href="#">160043</a>	4536853009885		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JG</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, green</a>	4.86	EC001072	<a href="#">144900</a>	4536853009977		10	CG	CGK	JPN	8536.5015.90
<a href="#">A165L-JGV</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, green for LED only</a>	3.70	EC001072	<a href="#">160048</a>	4536853009984		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JR</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, red</a>	4.86	EC001072	<a href="#">160049</a>	4536853009991		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JW</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, white</a>	4.86	EC001072	<a href="#">160050</a>	4536853010003		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JY</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, yellow</a>	4.86	EC001072	<a href="#">160051</a>	4536853010010		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TG</a>	<a href="#">Pushbutton, illuminated, round, IP65, green</a>	4.80	EC001072	<a href="#">160053</a>	4536853010034		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TGY</a>	<a href="#">Pushbutton, illuminated, round, IP65, green for LED only</a>	4.16	EC001072	<a href="#">160054</a>	4536853010041		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TR</a>	<a href="#">Pushbutton, illuminated, round, IP65, red</a>	4.72	EC001072	<a href="#">160055</a>	4536853010058		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TY</a>	<a href="#">Pushbutton, illuminated, round, IP65, yellow</a>	4.77	EC001072	<a href="#">160057</a>	4536853010072		10	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16-CAJ</a>	<a href="#">IP40 case for pushbutton unit, square, momentary or indicator</a>	3.90	EC000221	<a href="#">160028</a>	4536853009731		5	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CJA</a>	<a href="#">IP40 case for pushbutton unit, rectangular, latching</a>	4.89	EC000221	<a href="#">160029</a>	4536853009748		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CJM</a>	<a href="#">IP40 case for pushbutton unit, rectangular, momentary or indicator</a>	3.90	EC000221	<a href="#">160030</a>	4536853009755		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CTA</a>	<a href="#">IP40 case for pushbutton unit, round, latching</a>	4.89	EC000221	<a href="#">160031</a>	4536853009762		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CTM</a>	<a href="#">IP40 case for pushbutton unit, round, momentary or indicator</a>	3.90	EC000221	<a href="#">160032</a>	4536853009779		50	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165-CAJ</a>	<a href="#">IP65 case for pushbutton unit, square, momentary or indicator</a>	4.96	EC000221	<a href="#">144899</a>	4536853009793		50	CG	CGL	JPN	8536.5015.90
<a href="#">A165-CJA</a>	<a href="#">IP65 case for pushbutton unit, rectangular, latching</a>	6.87	EC000221	<a href="#">160033</a>	4536853009809		50	CG	CGL	JPN	8536.5015.90
<a href="#">A165-CJM</a>	<a href="#">IP65 case for pushbutton unit, rectangular, momentary or indicator</a>	5.50	EC000221	<a href="#">160034</a>	4536853009816		50	CG	CGL	JPN	8536.5015.90
<a href="#">A165-CTM</a>	<a href="#">IP65 case for pushbutton unit, round, momentary or indicator</a>	4.96	EC000221	<a href="#">160036</a>	4536853009830		50	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16-1</a>	<a href="#">Switch unit, SPDT, 5 A (125 VAC) / 3 A (230 VAC), solder terminal</a>	6.97	EC000041	<a href="#">160076</a>	4536853010263		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-2</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC) / 3 A (230 VAC), solder terminal</a>	10.95	EC000041	<a href="#">160077</a>	4536853010270		50	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A1655-A2M</a>	<a href="#">Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65</a>	21.33	EC000222	<a href="#">152141</a>	4536854345654		30	CG	CGL	JPN	8536.5015.90
<a href="#">A1655-A3M</a>	<a href="#">Selector switch, non-illuminated, lever type, square, 3 notches, maintained, IP65</a>	21.33	EC000222	<a href="#">160700</a>	4536854345685			CG	CGL	JPN	8536.5015.90
<a href="#">A1655-J2M</a>	<a href="#">Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65</a>	20.81	EC000222	<a href="#">160702</a>	4536854345715		10	CG	CGL	JPN	8536.5015.90
<a href="#">A1655-J3M</a>	<a href="#">Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65</a>	21.33	EC000222	<a href="#">152142</a>	4536854345746		30	CG	CGL	JPN	8536.5015.90
<a href="#">A1655-T2M</a>	<a href="#">Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65</a>	22.81	EC000222	<a href="#">160707</a>	4536854345777		30	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165K-T2ML</a>	<a href="#">Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only</a>	42.93	EC000222	<a href="#">160670</a>	4536854345081		30	CG	CGL	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<a href="#">A165-2N-1</a>	<a href="#">Switch unit, SPDT, 5 A (125 VAC)/3 A (230 VAC), for 2 position selector switch, solder terminal</a>	6.94	EC000041	<a href="#">160741</a>	4536854346385	50		CG	CGL	JPN	8536.5015.90	
<a href="#">A165-2N-2</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/3 A (230 VAC), for 2 position selector switch, solder terminal</a>	11.92	EC002498	<a href="#">160743</a>	4536854346408	50		CG	CGL	JPN	8536.5015.90	
<a href="#">A165-2N-2L</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal</a>	10.95	EC000041	<a href="#">155154</a>	4536854346415			CG	CGL	JPN	8536.5015.90	
<a href="#">A165-2N-2P</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/3 A (230 VAC), for 2 position selector switch, PCB terminal</a>	52.85	EC000041	<a href="#">148178</a>	4536854375330			CG	CGL	JPN	8536.5015.90	
<a href="#">A165-3N-2</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/3 A (230 VAC), for 3 position selector switch, solder terminal</a>	9.01	EC002498	<a href="#">160744</a>	4536854346446	50		CG	CGL	JPN	8536.5015.90	
<b>Endüstriyel Switch A16</b>												
<a href="#">A165S-A2M-2</a>	<a href="#">Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal</a>	25.27	EC001029	<a href="#">160755</a>	4536854346521	5		CG	CGL	JPN	8536.5015.90	
<a href="#">A165S-I2M-2</a>	<a href="#">Knob-type selector switch, 16mm mounting, non illuminated, rectangular, 2 position, manual reset, DPDT</a>	25.75	EC001029	<a href="#">105652</a>	4536854346576	5		CG	CGL	JPN	8536.5015.90	
<a href="#">A165S-T2M-1</a>	<a href="#">Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal</a>	21.69	EC001029	<a href="#">160760</a>	4536854346613			CG	CGL	JPN	8536.5015.90	
<a href="#">A165S-T2M-2</a>	<a href="#">Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal</a>	25.27	EC001029	<a href="#">160761</a>	4536854346620	5		CG	CGL	JPN	8536.5015.90	
<b>Endüstriyel Switch A16</b>												
<a href="#">A16-12DY</a>	<a href="#">LED, 12 VDC, yellow</a>	4.94	EC002498	<a href="#">160006</a>	4536853009618	100		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DG</a>	<a href="#">LED, 24 VDC, green</a>	7.75	EC002498	<a href="#">160007</a>	4536853009632	100		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DR</a>	<a href="#">LED, 24 VDC, red</a>	7.12	EC002498	<a href="#">149210</a>	4536853009649	100		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DSG</a>	<a href="#">LED, 24 VDC, green, superbright</a>	7.55	EC002498	<a href="#">160020</a>	4536854589089			CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DSB</a>	<a href="#">LED, 24 VDC, red, superbright</a>	7.55	EC002498	<a href="#">143445</a>	4536854589096	18		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DSW</a>	<a href="#">LED, 24 VDC, white, superbright</a>	6.49	EC002498	<a href="#">105995</a>	4536854589102	30		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DSY</a>	<a href="#">LED, 24 VDC, yellow, superbright</a>	7.55	EC002498	<a href="#">160021</a>	4536854589119	20		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DW</a>	<a href="#">LED, 24 VDC, white</a>	8.74	EC002498	<a href="#">160008</a>	4536853009656	100		CG	CGL	JPN	8536.5015.90	
<a href="#">A16-24DY</a>	<a href="#">LED, 24 VDC, yellow</a>	7.55	EC002498	<a href="#">160009</a>	4536853009663	100		CG	CGL	JPN	8536.5015.90	
<b>Endüstriyel Switch A16</b>												
<a href="#">A165K-KEY</a>	<a href="#">Spare key for A165K switches</a>	7.09	EC002024	<a href="#">160654</a>	4536854480225			CG	CGL	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">DZ-10G-1B</a>	<a href="#">Basic switch, pin plunger, 10 A, DPDT, screw terminals</a>	20.63	EC000030	<a href="#">133557</a>	4536853181819	20		CG	CGX	JPN	8536.5015.90	
<a href="#">DZ-10GW-1B</a>	<a href="#">Basic switch, hinge lever, 10 A, DPDT, screw terminals</a>	24.64	EC000030	<a href="#">133564</a>	4536853181994	20		CG	CGX	JPN	8536.5015.90	
<a href="#">DZ-10GW22-1B</a>	<a href="#">Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals</a>	24.64	EC000030	<a href="#">133569</a>	4536853182052	20		CG	CGX	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">TZ-1GV</a>	<a href="#">High temperature basic switch, hinge lever, 1 A</a>	230.90	EC000030	<a href="#">156285</a>	4536854126833	20		CG	CGX	JPN	8536.5015.90	
<a href="#">TZ-1GV2</a>	<a href="#">High temperature basic switch, hinge lever, 1 A</a>	239.20	EC000030	<a href="#">109865</a>	4536854126840	20		CG	CGX	JPN	8536.5015.90	
<a href="#">TZ-1GV22</a>	<a href="#">High temperature basic switch, short hinge roller lever, 1 A</a>	250.30	EC000030	<a href="#">109866</a>	4536854126857	20		CG	CGX	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">X-10GM-B</a>	<a href="#">Basic switch, general purpose, reverse hinge lever, 10A, screw terminals</a>	20.64	EC000030	108112	4536854245558	20		CG	CGX	JPN	8536.5015.90	
<a href="#">X-10GQ22-B</a>	<a href="#">Basic switch, panel mount roller plunger, SPDT, 10A</a>	17.99	EC000030	108195	4536854244636	20		CG	CGX	JPN	8536.5015.90	
<a href="#">X-10GW22-B</a>	<a href="#">Basic switch, general purpose, short hinge roller lever, 10A, screw terminals</a>	15.26	EC000030	108200	4536854245084	20		CG	CGX	JPN	8536.5015.90	
<a href="#">X-10GW-B</a>	<a href="#">Basic switch, general purpose, hinge lever, 10A, screw terminals</a>	14.14	EC000030	144219	4536854244926	20		CG	CGX	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">Z-10FM22Y-B</a>	<a href="#">General purpose basic switch, reverse short hinge roller lever, 10A split contact, screw terminals</a>	25.75	EC000030	<a href="#">150638</a>	4536854262173			CG	CGX	JPN	8536.5015.90	
<a href="#">Z-10FO22Y-B</a>	<a href="#">General purpose basic switch, panel mount roller plunger, 10A split contact, screw terminals</a>	33.20	EC000030	<a href="#">106726</a>	4536854261886	20		CG	CGX	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">AP-B</a>	<a href="#">Screw Terminal Use (Phenol Resin) for Z15 switch</a>	0.59	EC002594	<a href="#">137468</a>	4536853004736	20		CG	CGX	JPN	8536.5015.90	
<a href="#">AP-DV</a>	<a href="#">Z-15 serisi için koruma altlığı</a>	5.32	EC002594	<a href="#">239600</a>	4536853004903			CG	CGX	JPN	8536.5015.90	
<a href="#">AP-Z</a>	<a href="#">Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch</a>	3.68	EC002594	<a href="#">148140</a>	4536853004880	20		CG	CGX	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">D4A-1101N</a>	<a href="#">Limit switch, double-pole, double-break, without indicator, standard roller lever</a>	138.90	EC000030	<a href="#">142473</a>	4536853200633			CG	CGX	JPN	8536.5015.90	
<a href="#">D4A-2501N</a>	<a href="#">Limit switch, four-pole, double-break, without indicator, top roller plunger</a>	221.00	EC000030	<a href="#">105809</a>	4536853201401			CG	CGX	JPN	8536.5015.90	
<a href="#">D4A-2918N</a>	<a href="#">Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever</a>	213.10	EC000030	<a href="#">134828</a>	4536853201753			CG	CGX	JPN	8536.5015.90	
<a href="#">D4A-5101N</a>	<a href="#">Limit switch, double-pole, double-break, without indicator, standard roller lever</a>	136.20	EC000030	<a href="#">134742</a>	4536853202576			CG	CGX	JPN	8536.5015.90	
<a href="#">D4A-A00</a>	<a href="#">Replacement lever, roller lever type</a>	27.47	EC002594	<a href="#">134865</a>	4536853198121			CG	CGX	JPN	8536.5015.90	
<a href="#">D4A-C00</a>	<a href="#">Replacement lever, adjustable roller lever type</a>	31.48	EC002594	<a href="#">103625</a>	4536853198268			CG	CGX	JPN	8536.5015.90	
<b>Diğer Endüstriyel Switchler</b>												
<a href="#">D4E-1A10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, roller plunger</a>	50.65	EC000030	<a href="#">155720</a>	4536853222949	#	10	CG	CGX	JPN	8536.5015.90	
<a href="#">D4E-1A20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, roller plunger</a>	55.35	EC000030	<a href="#">134060</a>	4536853222956	#	10	CG	CGX	JPN	8536.5015.90	
<a href="#">D4E-1B10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, cross roller plunger</a>	50.65	EC000030	<a href="#">134063</a>	4536853222987			10	CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1B20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger</a>	59.65	EC000030	<a href="#">134064</a>	4536853222994	#	10	CG	CGX	JPN	8536.5015.90	
<a href="#">D4E-1C10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, plunger</a>	56.80	EC000030	<a href="#">134067</a>	4536853223021			10	CG	CGX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4E-1C20N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, plunger</a>	45.24	EC000030	<a href="#">155721</a>	4536853223038			CG	CGX	JPN	8536.5015.90
D4E-1D10N	<a href="#">Limit switch, slim sealed, connector type, general purpose, sealed roller plunger</a>	85.25	EC000030	<a href="#">133989</a>	4536853223410	#	10	CG	CGX	JPN	8536.5015.90
D4E-1D20N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger</a>	89.00	EC000030	<a href="#">133990</a>	4536853223830		10	CG	CGX	JPN	8536.5015.90
D4E-1E10N	<a href="#">Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger</a>	103.20	EC000030	<a href="#">236316</a>	4536853224073		10	CG	CGX	JPN	8536.5015.90
D4E-1E20N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger</a>	91.80	EC000030	<a href="#">133993</a>	4536853224042		10	CG	CGX	JPN	8536.5015.90
D4E-1G20N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, roller lever</a>	55.85	EC000030	<a href="#">133974</a>	4536853223076		10	CG	CGX	JPN	8536.5015.90
D4ER-1A21N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant</a>	68.40	EC000030	<a href="#">674830</a>	4548583868571		2	CG	CGX	JPN	8536.5015.90
D4ER-1L21N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant</a>	83.55	EC000030	<a href="#">674859</a>	4548583868816	#	2	CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
D5A-1100	<a href="#">Limit switch</a>	140.80	EC000030	<a href="#">105958</a>	4536853227272			CG	CGX	JPN	8536.5015.90
D5A-3200	<a href="#">Limit switch</a>	164.90	EC000030	<a href="#">133699</a>	4536853227364			CG	CGX	JPN	8536.5015.90
D5A-3300	<a href="#">High-precision switch</a>	177.80	EC000030	<a href="#">133701</a>	4536853227425			CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
D5B-1013	<a href="#">Limit switch</a>	74.65	EC000030	<a href="#">133715</a>	4536853227692			CG	CGX	JPN	8536.5015.90
D5B-1023	<a href="#">Limit switch</a>	86.85	EC000030	<a href="#">133717</a>	4536853227722			CG	CGX	JPN	8536.5015.90
D5B-1511	<a href="#">Tactile Limit switch, M10 body, short spring wobble stick actuator, 1m prewired</a>	73.75	EC000030	<a href="#">133719</a>	4536853227746			CG	CGX	JPN	8536.5015.90
D5B-1513	<a href="#">Limit switch</a>	74.30	EC000030	<a href="#">133720</a>	4536853227753	#		CG	CGX	JPN	8536.5015.90
D5B-1515	<a href="#">Tactile Limit switch, M10 body, short spring wobble stick actuator, 5m prewired</a>	80.60	EC000030	<a href="#">133721</a>	4536853227760	#		CG	CGX	JPN	8536.5015.90
D5B-1533	<a href="#">Tactile Limit switch, M10 body, long spring wobble stick actuator, 3m prewired</a>	74.65	EC000030	<a href="#">151368</a>	4536853227784			CG	CGX	JPN	8536.5015.90
D5B-5011	<a href="#">Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired</a>	68.40	EC000030	<a href="#">133724</a>	4536853227807			CG	CGX	JPN	8536.5015.90
D5B-5013	<a href="#">Tactile Limit switch, M5 body, hemispheric actuator, 3m prewired</a>	73.75	EC000030	<a href="#">133725</a>	4536853227814			CG	CGX	JPN	8536.5015.90
D5B-8513	<a href="#">Limit switch</a>	87.35	EC000030	<a href="#">133641</a>	4536853227982			CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
D5C-1DA0	<a href="#">Touch switch, free-attachment, M4 screw actuator, DC, 3-wire, NPN-NO, 3m cable</a>	170.60	EC000030	<a href="#">133644</a>	4536853228033	#		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
W-10FB3	<a href="#">Limit switch</a>	15.50	EC000030	108330	4536854172540		50	CG	CGX	JPN	9032.9000.90
<b>Özel Endüstriyel Switchler</b>											
M2B1-B24	<a href="#">Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply</a>	33.29	EC001026	<a href="#">116058</a>	4536853684693		10	CG	CGY	JPN	8536.5015.90
M2B1-BH24D	<a href="#">Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply</a>	55.45	EC001026	<a href="#">153015</a>	4536853684822		10	CG	CGY	JPN	8536.5015.90
M2B1-BH24E	<a href="#">Panel mount buzzer, intermittent (short/long) high sound, 12-24 VAC/DC supply</a>	55.45	EC001026	<a href="#">116065</a>	4536853684846			CG	CGY	JPN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
M16-0	<a href="#">Solder terminal socket for use with M16 range of indicators</a>	1.40	EC002498	<a href="#">103150</a>	4536854350689		80	CG	CGY	JPN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
M22N-BC-TGA-GC	<a href="#">Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC</a>	14.80	EC000272	<a href="#">660568</a>	4548583711198		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GC-P	<a href="#">M22N Gösterge, Plastik yassı yüzeyli, Yeşil, Yeşil, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672578</a>	4549734088077		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE	<a href="#">Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC</a>	18.73	EC000272	<a href="#">662879</a>	4548583711211		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE-P	<a href="#">M22N Indicator, Plastik flat etched, Green, Green, 220/230/240 V AC, push-in terminal</a>	20.35	EC000272	<a href="#">672607</a>	4549734088091		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TBA-RC	<a href="#">Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC</a>	16.67	EC000272	<a href="#">662885</a>	4548583711143		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TBA-RC-P	<a href="#">M22N Göstergesi, Plastik yassı kazanmış, Kırmızı, Kırmızı, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672579</a>	4549734088022		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TBA-RE	<a href="#">Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC</a>	14.18	EC000272	<a href="#">664398</a>	4548583711167		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TBA-RE-P	<a href="#">M22N Indicator, Plastik flat etched, Red, Red, 220/230/240 V AC, push-in terminal</a>	19.77	EC000272	<a href="#">672592</a>	4549734088046		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC-P	<a href="#">Indicator M22N flat etched, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC</a>	14.80	EC000272	<a href="#">660932</a>	4548583711297		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC-P	<a href="#">M22N Göstergesi, Plastik yassı fırınlanmış, Beyaz, Beyaz, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672612</a>	4549734088176			CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WF-P	<a href="#">M22N Gösterge, Plastik yassı fırınlanmış, Beyaz, Beyaz, 220/230/240 V AC, push-in terminal</a>	20.44	EC000272	<a href="#">672576</a>	4549734088190		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC	<a href="#">Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC</a>	14.80	EC000272	<a href="#">660935</a>	4548583711242		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC-P	<a href="#">M22N Indicator, Plastik flat etched, Yellow, Yellow, 24 V, push-in terminal</a>	18.49	EC000272	<a href="#">672582</a>	4549734088121		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YD	<a href="#">Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC</a>	14.18	EC000272	<a href="#">660559</a>	4548583711259			CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE	<a href="#">Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC</a>	14.18	EC000272	<a href="#">662878</a>	4548583711266		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE-P	<a href="#">M22N Indicator, Plastik flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal</a>	19.77	EC000272	<a href="#">672598</a>	4549734088145		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC	<a href="#">Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC</a>	14.98	EC000272	<a href="#">662881</a>	4548583710146		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC-P	<a href="#">M22N Gösterge, Plastik düz, Yeşil, Yeşil, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672611</a>	4549734087025		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GD	<a href="#">Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC</a>	17.35	EC000272	<a href="#">660931</a>	4548583710153		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE	<a href="#">Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC</a>	18.73	EC000272	<a href="#">662880</a>	4548583710160		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE-P	<a href="#">M22N Indicator, Plastik flat, Green, Green, 220/230/240 V AC, push-in terminal</a>	20.35	EC000272	<a href="#">672605</a>	4549734087049		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TBA-RC	<a href="#">Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC</a>	16.26	EC000272	<a href="#">661890</a>	4548583710092		5	CG	CGY	TWN	8536.5015.90
M22N-BN-TBA-RC-P	<a href="#">M22N Göstergesi, Plastik düz, Kırmızı, Kırmızı, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672594</a>	4549734086974		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TBA-RE	<a href="#">Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC</a>	14.14	EC000272	<a href="#">664399</a>	4548583710115			CG	CGY	TWN	8536.5015.90
M22N-BN-TBA-RE-P	<a href="#">M22N Indicator, Plastik flat, Red, Red, 220/230/240 V AC, push-in terminal</a>	19.77	EC000272	<a href="#">672596</a>	4549734086998		10	CG	CGY	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BN-TWA-WC	Indicator M22N flat_CAP COLOR WHITE_LED WHITE_LED VOLTAGE 24 VDC	15.05	EC000272	662492	4548583710245		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC-P	M22N Gösterge, Plastik düz, Beyaz, Beyaz, 24 V, giris terminali	18.03	EC000272	672622	4549734087124	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WF-P	M22N Göstergesi, Plastik düz, Beyaz, Beyaz, 220/230/240 V AC, push-in terminali	20.44	EC000272	672603	4549734087148		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC	Indicator M22N flat_CAP COLOR YELLOW_LED YELLOW_LED VOLTAGE 24 VDC	14.98	EC000272	662491	4548583710191		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC-P	M22N Indicator, Plastik flat, Yellow, Yellow, 24 V, push-in terminal	12.80	EC000272	672581	4549734087070		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE	Indicator M22N flat_CAP COLOR YELLOW_LED YELLOW_LED VOLTAGE 200-240 VAC	14.14	EC000272	666629	4548583710214		2	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE-P	M22N Indicator, Plastik flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	19.77	EC000272	672609	4549734087094		10	CG	CGY	TWN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
A3AT-90K1-00R	Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, red LED	9.70	EC001028	141165	4536853027445		6	CG	CGY	JPN	8536.5015.90
A3CJ-7011	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, momentary	12.29	EC001028	140773	4536853046682		10	CG	CGY	JPN	8536.5015.90
A3CT-500G	Pushbutton, illuminated, round, green	3.45	EC000221	140785	4536853047894		50	CG	CGY	JPN	8536.5015.90
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, momentary	14.50	EC001028	140698	4536853048006		10	CG	CGY	JPN	8536.5015.90
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, alternate	12.68	EC001028	140699	4536853048013		10	CG	CGY	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
APB-PG	Terminal cover for Z15 switch, plastic	2.80	EC002594	186943	4536853899103	#	100	CG	CGZ	ITA	8544.4290.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
A16Z-3004	Tightening tool	10.38	EC002498	160086	4536854540950			CG	CGZ	JPN	8536.5015.90
A16Z-5070	Yellow E-stop name plate	4.43	EC000624	160087	4536854540981		10	CG	CGZ	JPN	8536.5015.90
A16Z-5080	Switch and lamp extractor	4.43	EC002024	149866	4536854381386		20	CG	CGZ	JPN	8536.5015.90
A16Z-5050	Switch Guard, for rectangular models	6.89	EC000202	160080	4536854540080		25	CG	CGZ	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
A22-3200	Mounting latch, momentary models	1.64	EC002498	160836	4536854356476		10	CG	CGZ	JPN	8536.5015.90
A22NZ-A-301	Pushbutton accessory A22NZ, Tightening Wrench	19.74	EC002032	659819	4548583718395			CG	CGZ	TWN	8536.5015.90
A22NZ-A-302	Pushbutton accessory A22NZ, LED Lamp Extractor	3.89	EC002032	661690	4548583718401		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-303	Pushbutton accessory A22NZ, Protective Cover	3.89	EC002040	664206	4548583718418			CG	CGZ	TWN	8536.5015.90
A22NZ-A-50103	Pushbutton accessory A22NZ Ø22, Small Legend Plate Frame	3.89	EC001032	663413	4548583718463		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-50501	Pushbutton accessory A22NZ Ø22, Lock Ring	3.89	EC002024	665523	4548583718487		50	CG	CGZ	TWN	8536.5015.90
A22NZ-A-51103	Pushbutton accessory A22NZ, Large Legend Plate Frame	3.89	EC001032	666229	4548583718470		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-B01Y	Pushbutton accessory A22NZ Ø22, Control Box	10.56	EC000200	660760	4548583718456	#		CG	CGZ	TWN	8536.5015.90
A22NZ-A-C01	Pushbutton accessory A22NZ, Reinforcement Plate	4.04	EC002024	666228	4548583718500		20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-01	Pushbutton accessory A22NZ, Mounting Collar	3.32	EC002024	662415	4548583718081	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-02	E-Stop, İtme Montajı mandalı	5.64	EC002498	672959	4549734144896		20	CG	CGZ	TWN	8536.5015.90
A22NZ-K-01	Pushbutton accessory A22NZ, Key	11.90	EC002024	661431	4548583718494		20	CG	CGZ	TWN	8536.5015.90
A22Z-3380	Security bracket, lever stopper, for A22E emergency stop switch	1.52	EC002024	160888	4536854474569		20	CG	CGZ	JPN	8536.5015.90
A22Z-3466-1	Legend plate, emergency stop, 60mm dia, round, yellow	5.97	EC000624	160837	4536854356483	#	50	CG	CGZ	JPN	8536.5015.90
A22Z-3905	Tightening wrench	17.18	EC002032	160841	4536854356537		20	CG	CGZ	JPN	8536.5015.90
A22Z-B101	Control box enclosure, one hole	29.57	EC000200	160842	4536854375415			CG	CGZ	JPN	8536.5015.90
A22Z-B101Y	Control box enclosure, one hole, yellow, for emergency stop	32.55	EC000200	160843	4536854375422	#		CG	CGZ	JPN	8536.5015.90
A22Z-B102	Control box enclosure, two holes	30.98	EC000200	160844	4536854375439			CG	CGZ	JPN	8536.5015.90
A22Z-B103	Control box enclosure, three holes	37.61	EC000200	160845	4536854375446			CG	CGZ	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
VAQ-4-L	Pushbutton switch, panel cutout dia. 10.5 mm, momentary operation, without operation unit	4.58	EC001028	146451	4536854130106		20	CG	CGZ	JPN	8536.5015.90
<b>Solid State Röle G3N</b>											
G3NA-205B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 5 A, 264 VAC max	32.62	EC002055	690649	4549734591126		10	CI	CIC	CHN	8536.4900.99
G3NA-205B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 5 A, maks. 264 VAC	23.63	EC002055	690651	4548583569638		10	CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU 100-240VAC	Solid state relay, phototriac, 10 A, 5 to 24 VDC input voltage	32.11	EC002055	690648	4549734591133			CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 264 VAC	26.96	EC002055	377386	4536854807954	#	10	CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 20 A, 264 VAC max	38.29	EC002055	690647	4549734591140			CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 20 A, maks. 264 VAC	34.61	EC002055	377387	4536854808012	#	10	CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 264 VAC max	37.37	EC002055	690646	4549734591157			CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU 5-24VDC	Solid-state röle, yüzey montajlı, tek faz, 25 A, maks. 264 VAC	31.05	EC002055	690650	4548583523418	#	10	CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 40 A, 264 VAC max	70.15	EC002055	690645	4549734591164		10	CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 40 A, maks. 264 VAC	63.15	EC002055	377388	4547648573580	#	10	CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	75.55	EC002055	690643	4549734591188			CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 264 VAC	71.95	EC002055	690644	4549734591171		10	CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 75 A, 264 VAC max	84.30	EC002055	690641	4549734591201			CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 264 VAC	77.40	EC002055	690642	4549734591195		10	CI	CIC	CHN	8536.4900.99
G3NA-290B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 264 VAC	82.25	EC002055	690640	4549734591218		10	CI	CIC	CHN	8536.4900.99
G3NA-410B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 528 VAC max	70.35	EC002055	690637	4549734591249		10	CI	CIC	CHN	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3NA-4108-UTU1 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 528 VAC	63.75	EC002055	690638	4549734591232		10	CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU1 2-100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 528 VAC max	79.80	EC002055	690636	4549734591270		10	CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU1 2-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 528 VAC	68.90	EC002055	372389	4548583045514	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU1 2-100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 528 VAC max	87.10	EC002055	690635	4549734591300		10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU1 2-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 528 VAC	90.65	EC002055	372390	4548583045538	#	10	CI	CIC	CHN	8536.4900.99
G3NA-475B-UTU1 2-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 528 VAC	93.20	EC002055	690634	4549734591317	#	10	CI	CIC	CHN	8536.4900.99
G3NA-490B-UTU1 2-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 528 VAC	111.90	EC002055	690632	4549734591331		10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU1 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 220 VDC max	58.85	EC002055	690629	4549734591362		10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU1 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 220 VDC	54.30	EC002055	690630	4549734591355	#	10	CI	CIC	CHN	8536.4900.99
G3NE-210T-US 12VDC	SSR (hızlı bağılantı), 1 ph. w / o soğutucu, 10 A (100 ~ 240 VAC), sıfır capraz, 12 VDC	37.42	EC002055	679635	4547648016223		10	CI	CIC	JPN	8536.4900.99
G3NE-220T-US 24VDC	Compact SSR, 20A, 264 VAC max, zero cross over	26.02	EC002055	230921	4536854921360		10	CI	CIC	JPN	8536.4900.99
G3PH-5075B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 75 A, 180-480 VAC	705.00	EC002055	355575	4548583055605			CI	CIC	JPN	8536.4900.99
G3PH-5150B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 150 A, 180-480 VAC	1,058.00	EC002055	355576	4548583055612			CI	CIC	JPN	8536.4900.99
<b>Solid State Röle G3PA</b>											
G3PA-240B-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 40 A, maks. 264 VAC	100.80	EC002055	376268	4536854864407	#	10	CI	CID	CHN	8536.4900.99
G3PA-260B-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 60 A, maks. 264 VAC	145.80	EC002055	376269	4536854864414	#	10	CI	CID	CHN	8536.4900.99
G3PA-420B-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 20 A, maks. 440 VAC	99.65	EC002055	376270	4536854864568	#	10	CI	CID	CHN	8536.4900.99
G3PA-420B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max	128.90	EC002055	124813	4536854487217		10	CI	CID	JPN	8536.4900.99
G3PA-430B-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 30 A, maks. 440 VAC	162.50	EC002055	376271	4536854864575		10	CI	CID	CHN	8536.4900.99
G3PA-430B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max	217.70	EC002055	124815	4536854515484		10	CI	CID	JPN	8536.4900.99
G3PA-450B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 50 A, 440 VAC max	289.20	EC002055	124814	4536854515477			CI	CID	JPN	8536.4900.99
<b>Solid State Röle G3PW</b>											
G3PW-A220FC-C-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vidasız terminalli, RS-485 haberleşme	523.50	EC002055	260085	4547648600422			CI	CIE	JPN	8536.4900.99
G3PW-A220FC-S-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vida terminalli, RS-485 haberleşme	519.50	EC002055	260076	4547648600460			CI	CIE	JPN	8536.4900.99
G3PW-A220EU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 20 A, 100-240 VAC, vida terminalli	447.80	EC002055	260082	4547648600361			CI	CIE	JPN	8536.4900.99
G3PW-A245EU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 45 A, 100-240 VAC, vida terminalli	588.50	EC002055	260083	4547648600378			CI	CIE	JPN	8536.4900.99
<b>Solid State Röle G3PB</b>											
G3PE-215B 12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 264 VAC	52.65	EC002055	376272	4547648524896	#	10	CI	CIG	CHN	8536.4900.99
G3PE-215B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 15A, 264VAC max	139.40	EC002055	375402	4548583409750			CI	CIG	JPN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 15A, 264VAC max	190.30	EC002055	375422	4548583409958			CI	CIG	JPN	8536.4900.99
G3PE-225B 12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 264 VAC	60.35	EC002055	376273	4547648524902	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 25A, 264VAC max	156.10	EC002055	375403	4548583409767			CI	CIG	JPN	8536.4900.99
G3PE-225B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 25A, 264VAC max	242.40	EC002055	375423	4548583409965			CI	CIG	JPN	8536.4900.99
G3PE-225BL 12-24VDC	Solid-state relay, 1 phase, 25A, 100-240VAC, with heat sink, DIN rail mount, non zero cross switching function	57.90	EC002055	376275	4547648524940		10	CI	CIG	CHN	8536.4900.99
G3PE-235B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 35 A, maks. 264 VAC	70.50	EC002055	375391	4548583409613	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 45 A, maks. 264 VAC	88.30	EC002055	375392	4548583409620	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 45A, 264VAC max	201.30	EC002055	375405	4548583409781			CI	CIG	JPN	8536.4900.99
G3PE-245BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 264 VAC max	171.30	EC002055	375394	4548583409668			CI	CIG	JPN	8536.4900.99
G3PE-515B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 15 A, maks. 528 VAC	85.25	EC002055	375395	4548583409675		10	CI	CIG	JPN	8536.4900.99
G3PE-515B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 15A, 528VAC max	171.10	EC002055	375426	4548583409996			CI	CIG	JPN	8536.4900.99
G3PE-515B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 15A, 528VAC max	212.20	EC002055	375414	4548583409873			CI	CIG	JPN	8536.4900.99
G3PE-515B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 15 A, maks. 528 VAC	205.20	EC002055	375430	4548583410039	#		CI	CIG	JPN	8536.4900.99
G3PE-525B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 25 A, maks. 528 VAC	90.15	EC002055	375396	4548583409682	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max	183.00	EC002055	375427	4548583410008	#		CI	CIG	JPN	8536.4900.99
G3PE-525B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 528VAC max	252.30	EC002055	375415	4548583409880			CI	CIG	JPN	8536.4900.99
G3PE-525B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 25 A, maks. 528 VAC	252.30	EC002055	375431	4548583410046	#		CI	CIG	JPN	8536.4900.99
G3PE-535B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 35 A, maks. 528 VAC	102.20	EC002055	375397	4548583409699		10	CI	CIG	JPN	8536.4900.99
G3PE-535B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	233.90	EC002055	375428	4548583410015			CI	CIG	JPN	8536.4900.99
G3PE-535B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 35A, 528VAC max	303.30	EC002055	375416	4548583409897			CI	CIG	JPN	8536.4900.99
G3PE-535B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 35 A, maks. 528 VAC	303.30	EC002055	375432	4548583410053	#		CI	CIG	JPN	8536.4900.99
G3PE-545B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 45 A, maks. 528 VAC	104.10	EC002055	375390	4548583409705	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	247.60	EC002055	375429	4548583410022			CI	CIG	JPN	8536.4900.99
G3PE-545B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 45A, 528VAC max	287.50	EC002055	375417	4548583409903			CI	CIG	JPN	8536.4900.99
G3PE-545B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 45 A, maks. 528 VAC	329.70	EC002055	375433	4548583410060	#	5	CI	CIG	JPN	8536.4900.99
<b>Solid State Röle G3R</b>											
G3RV-202S 24VDC	Yedek, AC tip, solid state röle, 2 A, 24 VDC	24.62	EC002055	323541	4547648741071			CI	CIH	JPN	8536.4900.99
G3RV-D03S 12VDC	Solid State Relay, plug-in, 5-pin, 3 A, 5 ~ 24 VDC	21.77	EC002055	323546	4547648741125		20	CI	CIH	JPN	8536.4900.99
G3RV-D03S 24VDC	Yedek, DC tip, solid state röle, 3 A, 24 VDC	21.77	EC002055	323547	4547648741132	#	20	CI	CIH	JPN	8536.4900.99
G3RV-D03S 48VDC	Solid State Relay, plug-in, 5-pin, 3 A, 5 ~ 24 VDC	21.77	EC002055	323548	4547648741149		20	CI	CIH	JPN	8536.4900.99
<b>Solid State Röle G3R</b>											
G3R-IDZB1SN-1UTU 12-24VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 12-24 VDC	31.17	EC002055	124672	4536854686917			CI	CIH	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G3R-IDZB1SN-UTU 12-24VDC</a>	Solid state relay (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	25.53	EC002055	<a href="#">124671</a>	4536853418625		20	CI	CIH	JPN	8536.4900.99
<a href="#">G3R-IDZB1SN-UTU 5VDC</a>	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 5 VDC	23.73	EC002055	<a href="#">145210</a>	4536854686894		12	CI	CIH	JPN	8536.4900.99
<a href="#">G3R-0A2025LN-UTU 5-24VDC</a>	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	24.60	EC002055	<a href="#">124673</a>	4536853418632	#	20	CI	CIH	JPN	8536.4900.99
<a href="#">G3R-0A2025ZLN-UTU 5-24VDC</a>	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	24.60	EC002055	<a href="#">124674</a>	4536853418649	#	20	CI	CIH	JPN	8536.4900.99
<a href="#">G3R-0D201SN-UTU 5-24VDC</a>	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	28.84	EC002055	<a href="#">124676</a>	4536853418663		10	CI	CIH	JPN	8536.4900.99
<a href="#">G3R-0DX02SN-UTU 5-24VDC</a>	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	27.93	EC002055	<a href="#">124675</a>	4536853418656	#	20	CI	CIH	JPN	8536.4900.99
<b>Solid State Röle G3RV-SR</b>											
<a href="#">G3RV-SR500-A 230VAC</a>	Ince solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	48.97	EC002055	<a href="#">669903</a>	4548583797802		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-A 24VAC/DC</a>	Ince solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	41.73	EC002055	<a href="#">669868</a>	4548583797819		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-A 24VDC</a>	Ince solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	41.73	EC002055	<a href="#">669922</a>	4548583797765	#	10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-AL 24VAC/DC</a>	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	42.17	EC002055	<a href="#">669886</a>	4548583797895		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-D 12VDC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	42.09	EC002055	<a href="#">669888</a>	4548583797673		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-D 230VAC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	53.85	EC002055	<a href="#">669890</a>	4548583797727		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-D 24VAC/DC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	42.23	EC002055	<a href="#">669860</a>	4548583797734	#	10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR500-D 24VDC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	41.02	EC002055	<a href="#">669870</a>	4548583797680	#	10	CI	CIK	JPN	8536.4900.99
<b>Solid State Röle G3RV-SR</b>											
<a href="#">G3RV-SR700-A 230VAC</a>	Ince solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 230 VAC	48.04	EC002055	<a href="#">669907</a>	4548583798045		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-A 24VAC/DC</a>	Ince solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	41.61	EC002055	<a href="#">669916</a>	4548583798052	#	10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-A 24VDC</a>	Ince solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VDC	40.50	EC002055	<a href="#">669865</a>	4548583798007	#	10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-AL 24VAC/DC</a>	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Non Zero-cross	42.11	EC002055	<a href="#">669856</a>	4548583798137		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-AL 24VDC</a>	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Non Zero-cross	42.86	EC002055	<a href="#">669899</a>	4548583798083		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-D 12VDC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 230 VAC	47.20	EC002055	<a href="#">669882</a>	4548583797963		10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-D 24VAC/DC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	42.19	EC002055	<a href="#">669894</a>	4548583797970	#	10	CI	CIK	JPN	8536.4900.99
<a href="#">G3RV-SR700-D 24VDC</a>	Ince solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VDC	40.02	EC002055	<a href="#">669919</a>	4548583797925	#	10	CI	CIK	JPN	8536.4900.99
<b>Solid State Röle G3PJ</b>											
<a href="#">G3PJ-215B-DC12-24</a>	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	52.05	EC002055	<a href="#">669862</a>	4548583783331	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-215B-PU-DC12-24</a>	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	58.70	EC002055	<a href="#">669912</a>	4548583783379	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-225B-DC12-24</a>	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	64.50	EC002055	<a href="#">669893</a>	4548583783348	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-225B-PU-DC12-24</a>	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	70.65	EC002055	<a href="#">669857</a>	4548583783386	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-515B-DC12-24</a>	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	80.70	EC002055	<a href="#">669945</a>	4548583783355	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-515B-PU-DC12-24</a>	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	87.40	EC002055	<a href="#">669883</a>	4548583783393	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-525B-DC12-24</a>	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	93.65	EC002055	<a href="#">669932</a>	4548583783362	#	10	CI	CIL	JPN	8536.4900.99
<a href="#">G3PJ-525B-PU-DC12-24</a>	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	99.40	EC002055	<a href="#">669913</a>	4548583783409		10	CI	CIL	JPN	8536.4900.99
<b>Solid State Rölelerin Aksesuarlar</b>											
<a href="#">G32A-A40-VD 5-24VDC</a>	Yedek kartuş G3PA-240B 5-24 VDC için, sadece VD kodu olanlara uyumludur.	76.30	EC002055	<a href="#">377393</a>	4536854866722	#	10	CI	CIZ	CHN	8536.4900.99
<a href="#">G32A-A420-VD 12-24VDC</a>	Yedek kartuş G3PA-420B-VD 12-24 VDC ile uyumludur.	113.30	EC002055	<a href="#">377395</a>	4536854866784		10	CI	CIZ	CHN	8536.4900.99
<a href="#">G32A-A430-VD 12-24VDC</a>	Yedek kartuş G3PA-430B-VD 12-24 VDC ile uyumludur.	133.90	EC002055	<a href="#">377396</a>	4536854866791		10	CI	CIZ	CHN	8536.4900.99
<a href="#">G32A-A60-VD 5-24VDC</a>	Yedek kartuş G3PA-260B 5-24 VDC için, sadece VD kodu olanlara uyumludur.	124.90	EC002055	<a href="#">377394</a>	4536854866739		10	CI	CIZ	CHN	8536.4900.99
<a href="#">G32A-EA 100-240VAC</a>	Cycle controller for use with SSR's	128.60	EC002586	<a href="#">125216</a>	4536853420246			CI	CIZ	JPN	8536.4900.99
<a href="#">G32X-V2K</a>	Haris direnc, 2kW, G3PW güç kontrolörü için	55.50	EC002586	<a href="#">125222</a>	4536853420321			CI	CIZ	JPN	8544.4290.90
<b>Vidalı Terminal Bloğu</b>											
<a href="#">XW5G-S10-1-1-1</a>	Topraklama klemensi, 10 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	3.70	EC000901	<a href="#">669285</a>	4548583794320	#	50	CL	CLA	DEU	8536.9010.00
<a href="#">XW5G-S16-1-1-1</a>	Topraklama klemensi, 16 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	5.96	EC000901	<a href="#">669277</a>	4548583794351	#	50	CL	CLA	DEU	8536.9010.00
<a href="#">XW5G-S25-1-1-1</a>	Topraklama klemensi, 25 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	1.98	EC000901	<a href="#">669252</a>	4548583794238	#	100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5G-S35-1-1-1</a>	Topraklama klemensi, 35 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	7.90	EC000901	<a href="#">669331</a>	4548583794382		20	CL	CLA	DEU	8536.9010.00
<a href="#">XW5G-S40-1-1-1</a>	Topraklama klemensi, 40 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.07	EC000901	<a href="#">669324</a>	4548583794269		100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5G-S60-1-1-1</a>	Topraklama klemensi, 60 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.87	EC000901	<a href="#">669340</a>	4548583794290		100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S10-1-1-1</a>	Geçiş klemensi, 10 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	1.50	EC000897	<a href="#">669337</a>	4548583794306	#	50	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S10-1-1-1BL</a>	Geçiş klemensi, 10 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	1.50	EC000897	<a href="#">669342</a>	4548583794313		50	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S16-1-1-1</a>	Geçiş klemensi, 16 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	1.98	EC000897	<a href="#">669316</a>	4548583794337	#	50	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S16-1-1-1BL</a>	Geçiş klemensi, 16 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	1.98	EC000897	<a href="#">669263</a>	4548583794344	#	50	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S25-1-1-1</a>	Geçiş klemensi, 25 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.53	EC000897	<a href="#">669329</a>	4548583794214	#	100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S25-1-1-1BL</a>	Geçiş klemensi, 25 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	0.53	EC000897	<a href="#">669291</a>	4548583794221	#	100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S35-1-1-1</a>	Geçiş klemensi, 35 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	4.26	EC000897	<a href="#">669254</a>	4548583794368		20	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S35-1-1-1BL</a>	Geçiş klemensi, 35 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	4.26	EC000897	<a href="#">669266</a>	4548583794375		20	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S40-1-1-1</a>	Geçiş klemensi, 40 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.72	EC000897	<a href="#">669265</a>	4548583794245		100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S40-1-1-1BL</a>	Geçiş klemensi, 40 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	0.72	EC000897	<a href="#">669336</a>	4548583794252		100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S60-1-1-1</a>	Geçiş klemensi, 60 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.99	EC000897	<a href="#">669323</a>	4548583794276	#	100	CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S60-1-1-1BL</a>	Geçiş klemensi, 60 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	0.99	EC000897	<a href="#">669304</a>	4548583794283	#	100	CL	CLA	DEU	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Vidalı Terminal Bloğu</b>											
<a href="#">XWSG-S4.0-2.2-1</a>	<a href="#">Topraklama klemensi, 4.0 mm<sup>2</sup>, sarı-yeşil, vidalı, 2 giriş-2 çıkış</a>	4.32	EC000901	<a href="#">669241</a>	4548583794498	100		CL	CLA	DEU	8536.9010.00
<a href="#">XWST-S2.5-1.1-2</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, siyah, koyu gri, 2 katlı</a>	2.00	EC000897	<a href="#">669226</a>	4548583794535	100		CL	CLA	CHN	8536.9010.00
<a href="#">XWST-S4.0-1.1-2</a>	<a href="#">Geçiş klemensi, 4.0 mm<sup>2</sup>, siyah, vidalı, 2 katlı</a>	2.20	EC000897	<a href="#">669211</a>	4548583794559	100		CL	CLA	DEU	8536.9010.00
<a href="#">XWST-S4.0-2.2-1</a>	<a href="#">Geçiş klemensi, 4.0 mm<sup>2</sup>, koyu gri, vidalı, 2 giriş-2 çıkış</a>	1.77	EC000897	<a href="#">669281</a>	4548583794474	100		CL	CLA	DEU	8536.9010.00
<a href="#">XWST-S4.0-2.2-1BL</a>	<a href="#">Geçiş klemensi, 4.0 mm<sup>2</sup>, mavi, vidalı, 2 giriş-2 çıkış</a>	1.77	EC000897	<a href="#">669290</a>	4548583794481	100		CL	CLA	DEU	8536.9010.00
<b>Vidalı Terminal Bloğu</b>											
<a href="#">XWST-S4.0-FU5</a>	<a href="#">Sigortalı (5x20, 5x25, 5x30), 4.0 mm<sup>2</sup>, koyu gri, vidalı</a>	4.08	EC000899	<a href="#">669283</a>	4548583794504	50		CL	CLA	DEU	8536.9010.00
<a href="#">XWST-S4.0-FU6</a>	<a href="#">Sigortalı (6.3x32), 4.0 mm<sup>2</sup>, koyu gri, vidalı</a>	5.23	EC000899	<a href="#">669249</a>	4548583794511	50		CL	CLA	DEU	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
<a href="#">XWSG-P1.5-1.1-1</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış</a>	1.53	EC000901	<a href="#">669962</a>	4548583796324	#	5	CL	CLB	CHN	8536.9010.00
<a href="#">XWSG-P1.5-1.1-2</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 2 katlı</a>	2.93	EC000901	<a href="#">670015</a>	4548583796331	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWSG-P1.5-1.2-1</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 1 giriş-2 çıkış</a>	1.84	EC000901	<a href="#">669956</a>	4548583796348	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWSG-P1.5-2.2-1</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 2 giriş-2 çıkış</a>	1.93	EC000901	<a href="#">670000</a>	4548583796355	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWSG-P2.5-1.1-1</a>	<a href="#">Topraklama klemensi, 2.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış</a>	1.68	EC000901	<a href="#">669959</a>	4548583796362	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWSG-P4.0-1.1-1</a>	<a href="#">Topraklama klemensi, 4.0 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış</a>	1.76	EC000901	<a href="#">669987</a>	4548583796379	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-1.1-1</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 giriş-1 çıkış</a>	0.63	EC000897	<a href="#">669988</a>	4548583796201	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-1.1-1BL</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, mavi, Push-in Plus, 1 giriş-1 çıkış</a>	0.63	EC000897	<a href="#">669995</a>	4548583796263	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-1.1-2</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 katlı</a>	1.37	EC000897	<a href="#">669999</a>	4548583796218	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-1.1-2BL</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 katlı</a>	1.37	EC000897	<a href="#">670003</a>	4548583796270	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-1.2-1</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 giriş-2 çıkış</a>	0.90	EC000897	<a href="#">669976</a>	4548583796225	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-2.2-1</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 giriş-2 çıkış</a>	0.97	EC000897	<a href="#">669980</a>	4548583796232	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P1.5-2.2-1BL</a>	<a href="#">Geçiş klemensi, 1.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 giriş-2 çıkış</a>	0.97	EC000897	<a href="#">670008</a>	4548583796294	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-1.1-1</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 giriş-1 çıkış</a>	0.71	EC000897	<a href="#">669950</a>	4548583796249	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-1.1-1BL</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, mavi, Push-in Plus, 1 giriş-1 çıkış</a>	0.72	EC000897	<a href="#">669968</a>	4548583796300	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P4.0-1.1-1</a>	<a href="#">Geçiş klemensi, 4.0 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 giriş-1 çıkış</a>	0.77	EC000897	<a href="#">670007</a>	4548583796256	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P4.0-1.1-1BL</a>	<a href="#">Geçiş klemensi, 4.0 mm<sup>2</sup>, mavi, Push-in Plus, 1 giriş-1 çıkış</a>	0.77	EC000897	<a href="#">669953</a>	4548583796317	#	50	CL	CLB	CHN	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
<a href="#">XWSG-P2.5-1.2-1</a>	<a href="#">Topraklama klemensi, 2.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 1 giriş-2 çıkış</a>	1.64	EC000901	<a href="#">676103</a>	4549734137881	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWSG-P2.5-2.2-1</a>	<a href="#">Topraklama klemensi, 2.5 mm<sup>2</sup>, sarı-yeşil, Push-in Plus, 2 giriş-2 çıkış</a>	1.79	EC000901	<a href="#">676104</a>	4549734137898	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-1.1-2</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 katlı</a>	2.37	EC000897	<a href="#">676108</a>	4549734137751	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-1.1-2BL</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 katlı</a>	2.37	EC000897	<a href="#">676121</a>	4549734137782	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-1.2-1</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 giriş-2 çıkış</a>	1.17	EC000897	<a href="#">676107</a>	4549734137768	50		CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-2.2-1</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 giriş-2 çıkış</a>	1.38	EC000897	<a href="#">676116</a>	4549734137775	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XWST-P2.5-2.2-1BL</a>	<a href="#">Geçiş klemensi, 2.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 giriş-2 çıkış</a>	1.38	EC000897	<a href="#">676100</a>	4549734137805	#	50	CL	CLB	CHN	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
<a href="#">XW6T-COM1.5X12BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 12 pins, blue short bar</a>	6.70	EC000897	<a href="#">687932</a>	4549734509190			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X12RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 12 pins, red short bar</a>	6.70	EC000897	<a href="#">687933</a>	4549734509183			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X12YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 12 pins, yellow short bar</a>	6.82	EC000897	<a href="#">687931</a>	4549734509206			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X16BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 16 pins, blue short bar</a>	8.91	EC000897	<a href="#">687929</a>	4549734509220			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X16RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 16 pins, red short bar</a>	8.91	EC000897	<a href="#">687930</a>	4549734509213			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X20BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 20 pins, blue short bar</a>	11.14	EC000897	<a href="#">687926</a>	4549734509251			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X20RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 20 pins, red short bar</a>	11.14	EC000897	<a href="#">687927</a>	4549734509244			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X20YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 20 pins, yellow short bar</a>	11.35	EC000897	<a href="#">687925</a>	4549734509268	7		CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X40RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 40 pins, red short bar</a>	22.26	EC000897	<a href="#">687924</a>	4549734509275			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X8BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 8 pins, blue short bar</a>	4.47	EC000897	<a href="#">687935</a>	4549734509169			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X8BD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 8 pins, red short bar</a>	4.47	EC000897	<a href="#">687922</a>	4549734509152			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X8YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 8 pins, yellow short bar</a>	4.55	EC000897	<a href="#">687934</a>	4549734509176			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X12BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 12 pins, blue short bar</a>	7.21	EC000897	<a href="#">687944</a>	4549734509343			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X12RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 12 pins, red short bar</a>	7.21	EC000897	<a href="#">687942</a>	4549734509336			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X12YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 12 pins, yellow short bar</a>	7.34	EC000897	<a href="#">687941</a>	4549734509350			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X16BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 16 pins, blue short bar</a>	9.70	EC000897	<a href="#">687939</a>	4549734509374			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X16RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 16 pins, red short bar</a>	9.70	EC000897	<a href="#">687940</a>	4549734509367			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X16YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 16 pins, yellow short bar</a>	9.88	EC000897	<a href="#">687938</a>	4549734509381			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X20BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 20 pins, blue short bar</a>	12.12	EC000897	<a href="#">687936</a>	4549734509404			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X20RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 20 pins, red short bar</a>	12.12	EC000897	<a href="#">687937</a>	4549734509398			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X40YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 40 pins, yellow short bar</a>	24.67	EC000897	<a href="#">687918</a>	4549734509442	5		CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X8BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 8 pins, blue short bar</a>	4.95	EC000897	<a href="#">687945</a>	4549734509312			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X8BD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 8 pins, red short bar</a>	4.86	EC000897	<a href="#">687946</a>	4549734509305			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X8YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 8 pins, blue short bar</a>	4.95	EC000897	<a href="#">687943</a>	4549734509329			CL	CLB	JPN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Vidalı Terminal Bloğu Aksesuar</b>											
XWSS-S2.5-10	<a href="#">Köprü aparatı, 2.5 mm² vidalı klemens ile uyumlu, 10 bacaklı, sarı</a>	3.33	EC000489	<a href="#">669284</a>	4548583794627	#	20	CL	CLC	DEU	8536.9010.00
XWSS-S2.5-10N	<a href="#">Üst köprü aparatı, 2.5 mm² vidalı klemens ile uyumlu, 10 vidalı, sarı</a>	4.91	EC000489	<a href="#">669312</a>	4548583794788		10	CL	CLC	DEU	8536.9010.00
XWSS-S2.5-2	<a href="#">Köprü aparatı, 2.5 mm² vidalı klemens ile uyumlu, 2 bacaklı, sarı</a>	0.42	EC000489	<a href="#">669280</a>	4548583794580		10	CL	CLC	DEU	8536.9010.00
XWSS-S2.5-3	<a href="#">Köprü aparatı, 2.5 mm² vidalı klemens ile uyumlu, 3 bacaklı, sarı</a>	0.75	EC000489	<a href="#">669256</a>	4548583794597		10	CL	CLC	DEU	8536.9010.00
XWSS-S2.5-5	<a href="#">Köprü aparatı, 2.5 mm² vidalı klemens ile uyumlu, 5 bacaklı, sarı</a>	1.50	EC000489	<a href="#">669262</a>	4548583794610		10	CL	CLC	DEU	8536.9010.00
XWSS-S4.0-10	<a href="#">Köprü aparatı, 4.0 mm² vidalı klemens ile uyumlu, 10 bacaklı, sarı</a>	3.51	EC000489	<a href="#">669255</a>	4548583794672		20	CL	CLC	DEU	8536.9010.00
XWSS-S4.0-2	<a href="#">Köprü aparatı, 4.0 mm² vidalı klemens ile uyumlu, 2 bacaklı, sarı</a>	0.44	EC000489	<a href="#">669301</a>	4548583794634		10	CL	CLC	DEU	8536.9010.00
XWSS-S4.0-5	<a href="#">Köprü aparatı, 4.0 mm² vidalı klemens ile uyumlu, 5 bacaklı, sarı</a>	1.58	EC000489	<a href="#">669303</a>	4548583794665		10	CL	CLC	DEU	8536.9010.00
XWSS-S6.0-2	<a href="#">Köprü aparatı, 6.0 mm² vidalı klemens ile uyumlu, 2 bacaklı, sarı</a>	0.81	EC000489	<a href="#">669328</a>	4548583794689		10	CL	CLC	DEU	8536.9010.00
XWSZ-S2.5PT	<a href="#">Avırıcı, 2.5 mm², 4.0 mm², 6.0 mm² ve 10 mm², vidalı klemens ile uyumlu</a>	0.49	EC000886	<a href="#">669300</a>	4548583794856		10	CL	CLC	DEU	8536.9010.00
<b>Vidalı Terminal Bloğu Aksesuar</b>											
XWSE-S16	<a href="#">Kapak, 1.6 mm², 1 giriş-1 çıkış, vidalı klemens ile uyumlu</a>	0.67	EC000886	<a href="#">669282</a>	4548583794801		10	CL	CLC	DEU	8536.9010.00
XWSE-S2.3	<a href="#">Kapak, 2.5 mm², 4.0 mm², 6.0 mm² ve 10 mm², 1 giriş-1 çıkış, vidalı klemens ile uyumlu</a>	0.38	EC000886	<a href="#">669267</a>	4548583794795	#	10	CL	CLC	DEU	8536.9010.00
XWSE-S2.5N	<a href="#">Kapak, 2.5 mm², 2 katlı, vidalı klemens ile uyumlu</a>	0.67	EC000886	<a href="#">669317</a>	4548583794849		10	CL	CLC	DEU	8536.9010.00
XWSE-S4.0-1.1-2	<a href="#">Kapak, 4.0 mm², 2 katlı, vidalı klemens ile uyumlu</a>	0.53	EC000886	<a href="#">669270</a>	4548583794832		10	CL	CLC	DEU	8536.9010.00
XWSE-S4.0-1.2-1	<a href="#">Kapak, 4.0 mm², 1 giriş-2 çıkış, vidalı klemens ile uyumlu</a>	0.49	EC000886	<a href="#">669250</a>	4548583794818		10	CL	CLC	DEU	8536.9010.00
XWSE-S4.0-2.2-1	<a href="#">Kapak, 4.0 mm², 2 giriş-2 çıkış, vidalı klemens ile uyumlu</a>	0.53	EC000886	<a href="#">669339</a>	4548583794825		10	CL	CLC	DEU	8536.9010.00
<b>Yaylı Terminal Bloğu Aksesuarı</b>											
XWSS-P1.5-10BL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi</a>	3.86	EC000489	<a href="#">670046</a>	4548583796577	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-10RD	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı</a>	3.86	EC000489	<a href="#">670043</a>	4548583796423	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-10YL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı</a>	3.86	EC000489	<a href="#">670049</a>	4548583796720		20	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-2BL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi</a>	0.70	EC000489	<a href="#">669972</a>	4548583796539		5	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-2RD	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı</a>	0.70	EC000489	<a href="#">669954</a>	4548583796386		50	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-2YL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı</a>	0.70	EC000489	<a href="#">669996</a>	4548583796683		5	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-3BL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 3 bacaklı, mavi</a>	0.88	EC000489	<a href="#">669981</a>	4548583796546		5	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-3RD	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı</a>	0.88	EC000489	<a href="#">669966</a>	4548583796393		3	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-3YL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 3 bacaklı, sarı</a>	0.88	EC000489	<a href="#">669971</a>	4548583796690		50	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-4BL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 4 bacaklı, mavi</a>	1.08	EC000489	<a href="#">669974</a>	4548583796553		50	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-4RD	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı</a>	1.08	EC000489	<a href="#">669998</a>	4548583796409		50	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-4YL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 4 bacaklı, sarı</a>	1.08	EC000489	<a href="#">669986</a>	4548583796706		50	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-5BL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi</a>	1.62	EC000489	<a href="#">669989</a>	4548583796560		5	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-5RD	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı</a>	1.62	EC000489	<a href="#">669991</a>	4548583796416		50	CL	CLD	CHN	8536.9010.00
XWSS-P1.5-5YL	<a href="#">Köprü aparatı, 1.5 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, sarı</a>	1.62	EC000489	<a href="#">669964</a>	4548583796713		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-10BL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi</a>	3.86	EC000489	<a href="#">670047</a>	4548583796621	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-10RD	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı</a>	3.86	EC000489	<a href="#">670044</a>	4548583796478	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-10YL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı</a>	3.86	EC000489	<a href="#">670050</a>	4548583796775		20	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-2BL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi</a>	0.79	EC000489	<a href="#">670006</a>	4548583796584		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-2RD	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı</a>	0.79	EC000489	<a href="#">670009</a>	4548583796430		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-2YL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı</a>	0.79	EC000489	<a href="#">669952</a>	4548583796737		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-3BL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 3 bacaklı, mavi</a>	1.04	EC000489	<a href="#">669983</a>	4548583796591		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-3RD	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı</a>	1.04	EC000489	<a href="#">669979</a>	4548583796447		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-4BL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 4 bacaklı, mavi</a>	1.23	EC000489	<a href="#">670014</a>	4548583796607		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-4RD	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı</a>	1.23	EC000489	<a href="#">670001</a>	4548583796454		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-5BL	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi</a>	1.44	EC000489	<a href="#">670012</a>	4548583796614		50	CL	CLD	CHN	8536.9010.00
XWSS-P2.5-5RD	<a href="#">Köprü aparatı, 2.5 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı</a>	1.44	EC000489	<a href="#">669963</a>	4548583796461		50	CL	CLD	CHN	8536.9010.00
XWSS-P4.0-10BL	<a href="#">Köprü aparatı, 4.0 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi</a>	4.00	EC000489	<a href="#">670048</a>	4548583796676	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P4.0-10RD	<a href="#">Köprü aparatı, 4.0 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı</a>	4.00	EC000489	<a href="#">670045</a>	4548583796522		20	CL	CLD	CHN	8536.9010.00
XWSS-P4.0-10YL	<a href="#">Köprü aparatı, 4.0 mm² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı</a>	4.00	EC000489	<a href="#">670051</a>	4548583796829		20	CL	CLD	CHN	8536.9010.00
XWSS-P4.0-2BL	<a href="#">Köprü aparatı, 4.0 mm² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi</a>	0.93	EC000489	<a href="#">670004</a>	4548583796638		50	CL	CLD	CHN	8536.9010.00
XWSS-P4.0-5BL	<a href="#">Köprü aparatı, 4.0 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi</a>	1.87	EC000489	<a href="#">669997</a>	4548583796669		50	CL	CLD	CHN	8536.9010.00
XWSS-P4.0-5RD	<a href="#">Köprü aparatı, 4.0 mm² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı</a>	1.87	EC000489	<a href="#">669985</a>	4548583796515			CL	CLD	CHN	8536.9010.00
<b>Yaylı Terminal Bloğu Aksesuarı</b>											
XWSE-P1.5-1.1-1	<a href="#">Kapak, 1.5 mm², 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu</a>	0.30	EC000886	<a href="#">669955</a>	4548583796836	#	50	CL	CLD	CHN	8536.9010.00
XWSE-P1.5-1.1-2	<a href="#">Kapak, 1.5 mm², iki katlı, Push-in Plus klemens ile uyumlu</a>	0.31	EC000886	<a href="#">669973</a>	4548583796843	#	50	CL	CLD	CHN	8536.9010.00
XWSE-P1.5-1.2-1	<a href="#">Kapak, 1.5 mm², 1 giriş-2 çıkış, Push-in Plus klemens ile uyumlu</a>	0.30	EC000886	<a href="#">670011</a>	4548583796850		3	CL	CLD	CHN	8536.9010.00
XWSE-P1.5-2.2-1	<a href="#">Kapak, 1.5 mm², 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu</a>	0.30	EC000886	<a href="#">669967</a>	4548583796867		50	CL	CLD	CHN	8536.9010.00
XWSE-P2.5-1.1-1	<a href="#">Kapak, 2.5 mm², 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu</a>	0.31	EC000886	<a href="#">669949</a>	4548583796874	#	50	CL	CLD	CHN	8536.9010.00
XWSE-P2.5-1.1-2	<a href="#">Kapak, 2.5 mm², iki katlı, Push-in Plus klemens ile uyumlu</a>	0.58	EC000886	<a href="#">676114</a>	4549734137935	#	50	CL	CLD	CHN	8536.9010.00
XWSE-P2.5-2.2-1	<a href="#">Kapak, 2.5 mm², 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu</a>	0.59	EC000886	<a href="#">676112</a>	4549734137959	#	50	CL	CLD	CHN	8536.9010.00
XWSE-P4.0-1.1-1	<a href="#">Kapak, 4.0 mm², 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu</a>	0.31	EC000886	<a href="#">669960</a>	4548583796881	#	50	CL	CLD	CHN	8536.9010.00
XWSZ-EP12	<a href="#">Durdurucu, 6 mm</a>	3.77	EC000886	<a href="#">669994</a>	4548583796898		3	CL	CLD	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XW5Z-EP6</a>	<a href="#">Durdurucu, 12 mm</a>	0.58	EC000886	<a href="#">670013</a>	4548583796904	#	50	CL	CLD	CHN	8536.9010.00
<b>Sayıcı H7EC/R/T</b>											
<a href="#">H7EC-N</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 8 hane, 30cps/1kcp, qerilmsiz qiris, gri kasa</a>	83.90	EC002300	<a href="#">672687</a>	4548583755635	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-N-B</a>	<a href="#">Toplam sayac, 1 / 32DIN (48 x 24 mm), kendi kendine çalsan, LCD, 8 basamaklı, 30cps / 1kcp, no-V qiris, sivah kutu</a>	83.90	EC002300	<a href="#">672677</a>	4548583755642	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NFV</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 8 hane, 20cps, VAC/DC qiris, gri kasa</a>	122.00	EC002300	<a href="#">672659</a>	4548583755697		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NFV-B</a>	<a href="#">Toplam sayac, 1 / 32DIN (48 x 24 mm), kendinden güc, LCD, 8 basamaklı, 20cps, VAC / DC qiris, sivah kutu</a>	137.40	EC002300	<a href="#">672683</a>	4548583755703		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 8 hane, 30cps/1kcp, VDC qiris, gri kasa</a>	86.80	EC002300	<a href="#">672660</a>	4548583755659	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV-B</a>	<a href="#">Toplam sayıcı, 1 / 32DIN (48 x 24 mm), kendi kendine çalsan, LCD, 8 basamaklı, 30cps / 1kcp, VDC qiris, sivah kutu</a>	88.30	EC002300	<a href="#">672691</a>	4548583755666		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV-BH</a>	<a href="#">Toplam sayac, 1 / 32DIN (48 x 24 mm), kendinden güc, arka aydınlatmalı LCD, 8 basamaklı, 30cps / 1kcp, VDC qiris, sivah kutu</a>	93.00	EC002300	<a href="#">672661</a>	4548583755680		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV-H</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, arka ışıklı LCD, 8 hane, 30cps/1kcp, VDC qiris, gri kasa</a>	93.45	EC002300	<a href="#">672690</a>	4548583755673	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ER-N</a>	<a href="#">Takometre, DIN 48x24 mm, dahilli pilli, LCD, 4 hane, 1/60 ppr, qerilmsiz qiris, gri kasa</a>	91.05	EC002294	<a href="#">672673</a>	4548583755734		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ER-NV</a>	<a href="#">Takometre, DIN 48x24 mm, dahilli pilli, LCD, 4 hane, 1/60 ppr, VDC qiris, gri kasa</a>	99.70	EC002294	<a href="#">672680</a>	4548583755758		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ER-NV1</a>	<a href="#">Takometre, DIN 48x24 mm, dahilli pilli, LCD, 5 hane, 1/60 ppr, VDC qiris, gri kasa</a>	99.70	EC002294	<a href="#">672678</a>	4548583755796		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ER-NV-H</a>	<a href="#">Takometre, 1/32DIN (48 x 24mm), dahilli pilli, arka ışıklı LCD, 4 hane, 1/60 ppr, VDC qiris, gri kasa</a>	108.50	EC002294	<a href="#">672669</a>	4548583755772		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, qerilmsiz qiris, gri kasa</a>	86.50	EC001641	<a href="#">672656</a>	4548583755833	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N1</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, qerilmsiz qiris, gri kasa</a>	101.70	EC001641	<a href="#">672657</a>	4548583755857		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N1-B</a>	<a href="#">Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-dijit, 999h59m59s / 9999h59.9m, no-V input, black case</a>	89.90	EC001641	<a href="#">672662</a>	4548583755864	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N-B</a>	<a href="#">Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güc, LCD, 7 haneli, 999999.9h / 3999d23.9h, no-V qiris, sivah kutu</a>	89.90	EC001641	<a href="#">672672</a>	4548583755840		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VAC/DC qiris, gri kasa</a>	133.80	EC001641	<a href="#">672681</a>	4548583755956		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV1</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VAC/DC qiris, gri kasa</a>	131.20	EC001641	<a href="#">672674</a>	4548583755970		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV-B</a>	<a href="#">Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güc, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VAC / DC qiris, sivah kutu</a>	125.50	EC001641	<a href="#">672663</a>	4548583755963		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV1</a>	<a href="#">Zaman Sayıcı, 1/32DIN (48 x 24mm), dahilli pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VDC qiris, gri kasa</a>	89.55	EC001641	<a href="#">672665</a>	4548583755871		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV1-BH</a>	<a href="#">Zaman Sayıcı, 1/32DIN (48 x 24mm), dahilli pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VDC qiris, gri kasa</a>	108.70	EC001641	<a href="#">672658</a>	4548583755918		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV1-BH</a>	<a href="#">Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güc, arka ışıklı LCD, 7 basamaklı, 999h59m59s / 9999h59.9m, VDC qiris, sivah kutu</a>	131.20	EC001641	<a href="#">672670</a>	4548583755949		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV-B</a>	<a href="#">Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güc, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VDC qiris, sivah kutu</a>	94.05	EC001641	<a href="#">672692</a>	4548583755888		10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV-H</a>	<a href="#">Zaman Sayıcı, 1/32DIN (48 x 24mm), dahilli pilli, arka ışıklı LCD, 7 hane, 999999.9h / 3999d23.9h, VDC qiris, gri kasa</a>	95.30	EC001641	<a href="#">672664</a>	4548583755895	#	10	DA	DAA	IDN	9029.1000.90
<b>Sayıcı H8PS</b>											
<a href="#">H8PS-16BFP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)</a>	1,059.00	EC002301	<a href="#">169011</a>	4547648042628			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-16BP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)</a>	1,055.00	EC002301	<a href="#">169010</a>	4547648042611			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-32BFP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)</a>	1,447.00	EC002301	<a href="#">169015</a>	4547648042703			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-32BP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)</a>	1,447.00	EC002301	<a href="#">169014</a>	4547648042697			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-8B</a>	<a href="#">Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x NPN outputs (requires E6CP/E6F encoder)</a>	614.00	EC002301	<a href="#">142010</a>	4536853532451			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-8BFP</a>	<a href="#">Rotary positioner, DIN 96x96 mm, track/surface mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)</a>	630.50	EC002301	<a href="#">119516</a>	4536853532482			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-8BP</a>	<a href="#">Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)</a>	619.00	EC002301	<a href="#">119515</a>	4536853532475			DA	DAB	JPN	9029.1000.90
<b>Sayıcı H7GP/HP</b>											
<a href="#">H7GP-C</a>	<a href="#">Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcp, NPN/PNP input, manual reset</a>	199.40	EC002300	<a href="#">243926</a>	4547648353571			DA	DAC	CHN	9029.1000.90
<a href="#">H7GP-CD</a>	<a href="#">Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcp, NPN/PNP input, manual reset</a>	180.70	EC002300	<a href="#">243927</a>	4547648353588			DA	DAC	CHN	9029.1000.90
<a href="#">H7GP-TD</a>	<a href="#">Time counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcp, NPN/PNP input, manual reset</a>	181.20	EC001641	<a href="#">243929</a>	4547648353601			DA	DAC	CHN	9029.1000.90
<b>Sayıcı H7GP/HP</b>											
<a href="#">H7HP-A</a>	<a href="#">Total/time counter, DIN 72x36mm, 100-240 VAC, LCD, 6-dijit, 30cps or 5kcp, NPN/PNP input, manual reset</a>	231.80	EC002300	<a href="#">243933</a>	4547648353885			DA	DAC	CHN	9029.1000.90
<a href="#">H7HP-AD</a>	<a href="#">Total/time counter, DIN 72x36mm, 12-24 VDC, LCD, 6-dijit, 30cps or 5kcp, NPN/PNP input, manual reset</a>	211.40	EC002300	<a href="#">243934</a>	4547648353892			DA	DAC	CHN	9029.1000.90
<a href="#">H7HP-C8D</a>	<a href="#">Total counter, DIN 72x36mm, 12-24 VDC, LCD, 8-dijit, 30cps or 5kcp, NPN/PNP input, manual reset</a>	253.60	EC002300	<a href="#">243936</a>	4547648353915			DA	DAC	CHN	9029.1000.90
<b>Sayıcı H7CX</b>											
<a href="#">H7CC-A</a>	<a href="#">Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700355</a>	4549734670043			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700351</a>	4549734670005			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11D</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700353</a>	4549734670029			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11S</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700352</a>	4549734670012			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11SD</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700354</a>	4549734670036			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A8</a>	<a href="#">Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply</a>	293.50	EC002300	<a href="#">700369</a>	4549734670180			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A8D</a>	<a href="#">Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	293.50	EC002300	<a href="#">700370</a>	4549734670197			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-AD</a>	<a href="#">Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700357</a>	4549734670067			DA	DAE	CHN	9029.1000.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	287.20	EC002300	700356	4549734670050			DA	DAE	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	287.20	EC002300	700358	4549734670074			DA	DAE	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700363	4549734670128			DA	DAE	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700364	4549734670135			DA	DAE	CHN	9029.1000.90
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700359	4549734670081			DA	DAE	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700361	4549734670104			DA	DAE	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700360	4549734670098			DA	DAE	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700362	4549734670111			DA	DAE	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002294	700365	4549734670142			DA	DAE	CHN	9029.1000.90
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002294	700366	4549734670159			DA	DAE	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002294	700367	4549734670166			DA	DAE	CHN	9029.1000.90
H7CC-R11WD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002294	700368	4549734670173			DA	DAE	CHN	9029.1000.90
H7CX-A114D1-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3A relay output, 12-24VDC/24VAC supply, 12VDC aux supply	367.40	EC002300	668600	4548583745353			DA	DAE	IDN	8536.4900.99
H7CX-A114-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply	316.00	EC002300	668637	4548583745339			DA	DAE	IDN	8536.4900.99
H7CX-A11D1-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, 12 VDC aux. supply	316.00	EC002300	668595	4548583745315			DA	DAE	IDN	8536.4900.99
H7CX-A11-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	312.00	EC002300	668611	4548583745292			DA	DAE	IDN	8536.4900.99
H7CX-A4D-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	265.00	EC002300	668621	4548583745421	#		DA	DAE	IDN	9029.1000.90
H7CX-A4-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	367.90	EC002300	668623	4548583745407			DA	DAE	IDN	9029.1000.90
H7CX-A4SD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, includes colour change display function	250.90	EC002300	668601	4548583745438			DA	DAE	IDN	9029.1000.90
H7CX-A4W-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 2-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	451.50	EC002300	668590	4548583745490			DA	DAE	IDN	9029.1000.90
H7CX-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, two transistor outputs, 12-24 VDC/24 VAC supply, includes colour change display function	284.70	EC002300	668630	4548583745506			DA	DAE	IDN	9029.1000.90
H7CX-AD-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage & Toplam, SPST-NO 3 A röle çıkış, 12-24 VDC/24 VAC supply	308.50	EC002300	668628	4548583745384	#		DA	DAE	IDN	9029.1000.90
H7CX-A-N	Sayıcı, soketli, vida terminali, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage & Toplam, SPST-NO 3 A röle çıkış, 100-240 VAC, 12 VDC alarm çıkışı	308.00	EC002300	668633	4548583745360			DA	DAE	IDN	9029.1000.90
H7CX-AUD1-N	Sayıcı, DIN 48x48 mm, IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, SPST-NO 3 A röle & 100 mA, 30 VDC NPN, transistör çıkışı, 12-24 VDC/24 VAC, 12 VDC alarm çıkışı	324.20	EC002300	311858	4547648642712	#		DA	DAE	CHN	9029.1000.90
H7CX-AU-N	Sayıcı, DIN 48x48 mm, IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, SPST-NO 3 A röle & 100 mA, 30 VDC NPN, transistör çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	323.90	EC002300	311857	4547648642705	#		DA	DAE	CHN	9029.1000.90
H7CX-AUSD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, 2x 100mA 30VDC NPN transistor outputs, 12-24VDC/24VAC supply, 12 VDC aux supply, includes color change display function	381.00	EC002300	311859	4547648642729			DA	DAE	CHN	9029.1000.90
H7CX-AWD1-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/ dual/takometre, 2 röle çıkışı, 12-24 VDC/24 VAC, 12 VDC alarm çıkışı	332.20	EC002300	668634	4548583745469			DA	DAE	IDN	9029.1000.90
H7CX-AW-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/ dual/takometre, 2 röle çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	332.20	EC002300	668588	4548583745445			DA	DAE	IDN	9029.1000.90
H7CX-AWS-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, two transistor outputs, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	407.30	EC002300	668643	4548583745452			DA	DAE	IDN	9029.1000.90
<b>Diğer Sayıcılar</b>											
H7AN-4DM 100-240VAC	Preset 4 digit counter, DIN72x72mm, battery back-up	739.00	EC002300	243906	4547648355223			DA	DAX	CHN	9029.1000.90
<b>Diğer Sayıcılar</b>											
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	639.00	EC002300	241306	4547648453615			DA	DAX	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	639.00	EC002300	241308	4547648453639			DA	DAX	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	684.00	EC002300	241307	4547648453622			DA	DAX	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	684.00	EC002300	241309	4547648453646			DA	DAX	CHN	9029.1000.90
<b>Sayıçılar için Aksesuarlar</b>											
Y92A-96B	Protective cover for DIN96x96mm device, hard plastic	14.30	EC002586	142011	4536853532512		4	DA	DAZ	JPN	8536.4900.99
Y92F-35	Flush panel mounting adapter for H7E	6.06	EC002295	107355	4536854819872		10	DA	DAZ	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3x26mm	4.86	EC002295	154955	4536853531324		10	DA	DAZ	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Y92F-76	Flush mounting adapter for H7E panel cut-out 52.5x27.5mm	5.73	EC002295	119559	4536853531331			DA	DAZ	JPN	8536.4900.99
Y92F-77B	Flush panel mounting adapter for H7E	4.12	EC002295	119562	4536854478239			DA	DAZ	JPN	8536.4900.99
Y92F-91	DIN rail mounting base for H8PS rotary positioner	33.02	EC002295	156248	4536853532529			DA	DAZ	JPN	8544.4999.00
Y92S-36	Battery for H7E-N	14.78	EC002295	119560	4536854478277			DA	DAZ	JPN	8536.4900.99
Y92S-41-200	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for 32 output)	97.35	EC002295	169267	4547648043861			DA	DAZ	JPN	8544.4999.00
<b>İzleme Ürünü 61F</b>											
61F-GP-N 110VAC	Floatless level controller	98.45	EC001447	159892	4536854333163			DB	DBA	JPN	9032.1080.90
61F-GP-N 230VAC	Floatless level controller	85.85	EC001447	159981	4536854336119			DB	DBA	JPN	9032.1080.90
61F-GP-N 240VAC	Floatless level controller, 240 VAC	109.10	EC001447	159975	4536854335891			DB	DBA	JPN	9032.1080.90
61F-GP-N2 110VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC	94.35	EC001447	159968	4536854335792			DB	DBA	JPN	9032.1080.90
61F-GP-N2 220VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 220 VAC	97.20	EC001447	159970	4536854335815		10	DB	DBA	JPN	9032.1080.90
61F-GP-N2 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, (PF083A-E soket gereklidir)	97.20	EC001447	159971	4536854335822	#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N2 24VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC	92.80	EC001447	159922	4536854335846		10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 110VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC, 8-pin	94.05	EC001447	159911	4536854333828		10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, (PF083A-E soket gereklidir), 8 pinli	91.50	EC001447	159913	4536854333866	#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 24VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC, 8-pin	93.25	EC001447	159915	4536854333880		10	DB	DBA	JPN	9032.1080.90
61F-GP-NR8 220VAC	Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	91.50	EC001447	151827	4536854333941			DB	DBA	JPN	9032.1080.90
61F-GP-NR8 240VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 220 VAC	75.75	EC001447	159921	4536854334016			DB	DBA	JPN	9032.1080.90
61F-GP-NR8Y 220VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, hassas algılama, (PF083A-E soket gereklidir), 8 pinli	110.00	EC001447	105293	4536854334023			DB	DBA	JPN	9032.1080.90
61F-GP-NR8Y 24VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 24 VAC	105.00	EC001447	157405	4536854334047			DB	DBA	JPN	9032.1080.90
61F-GP-NRHY 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, reverse-acting, relay, LED indicator (requires PF083A-E socket)	106.50	EC001447	159923	4536854334085		10	DB	DBA	JPN	9032.1080.90
61F-GPN-RC 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, relay output, LED indicator (requires PF113A-E socket), 24VDC	188.20	EC001447	143687	4536854845468			DB	DBA	JPN	9032.1080.90
61F-GPN-RT 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, transistor output, LED indicator (requires PF113A-E socket), 24VDC	182.00	EC001447	159956	4536854728013		10	DB	DBA	JPN	9032.1080.90
61F-LS-CP08-ABA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 100-240 VAC	91.80	EC001447	707589	4549734726214			DB	DBA	JPN	9032.1080.90
61F-LS-CP08-ARB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 24 VAC	91.80	EC001447	707590	4549734726207			DB	DBA	JPN	9032.1080.90
61F-LS-CP08-NBA	Floatless level switch, plug-in, standard type, 8 pins, relay output, 100-240 VAC	81.00	EC001447	707600	4549734697125			DB	DBA	JPN	9032.1080.90
61F-LS-CP08-SBA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 100-240 VAC	91.80	EC001447	707598	4549734697149			DB	DBA	JPN	9032.1080.90
61F-LS-CP08-SRB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 24 VAC	91.80	EC001447	707597	4549734697156			DB	DBA	JPN	9032.1080.90
61F-LS-CP11-ABA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 11 pins, relay output, 100-240 VAC	113.40	EC001447	707591	4549734726191			DB	DBA	JPN	9032.1080.90
61F-LS-CP11-BBC	Floatless level switch, plug-in, DC power supply type, 11 pins, relay output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	149.10	EC001447	707595	4549734697170			DB	DBA	JPN	9032.1080.90
61F-LS-CP11-BTC	Floatless level switch, plug-in, DC power supply type, 11 pins, transistor output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	149.10	EC001447	707596	4549734697163			DB	DBA	JPN	9032.1080.90
61F-LS-CP11-NE	Floatless level switch, plug-in, adjustable sensitivity, one level, 100-240 VAC	135.00	EC001447	707592	4549734697255			DB	DBA	JPN	9032.1080.90
61F-LS-CP11-NBA	Floatless level switch, plug-in, standard type, 11 pins, relay output, 100-240 VAC	102.60	EC001447	707601	4549734697118		10	DB	DBA	JPN	9032.1080.90
61F-LS-CP11-SBA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 11 pins, relay output, 100-240 VAC	113.40	EC001447	707599	4549734697132			DB	DBA	JPN	9032.1080.90
61F-WL-CP08-NBA	Water Leak Detector, plug-in, 8 pins, relay output, 100-240 VAC	102.60	EC001447	707593	4549734697194			DB	DBA	JPN	9032.1080.90
61F-WL-CP11-NBA	Water Leak Detector, plug-in, 11 pins, relay output, 100-240 VAC	113.40	EC001447	707594	4549734697187			DB	DBA	JPN	9032.1080.90
<b>İzleme Ürünü K7L</b>											
K7L-AT50	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, bey kasa	288.20	EC001447	117007	4536854465079			DB	DBB	JPN	9031.9000.00
K7L-AT50B	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, siyah kasa	320.60	EC001447	669530	4548583792883			DB	DBB	JPN	9031.9000.00
K7L-AT50D	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, sensör arıza tespiti, bey kasa	348.00	EC001447	163294	4536854616099			DB	DBB	JPN	9031.9000.00
K7L-UD	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 1 MOhm, uzak mesafelerde kablolama, sensör arıza tespiti, bey kasa	427.70	EC001447	231847	4547648292610			DB	DBB	JPN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
K8AK-AS1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC	39.37	EC001440	378158	4548583402225			DB	DBK	CHN	9031.9000.00
K8AK-AS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC	41.09	EC001440	378159	4548583402232			DB	DBK	CHN	9031.9000.00
K8AK-AS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 100-240 VAC	42.79	EC001440	378160	4548583402249			DB	DBK	CHN	9031.9000.00
K8AK-AS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 24VAC/DC	44.49	EC001440	378161	4548583402256			DB	DBK	CHN	9031.9000.00
K8AK-AS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC	47.22	EC001440	378162	4548583402263			DB	DBK	CHN	9031.9000.00
K8AK-AS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC	47.22	EC001440	378163	4548583402270			DB	DBK	CHN	9031.9000.00
K8AK-AW1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 2 SPDT, 100-240 VAC	34.21	EC001440	378164	4548583402287			DB	DBK	CHN	9031.9000.00
K8AK-AW1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 2 SPDT, 24VAC/DC	34.21	EC001440	378165	4548583402294			DB	DBK	CHN	9031.9000.00
K8AK-AW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 2 SPDT, 100-240 VAC	35.96	EC001440	378166	4548583402300			DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
K8AK-VS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC	34.21	EC001438	378170	4548583402348			DB	DBK	CHN	9031.9000.00
K8AK-VS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC	34.21	EC001438	378171	4548583402355			DB	DBK	CHN	9031.9000.00
K8AK-VS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC	35.96	EC001438	378172	4548583402362			DB	DBK	CHN	9031.9000.00
K8AK-VS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC	35.96	EC001438	378173	4548583402379			DB	DBK	CHN	9031.9000.00
K8AK-VW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 100-240 VAC	34.33	EC001438	378174	4548583402386			DB	DBK	CHN	9031.9000.00
K8AK-VW2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 24VAC/DC	34.21	EC001438	378175	4548583402393			DB	DBK	CHN	9031.9000.00
K8AK-VW3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 100-240 VAC	35.96	EC001438	378176	4548583402409	#		DB	DBK	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>İzleme Ürünü K8AK</b>											
K8AK-PA1	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 1 SPDT	31.83	EC001441	378179	4548583402430	#		DB	DBK	CHN	9031.9000.00
K8AK-PA2	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 1 SPDT	32.56	EC001441	378180	4548583402447	#		DB	DBK	CHN	9031.9000.00
K8AK-PH1	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 DPDT	26.36	EC001441	378178	4548583402423	#		DB	DBK	CHN	9031.9000.00
K8AK-PM1	İzleme rölesi 22.5mm genişlik, 3 faz, aşın ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 115 - 240V AC, 2 SPDT	36.97	EC001441	378181	4548583402454	#		DB	DBK	CHN	9031.9000.00
K8AK-PM2	İzleme rölesi 22.5mm genişlik, 3 faz, aşın ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 220 - 480V AC, 2 SPDT	42.61	EC001441	378182	4548583402461	#		DB	DBK	CHN	9031.9000.00
K8AK-PW1	İzleme rölesi 22.5mm genişlik, 3 faz, aşın ve düşük gerilim, 115 - 240 VAC, 2 SPDT	28.83	EC001441	378183	4548583402478	#		DB	DBK	CHN	9031.9000.00
K8AK-PW2	İzleme rölesi 22.5mm genişlik, 3 faz, aşın ve düşük gerilim, 220 - 480 V AC, 2 SPDT	42.17	EC001441	378184	4548583402485	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
K8AK-L1S1 100-240VAC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC	27.51	EC001447	378185	4548583402492	#		DB	DBK	CHN	9031.9000.00
K8AK-L1S1 24VAC/DC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC	28.04	EC001447	378186	4548583402508	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
K8AK-PT1 100-240VAC	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	39.93	EC001446	387480	4548583506657	#		DB	DBK	CHN	9031.9000.00
K8AK-TH11S 100-240VAC	İzleme rölesi 22.5mm genişlik, aşın ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC	62.30	EC001446	378187	4548583402515	#		DB	DBK	CHN	9031.9000.00
K8AK-TH11S 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşın ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC	62.30	EC001446	378188	4548583402522	#		DB	DBK	CHN	9031.9000.00
K8AK-TH12S 100-240VAC	İzleme rölesi 22.5mm genişlik, aşın ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC	62.30	EC001446	378189	4548583402539	#		DB	DBK	CHN	9031.9000.00
K8AK-TH12S 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşın ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC	62.30	EC001446	378190	4548583402546	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 100-240VAC	İzleme rölesi 22.5mm genişlik, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	24.46	EC001446	387478	4548583506633	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, 3 faz, motor sıcaklık koruması, termistör girişi, 24 VAC/DC, 1 SPDT	24.41	EC001446	387479	4548583506640	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8DS</b>											
K8DS-PA2	İzleme rölesi 17.5mm genişlik, 3 faz, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	26.97	EC001441	387486	4548583481589	#		DB	DBS	CHN	9031.9000.00
K8DS-PH1	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT	23.95	EC001441	378191	4548583402553	#		DB	DBS	CHN	9031.9000.00
K8DS-PM2	İzleme rölesi 17.5mm genişlik, 3 faz, aşın ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT	32.59	EC001441	387484	4548583481565	#		DB	DBS	CHN	9031.9000.00
K8DS-PU1	İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT	26.94	EC001441	387481	4548583481534	#		DB	DBS	CHN	9031.9000.00
K8DS-PU2	İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	32.59	EC001441	387482	4548583481541	#		DB	DBS	CHN	9031.9000.00
K8DS-PZ2	İzleme rölesi 17.5mm genişlik, 3 faz, aşın ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	44.73	EC001441	387488	4548583508286	#		DB	DBS	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
K8DT-AS1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	46.57	EC001440	669469	4548583773455	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	46.57	EC001440	669484	4548583773516	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	46.57	EC001440	669473	4548583773486	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	46.57	EC001440	669518	4548583773547	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	48.23	EC001440	669480	4548583773462	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	48.23	EC001440	669498	4548583773523	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	48.23	EC001440	669522	4548583773493	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	48.23	EC001440	669494	4548583773554	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669458	4548583773479	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669453	4548583773530	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669489	4548583773509	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669517	4548583773561	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669460	4548583773578	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669501	4548583773639	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669525	4548583773608	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669520	4548583773660	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	51.55	EC001440	669493	4548583773585	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	51.55	EC001440	669515	4548583773646	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	51.55	EC001440	669513	4548583773615	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	51.55	EC001440	669516	4548583773677	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	53.20	EC001440	669495	4548583773592	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	53.20	EC001440	669514	4548583773653	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	53.20	EC001440	669482	4548583773622	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	53.20	EC001440	669483	4548583773684	#		DB	DBT	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
K8DT-YS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	44.87	EC001438	669478	4548583773691	#		DB	DBT	CHN	9031.9000.00
K8DT-YS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	44.87	EC001438	669470	4548583773738	#		DB	DBT	CHN	9031.9000.00
K8DT-YS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	44.87	EC001438	669488	4548583773714	#		DB	DBT	CHN	9031.9000.00
K8DT-YS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	44.87	EC001438	669512	4548583773752	#		DB	DBT	CHN	9031.9000.00
K8DT-YS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	46.57	EC001438	669457	4548583773707	#		DB	DBT	CHN	9031.9000.00
K8DT-YS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	46.57	EC001438	669504	4548583773745	#		DB	DBT	CHN	9031.9000.00
K8DT-YS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	46.57	EC001438	669463	4548583773721	#		DB	DBT	CHN	9031.9000.00
K8DT-YS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşın ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	46.57	EC001438	669490	4548583773769	#		DB	DBT	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">K8DT-VW2CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669474</a>	4548583773776			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW2CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669507</a>	4548583773813			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW2TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669454</a>	4548583773790			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW2TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669499</a>	4548583773837			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669452</a>	4548583773783			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669449</a>	4548583773820			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669524</a>	4548583773806			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669456</a>	4548583773844			DB	DBT	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
<a href="#">K8DT-PH1CN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT, Push-in Plus terminal</a>	33.25	EC001441	<a href="#">669476</a>	4548583773851	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PH1TN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 transistör, Push-in Plus terminal</a>	33.25	EC001441	<a href="#">669485</a>	4548583773868			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM1CN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669523</a>	4548583773875	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM1TN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669481</a>	4548583773899			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM2CN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669510</a>	4548583773882			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM2TN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 transistör, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669496</a>	4548583773905			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ1CN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal</a>	39.90	EC001441	<a href="#">669491</a>	4548583773912			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ1TN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal</a>	39.90	EC001441	<a href="#">669472</a>	4548583773936			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ2CN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT, Push-in Plus terminal</a>	46.57	EC001441	<a href="#">669497</a>	4548583773929			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ2TN</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 transistör, Push-in Plus terminal</a>	46.57	EC001441	<a href="#">669475</a>	4548583773943			DB	DBT	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
<a href="#">K8DT-S1ICA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669486</a>	4548583773950			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-S1ICD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669464</a>	4548583773974			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-S1ITA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669487</a>	4548583773967			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-S1ITD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669450</a>	4548583773981			DB	DBT	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
<a href="#">K8DT-TH1CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669503</a>	4548583773998			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH1CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669467</a>	4548583774032			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH1TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669506</a>	4548583774018			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH1TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669451</a>	4548583774056			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669461</a>	4548583774001			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669505</a>	4548583774049			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669462</a>	4548583774025			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669459</a>	4548583774063			DB	DBT	CHN	9031.9000.00
<b>Diğer İzleme Ürünleri</b>											
<a href="#">F03-16PE-10M</a>	<a href="#">Floatless level controller accessory</a>	285.40	EC002586	<a href="#">695006</a>	4549734593687			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-1M</a>	<a href="#">Electrode band, 1m, stainless steel with polyethylene cover</a>	28.64	EC002586	<a href="#">695009</a>	4549734593656			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-25M</a>	<a href="#">Electrode band, stainless steel with polyethylene cover</a>	876.00	EC002586	<a href="#">695003</a>	4549734593717			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-2M</a>	<a href="#">Electrode band, stainless steel with polyethylene cover</a>	67.95	EC002586	<a href="#">695008</a>	4549734593663			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-50M</a>	<a href="#">Electrode band, stainless steel with polyethylene cover</a>	1,434.00	EC002586	<a href="#">695002</a>	4549734593748			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-5M</a>	<a href="#">Sensing band sticker, polyethylene, greater durability and condensation resistance</a>	167.60	EC002586	<a href="#">695007</a>	4549734593670			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PS</a>	<a href="#">Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath PVC, inner sheath Fluoroplastic, SUS304 electrode material</a>	101.40	EC002586	<a href="#">175703</a>	4547648088015			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PS-F</a>	<a href="#">Point Sensor, electrodes have fluoroplastic coating to resist chemicals</a>	136.70	EC002586	175704	4547648088022	#		DB	DBX	JPN	9032.1080.90
<a href="#">F03-16SFC-5M</a>	<a href="#">Liquid Leakage Sensing Band (with color indication), 5m length, Greater flexibility and enables visual confirmation when the inner color appears</a>	271.30	EC002586	<a href="#">182849</a>	4547648143882			DB	DBX	JPN	9032.1080.90
<b>Diğer İzleme Ürünleri</b>											
<a href="#">K8AC-H22CC-FLK</a>	<a href="#">Accessory</a>	587.00	EC001440	351514	4547648569859			DB	DBX	JPN	9031.9000.00
<b>İzleme Ürünleri için Aksesuarlar</b>											
<a href="#">K8AC-CT200L</a>	<a href="#">KBAK-A*3 için 200 A akım transformatörü</a>	72.10	EC002048	<a href="#">184037</a>	4547648140492			DB	DBZ	JPN	9031.9000.00
<b>İzleme Ürünleri için Aksesuarlar</b>											
<a href="#">F03-26PFS</a>	<a href="#">Mounting bracket and sticker, sensing band sticker. Used for F03-16PE (adhesive tape).</a>	49.21	EC002586	<a href="#">165136</a>	4536854718342		10	DB	DBZ	JPN	9032.1080.90
<b>İzleme Ürünleri için Aksesuarlar</b>											
<a href="#">61F-11</a>	<a href="#">Floatless level controller</a>	48.44	EC001447	160000	4536854337161			DB	DBZ	JPN	9032.1080.90
<a href="#">BF-1</a>	<a href="#">Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance</a>	30.60	EC002586	<a href="#">137182</a>	4536853143343			DB	DBZ	JPN	9032.1080.90
<a href="#">BF-3</a>	<a href="#">Electrode holder, 3-way, standard type (150°C)</a>	62.75	EC002586	<a href="#">137183</a>	4536853143350			DB	DBZ	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
BS-1	Electrode holder, 1-pol electrode, for high pressure or high temperature applications (250°C), 1.95Mpa	58.20	EC002586	<a href="#">137186</a>	4536853143695		10	DB	DBZ	JPN	9032.1080.90
F03-01 SUS201	Sivi seviye elektrodu, paslanmaz celik, SUS201, 1 m, 6 mm cap, ek yapilabilir, kesilebilir	10.89	EC002586	<a href="#">155001</a>	4536853384531	100	DB	DBZ	JPN	9032.1080.90	
F03-01 SUS316	Sivi seviye elektrodu, paslanmaz celik, SUS316, 1 m, 6 mm cap, ek yapilabilir, kesilebilir	21.72	EC002586	<a href="#">153056</a>	4536853384548	#	25	DB	DBZ	JPN	9032.1080.90
F03-02 SUS201	Electrode connecting nut	2.72	EC002586	<a href="#">127405</a>	4536853384586		DB	DBZ	JPN	8538.9099.99	
F03-02 SUS316	Electrode lock nut, with 1 number of parts in an set	4.54	EC002586	<a href="#">127406</a>	4536853384593	15	DB	DBZ	JPN	8538.9099.99	
F03-03 SUS304	Electrode lock nut	0.59	EC002586	<a href="#">127409</a>	4536853384630	5	DB	DBZ	JPN	8538.9099.99	
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.40	EC002586	<a href="#">156416</a>	4536853384647	20	DB	DBZ	JPN	8538.9099.99	
F03-11	Floatless level controller accessory	33.78	EC002586	<a href="#">144315</a>	4536853384739		DB	DBZ	JPN	8538.9099.99	
F03-12	PS Electrode Holder Mounting Plate	18.22	EC002586	<a href="#">127415</a>	4536853384746		DB	DBZ	JPN	8538.9099.99	
F03-14 1P	Electrode separator, 1 electrode, ceramic, 250°C max, 15g	2.40	EC002586	<a href="#">127416</a>	4536853384760	10	DB	DBZ	JPN	8538.9099.99	
F03-14 3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	3.40	EC002586	<a href="#">153057</a>	4536853384777	10	DB	DBZ	JPN	8538.9099.99	
F03-14 5P	Electrode separator, 5 way	4.53	EC002586	<a href="#">150824</a>	4536853385132	10	DB	DBZ	JPN	8538.9099.99	
F03-20	Terminal block, liquid leakage sensor	134.00	EC002586	<a href="#">143275</a>	4536854479267		DB	DBZ	JPN	9032.1080.90	
F03-20T	Floatless level controller accessory	56.70	EC002586	<a href="#">196359</a>	4536854616129		DB	DBZ	JPN	9032.1080.90	
F03-31	Floatless level controller accessory	14.78	EC002586	<a href="#">127425</a>	4536853384876	10	DB	DBZ	JPN	8538.9099.99	
F03-60 SUS316	Liquid leakage detector accessory	29.07	EC002586	<a href="#">127420</a>	4536853384821	25	DB	DBZ	JPN	9032.1080.90	
PS-31 SUS304 1000MM	Sivi seviye röleleri için elektrot, 1 m uzunluk, istenilen uzunlukta kesilebilir	41.15	EC002586	<a href="#">143136</a>	4536853724153	20	DB	DBZ	JPN	9032.1080.90	
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	37.47	EC002586	<a href="#">157459</a>	4536853724160		DB	DBZ	JPN	9032.1080.90	
PS-3S	3'lü elektrot tutucusu	32.06	EC002586	<a href="#">176624</a>	4547648047791		DB	DBZ	CHN	9032.1080.90	
PS-4S	Electrode holder, 4 way	37.47	EC002586	<a href="#">176625</a>	4547648047814		DB	DBZ	CHN	9032.1080.90	
PS-5S	Electrode holder, 5 way	41.94	EC002586	<a href="#">176626</a>	4547648047838		DB	DBZ	CHN	9032.1080.90	
<b>Panel İndikatörleri K3MA</b>											
K3MA-F-A2 100-240VAC	Frekans/Oran metre, DIN 96x48 mm, pulse giriş, 2NO röle çıkış, 100-240 VAC	321.00	EC002301	<a href="#">227985</a>	4547648238793		DC	DCA	CHN	9031.9000.00	
K3MA-F-A2 24VAC/DC	Frekans/Oran metre, DIN 96x48 mm, pulse giriş, 2NO röle çıkış, 24 VAC/DC	317.50	EC002301	<a href="#">228009</a>	4547648238809		DC	DCA	CHN	9031.9000.00	
<b>Panel İndikatörleri K3MA</b>											
K3MA-J 100-240VAC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	303.20	EC002301	<a href="#">228010</a>	4547648238694		DC	DCA	CHN	9031.9000.00	
K3MA-J 24VAC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	277.10	EC002301	<a href="#">227976</a>	4547648238700		DC	DCA	CHN	9031.9000.00	
K3MA-J-A2 100-240VAC	Proses metre, DIN 96x48 mm, DC gerilim/akım girişi, 2NO röle çıkışı, 100-240 VAC	305.60	EC002301	<a href="#">227977</a>	4547648238717	#	DC	DCA	CHN	9031.9000.00	
K3MA-J-A2 24VAC/DC	Proses metre, DIN 96x48 mm, DC gerilim/akım girişi, 2NO röle çıkışı, 24 VAC/DC	291.50	EC002301	<a href="#">227978</a>	4547648238724	#	DC	DCA	CHN	9031.9000.00	
<b>Panel İndikatörleri K3MA</b>											
K3MA-L-C 100-240VAC	Sıcaklık metre, DIN 96x48 mm, Termokupl/RTD girişi, 1C/O röle çıkışı, 100-240 VAC	305.50	EC002301	<a href="#">227981</a>	4547648238755		DC	DCA	CHN	9031.9000.00	
K3MA-L-C 24VAC/DC	Sıcaklık metre, DIN 96x48 mm, Termokupl/RTD girişi, 1C/O röle çıkışı, 24 VAC/DC	291.50	EC002301	<a href="#">227982</a>	4547648238762		DC	DCA	CHN	9031.9000.00	
<b>Panel İndikatörleri K3GN</b>											
K3GN-PDC 24VDC	Dijital panel metre, DIN48x24mm, DC gerilim/akım + NPN girişi, 2x röle çıkışı	327.80	EC002301	<a href="#">227823</a>	4547648238328		DC	DCC	CHN	9031.9000.00	
K3GN-PDC 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP girişi, 2x röle çıkışı	328.50	EC002301	<a href="#">227824</a>	4547648238342	#	DC	DCC	CHN	9031.9000.00	
K3GN-PDT2 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP girişi, 3x PNP transistör çıkışı	294.90	EC002301	<a href="#">227825</a>	4547648238359		DC	DCC	CHN	9031.9000.00	
<b>Panel İndikatörleri K3HB</b>											
K3HB-CNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Yukarı/Aşağı saymak için pulse, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kolektör, 100-240 VAC	521.50	EC002301	<a href="#">180120</a>	4547648109864		DC	DCD	JPN	9031.9000.00	
K3HB-CPB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No. voltage, voltage or PNP open collector, 100-240 VAC supply	525.00	EC002301	<a href="#">181447</a>	4547648140331		DC	DCD	JPN	9031.9000.00	
K3HB-CPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No. voltage, voltage or PNP open collector, 24 VAC/VDC supply	525.00	EC002301	<a href="#">181448</a>	4547648140348		DC	DCD	JPN	9031.9000.00	
K3HB-HTA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi, PT100, K, J, T, E, L, U, N, R, S, B, W, 100-240 VAC	696.50	EC002301	<a href="#">168448</a>	4547648022651		DC	DCD	JPN	9031.9000.00	
K3HB-RNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kolektör, 100-240 VAC	521.50	EC002301	<a href="#">180112</a>	4547648109789		DC	DCD	JPN	9031.9000.00	
K3HB-RNB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No. voltage, voltage or NPN open collector, 24 VAC/VDC supply	537.50	EC002301	<a href="#">180113</a>	4547648109796		DC	DCD	JPN	9031.9000.00	
K3HB-RPB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kolektör, 100-240 VAC	533.50	EC002301	<a href="#">180114</a>	4547648109802		DC	DCD	JPN	9031.9000.00	
K3HB-RPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kolektör, 24 VAC/VDC	509.50	EC002301	<a href="#">180115</a>	4547648109819		DC	DCD	JPN	9031.9000.00	
K3HB-SSD 24VAC/DC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Lineer sensör indikatörü, DC Proses girişi, 0 - 5V, 1 - 5V, -5 - +5V, -10 - +10V, 0 - 20mA ya da 4 - 20mA, 24 VAC/DC, saniyede 2000, sinyal vakalama özelliği	987.00	EC002301	<a href="#">118207</a>	4547648008501		DC	DCD	JPN	9031.9000.00	
K3HB-VLC 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 100-240 VAC	517.50	EC002301	<a href="#">168446</a>	4547648022477	#	DC	DCD	JPN	9031.9000.00	
K3HB-VLC 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 24 VAC/DC	517.50	EC002301	<a href="#">168447</a>	4547648022484		DC	DCD	JPN	9031.9000.00	
K3HB-XAA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC akım girişi, 0-19.999mA - 0-10 A, 100-240 VAC	586.00	EC002301	<a href="#">168496</a>	4547648021814		DC	DCD	JPN	9031.9000.00	
K3HB-XAD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi +199.99mA ve 4.000 - 20.000mA, 100-240 VAC	505.50	EC002301	<a href="#">168444</a>	4547648021777		DC	DCD	JPN	9031.9000.00	
K3HB-XAD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi +199.99mA ve 4.000 - 20.000mA, 24 VAC/VDC	533.50	EC002301	<a href="#">168445</a>	4547648021784		DC	DCD	JPN	9031.9000.00	
K3HB-XVA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC gerilim girişi, 0.0 - 400.0 V - 0.0000 - 1.999 V, 100-240 VAC	586.00	EC002301	<a href="#">168494</a>	4547648021791		DC	DCD	JPN	9031.9000.00	
K3HB-XVD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi +199.99V ve 1.0000 - 5.0000V, 100-240 VAC	521.50	EC002301	<a href="#">168442</a>	4547648021753		DC	DCD	JPN	9031.9000.00	
K3HB-XVD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi +199.99V ve 1.0000 - 5.0000V, 24 VAC/VDC	525.00	EC002301	<a href="#">168443</a>	4547648021760		DC	DCD	JPN	9031.9000.00	

**Diğer Panel İndikatörleri**



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K33-A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. 12 VDC 80mA sensör güç kaynağı.	61.75	EC002295	147813	4536854951220			DC	DCX	JPN	9031.9000.00
K33-B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. 10 VDC 100mA sensör güç kaynağı.	63.40	EC002295	168451	4547648022842			DC	DCX	JPN	9031.9000.00
K33-CBA	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. 1 röle (PASS) SPDT ve 12 VDC 80mA sensör güç kaynağı	73.85	EC002295	105740	4536854951213			DC	DCX	JPN	9031.9000.00
K33-CPB	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. 1 röle (PASS) SPDT ve 10 VDC 100mA sensör güç kaynağı	76.95	EC002295	168450	4547648022835			DC	DCX	JPN	9031.9000.00
K33-FLK3A	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir. RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	132.90	EC002295	168458	4547648022910			DC	DCX	JPN	9031.9000.00
K33-FLK3B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	156.80	EC002295	168459	4547648022927			DC	DCX	JPN	9031.9000.00
K33-L1A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. Lineer DC (0)4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	250.40	EC002295	168452	4547648022859			DC	DCX	JPN	9031.9000.00
K33-L1B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. Lineer DC (0)4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	282.90	EC002295	168453	4547648022866	#		DC	DCX	JPN	9031.9000.00
K33-L2A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. Lineer DC (0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	250.40	EC002295	168454	4547648022873			DC	DCX	JPN	9031.9000.00
K33-L2B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir. Lineer DC (0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	294.90	EC002295	168455	4547648022880			DC	DCX	JPN	9031.9000.00
K34-C1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir. 2 röle çıkışı (H/L) SPDT	89.00	EC002295	155312	4536854927195			DC	DCX	JPN	9031.9000.00
K34-C2	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir. 4 röle çıkışı (HH/H/L/L/L) SPNO	112.50	EC002295	118248	4536854927201			DC	DCX	JPN	9031.9000.00
K34-DRT	Opsiyon kartı (Slot B), Devicenet haberleşme	393.20	EC002295	168460	4547648025607			DC	DCX	JPN	9031.9000.00
K34-T1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir. 5 NPN açık kollektör çıkışı (HH/H/PASS/L/L)	103.70	EC002295	118249	4536854927218			DC	DCX	JPN	9031.9000.00
K35-1	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir. NPN açık kollektör, event giriş, 5 noktalı M3 terminal bloğu	79.45	EC002295	118251	4536854927232			DC	DCX	JPN	9031.9000.00
K35-3	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir. PNP açık kollektör, event giriş, 5 noktalı M3 terminal bloğu	96.75	EC002295	144606	4536854927249			DC	DCX	JPN	9031.9000.00
<b>Diğer Panel İndikatörleri</b>											
K32-49HC	Hard cover for use with 96x48mm panel meter	8.08	EC002295	118244	4536853597092			DC	DCX	JPN	9031.9000.00
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter	27.71	EC002295	146531	4536853597153			DC	DCX	JPN	9031.9000.00
<b>Güç Kaynağı S8VS</b>											
S8VS-01505	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	122.50	EC002540	324848	4547648711555			DD	DDH	CHN	8504.4030.00
S8VS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	122.50	EC002540	324268	4547648711562			DD	DDH	CHN	8504.4030.00
S8VS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	122.50	EC002540	307948	4547648711579			DD	DDH	CHN	8504.4030.00
S8VS-03005	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	154.70	EC002540	324849	4547648711586			DD	DDH	CHN	8504.4030.00
S8VS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	155.90	EC002540	323512	4547648711593			DD	DDH	CHN	8504.4030.00
S8VS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	155.90	EC002540	325147	4547648711609			DD	DDH	CHN	8504.4030.00
S8VS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	213.70	EC002540	247532	4547648419352			DD	DDH	CHN	8504.4030.00
S8VS-06024A	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	289.40	EC002540	281057	4547648639927			DD	DDH	CHN	8504.4030.00
S8VS-06024B	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	232.40	EC002540	281059	4547648639941			DD	DDH	CHN	8504.4030.00
S8VS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	279.30	EC002540	247534	4547648419369			DD	DDH	CHN	8504.4030.00
S8VS-09024AP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	328.90	EC002540	281069	4547648640046			DD	DDH	CHN	8504.4030.00
S8VS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	335.30	EC002540	247535	4547648419376			DD	DDH	CHN	8504.4030.00
S8VS-12024A	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	419.60	EC002540	281061	4547648639965			DD	DDH	CHN	8504.4030.00
S8VS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	340.50	EC002540	281071	4547648640060			DD	DDH	CHN	8504.4030.00
S8VS-12024B	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	386.60	EC002540	281062	4547648639972			DD	DDH	CHN	8504.4030.00
S8VS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	377.90	EC002540	281072	4547648640077			DD	DDH	CHN	8504.4030.00
S8VS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	467.70	EC002540	247536	4547648419383			DD	DDH	CHN	8504.4030.00
S8VS-18024A	Güç kaynağı, 180 W, 100-240 VAC giriş, 24 VDC, 7.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	552.00	EC002540	281065	4547648640008			DD	DDH	CHN	8504.4030.00
S8VS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	593.50	EC002540	281073	4547648640084			DD	DDH	CHN	8504.4030.00
S8VS-18024BP	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	415.70	EC002540	701367	4548583020221			DD	DDH	CHN	8504.4030.00
S8VS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	582.50	EC002540	247537	4547648419390			DD	DDH	CHN	8504.4030.00
S8VS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display running voltage and current, peak current, and forecast monitoring function with settable alarm point	680.50	EC002540	281067	4547648640022			DD	DDH	CHN	8504.4030.00
S8VS-24024B	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	585.00	EC002540	281064	4547648639996			DD	DDH	CHN	8504.4030.00
S8VS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	593.50	EC002540	281068	4547648640039			DD	DDH	CHN	8504.4030.00
S8VS-48024A	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	721.50	EC002540	333444	4547648711661			DD	DDH	CHN	8504.4030.00
S8VS-48024B	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	685.50	EC002540	333445	4547648711678			DD	DDH	CHN	8504.4030.00
<b>Güç Kaynağı S8VS</b>											
S8AS-24006	Power supply, 240W, 24VDC, 6 branch output	1,893.00	EC002540	356597	4547648711289			DD	DDH	CHN	8504.4030.00
S8AS-24006N	Power supply, 240W, 24VDC, 100 to 240 input voltage, 10A current, 6 branch outputs, no communication function, not changeable parameter setting	1,678.00	EC002540	324220	4547648711296			DD	DDH	CHN	8504.4030.00
S8AS-48008	Power supply, 480W, 24VDC, 8 branch output	2,260.00	EC002540	324222	4547648711319			DD	DDH	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Güç Kaynağı S8VK-G</b>											
S8VK-G01505	Kitap tipi güç kaynağı, PRO, 15 W, 5VDC, 3 A, DIN ray montaj	34.27	EC002540	<a href="#">374164</a>	4548583357648	#		DD	DDL	CHN	8504.4030.00
S8VK-G01512	Kitap tipi güç kaynağı, PRO, 15 W, 12 VDC, 1.2A, DIN ray montaj	33.33	EC002540	<a href="#">374165</a>	4548583357655	#		DD	DDL	CHN	8504.4030.00
S8VK-G01524	Kitap tipi güç kaynağı, PRO, 15 W, 24VDC, 0.65 A, DIN ray montaj	34.33	EC002540	<a href="#">374166</a>	4548583357662	#		DD	DDL	CHN	8504.4030.00
S8VK-G03005	Kitap tipi güç kaynağı, PRO, 30 W, 5VDC, 5 A, DIN ray montaj	42.58	EC002540	<a href="#">374167</a>	4548583357679	#		DD	DDL	CHN	8504.4030.00
S8VK-G03012	Kitap tipi güç kaynağı, PRO, 30 W, 12 VDC, 2.5 A, DIN ray montaj	41.09	EC002540	<a href="#">374168</a>	4548583357686	#		DD	DDL	CHN	8504.4030.00
S8VK-G03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3A, DIN ray montaj	41.09	EC002540	<a href="#">374169</a>	4548583357693	#		DD	DDL	CHN	8504.4030.00
S8VK-G06012	Kitap tipi güç kaynağı, PRO, 60 W, 12 VDC, 4.5 A, DIN ray montaj	47.87	EC002540	<a href="#">374170</a>	4548583357709	#		DD	DDL	CHN	8504.4030.00
S8VK-G06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj	47.87	EC002540	<a href="#">374171</a>	4548583357716	#		DD	DDL	CHN	8504.4030.00
S8VK-G12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj	72.70	EC002540	<a href="#">374869</a>	4548583357723	#		DD	DDL	CHN	8504.4030.00
S8VK-G24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj	121.70	EC002540	<a href="#">374870</a>	4548583357730	#		DD	DDL	CHN	8504.4030.00
S8VK-G24048	Kitap tipi güç kaynağı, PRO, 240 W, 48VDC, 5 A, DIN ray montaj	121.70	EC002540	<a href="#">374871</a>	4548583357747	#		DD	DDL	CHN	8504.4030.00
S8VK-G48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj	169.10	EC002540	<a href="#">374872</a>	4548583357754	#		DD	DDL	CHN	8504.4030.00
S8VK-G48048	Kitap tipi güç kaynağı, PRO, 480 W, 48VDC, 10 A, DIN ray montaj	169.10	EC002540	<a href="#">374873</a>	4548583357761	#		DD	DDL	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-C</b>											
S8VK-C12024	Kitap tipi güç kaynağı, LITE, 120 W, 24VDC, 5 A, DIN ray montaj	44.49	EC002540	<a href="#">375667</a>	4548583357914	#		DD	DDM	CHN	8504.4030.00
S8VK-C24024	Kitap tipi güç kaynağı, LITE, 240 W, 24VDC, 10 A, DIN ray montaj	79.80	EC002540	<a href="#">375668</a>	4548583357921	#	2	DD	DDM	CHN	8504.4030.00
S8VK-C48024	Kitap tipi güç kaynağı, LITE, 480 W, 24VDC, 20A, DIN ray montaj	140.10	EC002540	<a href="#">375669</a>	4548583357938	#		DD	DDM	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-S</b>											
S8VK-S03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	44.01	EC002540	<a href="#">675333</a>	4549734134620	#		DD	DDN	CHN	8504.4030.00
S8VK-S06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	56.01	EC002540	<a href="#">669508</a>	4548583761117	#		DD	DDN	CHN	8504.4030.00
S8VK-S12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	74.45	EC002540	<a href="#">669511</a>	4548583761124	#		DD	DDN	CHN	8504.4030.00
S8VK-S24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çikisi, sıvı geçirmez	144.70	EC002540	<a href="#">672485</a>	4548583761131	#		DD	DDN	CHN	8504.4030.00
S8VK-S48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çikisi, sıvı geçirmez	221.00	EC002540	<a href="#">672486</a>	4548583761148	#		DD	DDN	CHN	8504.4030.00
<b>Güç Kaynağı S8VK accessory</b>											
S8ZY-VK10F	Front-mounting bracket for S8VK (120, 240 and 480 W models)	11.34	EC002498	<a href="#">377521</a>	4548583415911		100	DD	DDO	JPN	8504.4030.00
S8ZY-VK90F	Front-mounting bracket for S8VK-T (480 W and 960 W models)	31.71	EC002498	<a href="#">703192</a>	4549734674379			DD	DDO	CHN	8504.4030.00
S8VK-R10	Yedekleme ünitesi, PRO PLUS (giriş 5-30VDC, çıkış 10 A)	46.78	EC002498	<a href="#">377513</a>	4548583425613	#		DD	DDO	CHN	8504.4030.00
S8VK-R20	Yedekleme ünitesi, PRO PLUS (giriş 10-60VDC, çıkış 20 A)	70.45	EC002498	<a href="#">377514</a>	4548583425620	#		DD	DDO	CHN	8504.4030.00
S8V-NFS203	Noise filter accessory power supply, 250 VAC/DC rated voltage, 3 A rated current, DIN-rail mounting, Push-in terminal	38.87	EC002025	<a href="#">680674</a>	4549734175876	#		DD	DDO	CHN	8529.9097.90
S8V-NFS206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	40.77	EC002025	<a href="#">680575</a>	4549734172707	#		DD	DDO	CHN	8529.9097.90
<b>Güç Kaynağı S8FS</b>											
S8FS-C01505	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 5 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	<a href="#">668800</a>	4548583751286	#		DD	DDP	CHN	8504.4030.00
S8FS-C01512	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	<a href="#">668734</a>	4548583751293	#		DD	DDP	CHN	8504.4030.00
S8FS-C01524	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 24 VDC, 0.7 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	<a href="#">668755</a>	4548583751316	#		DD	DDP	CHN	8504.4030.00
S8FS-C02512	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 12 VDC, 2.1 A çıkış, yüzey montaj seçeneği	15.36	EC002540	<a href="#">668777</a>	4548583741522	#		DD	DDP	CHN	8504.4030.00
S8FS-C02524	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 24 VDC, 1.1 A çıkış, yüzey montaj seçeneği	15.36	EC002540	<a href="#">668782</a>	4548583741546	#		DD	DDP	CHN	8504.4030.00
S8FS-C02524J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 24 VDC, 1.1 A çıkış, DIN ray montaj seçeneği	15.36	EC002540	<a href="#">668760</a>	4548583751361	#		DD	DDP	CHN	8504.4030.00
S8FS-C03512	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 12 VDC, 3.0 A çıkış, yüzey montaj seçeneği	16.53	EC002540	<a href="#">668770</a>	4548583741560	#		DD	DDP	CHN	8504.4030.00
S8FS-C03512J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 12 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	16.53	EC002540	<a href="#">668764</a>	4548583751392	#		DD	DDP	CHN	8504.4030.00
S8FS-C03524	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, yüzey montaj seçeneği	16.53	EC002540	<a href="#">668793</a>	4548583741584	#		DD	DDP	CHN	8504.4030.00
S8FS-C03524J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj seçeneği	16.53	EC002540	<a href="#">668731</a>	4548583751415	#		DD	DDP	CHN	8504.4030.00
S8FS-C05012	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 12 VDC, 4.2 A çıkış, yüzey montaj seçeneği	18.44	EC002540	<a href="#">668722</a>	4548583741607	#		DD	DDP	CHN	8504.4030.00
S8FS-C05012J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 12 VDC, 4.2 A çıkış, DIN ray montaj seçeneği	18.44	EC002540	<a href="#">668802</a>	4548583751446	#		DD	DDP	CHN	8504.4030.00
S8FS-C05024	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj seçeneği	18.44	EC002540	<a href="#">668798</a>	4548583741621	#		DD	DDP	CHN	8504.4030.00
S8FS-C05024J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj seçeneği	18.44	EC002540	<a href="#">668786</a>	4548583751460	#		DD	DDP	CHN	8504.4030.00
S8FS-C07512	Güç kaynağı, LITE, 75 W, 100-240 VAC giriş, 12 VDC, 6.2 A çıkış, yüzey montaj seçeneği	23.05	EC002540	<a href="#">668750</a>	4548583741652	#		DD	DDP	CHN	8504.4030.00
S8FS-C07524	Güç kaynağı, LITE, 75 W, 100-240 VAC giriş, 24 VDC, 3.2 A çıkış, yüzey montaj seçeneği	21.12	EC002540	<a href="#">668754</a>	4548583751514	#		DD	DDP	CHN	8504.4030.00
S8FS-C10012	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 8.5 A çıkış, yüzey montaj seçeneği	24.94	EC002540	<a href="#">668721</a>	4548583741706	#		DD	DDP	CHN	8504.4030.00
S8FS-C10012J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj seçeneği	24.94	EC002540	<a href="#">668756</a>	4548583751545	#		DD	DDP	CHN	8504.4030.00
S8FS-C10024	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 4.5 A çıkış, yüzey montaj seçeneği	24.94	EC002540	<a href="#">668804</a>	4548583741720	#		DD	DDP	CHN	8504.4030.00
S8FS-C10024J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 4.5 A çıkış, DIN ray montaj seçeneği	24.94	EC002540	<a href="#">668732</a>	4548583751569	#		DD	DDP	CHN	8504.4030.00
S8FS-C15012	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 12.5 A çıkış, yüzey montaj seçeneği	28.78	EC002540	<a href="#">668780</a>	4548583741768	#		DD	DDP	CHN	8504.4030.00
S8FS-C15012J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 12.5 A çıkış, DIN ray montaj seçeneği	28.78	EC002540	<a href="#">668737</a>	4548583751613	#		DD	DDP	CHN	8504.4030.00
S8FS-C15024	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 6.5 A çıkış, yüzey montaj seçeneği	28.78	EC002540	<a href="#">668785</a>	4548583741782	#		DD	DDP	CHN	8504.4030.00
S8FS-C15024J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 6.5 A çıkış, DIN ray montaj seçeneği	28.78	EC002540	<a href="#">668751</a>	4548583751637	#		DD	DDP	CHN	8504.4030.00
S8FS-C20012	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 17.0 A çıkış, yüzey montaj seçeneği	42.19	EC002540	<a href="#">668784</a>	4548583741829	#		DD	DDP	CHN	8504.4030.00
S8FS-C20024	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 8.8 A çıkış, yüzey montaj seçeneği	42.19	EC002540	<a href="#">668729</a>	4548583741836	#		DD	DDP	CHN	8504.4030.00
S8FS-C20024J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 8.8 A çıkış, DIN ray montaj seçeneği	42.19	EC002540	<a href="#">668762</a>	4548583751682	#		DD	DDP	CHN	8504.4030.00
S8FS-C35012	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 29.0 A çıkış, yüzey montaj seçeneği	61.50	EC002540	<a href="#">668803</a>	4548583741874	#		DD	DDP	CHN	8504.4030.00
S8FS-C35012J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	<a href="#">668766</a>	4548583751729	#		DD	DDP	CHN	8504.4030.00
S8FS-C35024	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 29.0 A çıkış, yüzey montaj seçeneği	61.50	EC002540	<a href="#">668810</a>	4548583741881	#		DD	DDP	CHN	8504.4030.00
S8FS-C35024J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	<a href="#">668733</a>	4548583751736	#		DD	DDP	CHN	8504.4030.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8FS-C3504B	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668218	4548583741904	#		DD	DDP	CHN	8504.4030.00
S8FS-C3504BJ	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668813	4548583751750	#		DD	DDP	CHN	8504.4030.00
S8FS-G01503CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 5 VDC, 3 A çıkış, DIN ray montaj	47.67	EC002540	677992	4549734104333			DD	DDP	CHN	8504.4030.00
S8FS-G01512CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj	47.67	EC002540	677965	4549734104357			DD	DDP	CHN	8504.4030.00
S8FS-G01524CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 24 VDC, 0.65 A çıkış, DIN ray montaj	47.67	EC002540	678163	4549734104395			DD	DDP	CHN	8504.4030.00
S8FS-G03005CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 5 VDC, 6 A çıkış, DIN ray montaj	58.50	EC002540	677983	4549734104432			DD	DDP	CHN	8504.4030.00
S8FS-G03012CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 12 VDC, 3 A çıkış, DIN ray montaj	58.50	EC002540	677974	4549734104456			DD	DDP	CHN	8504.4030.00
S8FS-G03015CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 15 VDC, 2.4 A çıkış, DIN ray montaj	58.50	EC002540	677963	4549734104470			DD	DDP	CHN	8504.4030.00
S8FS-G03024CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj	58.50	EC002540	677972	4549734104494			DD	DDP	CHN	8504.4030.00
S8FS-G05005CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 5 VDC, 8 A çıkış, DIN ray montaj	73.85	EC002540	677957	4549734104531			DD	DDP	CHN	8504.4030.00
S8FS-G05012CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 12 VDC, 4.3 A çıkış, DIN ray montaj	73.85	EC002540	677962	4549734104555			DD	DDP	CHN	8504.4030.00
S8FS-G05015CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 15 VDC, 3.5 A çıkış, DIN ray montaj	73.85	EC002540	678174	4549734104579			DD	DDP	CHN	8504.4030.00
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj	69.30	EC002540	677981	4549734104586			DD	DDP	CHN	8504.4030.00
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj	73.85	EC002540	677969	4549734104593			DD	DDP	CHN	8504.4030.00
S8FS-G10005CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 5 VDC, 16 A çıkış, DIN ray montaj	97.00	EC002540	677985	4549734104630			DD	DDP	CHN	8504.4030.00
S8FS-G10012CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj	97.00	EC002540	677960	4549734104654			DD	DDP	CHN	8504.4030.00
S8FS-G10024C	Güç kaynağı, 100 W, 100-240 VAC giriş, 24 VDC, 4.5 A çıkış, yüzey montaj	92.30	EC002540	677984	4549734104685			DD	DDP	CHN	8504.4030.00
S8FS-G10024CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 24 VDC, 4.5 A çıkış, DIN ray montaj	97.00	EC002540	677977	4549734104692			DD	DDP	CHN	8504.4030.00
S8FS-G15012CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 12 VDC, 13 A çıkış, DIN ray montaj	119.90	EC002540	677958	4549734104791			DD	DDP	CHN	8504.4030.00
S8FS-G15024C	Güç kaynağı, 150 W, 100-240 VAC giriş, 24 VDC, 6.5 A çıkış, yüzey montaj	115.50	EC002540	677994	4549734104821			DD	DDP	CHN	8504.4030.00
S8FS-G15024CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 24 VDC, 6.5 A çıkış, DIN ray montaj	119.90	EC002540	677986	4549734104838			DD	DDP	CHN	8504.4030.00
S8FS-G30012CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 12 VDC, 25 A çıkış, DIN ray montaj	220.30	EC002540	677980	4549734104937			DD	DDP	CHN	8504.4030.00
S8FS-G30024C	Güç kaynağı, 300 W, 100-240 VAC giriş, 24 VDC, 14 A çıkış, yüzey montaj	215.70	EC002540	675283	4549734104968	#		DD	DDP	CHN	8504.4030.00
S8FS-G30024CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 24 VDC, 14 A çıkış, DIN ray montaj	220.30	EC002540	677975	4549734104975	#		DD	DDP	CHN	8504.4030.00
S8FS-G60012CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 12 VDC, 50 A çıkış, DIN ray montaj	351.20	EC002540	678150	4549734105057			DD	DDP	CHN	8504.4030.00
S8FS-G60024C	Güç kaynağı, 600 W, 100-240 VAC giriş, 24 VDC, 27 A çıkış, yüzey montaj	346.20	EC002540	675284	4549734105125	#		DD	DDP	CHN	8504.4030.00
S8FS-G60024CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 24 VDC, 27 A çıkış, DIN ray montaj	351.20	EC002540	678170	4549734105132	#		DD	DDP	CHN	8504.4030.00
S8FS-G60048CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 48 VDC, 13 A çıkış, DIN ray montaj	351.20	EC002540	678148	4549734105217	#		DD	DDP	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-T</b>											
S8VK-T12024	Kitap tipi güç kaynağı, PRO, 3 faz, 120 W, 24VDC, 5 A, DIN ray montaj	89.05	EC002540	382729	4548583357983	#		DD	DDQ	CHN	8504.4030.00
S8VK-T12024-400	Coated version, Book type power supply, Pro, Three-phase, 120 W, 24VDC, 5A, DIN rail mounting	102.60	EC002540	659380	4548583721234			DD	DDQ	CHN	8504.4030.00
S8VK-T24024	Kitap tipi güç kaynağı, PRO, 3 faz, 240 W, 24VDC, 10 A, DIN ray montaj	133.80	EC002540	382730	4548583357990	#		DD	DDQ	CHN	8504.4030.00
S8VK-T24024-400	Coated version, Book type power supply, Pro, Three-phase, 240 W, 24VDC, 10A, DIN rail mounting	132.50	EC002540	659384	4548583564589			DD	DDQ	CHN	8504.4030.00
S8VK-T48024	Kitap tipi güç kaynağı, PRO, 3 faz, 480 W, 24VDC, 20A, DIN ray montaj	247.20	EC002540	386429	4548583358003	#		DD	DDQ	CHN	8504.4030.00
S8VK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24VDC, 20A, DIN rail mounting	282.00	EC002540	659385	4548583564596			DD	DDQ	CHN	8504.4030.00
S8VK-T96024	Kitap tipi güç kaynağı, PRO, 3 faz, 960 W, 24VDC, 40A, DIN ray montaj	333.00	EC002540	386430	4548583358010	#		DD	DDQ	CHN	8504.4030.00
S8VK-T96024-400	Coated version, Book type power supply, Pro, Three-phase, 960 W, 24VDC, 40A, DIN rail mounting	370.60	EC002540	659379	4548583564602			DD	DDQ	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-T</b>											
S8VK-WA24024	3-phase power supply, 240 W, 24 VDC, 10 A, DIN rail mounting	277.80	EC002540	688154	4549734449083		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	378.90	EC002540	688155	4549734449090		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	569.00	EC002540	688156	4549734449106			DD	DDQ	CHN	8504.4030.00
S8VK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	234.20	EC002540	699600	4549734674799			DD	DDQ	CHN	8504.4030.00
S8VK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	234.20	EC002540	699603	4549734674829			DD	DDQ	CHN	8504.4030.00
S8VK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	332.60	EC002540	699601	4549734674805			DD	DDQ	CHN	8504.4030.00
S8VK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	332.60	EC002540	699604	4549734674836			DD	DDQ	CHN	8504.4030.00
S8VK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	480.40	EC002540	699602	4549734674812			DD	DDQ	CHN	8504.4030.00
S8VK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	480.40	EC002540	699605	4549734674843			DD	DDQ	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-X</b>											
S8VK-X03005-EIP	Book type power supply, 30 W, 5 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	148.20	EC002540	680581	4549734172752			DD	DDR	CHN	8504.4030.00
S8VK-X06012-EIP	Book type power supply, 60 W, 12 VDC, 4.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	155.10	EC002540	680586	4549734172769			DD	DDR	CHN	8504.4030.00
S8VK-X06024-EIP	Book type power supply, 60 W, 24 VDC, 2.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	155.10	EC002540	680578	4549734172776			DD	DDR	CHN	8504.4030.00
S8VK-X09024A-EIP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	210.00	EC002540	680584	4549734172714			DD	DDR	CHN	8504.4030.00
S8VK-X12024A-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	230.80	EC002540	680585	4549734172721			DD	DDR	CHN	8504.4030.00
S8VK-X12024-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	195.90	EC002540	680579	4549734172790			DD	DDR	CHN	8504.4030.00
S8VK-X24024A-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	331.90	EC002540	680577	4549734172738			DD	DDR	CHN	8504.4030.00
S8VK-X24024-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	297.30	EC002540	680583	4549734172806			DD	DDR	CHN	8504.4030.00
S8VK-X48024A-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	436.90	EC002540	680580	4549734172745			DD	DDR	CHN	8504.4030.00
S8VK-X48024-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	402.20	EC002540	680576	4549734172813			DD	DDR	CHN	8504.4030.00
<b>S8V Elektronik Sigorta</b>											
S8V-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	172.50	EC002498	689505	4549734494106	#		DD	DDT	DEU	8536.2010.90
S8V-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	196.00	EC002498	689504	4549734494113			DD	DDT	DEU	8536.2010.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>S8V Elektronik Sigorta</b>											
<a href="#">S8V-CP0824</a>	<a href="#">Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC</a>	295.80	EC002498	<a href="#">689503</a>	4549734494120	#		DD	DDT	DEU	8536.2010.90
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8IX-P30024CD</a>	<a href="#">Covered Power Supplies, PROplus, 100 to 240 VAC input voltage, 300W, 24V, 14A peak current, 16.5A (200VAC)</a>	645.00	EC002540	<a href="#">364918</a>	4548583103719			DD	DDX	CHN	8504.4030.00
<a href="#">S8IX-P30024N</a>	<a href="#">Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output</a>	460.60	EC002540	<a href="#">364916</a>	4548583103696			DD	DDX	CHN	8504.4030.00
<a href="#">S8IX-P60024N</a>	<a href="#">Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output</a>	738.50	EC002540	<a href="#">364919</a>	4548583103726			DD	DDX	CHN	8504.4030.00
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8T-DCBU-02</a>	<a href="#">DC backup block for S8TS PSU of 500 ms at an output current of 2.5A</a>	243.70	EC002498	<a href="#">324267</a>	4547648711401			DD	DDX	CHN	8504.4030.00
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8Z5-7705</a>	<a href="#">Power supply, 7.5W, 12-24 VDC input, 5 VDC 1.5A output, DIN rail mounting</a>	144.70	EC002540	<a href="#">149574</a>	4536854104688			DD	DDX	JPN	8504.4030.00
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8M-CP04</a>	<a href="#">Çoklu devre koruyucu, maks. giriş akımı 17 A, 4 x 4.0 A her çıkış için, kollara ayırmak için ideal, 24 VDC</a>	366.10	EC002498	<a href="#">324847</a>	4547648711371			DD	DDX	CHN	8504.4030.00
<a href="#">S8M-CP04-RS</a>	<a href="#">Çoklu devre koruyucu, maks. giriş akımı 16 A, 4 x 3.8 A her çıkış için (UL class 2 uyumlu), RS-232C haberleşme, kollara ayırmak için ideal, 24 VDC</a>	526.50	EC002498	<a href="#">323509</a>	4547648711364			DD	DDX	CHN	8504.4030.00
<b>Güç Kaynağı için Aksesuarlar</b>											
<a href="#">S8ZY-FSC015DIN</a>	<a href="#">Mounting bracket, DIN-rail, 15W</a>	3.69	EC002498	<a href="#">668799</a>	4548583758049	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC050DIN</a>	<a href="#">Mounting bracket, DIN-rail, 35W, 50W</a>	3.69	EC002498	<a href="#">668745</a>	4548583758063	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC150DIN</a>	<a href="#">Mounting bracket, DIN-rail, 75W, 100W, 150W</a>	3.69	EC002498	<a href="#">668768</a>	4548583758070	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC350DIN</a>	<a href="#">Mounting bracket, DIN-rail, 75W, 200W, 350W</a>	3.69	EC002498	<a href="#">668791</a>	4548583758087	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC-C5</a>	<a href="#">Terminal Cover for upper terminal, 25W, 35W, 50W, 75W</a>	1.23	EC002498	<a href="#">668749</a>	4548583758162	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC-C5MF</a>	<a href="#">Terminal Cover for front terminal, 15W</a>	1.23	EC002498	<a href="#">668744</a>	4548583758193	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC-C7</a>	<a href="#">Terminal Cover for upper terminal, 100W, 150W</a>	1.23	EC002498	<a href="#">668769</a>	4548583758179	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S8ZY-FSC-C7F</a>	<a href="#">Terminal Cover for front terminal, 100W, 150W</a>	1.33	EC002498	<a href="#">668720</a>	4548583758216	#		DD	DDZ	CHN	8504.9090.00
<b>Programlanabilir Röle ZEN</b>											
<a href="#">ZEN-10C1AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 6 x 100-240 VAC giriş, 4 x röle çıkışı 5 A, RTC, LCD ekran</a>	313.90	EC001417	<a href="#">240972</a>	4547648391047	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C1DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı 5 A, RTC, LCD ekran</a>	313.90	EC001417	<a href="#">240974</a>	4547648391061			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C1DT-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x transistör çıkışı, RTC, LCD ekran</a>	313.90	EC001417	<a href="#">240979</a>	4547648391115			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C2AR-A-V2</a>	<a href="#">Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A</a>	263.50	EC001417	<a href="#">240973</a>	4547648391054			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C2DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı 5 A</a>	263.50	EC001417	<a href="#">240975</a>	4547648391078			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C3AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 6 x 100-240 VAC giriş, 4 x röle çıkışı 5 A, RTC, LCD ekran genişletilemez</a>	246.30	EC001417	<a href="#">240983</a>	4547648391160			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C3DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı 5 A, RTC, LCD ekran genişletilemez</a>	246.30	EC001417	<a href="#">240984</a>	4547648391177			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C4AR-A-V2</a>	<a href="#">Programmable relay, 24 VDC supply, 6x 100-240 VAC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable</a>	361.80	EC001417	<a href="#">240987</a>	4547648391207			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C4DR-D-V2</a>	<a href="#">Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable</a>	361.80	EC001417	<a href="#">240988</a>	4547648391214			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C1AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 12 x 100-240 VAC giriş, 8 x röle çıkışı 5 A, RTC, LCD ekran</a>	406.20	EC001417	<a href="#">240989</a>	4547648391221			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C1DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı 5 A, RTC, LCD ekran</a>	406.20	EC001417	<a href="#">240991</a>	4547648391245			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C1DT-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x transistör çıkışı, RTC, LCD ekran</a>	406.20	EC001417	<a href="#">240993</a>	4547648391269			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C2AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 12 x 100-240 VAC giriş, 8 x röle çıkışı 5 A</a>	378.60	EC001417	<a href="#">240990</a>	4547648391238			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C2DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı 5 A</a>	378.60	EC001417	<a href="#">240992</a>	4547648391252			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C2DT-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x transistör çıkışı</a>	378.60	EC001417	<a href="#">240994</a>	4547648391276			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C3AR-A-V2</a>	<a href="#">Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5A, unexpandable</a>	361.80	EC001417	<a href="#">240985</a>	4547648391184			DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C3DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı 5A genişletilemez</a>	361.80	EC001417	<a href="#">240986</a>	4547648391191			DE	DEA	CHN	8536.5080.90
<b>Programlanabilir Röle ZEN</b>											
<a href="#">ZEN-8E1DT</a>	<a href="#">Genişletme ünitesi, 4 x 24 VDC giriş, 4 x transistör çıkışı</a>	128.00	EC001419	<a href="#">240981</a>	4547648391139			DE	DEA	CHN	8536.5080.90
<b>Diğer Programlanabilir Röleler</b>											
<a href="#">ZEN-8E1AR</a>	<a href="#">Genişletme ünitesi, 4 x 100-240 VAC giriş, 4 x röle çıkışı 5 A</a>	147.20	EC001419	<a href="#">240976</a>	4547648391085			DE	DEX	CHN	8536.5080.90
<a href="#">ZEN-8E1DB</a>	<a href="#">Genişletme ünitesi, 4 x 24 VDC giriş, 4 x röle çıkışı 5 A</a>	134.30	EC001419	<a href="#">240977</a>	4547648391092			DE	DEX	CHN	8536.5080.90
<b>Programlanabilir Röleler için Aksesuarlar</b>											
<a href="#">ZEN-BAT01</a>	<a href="#">ZEN programlanabilir röle için pil</a>	73.85	EC002584	<a href="#">240970</a>	4547648391023			DE	DEZ	CHN	8506.5090.90
<a href="#">ZEN-CF01</a>	<a href="#">PC-Zen arasında bağlantıyı sağlayan 2 m kablo</a>	173.00	EC001423	<a href="#">240969</a>	4547648391016			DE	DEZ	CHN	8536.5080.90
<a href="#">ZEN-MF01</a>	<a href="#">Hafıza kartı, EEPROM</a>	68.85	EC000192	<a href="#">240971</a>	4547648391030			DE	DEZ	CHN	8536.5080.90
<a href="#">ZEN-SOFT01-V4</a>	<a href="#">ZEN programlanabilir röle için yazılım, CD-ROM</a>	104.20	EC000809	<a href="#">240995</a>	4547648391283			DE	DEZ	JPN	8523.8090.00
<b>Sıcaklık &amp; Proses E5C2</b>											
<a href="#">E5C2-R201 100-240VAC 0-200</a>	<a href="#">Basic Temp. Controller, 1/16 DIN, 48x48mm, Dial knob, On-Off Control J-Thermocouple 0-200deg, 100-240V AC</a>	132.00	EC001446	<a href="#">378350</a>	4548583418264			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R201 100-240VAC 0-400</a>	<a href="#">Basic Temp. Controller, 1/16 DIN, 48x48mm, Dial knob, On-Off Control J-Thermocouple 0-400deg, 100-240V AC</a>	107.20	EC001446	<a href="#">378352</a>	4548583418288			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20K 100-240VAC 0-1200</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control K-Thermocouple 0-1200deg, 100-240V AC</a>	119.50	EC001446	<a href="#">378343</a>	4548583418134			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20K 100-240VAC 0-200</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control K-Thermocouple 0-200deg, 100-240V AC</a>	131.70	EC001446	<a href="#">378359</a>	4548583418073			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20K 100-240VAC 0-400</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control K-Thermocouple 0-400deg, 100-240V AC</a>	133.40	EC001446	<a href="#">378360</a>	4548583418097			DF	DFD	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E5C2-R20K-100-240VAC-0-600</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-600deg., 100-240V AC</a>	133.40	EC001446	<a href="#">378361</a>	4548583418103			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-0-100</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-100deg., 100-240V AC</a>	133.70	EC001446	<a href="#">378363</a>	4548583418240			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-0-200</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-200deg., 100-240V AC</a>	138.20	EC001446	<a href="#">378364</a>	4548583418325			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-0-300</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-300deg., 100-240V AC</a>	133.40	EC001446	<a href="#">378355</a>	4548583418332			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-50-50</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 50-50deg., 100-240V AC</a>	138.20	EC001446	<a href="#">378353</a>	4548583418295			DF	DFD	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses Termo Sensör</b>											
<a href="#">E52-ELP4-50-2-A</a>	<a href="#">Temperature sensor, Pro, smooth tube, PT100, class B, dia 4, 50, AISI 316, pre-wired with open cable ends 2m</a>	36.90	EC002081	<a href="#">374422</a>	4547648954815			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP5-100-2-A</a>	<a href="#">Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 100mm, 304SS, pre-wired with cable end shoes 2m</a>	29.05	EC002081	<a href="#">374644</a>	4547648955591			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP5-50-2-A</a>	<a href="#">Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 50mm, 304SS, pre-wired with cable end shoes 2m</a>	28.63	EC002081	<a href="#">374643</a>	4547648955584	13		DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP6-100-2-A</a>	<a href="#">Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100, SUS 304, pre-wired with open cable ends 2m</a>	35.44	EC002081	<a href="#">374423</a>	4547648954822			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP6-50-2-A</a>	<a href="#">Temperature sensor, Lite, smooth tube, PT100, class B, dia 6, 50mm, 304SS, pre-wired with cable end shoes 2m</a>	35.44	EC002081	<a href="#">374645</a>	4547648955607			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELT16-100-2-A</a>	<a href="#">Temperature sensor, Lite, smooth tube, Thermocouple, J, dia 6, 100mm, 304SS, pre-wired with cable end shoes 2m</a>	22.04	EC002081	<a href="#">374412</a>	4547648954716			DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP3-250-2-B</a>	<a href="#">Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m</a>	103.30	EC002081	<a href="#">374342</a>	4547648954013			DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP6-100-2-B</a>	<a href="#">Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, AISI 316, pre-wired with open cable ends 2m</a>	42.47	EC002081	<a href="#">374350</a>	4547648954099	5		DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP6-200-T2-CG1-2G-B</a>	<a href="#">Temperature sensor, Pro, enclosed terminals, G1/2" g mounting, PT100mm, class B, dia 6, 200, AISI 316, enclosed screw terminals</a>	137.00	EC002081	<a href="#">374361</a>	4547648954204	15		DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP6-35-2-BG1/4G-B</a>	<a href="#">Temperature sensor, Pro, bajonet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m</a>	64.15	EC002081	<a href="#">374352</a>	4547648954112	10		DF	DFL	ITA	8544.4993.90
<a href="#">E52-ETJ51-B</a>	<a href="#">Temperature sensor, Pro Plus, Surface temp, Thermocouple, J, dia 10, dia 4mm screw hole, Cu-Stg, pre-wired with open cable ends</a>	25.72	EC002081	<a href="#">374348</a>	4547648954075			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ETK3-100-2-A</a>	<a href="#">Temperature sensor, Pro, smooth tube, Thermocouple, K, dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m</a>	51.20	EC002081	<a href="#">374416</a>	4547648954754			DF	DFL	ITA	8544.4993.90
<a href="#">E52-P20C-N D=8</a>	<a href="#">Temp. Sensor, Enclosed terminals, Pt100 class B, -200-450deg., dia. 3.2mm, 200mm SUS 304</a>	257.40	EC002081	375791	4548583324510			DF	DFL	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses Termo Sensör</b>											
<a href="#">E51R-10-70C</a>	<a href="#">Kızılötesi sıcaklık sensörü, 10 - 70°C</a>	435.20	EC002081	<a href="#">171655</a>	4547648047654	#		DF	DFL	JPN	9032.1080.90
<a href="#">E51R-140-260C</a>	<a href="#">Kızılötesi sıcaklık sensörü, 140 - 260°C</a>	447.20	EC002081	<a href="#">171658</a>	4547648047685	#		DF	DFL	JPN	9032.1080.90
<a href="#">E51R-60-120C</a>	<a href="#">Kızılötesi sıcaklık sensörü, 60 - 120°C</a>	439.20	EC002081	<a href="#">171656</a>	4547648047661	#		DF	DFL	JPN	9032.1080.90
<a href="#">E51C-A40</a>	<a href="#">Kızılötesi sıcaklık sensörü, M18, 0 - 400°C</a>	846.00	EC002081	<a href="#">267944</a>	4547648644242	#		DF	DFL	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses E5CS-V</b>											
<a href="#">E5CSV-Q1T-500-100-240 VAC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 100-240VAC</a>	191.50	EC001446	<a href="#">229456</a>	4547648223201	#		DF	DFM	CHN	9032.1080.90
<a href="#">E5CSV-Q1TD-500-24VAC/DC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 24 VAC/DC</a>	194.80	EC001446	<a href="#">229458</a>	4547648223171	#		DF	DFM	CHN	9032.1080.90
<a href="#">E5CSV-R1T-500-100-240 VAC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 100-240VAC</a>	192.10	EC001446	<a href="#">229455</a>	4547648223195	#		DF	DFM	CHN	9032.1080.90
<a href="#">E5CSV-R1TD-500-24VAC/DC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 24VAC/DC</a>	195.50	EC001446	<a href="#">229457</a>	4547648223218	#		DF	DFM	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5CS-V</b>											
<a href="#">E5CB-Q1P-100-240VAC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC</a>	158.10	EC001446	<a href="#">352128</a>	4548583012882			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-Q1PD-24VAC/DC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC</a>	158.10	EC001446	<a href="#">352130</a>	4548583012905			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-Q1TC-100-240 VAC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC</a>	158.10	EC001446	<a href="#">352127</a>	4548583012875			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-Q1TCD-24VAC/DC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC</a>	158.10	EC001446	<a href="#">352129</a>	4548583012899			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1P-100-240 VAC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC</a>	158.10	EC001446	<a href="#">352124</a>	4548583012844			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1PD-24VAC/DC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC</a>	158.10	EC001446	<a href="#">352126</a>	4548583012868			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1TC-100-240 VAC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC</a>	158.10	EC001446	<a href="#">352123</a>	4548583012820			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1TCD-24VAC/DC</a>	<a href="#">Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC</a>	158.10	EC001446	<a href="#">352125</a>	4548583012851			DF	DFM	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5AN-H</b>											
<a href="#">E5AN-HAA2HRM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, Terminal cov., 100-240V AC</a>	564.00	EC001446	<a href="#">246790</a>	4547648451826			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HAA2HBM-500-24VAC/DC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, Terminal cov., 24V AC/DC</a>	579.50	EC001446	<a href="#">246764</a>	4547648451901			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HAA2HBFM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P &amp; Transf. OUT, option unit, Terminal cov., 100-240V AC</a>	591.00	EC001446	<a href="#">246791</a>	4547648451840			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HAA3BFM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 3 x Aux OUT, Event I/P &amp; Transf. OUT, option unit, Terminal cov., 100-240V AC</a>	713.50	EC001446	<a href="#">246760</a>	4547648451864			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HPRR2BM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps, option unit, Terminal cov., 100-240V AC</a>	610.50	EC001446	<a href="#">246762</a>	4547648451888			DF	DFN	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5EN-H</b>											
<a href="#">E5EN-HAA2HRM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, 100-240V AC</a>	616.00	EC001446	<a href="#">246796</a>	4547648453424			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HAA2HBM-500-24VAC/DC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, 24V AC/DC</a>	631.00	EC001446	<a href="#">246782</a>	4547648453509			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HAA2HBFM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P &amp; Transf. OUT, option unit, 100-240V AC</a>	685.50	EC001446	<a href="#">246777</a>	4547648453448			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HPRR2BFM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, Event I/P &amp; Transf. OUT, option unit, 100-240V AC</a>	693.50	EC001446	<a href="#">246781</a>	4547648453493			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HPRR2BM-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps, option unit, 100-240V AC</a>	668.00	EC001446	<a href="#">246797</a>	4547648453486			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HPRR2BMD-500-24VAC/DC</a>	<a href="#">Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps, option unit, 24V AC/DC</a>	685.00	EC001446	<a href="#">246788</a>	4547648453561			DF	DFO	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5CN-H</b>											
<a href="#">E5CN-HC2M-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT, 2 x Aux OUT, option unit, 100-240V AC</a>	443.70	EC001446	<a href="#">246794</a>	4547648452724			DF	DFF	CHN	9032.1080.90
<a href="#">E5CN-HC2MD-500-24VAC/DC</a>	<a href="#">Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT, 2 x Aux OUT, option unit, 24V AC/DC</a>	479.50	EC001446	<a href="#">246774</a>	4547648452762			DF	DFF	CHN	9032.1080.90
<a href="#">E5CN-HO2M-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT, 2 x Aux OUT, option unit, 100-240V AC</a>	385.70	EC001446	<a href="#">246793</a>	4547648452717	#		DF	DFF	CHN	9032.1080.90
<a href="#">E5CN-HO2MD-500-24VAC/DC</a>	<a href="#">Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT, 2 x Aux OUT, option unit, 24V AC/DC</a>	385.70	EC001446	<a href="#">246773</a>	4547648452755			DF	DFF	CHN	9032.1080.90
<a href="#">E5CN-HR2M-500-100-240 VAC</a>	<a href="#">Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay Out, 2 x Aux OUT, option unit, 100-240V AC</a>	386.10	EC001446	<a href="#">246792</a>	4547648452700			DF	DFF	CHN	9032.1080.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CN-HR2M-500 24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay Out, 2 x Aux OUT, option unit, 24V AC/DC	387.80	EC001446	246795	4547648452748			DF	DFP	CHN	9032.1080.90
E5CN-HTQ2M-500 100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16 DIN (48x48mm), universal input (TC, RTD, Linear), SSR driver (12 VDC) output, 100-240 VAC	392.00	EC001446	352173	4548583000520			DF	DFP	CHN	9032.1080.90
E5CN-HTB2M-500 100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16 DIN (48x48mm), universal input (TC, RTD, Linear), relay output, 100-240 VAC	419.00	EC001446	352172	4548583000513			DF	DFP	CHN	9032.1080.90
E5CN-HV2M-500 100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Volt, OUT, 2 x Aux OUT, option unit, 100-240V AC	479.50	EC001446	246772	4547648452731			DF	DFP	CHN	9032.1080.90
E5CN-HV2M-500 24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Volt, OUT, 2 x Aux OUT, option unit, 24V AC/DC	479.50	EC001446	246775	4547648452779			DF	DFP	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5DC-CX0ASM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 0-20/4-20mA akım çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	193.50	EC001446	377939	4548583422247			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 0-20/4-20mA akım çıkışı, 2 alarm çıkışı, RS-485 haberleşme, 24 VAC/DC	211.00	EC001446	377942	4548583422278	#		DF	DFQ	CHN	9032.1080.90
E5DC-OX0ASM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	128.90	EC001446	377933	4548583422186			DF	DFQ	CHN	9032.1080.90
E5DC-OX0DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	128.90	EC001446	377934	4548583422193	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, 100-240 VAC	118.10	EC001446	377929	4548583422148			DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 100-240 VAC	164.30	EC001446	377931	4548583422162	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-017	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 1 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	144.00	EC001446	377935	4548583422209			DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, 24 VAC/DC	118.10	EC001446	377930	4548583422155	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 24 VAC/DC	164.30	EC001446	377932	4548583422179	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0ASM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	128.90	EC001446	377925	4548583422100	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	128.90	EC001446	377926	4548583422117	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, 2 alarm çıkışı, 100-240 VAC	118.10	EC001446	377921	4548583422063	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 100-240 VAC	164.30	EC001446	377923	4548583422087	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-017	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, 2 alarm çıkışı, 1 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	144.00	EC001446	377927	4548583422124			DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, 2 alarm çıkışı, 24 VAC/DC	118.10	EC001446	377922	4548583422070			DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22.5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 24 VAC/DC	164.30	EC001446	377924	4548583422094	#		DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5DC-OX0DSM-015	Temp. controller, PRO, DIN Rail, 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 24 VAC/DC, Push-in plus terminal	209.30	EC001446	687799	4549734493390			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5CC-CX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 100-240 VAC	240.00	EC001446	689379	4549734266758	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 100-240 VAC	346.50	EC001446	689387	4549734266833			DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	327.40	EC001446	689383	4549734266796	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 24 VAC/DC	240.00	EC001446	689380	4549734266765	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 24 VAC/DC	305.20	EC001446	689388	4549734266840			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	273.00	EC001446	689382	4549734266789			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 24 VAC/DC	327.40	EC001446	689384	4549734266802			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-007	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, uzaktan set değeri, 24 VAC/DC	307.80	EC001446	689386	4549734266826			DF	DFQ	IDN	9032.1020.90
E5CC-OQ3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 2 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 100-240 VAC	176.60	EC001446	689367	4549734266635			DF	DFQ	IDN	9032.1020.90
E5CC-OQ3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 2 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 24 VAC/DC	176.60	EC001446	689368	4549734266642			DF	DFQ	IDN	9032.1020.90
E5CC-OX2ASM-000	Temp. Contr., 1/16 DIN (48x48mm), 1 x 12VDC pulse OUT, 2 AUX, No cov., 100-240VAC	159.00	EC001446	689400	4549734267335			DF	DFQ	IDN	9032.1020.90
E5CC-OX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 100-240 VAC	163.70	EC001446	689366	4549734266512	#		DF	DFQ	IDN	9032.1020.90
E5CC-OX3ASM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	196.40	EC001446	689417	4549734266536			DF	DFQ	IDN	9032.1020.90
E5CC-OX3ASM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarm, 100-240 VAC	240.00	EC001446	689419	4549734266550	#		DF	DFQ	IDN	9032.1020.90
E5CC-OX3ASM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 4 event girişi, 100-240 VAC	196.40	EC001446	689421	4549734266574			DF	DFQ	IDN	9032.1020.90
E5CC-OX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	229.60	EC001446	689423	4549734266598			DF	DFQ	IDN	9032.1020.90
E5CC-OX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 24 VAC/DC	163.70	EC001446	689416	4549734266529	#		DF	DFQ	IDN	9032.1020.90
E5CC-OX3DSM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, 24 VAC/DC	196.40	EC001446	689418	4549734266543			DF	DFQ	IDN	9032.1020.90
E5CC-OX3DSM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	245.00	EC001446	689420	4549734266567			DF	DFQ	IDN	9032.1020.90
E5CC-OX3DSM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	196.40	EC001446	689422	4549734266581			DF	DFQ	IDN	9032.1020.90
E5CC-OX3DSM-007	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, uzaktan set değeri, 24 VAC/DC	229.60	EC001446	689426	4549734266628			DF	DFQ	IDN	9032.1020.90
E5CC-RX2ASM-000	Temp. Contr., 1/16 DIN (48x48mm), 1 x Rel. OUT, 2 AUX, No cov., 100-240VAC	137.80	EC001446	689427	4549734266994			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 100-240 VAC	163.70	EC001446	689404	4549734266390	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	196.40	EC001446	689406	4549734266413			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarm, 100-240 VAC	240.00	EC001446	689408	4549734266437			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 4 event girişi, 100-240 VAC	196.40	EC001446	689410	4549734266451			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	229.60	EC001446	689412	4549734266475			DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 24 VAC/DC	163.70	EC001446	689405	4549734266406	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, 24 VAC/DC	196.40	EC001446	689407	4549734266420			DF	DFQ	IDN	9032.1020.90
E5CC-RY3DSM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	245.00	EC001446	689409	4549734266444	#		DF	DFQ	IDN	9032.1020.90
E5CC-RY3DSM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	196.40	EC001446	689411	4549734266468			DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 24 VAC/DC	229.60	EC001446	689413	4549734266482	#		DF	DFQ	IDN	9032.1020.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5AC-CC4ASM-013	Sıcaklık kontrolörü; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş; 4 alarm çıkışı; 2 x 0-20/4-20mA akım çıkışı; 6 event girişi; uzaktan set değeri; transfer çıkışı; 100-240 VAC	558.50	EC001446	374743	4548583350397			DF	DFQ	CHN	9032.1080.90
E5AC-CX4ASM-000	Sıcaklık kontrolörü; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş; 4 alarm çıkışı; 1 x 0-20/4-20mA akım çıkışı; 100-240 VAC	359.20	EC001446	374727	4548583350236	#		DF	DFQ	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5AC-CX4A5M-004	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş,4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	432.50	EC001446	374729	4548583350250			DF	DFQ	CHN	9032.1080.90
E5AC-CX4D5M-000	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş,4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı,24 VAC/DC	358.80	EC001446	374728	4548583350243			DF	DFQ	CHN	9032.1080.90
E5AC-PR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x96 mm), t/c & Pt100 & analog giriş,4 alarm çıkışı,2 röle çıkışı,orsansal vana kontrolü, 100/240 VAC	421.10	EC001446	374747	4548583350434			DF	DFQ	CHN	9032.1080.90
E5AC-OX4A5M-000	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm),1x12 gerilim çıkışı,t/c & Pt100 & analog giriş,4 alarm çıkışı,100-240 VAC	258.80	EC001446	374695	4548583349919	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4A5M-000	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş,4 alarm çıkışı,1 röle çıkışı,100-240 VAC	269.40	EC001446	374687	4548583349834	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4A5M-010	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş,4 alarm çıkışı,1 röle çıkışı,4 event girişi,ısıtıcı yanma SSR anıza,100-240 VAC	317.50	EC001446	374691	4548583349872			DF	DFQ	CHN	9032.1080.90
E5AC-RX4D5M-000	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş,4 alarm çıkışı,1 röle çıkışı,24 VAC/DC	269.40	EC001446	374688	4548583349841			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5EC-CQ4D5M-011	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC pulse OUT, 4 AUX., EVT. I/P 6., SSR fail det./1-PH, Transf. OUT, 24 VAC/DC	361.60	EC001446	680588	4548583367180	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,100-240 VAC	313.90	EC001446	356345	4548583091900			DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-004	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	384.70	EC001446	356347	4548583091924			DF	DFQ	CHN	9032.1080.90
E5EC-CX4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,24 VAC/DC	313.90	EC001446	356346	4548583091917			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (orsansal vana kontrolü için),4 alarm çıkışı,100-240 VAC	388.10	EC001446	374723	4548583351073			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-004	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (orsansal vana kontrolü için),4 alarm çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	436.40	EC001446	374774	4548583351080			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-014	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (orsansal vana kontrolü için),4 alarm çıkışı,4 event girişi, RS-485 haberleşme, uzaktan set değeri,100-240 VAC	554.50	EC001446	374775	4548583351097			DF	DFQ	CHN	9032.1080.90
E5EC-QR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,1 x röle çıkışı,4 alarm çıkışı,100-240 VAC	237.90	EC001446	356337	4548583091825	#		DF	DFQ	CHN	9032.1080.90
E5EC-QR4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,1 x röle çıkışı,4 alarm çıkışı,24 VAC/DC	237.90	EC001446	356338	4548583091832			DF	DFQ	CHN	9032.1080.90
E5EC-OX4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,100-240 VAC	218.40	EC001446	356313	4548583091580	#		DF	DFQ	CHN	9032.1080.90
E5EC-OX4A5M-009	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,3 faz ısıtıcı alarmı, 100-240 VAC	272.20	EC001446	356315	4548583091603			DF	DFQ	CHN	9032.1080.90
E5EC-OX4A5M-010	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,4 event girişi, ısıtıcı yanma SSR anıza,100-240 VAC	272.00	EC001446	356317	4548583091627			DF	DFQ	CHN	9032.1080.90
E5EC-OX4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,24 VAC/DC	218.40	EC001446	356314	4548583091597			DF	DFQ	CHN	9032.1080.90
E5EC-OR4A5M-009	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,3 faz ısıtıcı alarmı,24 VAC/DC	289.70	EC001446	356316	4548583091610			DF	DFQ	CHN	9032.1080.90
E5EC-RR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı,4 alarm çıkışı,100-240 VAC	237.90	EC001446	356321	4548583091665			DF	DFQ	CHN	9032.1080.90
E5EC-RX4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,100-240 VAC	229.60	EC001446	356305	4548583091504	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,24 VAC/DC	229.60	EC001446	356306	4548583091511			DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-010	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,4 event girişi, ısıtıcı yanma SSR anıza,24 VAC/DC	274.70	EC001446	356310	4548583091559			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5GC-OX1A6M-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screw terminals,1 AUX,1 x 12 VDC pulse OUT,100-240 VAC	213.70	EC001446	392093	4548583505124			DF	DFQ	CHN	9032.1080.90
E5GC-OX1A6M-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,100-240 VAC	218.80	EC001446	392095	4548583505148			DF	DFQ	CHN	9032.1080.90
E5GC-OX1DCM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,24V AC/DC	218.80	EC001446	392103	4548583505155			DF	DFQ	CHN	9032.1080.90
E5GC-OX2ACM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals,2 AUX,1 x 12 VDC pulse OUT,100-240 VAC	237.60	EC001446	392127	4548583505186			DF	DFQ	CHN	9032.1080.90
E5GC-OX2DCM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals,2 AUX,1 x 12 VDC pulse OUT,24V AC/DC	237.60	EC001446	392128	4548583505193			DF	DFQ	CHN	9032.1080.90
E5GC-RX1A6M-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x relay OUT,100-240 VAC	208.10	EC001446	392088	4548583504820			DF	DFQ	CHN	9032.1080.90
E5GC-RX1DCM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x relay OUT,24V AC/DC	201.40	EC001446	392102	4548583504837			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5CC-OX2AUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm), Plug-in type,2 AUX,1 x 12 VDC pulse OUT,100-240 VAC	160.40	EC001446	386704	4548583466678			DF	DFQ	CHN	9032.1080.90
E5CC-RW2AUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm), Plug-in type,2 AUX,SPDT Rel.,100-240 VAC	138.80	EC001446	386699	4548583466616			DF	DFQ	CHN	9032.1080.90
E5CC-RW2DUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm), Plug-in type,2 AUX,SPDT Rel.,24V AC/DC	147.20	EC001446	386700	4548583466623			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5CC-OX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,100-240 VAC, Push-in Plus terminal	169.90	EC001446	669546	4548583762343	#		DF	DFQ	CHN	9032.1080.90
E5CC-OX2ABM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,2 event girişi,ısıtıcı yanma SSR anıza,100-240 VAC, Push-in Plus terminal	201.00	EC001446	669542	4548583762367			DF	DFQ	CHN	9032.1080.90
E5CC-OX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	169.90	EC001446	669543	4548583762350	#		DF	DFQ	CHN	9032.1080.90
E5CC-OX2DBM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,2 event girişi,RS-485 haberleşme,24 VAC/DC, Push-in Plus terminal	233.70	EC001446	669550	4548583762411			DF	DFQ	CHN	9032.1080.90
E5CC-RX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,2 alarm çıkışı,100-240 VAC, Push-in Plus terminal	169.90	EC001446	669534	4548583762244	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,2 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	169.90	EC001446	669552	4548583762251	#		DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5EC-OX2DBM-010	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,4 event girişi,ısıtıcı yanma SSR anıza,24 VAC/DC	276.30	EC001446	669579	4548583762695			DF	DFQ	CHN	9032.1080.90
E5EC-OX4ABM-008	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,ısıtıcı yanma SSR anıza,100-240 VAC, Push-in Plus terminal	192.70	EC001446	669582	4548583762749			DF	DFQ	CHN	9032.1080.90
E5EC-OX4DBM-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	158.60	EC001446	669563	4548583762732			DF	DFQ	CHN	9032.1080.90
E5EC-RX4ABM-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 röle çıkışı,4 alarm çıkışı,100-240 VAC, Push-in Plus terminal	234.80	EC001446	669584	4548583762565			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5AC-TOX4A5M-008	Programlanabilir sıcaklık kontrolörü, PRO, 1/4 DIN (96x96mm),4 alarm çıkışı,1 x 12 VDC gerilim çıkışı,2 event girişi,ısıtıcı yanma SSR anıza,RS-485,100-240 VAC	338.70	EC001446	385188	4548583470774			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
E5CC-TOX3A5M-000	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),3 alarm çıkışı,1 x 12 VDC gerilim çıkışı,100-240 VAC	200.00	EC001446	385252	4548583473010			DF	DFQ	CHN	9032.1080.90
E5CC-TOX3A5M-003	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),3 alarm çıkışı,1 x 12 VDC gerilim çıkışı,3 faz ısıtıcı alarmı,RS-485 haberleşme,100-240 VAC	248.00	EC001446	385256	4548583473058			DF	DFQ	CHN	9032.1080.90
E5CC-TRX3A5M-000	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),3 alarm çıkışı,1 x röle çıkışı,100-240 VAC	200.00	EC001446	385242	4548583472914			DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Sıcaklık &amp; Proses E5_D</b>											
<a href="#">E5CD-0X2A6M-000</a>	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC qerilim çıkışı, 2 alarm röle çıkışı, 100-240 VAC	191.50	EC001446	<a href="#">676834</a>	4549734126267			DF	DFR	CHN	9032.1080.90
<a href="#">E5CD-0X2D6M-000</a>	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC qerilim çıkışı, 2 alarm röle çıkışı, 24 VAC/DC	191.50	EC001446	<a href="#">676837</a>	4549734126298			DF	DFR	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-C3</a>	Output unit for E5A/E J/K, linear 4-20mA, 600 Ohm, 12-bit	96.95	EC002586	<a href="#">129680</a>	4536853362560			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-CN</a>	Output unit for E5A/EN-H, 4-20 mA linear output	86.75	EC002586	<a href="#">246554</a>	4547648476881			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-Q4</a>	Output unit for E5A/E J/K, 20mA, 24VDC, PNP	27.83	EC002586	<a href="#">142183</a>	4536853362553			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-R</a>	Output unit for E5A/E J/K/X, SPST-NO, 5A relay	13.01	EC002586	<a href="#">129678</a>	4536853362508			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-RN</a>	Output unit for E5A/EN-H, relay output	13.61	EC002586	<a href="#">246558</a>	4547648488488			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-V34</a>	Output unit for E5A/E J/K, linear 0-10VDC, 12-bit	122.50	EC002586	<a href="#">148624</a>	4536853362614			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-V34N</a>	Output unit for E5A/EN-H, 0-10 V linear output	87.05	EC002586	<a href="#">246556</a>	4547648476904			DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-AR8</a>	option unit for E5AK/EK/EN, event input, 2 points	106.20	EC002586	<a href="#">129693</a>	4536853362850			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-CNBN2</a>	E5CN-H option board- Event inputs, **only compatible with new E5CN-H models**	36.65	EC002586	<a href="#">243808</a>	4547648463478			DF	DFZ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-CN01N2</a>	E5CN-H option board- RS-232C communications, **only compatible with new E5CN-H models**	77.45	EC002586	<a href="#">243821</a>	4547648463607			DF	DFZ	CHN	9032.1080.90
<a href="#">E53-CN03N2</a>	E5CN-H option board- RS-485 communications, **only compatible with new E5CN-H models**	77.20	EC002586	<a href="#">243809</a>	4547648463485			DF	DFZ	CHN	9032.1080.90
<a href="#">E53-FN03</a>	Communication unit for E5AK/EK/AN/EN, RS-485	109.70	EC002586	<a href="#">182424</a>	4547648142410	#		DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-COV17</a>	Terminal cover	6.88	EC002586	<a href="#">243805</a>	4547648476072			DF	DFZ	CHN	8536.4900.99
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-CNBN2</a>	E5CN-H plug-in option card, event input & transfer output	187.30	EC002586	<a href="#">243819</a>	4547648463584			DF	DFZ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E5T2-2C-MV4</a>	CX-Thermo yazılım ile programlama (E5_C, E5_D, E5_N (version 5 & 6), E5Z_N ve CelciuX (E11))	167.40	EC000809	<a href="#">242527</a>	4547648504447			DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E54-CT1</a>	5.8 mm iç çaplı akım transformatörü	35.88	EC002048	<a href="#">103241</a>	4536853363079	#		DF	DFZ	JPN	9032.1080.90
<a href="#">E54-CT3</a>	12.0 mm iç çaplı akım transformatörü	64.25	EC002048	<a href="#">129612</a>	4536853363086	#		DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-COV19</a>	E5CB Terminal cover	16.16	EC002586	<a href="#">353953</a>	4547648841894			DF	DFZ	CHN	3926.9097.90
<a href="#">E58-CIF01</a>	E5_N ve CelciuX (E11) için USB programlama kablosu	425.40	EC000310	<a href="#">126286</a>	4547648103459	#		DF	DFZ	JPN	9032.1080.90
<a href="#">E58-CIF02</a>	E5CB, E5_C, E5_D için USB programlama kablosu	376.20	EC000310	<a href="#">353471</a>	4548583020627	#		DF	DFZ	JPN	9032.1080.90
<a href="#">E58-CIF02-E</a>	Kolay ön yüzey USB kablo aparatı (E5CB, E5CC, E5CD ile kullanılamaz)	125.20	EC000310	<a href="#">356821</a>	4548583097667			DF	DFZ	CHN	9032.9000.90
<a href="#">E5DC-SCT1S</a>	Socket for E5DC	34.92	EC001456	<a href="#">414645</a>	4548583546004			DF	DFZ	CHN	9032.1080.90
<a href="#">Y92F-45</a>	Panel adaptor, 48x48 device into 67x67 hole	45.49	EC002586	<a href="#">104661</a>	4536854618567			DF	DFZ	JPN	9032.1080.90
<a href="#">Y92F-52</a>	DIN mounting adapter for E5CC	19.27	EC002586	<a href="#">372111</a>	4548583318373	#		DF	DFZ	CHN	9032.1080.90
<b>Zaman Rölesi H3CR</b>											
<a href="#">H3CR-A 100-240VAC/100-125VDC</a>	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	66.00	EC001439	<a href="#">667919</a>	4548583553262	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A AC24-48/DC12-48</a>	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	66.00	EC001439	<a href="#">667959</a>	4548583553279	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A-301 100-240AC/100-125DC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	64.50	EC001439	<a href="#">667945</a>	4548583553361			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A-301 AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	64.50	EC001439	<a href="#">667930</a>	4548583553378			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A8 100-240VAC/100-125VDC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	64.50	EC001439	<a href="#">667944</a>	4548583553316	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A8 AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	64.50	EC001439	<a href="#">667924</a>	4548583553323	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A8-301 100-240AC/DC100DC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	64.50	EC001439	<a href="#">667939</a>	4548583553385			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A8 100-240VAC/100-125VDC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	80.50	EC001439	<a href="#">667916</a>	4548583553330	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A8S 24-48VAC/DC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	83.95	EC001439	<a href="#">667957</a>	4548583553347			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A8S AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, transistor output, 5 A	68.00	EC001439	<a href="#">667943</a>	4548583553354			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AP 100-240VAC/100-125VDC</a>	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	78.10	EC001439	<a href="#">667928</a>	4548583553286			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AP AC24-48/DC12-48</a>	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	68.50	EC001439	<a href="#">667907</a>	4548583553293			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AS AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	62.55	EC001439	<a href="#">667962</a>	4548583553309			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F 100-240VAC/100-125VDC</a>	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (iki) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	105.30	EC001439	<a href="#">667935</a>	4548583552845			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F AC24-48/DC12-48</a>	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (iki) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	104.10	EC001439	<a href="#">667910</a>	4548583552852			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F 100-240VAC/100-125VDC</a>	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (iki) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	103.00	EC001439	<a href="#">667955</a>	4548583552807	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F 24-48VAC/12-48VDC</a>	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (iki) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	103.00	EC001439	<a href="#">667922</a>	4548583552814	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F8N 100-240VAC/100-125VDC</a>	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	102.50	EC001439	<a href="#">667913</a>	4548583552821			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F8N AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	71.95	EC001439	<a href="#">667950</a>	4548583552838			DG	DGB	IDN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	105.30	EC001439	667915	4548583552869			DG	DGB	IDN	8536.4900.99
H3CR-G8EL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 200-240 VAC	105.70	EC001439	667958	4548583552913			DG	DGB	IDN	8536.4900.99
H3CR-G8L AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 200-240 VAC	96.30	EC001439	667923	4548583552890			DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	115.00	EC001439	667931	4548583552968			DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	98.75	EC001439	667933	4548583553019			DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	97.05	EC001439	667908	4548583552975			DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	97.05	EC001439	667921	4548583553026			DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	100.30	EC001439	667946	4548583552982			DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	95.10	EC001439	667952	4548583553033			DG	DGB	IDN	8536.4900.99
H3CR-H8BL 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	93.25	EC001439	667911	4548583553118			DG	DGB	IDN	8536.4900.99
<b>Zaman Rölesi H3DK</b>											
H3DK-E 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, çift zamanlı (kız), flicker on & off-delay, 0.1 sn-12 saat, SPDT, 5 A, 24-240 VAC/DC	72.80	EC001439	668599	4548583745001	#		DG	DGD	IDN	9107.0000.90
H3DK-G 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, yıldız-üçgen, 1-120 sn, DPDT, 5 A, 24-240 VAC/DC	72.80	EC001439	668604	4548583745018	#		DG	DGD	IDN	9107.0000.90
H3DK-GF 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	72.80	EC001439	352023	4548583002418			DG	DGD	CHN	9107.0000.90
H3DK-H8L 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	72.80	EC001439	668624	4548583745025			DG	DGD	IDN	9107.0000.90
H3DK-H8S 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	72.80	EC001439	668618	4548583745032			DG	DGD	IDN	9107.0000.90
H3DK-HCS 100-120VAC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC	72.80	EC001439	668587	4548583745056			DG	DGD	IDN	9107.0000.90
H3DK-HDL AC200-240V	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	72.80	EC001439	668644	4548583745063	#		DG	DGD	IDN	9107.0000.90
H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	72.80	EC001439	668617	4548583745070			DG	DGD	IDN	9107.0000.90
H3DK-M1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 2 çıkış rölesi, 24 - 240 VAC/DC	52.70	EC001439	668642	4548583744967	#		DG	DGD	IDN	9107.0000.90
H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	52.70	EC001439	668610	4548583745087			DG	DGD	IDN	9107.0000.90
H3DK-M2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 2 çıkış rölesi, 24 - 240 VAC/DC	52.70	EC001439	668641	4548583744974	#		DG	DGD	IDN	9107.0000.90
H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	55.65	EC001439	668594	4548583745094			DG	DGD	IDN	9107.0000.90
H3DK-S1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 1 çıkış röle, 24 - 240 VAC/DC	36.51	EC001439	668605	4548583744981	#		DG	DGD	IDN	9107.0000.90
H3DK-S2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 2 çıkış röle, 24 - 240 VAC/DC	42.27	EC001439	668622	4548583744998	#		DG	DGD	IDN	9107.0000.90
<b>Zaman Rölesi H3DS</b>											
H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, "Smart Dial" lockable settings, no-input available, A single operating mode, screw terminal type	46.87	EC001439	670944	4548583753006	#		DG	DGE	IDN	8536.4900.99
H3DS-ALC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı çalışma modu	44.91	EC001439	670938	4548583752948			DG	DGE	IDN	8536.4900.99
H3DS-FL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, kızık on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	76.05	EC001439	670935	4548583752917			DG	DGE	IDN	9107.0000.90
H3DS-FLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, kızık on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal	85.05	EC001439	670940	4548583752979			DG	DGE	IDN	9107.0000.90
H3DS-GL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, yıldız-üçgen, 1-120 s, DPST-NO, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal	76.05	EC001439	670937	4548583752931	#		DG	DGE	IDN	8536.4900.99
H3DS-ML AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/DC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 kablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması, vidalı terminal	57.90	EC001439	670946	4548583753020	#		DG	DGE	IDN	8536.4900.99
H3DS-MLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, multifonksiyonlu, 0.1 s-120 h, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal	53.60	EC001439	670941	4548583752962	#		DG	DGE	IDN	8536.4900.99
H3DS-SL AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/DC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 kablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması	53.25	EC001439	670945	4548583753013			DG	DGE	IDN	8536.4900.99
H3DS-XL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/DC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 kablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması	40.21	EC001439	670936	4548583752924			DG	DGE	IDN	8536.4900.99
<b>Zaman Rölesi H3Y</b>											
H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	63.95	EC001439	671634	4548583753068			DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	65.15	EC001439	671552	4548583753136			DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	58.60	EC001439	671567	4548583753075	10		DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 60S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	57.10	EC001439	671614	4548583753082			DG	DGG	IDN	8536.4900.99
H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	50.55	EC001439	184690	4547648114226			DG	DGG	CHN	8536.4900.99
H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	52.40	EC001439	671620	4548583753587			DG	DGG	IDN	8536.4900.99
H3Y-2 DC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	72.70	EC001439	671563	4548583753594			DG	DGG	IDN	8536.4900.99
H3Y-2 DC24 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	51.15	EC001439	671689	4548583753570	10		DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	82.00	EC001439	671578	4548583754812	10		DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	56.70	EC001439	671655	4548583754829	10		DG	DGG	IDN	8536.4900.99
H3YN-2 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 100-120 VAC, bei kasa	55.30	EC001439	671716	4548583755307	10		DG	DGG	IDN	8536.4900.99
H3YN-2 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bei kasa	56.55	EC001439	671573	4548583755291	#		DG	DGG	IDN	8536.4900.99
H3YN-2 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bei kasa	53.30	EC001439	671718	4548583755314	#		DG	DGG	IDN	8536.4900.99
H3YN-2 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 12 VDC, bei kasa	51.80	EC001439	671626	4548583755369	10		DG	DGG	IDN	8536.4900.99
H3YN-2 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bei kasa	51.60	EC001439	671562	4548583755352	#		DG	DGG	IDN	8536.4900.99
H3YN-2 DC48	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 48 VDC, bei kasa	61.30	EC001439	671646	4548583755345	10		DG	DGG	IDN	8536.4900.99
H3YN-2 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 100-120 VAC, bei kasa	59.95	EC001439	671570	4548583755383	10		DG	DGG	IDN	8536.4900.99
H3YN-21 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bei kasa	66.80	EC001439	671683	4548583755376	10		DG	DGG	IDN	8536.4900.99
H3YN-21 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VAC, bei kasa	68.00	EC001439	671630	4548583755390	10		DG	DGG	IDN	8536.4900.99
H3YN-21 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 12 VDC, bei kasa	62.30	EC001439	671617	4548583755444	10		DG	DGG	IDN	8536.4900.99
H3YN-21 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bei kasa	59.95	EC001439	671651	4548583755437	10		DG	DGG	IDN	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3YN-21-R DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bobin tarafı üstte, siyah kasa	60.75	EC001439	669512	4548583780965			DG	DGG	CHN	8536.4900.99
H3YN-2-R 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 100-120 VAC, bobin tarafı üstte, siyah kasa	65.85	EC001439	669502	4548583780842			DG	DGG	CHN	8536.4900.99
H3YN-2-R AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	68.05	EC001439	669519	4548583780859	#	10	DG	DGG	CHN	8536.4900.99
H3YN-2-R AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bobin tarafı üstte, siyah kasa	62.85	EC001439	669506	4548583780866			DG	DGG	CHN	8536.4900.99
H3YN-2-R DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bobin tarafı üstte, siyah kasa	60.75	EC001439	669526	4548583780880	#	10	DG	DGG	CHN	8536.4900.99
H3YN-4 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 100-120 VAC, bej kasa	60.50	EC001439	671690	4548583755468			DG	DGG	IDN	8536.4900.99
H3YN-4 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bej kasa	61.85	EC001439	671591	4548583755451	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VAC, bej kasa	58.50	EC001439	671644	4548583755475			DG	DGG	IDN	8536.4900.99
H3YN-4 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VDC, bej kasa	56.85	EC001439	671695	4548583755512	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 100-120 VAC, bej kasa	60.50	EC001439	671595	4548583755543			DG	DGG	IDN	8536.4900.99
H3YN-41 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 200-230 VAC, bej kasa	66.65	EC001439	671602	4548583755536			DG	DGG	IDN	8536.4900.99
H3YN-41 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 24 VAC, bej kasa	69.00	EC001439	671717	4548583755550			DG	DGG	IDN	8536.4900.99
H3YN-41 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 24 VDC, bej kasa	68.30	EC001439	671660	4548583755598			DG	DGG	IDN	8536.4900.99
H3YN-4-R AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	73.10	EC001439	669524	4548583781016			DG	DGG	CHN	8536.4900.99
H3YN-4-R DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	65.45	EC001439	669615	4548583781047	#		DG	DGG	CHN	8536.4900.99
<b>Zaman Rölesi H5CX</b>											
H5CX-A11D-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	243.00	EC001439	668627	4548583745247			DG	DGH	IDN	8536.4900.99
H5CX-A11-N	Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5A relay output, 100-240 VAC supply	243.00	EC001439	668597	4548583745223			DG	DGH	IDN	8536.4900.99
H5CX-A11SD-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30 VDC NPN transistor output, 12-24 VDC/24 VAC supply	243.30	EC001439	668603	4548583745254			DG	DGH	IDN	8536.4900.99
H5CX-AD-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 12-24 VDC/24 VAC	212.40	EC001439	668625	4548583745162	#		DG	DGH	IDN	8536.4900.99
H5CX-A-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 100-240 VAC	255.70	EC001439	668585	4548583745148	#		DG	DGH	IDN	8536.4900.99
H5CX-ASD-N	Zaman rölesi, DIN48x48mm, IP66, 4 haneli, çoklu zaman aralığı 0.01s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 12-24VDC	212.40	EC001439	668609	4548583745179			DG	DGH	IDN	8536.4900.99
H5CX-AS-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 100-240 VAC	241.40	EC001439	668592	4548583745155			DG	DGH	IDN	8536.4900.99
H5CX-L8D-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	204.50	EC001439	668620	4548583745209	#		DG	DGH	IDN	8536.4900.99
H5CX-L8FD-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 12-24 VDC/24 VAC supply	269.00	EC001439	668593	4548583745285			DG	DGH	IDN	8536.5080.99
H5CX-L8FN	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 100 to 240 VAC supply	269.00	EC001439	668636	4548583745278			DG	DGH	IDN	8536.5080.99
H5CX-L8-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply	211.90	EC001439	668607	4548583745186			DG	DGH	IDN	8536.4900.99
H5CX-L8SD-N	Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC/24VAC supply	218.70	EC001439	668614	4548583745216			DG	DGH	IDN	8536.4900.99
<b>Zaman Rölesi H3DT</b>											
H3DT-A1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Güç AÇIK gecikmeli, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	49.52	EC001439	669477	4548583773356	#		DG	DGT	CHN	9107.0000.90
H3DT-A2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Güç AÇIK gecikmeli, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	52.15	EC001439	669509	4548583773363			DG	DGT	CHN	9107.0000.90
H3DT-E 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Cift (iki) zamanlı, Flaşör AÇIK/KAPALI başlangıç, 1-120 s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	77.50	EC001439	669468	4548583773370	#		DG	DGT	CHN	9107.0000.90
H3DT-G 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Yıldız-Üçgen, 1 s-120 s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	77.50	EC001439	669479	4548583773387	#		DG	DGT	CHN	9107.0000.90
H3DT-HR1 24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	73.40	EC001439	669466	4548583773424			DG	DGT	CHN	9107.0000.90
H3DT-H8S 24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Güç KAPALI gecikmeli, 0.1 s-12 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	73.40	EC001439	669492	4548583773394			DG	DGT	CHN	9107.0000.90
H3DT-HDL 200-240VAC	Zaman rölesi, DIN ray montaj, 17.5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	73.40	EC001439	669455	4548583773448			DG	DGT	CHN	9107.0000.90
H3DT-HDS 200-240VAC	Zaman rölesi, DIN ray montaj, 17.5 mm, Güç KAPALI gecikmeli, 0.1 s-12 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	73.40	EC001439	669521	4548583773417			DG	DGT	CHN	9107.0000.90
H3DT-L1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59.15	EC001439	669519	4548583773349			DG	DGT	CHN	9107.0000.90
H3DT-L2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	61.60	EC001439	669500	4548583773332	#		DG	DGT	CHN	9107.0000.90
H3DT-N1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59.05	EC001439	669502	4548583773325			DG	DGT	CHN	9107.0000.90
H3DT-N2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17.5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	61.40	EC001439	669448	4548583773318	#		DG	DGT	CHN	9107.0000.90
<b>Diğer Zaman Röleleri</b>											
H3RN-1 12VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 12 VDC, bej kasa	56.20	EC001439	147546	4536853509699		10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VAC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VAC, bej kasa	58.90	EC001439	145454	4536853509712		10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VDC, bej kasa	56.60	EC001439	120361	4536853509705		10	DG	DGX	JPN	8536.4900.99
H3RN-11 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 dk-10 sa, SPDT, 3 A, 24 VDC, bej kasa	56.55	EC001439	148556	4536853509736		10	DG	DGX	JPN	8536.4900.99
H3RN-1-B 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	65.15	EC001439	669638	4548583782952		10	DG	DGX	JPN	8536.4900.99
H3RN-2 24VAC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT-NO, 3 A, 24 VAC, bej kasa	65.90	EC001439	150751	4536853509774			DG	DGX	JPN	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">H3RN-2 24VDC</a>	<a href="#">Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT-NO, 3 A, 24VDC, bej kasa</a>	63.00	EC001439	<a href="#">156331</a>	4536853509767		10	DG	DGX	JPN	8536.4900.99
<a href="#">H3RN-21 12VDC</a>	<a href="#">Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 dk-10 sa, DPDT-NO, 3 A, 12VDC, bej kasa</a>	64.25	EC001439	<a href="#">120365</a>	4536853509781			DG	DGX	JPN	8536.4900.99
<a href="#">H3RN-2-B 24VDC</a>	<a href="#">Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT-NO, 3 A, 24VDC, bobin tarafı üstte, siyah kasa</a>	66.30	EC001439	<a href="#">669644</a>	4548583783010			DG	DGX	JPN	8536.4900.99
<b>Diğer Zaman Röleleri</b>											
<a href="#">H3FA-BU 24DC</a>	<a href="#">Control Components, Timers, Other Timers, H3FA-BU 24DC</a>	67.25	EC001439	120571	4536853505622			DG	DGX	JPN	8536.4900.99
<b>Diğer Zaman Röleleri</b>											
<a href="#">H5AN-4DM 100-240VAC</a>	<a href="#">Digital Timer, 72 x 72 mm, 4 digit display, time limit and integrating operation, time range 0.01 to 99 h, with memory backup, screw terminals</a>	620.00	EC001439	372095	4547648354332			DG	DGX	CHN	8536.4900.99
<b>Diğer Zaman Röleleri</b>											
<a href="#">H5F-B</a>	<a href="#">Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified)</a>	261.50	EC001439	<a href="#">243646</a>	4547648354080			DG	DGX	CHN	8536.4900.99
<a href="#">H5F-KB</a>	<a href="#">Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified)</a>	320.80	EC001439	<a href="#">243648</a>	4547648354134			DG	DGX	CHN	8536.4900.99
<a href="#">H5S-WB2</a>	<a href="#">Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC</a>	582.50	EC001439	<a href="#">243986</a>	4547648356350			DG	DGX	CHN	8536.4900.99
<a href="#">H5S-WFR2</a>	<a href="#">Digital Time Switch, Weekly, Surface mounting/track mounting, 2 circuits, 100 to 240 VAC</a>	564.00	EC001439	243987	4547648356589			DG	DGX	CHN	8536.4900.99
<b>Zaman Röleleri için Aksesuarlar</b>											
<a href="#">Y92A-4R</a>	<a href="#">Protective cover for DIN48x48mm device, hard plastic (shallow)</a>	6.13	EC002586	<a href="#">120050</a>	4536853523268		10	DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-4RB</a>	<a href="#">Protective cover for DIN 48x48 mm device, hard plastic</a>	5.76	EC002586	<a href="#">120938</a>	4536853494049			DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-4RD</a>	<a href="#">Protective cover for DIN48x48mm device, soft plastic</a>	6.09	EC002586	<a href="#">156312</a>	4536854247040			DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-4RF1</a>	<a href="#">Protective cover for H5/7CR timer/counter, soft plastic</a>	16.30	EC002586	<a href="#">151801</a>	4536854247088		10	DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-4BG</a>	<a href="#">Protective cover for DIN48x48mm device</a>	3.49	EC002586	<a href="#">142439</a>	4536854506420			DG	DGZ	JPN	8536.4900.99
<a href="#">Y92A-4BN</a>	<a href="#">Watertight cover for DIN 48x48 mm device, IP66, plastic</a>	64.80	EC002586	<a href="#">154196</a>	4536853362935	#		DG	DGZ	JPN	9032.1080.90
<a href="#">Y92A-4BN</a>	<a href="#">Watertight cover for DIN48x96mm device, IP66, plastic</a>	83.00	EC002586	<a href="#">129704</a>	4536853362942			DG	DGZ	JPN	9032.1080.90
<a href="#">Y92A-72N</a>	<a href="#">Watertight cover for DIN72x72mm device, IP66, plastic</a>	88.80	EC002586	<a href="#">142057</a>	4536853362959			DG	DGZ	JPN	9032.1080.90
<a href="#">Y92A-96N</a>	<a href="#">Watertight cover for DIN 96x96 mm device, IP66, plastic</a>	103.80	EC002586	<a href="#">148625</a>	4536853362966			DG	DGZ	JPN	9032.1080.90
<a href="#">Y92F-30</a>	<a href="#">Flush panel mounting adapter for DIN 48x48 mm device</a>	4.86	EC002586	<a href="#">332154</a>	4547648769525	#	50	DG	DGZ	CHN	3926.9097.90
<a href="#">Y92F-7R</a>	<a href="#">Flush panel mounting adapter for H3Y(N) timer</a>	5.28	EC002586	<a href="#">120088</a>	4536854478291		8	DG	DGZ	JPN	3926.9097.90
<a href="#">Y92H-3</a>	<a href="#">Clips for H3Y(N) timer &amp; PYF socket</a>	1.14	EC002586	<a href="#">120086</a>	4536853521516			DG	DGZ	JPN	3926.9097.90
<a href="#">Y92S-29</a>	<a href="#">Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adapter</a>	5.21	EC002586	<a href="#">107361</a>	4536854248313		25	DG	DGZ	JPN	8536.4900.99
<a href="#">Y92S-38</a>	<a href="#">Adjustment and locking tool for H3DS</a>	14.30	EC002586	<a href="#">235530</a>	4536854577819			DG	DGZ	CHN	3926.9097.90
<b>Güç İzleme</b>											
<a href="#">KM1-PMU1A-FLK</a>	<a href="#">Power monitor, master unit, single system, three-phase / 4-wire, Compoway/F and Modbus</a>	313.10	EC001506	<a href="#">380518</a>	4548583998674			DQ	DQA	JPN	9031.9000.00
<b>Güç İzleme</b>											
<a href="#">KM50-F1-FLK</a>	<a href="#">Power monitor, on-panel 48x96mm with LED display, single phase / 2-wire three-phase / 3-wire, Compoway/F and Modbus</a>	216.70	EC001506	<a href="#">380520</a>	4547648822220			DQ	DQA	JPN	9031.9000.00
<a href="#">KM50-OPT-ED1</a>	<a href="#">Mounting form for KM50 Eversion (DIN rail mounting type)</a>	76.55	EC002498	380511	4548583998056			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-N2-FLK</a>	<a href="#">Çoklu devre, kompakt, DIN ray montajlı, pano içi, şebeke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal</a>	234.10	EC001506	<a href="#">669418</a>	4548583795624	#		DQ	DQA	CHN	9031.9000.00
<a href="#">KM-N3-FLK</a>	<a href="#">Çoklu devre, 96 x 96 mm, kompakt, pano üstü, şebeke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal</a>	225.00	EC001506	<a href="#">672546</a>	4548583800199	#		DQ	DQA	CHN	9031.9000.00
<b>Güç İzleme</b>											
<a href="#">KM20-CTF-100A</a>	<a href="#">Maks. 14.5 mm çaplı kablolar için saha montaj, 100 A akım trafosu</a>	41.00	EC002048	<a href="#">380506</a>	4547648706247			DQ	DQA	JPN	9031.9000.00
<a href="#">KM20-CTF-50A</a>	<a href="#">Maks. 9.5 mm çaplı kablolar için saha montaj, 50 A akım trafosu</a>	27.99	EC002048	<a href="#">380519</a>	4547648706223			DQ	DQA	JPN	9031.9000.00
<a href="#">KM20-CTF-CB3</a>	<a href="#">Akım trafosu için 3 m bağlantı kablosu</a>	20.51	EC002498	<a href="#">380509</a>	4547648706780			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-NCT-F100A</a>	<a href="#">Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A</a>	110.40	EC002048	<a href="#">687721</a>	4549734440967			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-NCT-F250A</a>	<a href="#">Split-type Current Transformers, rated primary current 250 A, rated secondary current 1 A</a>	116.60	EC002048	<a href="#">687720</a>	4549734440943			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-NCT-F500A</a>	<a href="#">Split-type Current Transformers, rated primary current 500 A</a>	122.80	EC002048	<a href="#">687719</a>	4549734440950			DQ	DQA	JPN	9031.9000.00
<b>Kesintiz Güç Kaynağı S8BA</b>											
<a href="#">S8BA-24D24D120LE</a>	<a href="#">UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 5 A, 120 W, min. 6 dk. - maks. 29 dk. besleme süresi</a>	977.50	EC000382	<a href="#">668093</a>	4547648846608	#		DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D240LE</a>	<a href="#">UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 10 A, 240 W, min. 6 dk. - maks. 58 dk. besleme süresi</a>	1,107.00	EC000382	<a href="#">668092</a>	4547648846615	#		DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D360LE</a>	<a href="#">UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 15 A, 360 W, min. 6 dk. - maks. 87 dk. besleme süresi</a>	1,365.00	EC000382	<a href="#">668096</a>	4547648846622			DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D480LE</a>	<a href="#">UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 20 A, 480 W, min. 6 dk. - maks. 119 dk. besleme süresi</a>	1,590.00	EC000382	<a href="#">668091</a>	4547648846639	#		DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D480SBE</a>	<a href="#">UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W</a>	340.20	EC000382	<a href="#">683502</a>	4548583941724			DU	DUA	CHN	8504.4030.00
<a href="#">S8BA-24D24D960SBE</a>	<a href="#">UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W</a>	483.90	EC000382	<a href="#">683500</a>	4548583941731			DU	DUA	CHN	8504.4030.00
<b>Kesintiz Güç Kaynağı S8BA</b>											
<a href="#">S8BA-5490L</a>	<a href="#">UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 3.9 Ah</a>	677.50	EC000382	<a href="#">683501</a>	4548583941748			DU	DUA	CHN	8507.6000.90
<a href="#">S8BA-5960L</a>	<a href="#">UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 7.8 Ah</a>	1,046.00	EC000382	<a href="#">683499</a>	4548583941755			DU	DUA	CHN	8507.6000.90
<b>Kesintiz Güç Kaynağı BU</b>											
<a href="#">BU10025WG</a>	<a href="#">UPS, Kule tipi, AC-AC, 1000 VA, 700 W</a>	1,944.00	EC000382	<a href="#">678549</a>	4547648849623			DU	DUB	TWN	8504.4030.00
<b>Kesintiz Güç Kaynağı Aksesuarı</b>											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">S8BW-C02</a>	<a href="#">RI45 - açık uç alarm kablosu</a>	69,70	EC002850	<a href="#">688098</a>	4547648846660	#		DU	DUW	JPN	8544.4290.90
<b>Kesintisiz Güç Kaynağı Aksesuarı</b>											
<a href="#">S8BA-B120L</a>	<a href="#">S8BA için yedek akü paketi</a>	586,00	EC002850	<a href="#">671160</a>	4547648846646			DU	DUW	JPN	8506.5090.90
<b>Kesintisiz Güç Kaynağı Aksesuarı</b>											
<a href="#">BP100XSG</a>	<a href="#">BU1002SWG için yedek pil paketi</a>	487,20	EC002850	<a href="#">678554</a>	4547648849760			DU	DUW	TWN	8506.5090.90
<a href="#">BP150XSG</a>	<a href="#">BU3002SWG için yedek pil paketi</a>	456,20	EC002850	<a href="#">678555</a>	4547648849777			DU	DUW	TWN	8506.5090.90
<a href="#">BUB2002RW</a>	<a href="#">BU2002RWLG için yedek akü paketi</a>	1,645,00	EC002850	<a href="#">671158</a>	4547648845397			DU	DUW	JPN	8506.5090.90
<a href="#">BUB3002RW</a>	<a href="#">BU3002RWLG ve BU5002RWL için yedek akü paketi</a>	1,998,00	EC002850	<a href="#">671159</a>	4547648845403			DU	DUW	JPN	8506.5090.90
<b>Inverter Q2V</b>											
<a href="#">Q2V-A2001-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	488,20	EC001857	<a href="#">688470</a>	4549734972130	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2002-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	492,60	EC001857	<a href="#">688471</a>	4549734972147	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2004-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	715,00	EC001857	<a href="#">688472</a>	4549734972154	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2006-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	828,50	EC001857	<a href="#">688473</a>	4549734972161	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2010-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	1,004,00	EC001857	<a href="#">688474</a>	4549734972178	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2012-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	1,122,00	EC001857	<a href="#">688475</a>	4549734972185	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2021-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	1,224,00	EC001857	<a href="#">688476</a>	4549734972192	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2030-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	2,280,00	EC001857	<a href="#">688477</a>	4549734972208	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2042-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 42.0 A / 11.0 kW, HD: 33.0 A / 7.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	2,293,00	EC001857	<a href="#">688478</a>	4549734972215	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2056-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 56.0 A / 15.0 kW, HD: 47.0 A / 11.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	2,847,00	EC001857	<a href="#">688479</a>	4549734972222	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2070-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	3,668,00	EC001857	<a href="#">688480</a>	4549734972239	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2082-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 82.0 A / 22.0 kW, HD: 75.0 A / 18.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	5,415,00	EC001857	<a href="#">688449</a>	4549734971928	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4001-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	786,00	EC001857	<a href="#">688450</a>	4549734971935	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4002-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	877,00	EC001857	<a href="#">688451</a>	4549734971942	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4004-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	991,00	EC001857	<a href="#">688452</a>	4549734971959	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4005-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,106,00	EC001857	<a href="#">688453</a>	4549734971966	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4007-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,237,00	EC001857	<a href="#">688454</a>	4549734971973	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4009-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,379,00	EC001857	<a href="#">688455</a>	4549734971980	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4012-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,545,00	EC001857	<a href="#">688456</a>	4549734971997	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4018-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,987,00	EC001857	<a href="#">688457</a>	4549734972000	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4023-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	2,250,00	EC001857	<a href="#">688458</a>	4549734972017	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4031-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	2,537,00	EC001857	<a href="#">688459</a>	4549734972024	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4038-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	3,247,00	EC001857	<a href="#">688460</a>	4549734972031	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4044-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	4,293,00	EC001857	<a href="#">688461</a>	4549734972048	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4060-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	5,100,00	EC001857	<a href="#">688462</a>	4549734972055	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB001-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	548,50	EC001857	<a href="#">688463</a>	4549734972062	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB002-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	560,50	EC001857	<a href="#">688464</a>	4549734972079	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB004-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	587,50	EC001857	<a href="#">688465</a>	4549734972086	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB006-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	697,50	EC001857	<a href="#">688466</a>	4549734972093	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB010-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	819,50	EC001857	<a href="#">688467</a>	4549734972109	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB012-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	956,00	EC001857	<a href="#">688468</a>	4549734972116	#		EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-AB018-AAA</a>	<a href="#">Inverter Q2V 1x200V, HD: 17.6 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,088,00	EC001857	<a href="#">688469</a>	4549734972123	#		EA	FAF	GBR	8504.4090.90
<b>Inverter Q2V</b>											
<a href="#">Q2V-A2001-BA</a>	<a href="#">Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, without integrated EMC filter, max. output freq. 590Hz</a>	430,90	EC001857	<a href="#">702677</a>	4549734794619			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2002-BA</a>	<a href="#">Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, without integrated EMC filter, max. output freq. 590Hz</a>	434,80	EC001857	<a href="#">702676</a>	4549734794602			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2004-BA</a>	<a href="#">Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, without integrated EMC filter, max. output freq. 590Hz</a>	630,50	EC001857	<a href="#">702675</a>	4549734794596			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2006-BA</a>	<a href="#">Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, without integrated EMC filter, max. output freq. 590Hz</a>	731,00	EC001857	<a href="#">702674</a>	4549734794589			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2010-BA</a>	<a href="#">Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	885,50	EC001857	<a href="#">702673</a>	4549734794572			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2012-BA</a>	<a href="#">Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, without integrated EMC filter, max. output freq. 590Hz</a>	990,00	EC001857	<a href="#">702672</a>	4549734794565			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2021-BA</a>	<a href="#">Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, without integrated EMC filter, max. output freq. 590Hz</a>	1,079,00	EC001857	<a href="#">702671</a>	4549734794558			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2030-BA</a>	<a href="#">Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	2,011,00	EC001857	<a href="#">702670</a>	4549734794541			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2042-BA</a>	<a href="#">Inverter Q2V 200V, ND: 42.0 A / 11 kW, HD: 33.0 A / 7.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	2,023,00	EC001857	<a href="#">702669</a>	4549734794534			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2056-BA</a>	<a href="#">Inverter Q2V 200V, ND: 56.0 A / 15 kW, HD: 47.0 A / 11 kW, without integrated EMC filter, max. output freq. 590Hz</a>	2,513,00	EC001857	<a href="#">702668</a>	4549734794527			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2070-BA</a>	<a href="#">Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15 kW, without integrated EMC filter, max. output freq. 590Hz</a>	3,236,00	EC001857	<a href="#">702667</a>	4549734794510			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A2082-BA</a>	<a href="#">Inverter Q2V 200V, ND: 82.0 A / 22 kW, HD: 75.0 A / 18.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	4,774,00	EC001857	<a href="#">702666</a>	4549734794503			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4001-BA</a>	<a href="#">Inverter Q2V 400V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	692,50	EC001857	<a href="#">702696</a>	4549734794800			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4002-BA</a>	<a href="#">Inverter Q2V 400V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	773,50	EC001857	<a href="#">702695</a>	4549734794794			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4004-BA</a>	<a href="#">Inverter Q2V 400V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	873,50	EC001857	<a href="#">702694</a>	4549734794787			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4005-BA</a>	<a href="#">Inverter Q2V 400V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	975,50	EC001857	<a href="#">702693</a>	4549734794770			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4007-BA</a>	<a href="#">Inverter Q2V 400V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,091,00	EC001857	<a href="#">702692</a>	4549734794763			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4009-BA</a>	<a href="#">Inverter Q2V 400V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,216,00	EC001857	<a href="#">702691</a>	4549734794756			EA	FAF	GBR	8504.4090.90
<a href="#">Q2V-A4012-BA</a>	<a href="#">Inverter Q2V 400V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,362,00	EC001857	<a href="#">702690</a>	4549734794749			EA	FAF	GBR	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<a href="#">Q2V-A4018-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,753.00	EC001857	<a href="#">702689</a>	4549734794732			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-A4023-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,986.00	EC001857	<a href="#">702688</a>	4549734794725			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-A4031-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	2,239.00	EC001857	<a href="#">702687</a>	4549734794718			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-A4038-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	2,864.00	EC001857	<a href="#">702686</a>	4549734794701			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-A4044-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	3,788.00	EC001857	<a href="#">702685</a>	4549734794695			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-A4060-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	4,497.00	EC001857	<a href="#">702684</a>	4549734794688			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-AB001-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	483.70	EC001857	<a href="#">702683</a>	4549734794671			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-AB002-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	494.60	EC001857	<a href="#">702682</a>	4549734794664			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-AB004-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	518.00	EC001857	<a href="#">702681</a>	4549734794657			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-AB006-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	615.50	EC001857	<a href="#">702680</a>	4549734794640			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-AB010-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	723.50	EC001857	<a href="#">702679</a>	4549734794633			EA	EAF	GBR	8504.4090.90	
<a href="#">Q2V-AB012-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	843.50	EC001857	<a href="#">702678</a>	4549734794626			EA	EAF	GBR	8504.4090.90	
<b>Inverter V1000</b>												
<a href="#">VZA2011FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 11 kW, 47 A, sensorless vector</a>	2,703.00	EC001857	<a href="#">352965</a>	4547648898171			EA	EAG	GBR	8504.4090.90	
<a href="#">VZA2015FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 15 kW, 60 A, sensorless vector</a>	3,482.00	EC001857	<a href="#">352966</a>	4547648898188			EA	EAG	GBR	8504.4090.90	
<a href="#">VZA20P1BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 0.12 kW, 0.8 A, sensorless vector</a>	463.60	EC001857	<a href="#">234265</a>	4547648389020			EA	EAG	JPN	8504.4090.90	
<a href="#">VZA20P2BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 0.25 kW, 1.6 A, sensorless vector</a>	468.00	EC001857	<a href="#">234266</a>	4547648389037			EA	EAG	JPN	8504.4090.90	
<a href="#">VZA20P4BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 0.55 kW, 3.0 A, sensorless vector</a>	679.00	EC001857	<a href="#">234267</a>	4547648389044			#	EA	EAG	JPN	8504.4090.90
<a href="#">VZA20P7BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 1.1 kW, 5.0 A, sensorless vector</a>	786.50	EC001857	<a href="#">234268</a>	4547648389051			#	EA	EAG	JPN	8504.4090.90
<a href="#">VZA21P5BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 1.5 kW, 8.0 A, sensorless vector</a>	954.00	EC001857	<a href="#">234269</a>	4547648389068			#	EA	EAG	JPN	8504.4090.90
<a href="#">VZA22P2BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 2.2 kW, 11 A, sensorless vector</a>	1,066.00	EC001857	<a href="#">234270</a>	4547648389075			#	EA	EAG	JPN	8504.4090.90
<a href="#">VZA24P0BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 4 W, 17.5 A, sensorless vector</a>	1,162.00	EC001857	<a href="#">234271</a>	4547648389082			#	EA	EAG	JPN	8504.4090.90
<a href="#">VZA25P5FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 5.5 kW, 25 A, sensorless vector</a>	2,166.00	EC001857	<a href="#">352963</a>	4547648898157			#	EA	EAG	GBR	8504.4090.90
<a href="#">VZA22P5FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 7.5 kW, 33 A, sensorless vector</a>	2,177.00	EC001857	<a href="#">352964</a>	4547648898164			#	EA	EAG	GBR	8504.4090.90
<a href="#">VZA4011FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 11 kW, 24 A, sensörsüz vektör</a>	2,411.00	EC001857	<a href="#">240694</a>	4547648463812			#	EA	EAG	GBR	8504.4090.90
<a href="#">VZA4015FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 15 kW, 31 A, sensörsüz vektör</a>	3,082.00	EC001857	<a href="#">240695</a>	4547648463829			#	EA	EAG	GBR	8504.4090.90
<a href="#">VZA40P2BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 0.37 kW, 1.2 A, sensörsüz vektör</a>	745.50	EC001857	<a href="#">234251</a>	4547648388887		3	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA40P4BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 0.55 kW, 1.8 A, sensörsüz vektör</a>	833.00	EC001857	<a href="#">234252</a>	4547648388894		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA40P7BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 1.1 kW, 3.4 A, sensörsüz vektör</a>	940.50	EC001857	<a href="#">234253</a>	4547648388900		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA41P5BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 1.5 kW, 4.8 A, sensörsüz vektör</a>	1,050.00	EC001857	<a href="#">234254</a>	4547648388917		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA42P2BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 2.2 kW, 5.5 A, sensörsüz vektör</a>	1,175.00	EC001857	<a href="#">234255</a>	4547648388924		#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA43P0BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 3.0 kW, 7.2 A, sensörsüz vektör</a>	1,309.00	EC001857	<a href="#">234256</a>	4547648388931		#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA44P0BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 4.0 kW, 9.2 A, sensörsüz vektör</a>	1,467.00	EC001857	<a href="#">234257</a>	4547648388948		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA45P5FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 5.5 kW, 14.8 A, sensörsüz vektör</a>	1,888.00	EC001857	<a href="#">240692</a>	4547648463799		#	EA	EAG	GBR	8504.4090.90	
<a href="#">VZA47P5FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 7.5 kW, 18 A, sensörsüz vektör</a>	2,139.00	EC001857	<a href="#">240693</a>	4547648463805		#	EA	EAG	GBR	8504.4090.90	
<a href="#">VZA80P1BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 0.12 kW, 0.8 A, sensörsüz vektör</a>	521.00	EC001857	<a href="#">234258</a>	4547648388955			EA	EAG	JPN	8504.4090.90	
<a href="#">VZA80P2BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 0.25 kW, 1.6 A, sensörsüz vektör</a>	532.50	EC001857	<a href="#">234259</a>	4547648388962		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA80P4BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 0.55 kW, 3.0 A, sensörsüz vektör</a>	558.00	EC001857	<a href="#">234260</a>	4547648388979		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA80P7BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 1.1 kW, 5.0 A, sensörsüz vektör</a>	662.50	EC001857	<a href="#">234261</a>	4547648388986		#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA81P5BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 1.5 kW, 8.0 A, sensörsüz vektör</a>	779.00	EC001857	<a href="#">234262</a>	4547648388993		#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA82P2BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 2.2 kW, 11.0 A, sensörsüz vektör</a>	907.50	EC001857	<a href="#">234263</a>	4547648389006		#	EA	EAG	JPN	8504.4090.90	
<a href="#">VZA84P0BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 4.0 kW, 17.5 A, sensörsüz vektör</a>	1,033.00	EC001857	<a href="#">234264</a>	4547648389013		#	EA	EAG	JPN	8504.4090.90	
<b>Inverter V1000</b>												
<a href="#">CIMR-VC4A0005JAB</a>	<a href="#">Variable Frequency Drive, max. output freq. 400 Hz</a>	984.50	EC001857	<a href="#">352952</a>	4547648898041			EA	EAG	GBR	8504.4090.90	
<a href="#">CIMR-VC4A0009JAB</a>	<a href="#">V1000 Finless type Inverter, IP20, 3/4kW(HD/ND), 2/2.8.8A(HD/ND), 3~400VAC, sensorless vector, LED operator, max. output freq. 400Hz</a>	1,664.00	EC001857	<a href="#">352360</a>	4547648895903		#	EA	EAG	GBR	8504.4090.90	
<a href="#">CIMR-VC4A0011JAB</a>	<a href="#">Inverter V1000, 400 V, ND: 11.1 A / 5.5 kW, HD: 9.2 A / 4 kW, Finless, max. output freq. 400Hz</a>	1,395.00	EC001857	<a href="#">352954</a>	4547648898065			EA	EAG	GBR	8504.4090.90	
<a href="#">CIMR-VCBA0003JAB</a>	<a href="#">V1000 Inverter drive, Finless, 0.4/0.55kW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, single phase input, sensorless vector</a>	426.60	EC001857	<a href="#">352358</a>	4547648895880			EA	EAG	JPN	8504.4090.90	
<a href="#">CIMR-VCBA0010JAB</a>	<a href="#">V1000 Finless type Inverter, IP20, 1.5/2.2 kW(HD/ND), 8.0/9.6A(HD/ND), 1~200 VAC, sensorless vector, LED operator, max. output freq. 400Hz</a>	581.00	EC001857	<a href="#">352962</a>	4547648898140			EA	EAG	JPN	8504.4090.90	
<b>Inverter V1000</b>												
<a href="#">IOP-180</a>	<a href="#">LCD operator panel</a>	179.00	EC002025	241589	4547648851626			EA	EAG	JPN	8471.6070.00	
<b>Inverter V1000</b>												
<a href="#">SI-485/J</a>	<a href="#">RS-422/485 haberleşme kartı, CIMR-J1000 inverter</a>	87.30	EC002025	<a href="#">251861</a>	4547648860802			EA	EAG	JPN	8517.6200.00	
<b>Inverter V1000</b>												
<a href="#">IOP-181</a>	<a href="#">USB dönüştürücü ünitesi, kopyalama ve yedekleme fonksiyonu ile birlikte</a>	330.00	EC002025	239699	4536853913854			EA	EAG	JPN	8471.6070.00	
<b>Inverter J1000</b>												
<a href="#">JZA20P1BAA</a>	<a href="#">Inverter sürücü, 0.1kW, 0.8A, 200 VAC, 3-faz</a>	271.70	EC001857	<a href="#">246651</a>	4547648550659			EA	EAH	JPN	8504.4090.90	
<a href="#">JZA20P4BAA</a>	<a href="#">Inverter sürücü, 0.55kW, 3.0A, 200 VAC, 3-faz</a>	390.40	EC001857	<a href="#">246653</a>	4547648550673		#	EA	EAH	JPN	8504.4090.90	
<a href="#">JZA20P7BAA</a>	<a href="#">Inverter sürücü, 1.1kW, 5.0A, 200 VAC, 3-faz</a>	457.20	EC001857	<a href="#">246654</a>	4547648550680		#	EA	EAH	JPN	8504.4090.90	
<a href="#">JZA21P5BAA</a>	<a href="#">Inverter sürücü, 1.5kW, 8.0A, 200 VAC, 3-faz</a>	561.00	EC001857	<a href="#">246655</a>	4547648550697		#	EA	EAH	JPN	8504.4090.90	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
JZ42P2BAA	Inverter sürücü, 2.2kW, 11.0A, 200 VAC, 3-faz	592.00	EC001857	246656	4547648550703	#		EA	EAH	JPN	8504.4090.90
JZ42P0BAA	Inverter sürücü, 4.0kW, 9.2A, 200 VAC, 3-faz	680.50	EC001857	246657	4547648550710	#		EA	EAH	JPN	8504.4090.90
JZ440P2BAA	J1000 Inverter sürücü, 0.37kW, 1.7A, 415 VAC, 3-faz	627.50	EC001857	246658	4547648550727	#		EA	EAH	JPN	8504.4090.90
JZ440P4BAA	J1000 Inverter sürücü, 0.55kW, 1.8A, 415 VAC, 3-faz	639.50	EC001857	246659	4547648550734	#		EA	EAH	JPN	8504.4090.90
JZ440P7BAA	J1000 Inverter sürücü, 1.1kW, 3.4A, 415 VAC, 3-faz	736.00	EC001857	246660	4547648550741	#	3	EA	EAH	JPN	8504.4090.90
JZ441P5BAA	J1000 Inverter sürücü, 1.5kW, 4.8A, 415 VAC, 3-faz	867.00	EC001857	246661	4547648550758	#		EA	EAH	JPN	8504.4090.90
JZ442P2BAA	J1000 Inverter sürücü, 2.2kW, 5.5A, 415 VAC, 3-faz	1,030.00	EC001857	246662	4547648550765	#	3	EA	EAH	JPN	8504.4090.90
JZ443P0BAA	J1000 Inverter sürücü, 3.0kW, 7.2A, 415 VAC, 3-faz	1,098.00	EC001857	246663	4547648550772	#		EA	EAH	JPN	8504.4090.90
JZ444P0BAA	J1000 Inverter sürücü, 4.0kW, 9.2A, 415 VAC, 3-faz	1,251.00	EC001857	246664	4547648550789	#		EA	EAH	JPN	8504.4090.90
JZ480P1BAA	J1000 Inverter sürücü, 0.1kW, 0.8A, 240 VAC, tek-faz	322.40	EC001857	246646	4547648550604	#		EA	EAH	JPN	8504.4090.90
JZ480P2BAA	J1000 Inverter sürücü, 0.25kW, 1.6A, 240 VAC, tek-faz	355.50	EC001857	246647	4547648550611	#		EA	EAH	JPN	8504.4090.90
JZ480P4BAA	J1000 Inverter sürücü, 0.55kW, 3A, 240 VAC, tek-faz	395.30	EC001857	246648	4547648550628	#		EA	EAH	JPN	8504.4090.90
JZ480P7BAA	J1000 Inverter sürücü, 1.1kW, 5A, 240 VAC, tek-faz	478.60	EC001857	246649	4547648550635	#	3	EA	EAH	JPN	8504.4090.90
JZ481P5BAA	J1000 Inverter sürücü, 1.5kW, 6A, 240 VAC, tek-faz	639.50	EC001857	246650	4547648550642	#	3	EA	EAH	JPN	8504.4090.90
<b>Inverter J1000</b>											
JVOP-182	LED operatör paneli	85.75	EC002025	252658	4547648861502			EA	EAH	JPN	8471.6070.00
<b>Inverter Q2A</b>											
Q2A-A2004-AAA	Inverter Q2A, 200 V, ND: 3.5 A / 0.75 kW, HD: 3.2 A / 0.55 kW, IP20, max. output freq. 590 Hz	1,032.00	EC001857	684659	4549734959230	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2006-AAA	Inverter Q2A, 200 V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,231.00	EC001857	684657	4549734959216	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2010-AAA	Inverter Q2A, 200 V, ND: 9.6 A / 2.2 kW, HD: 8 A / 1.5 kW, IP20, max. output freq. 590 Hz	1,296.00	EC001857	684698	4549734959322	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2012-AAA	Inverter Q2A, 200 V, ND: 12.2 A / 3.0 kW, HD: 11 A / 2.2 kW, IP20, max. output freq. 590 Hz	1,898.00	EC001857	684699	4549734959339	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2021-AAA	Inverter Q2A, 200 V, ND: 21 A / 5.5 kW, HD: 17.5 A / 4.0 kW, IP20, max. output freq. 590 Hz	1,987.00	EC001857	684700	4549734959346	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2030-AAA	Inverter Q2A, 200 V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, IP20, max. output freq. 590 Hz	2,087.00	EC001857	684701	4549734959353	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2042-AAA	Inverter Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,516.00	EC001857	684702	4549734959360	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2056-AAA	Inverter Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, max. output freq. 590 Hz	2,984.00	EC001857	684703	4549734959377	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2070-AAA	Inverter Q2A, 200 V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, IP20, max. output freq. 590 Hz	4,726.00	EC001857	684704	4549734959384	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2082-AAA	Inverter Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, IP20, max. output freq. 590 Hz	5,825.00	EC001857	684705	4549734959391	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2110-AAA	Inverter Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, max. output freq. 590 Hz	5,755.00	EC001857	684706	4549734959407	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2138-AAA	Inverter Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, max. output freq. 590 Hz	9,720.00	EC001857	684707	4549734959414	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2169-AAA	Inverter Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, max. output freq. 590 Hz	11,140.00	EC001857	684708	4549734959421	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2211-AAA	Inverter Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, max. output freq. 590 Hz	12,350.00	EC001857	684709	4549734959438	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2257-AAA	Inverter Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, max. output freq. 590 Hz	13,130.00	EC001857	684710	4549734959445	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2313-AAA	Inverter Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, max. output freq. 590 Hz	23,700.00	EC001857	684711	4549734959452	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2360-AAA	Inverter Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, max. output freq. 590 Hz	26,700.00	EC001857	684695	4549734959308	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2415-AAA	Inverter Q2A, 200 V, HD: 415 A / 110 kW, IP20, max. output freq. 590 Hz	30,640.00	EC001857	684697	4549734959315	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4002-AAA	Inverter Q2A, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, max. output freq. 590 Hz	1,010.00	EC001857	681122	4549734944120	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4004-AAA	Inverter Q2A, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,133.00	EC001857	681131	4549734944212	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4005-AAA	Inverter Q2A, 400 V, ND: 5.4 A / 2.20 kW, HD: 4.8 A / 1.50 kW, IP20, max. output freq. 590 Hz	1,263.00	EC001857	681133	4549734944236	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4007-AAA	Inverter Q2A, 400 V, ND: 7.1 A / 3.00 kW, HD: 5.5 A / 2.20 kW, IP20, max. output freq. 590 Hz	1,402.00	EC001857	681128	4549734944182	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4009-AAA	Inverter Q2A, 400 V, ND: 8.9 A / 3.70 kW, HD: 7.2 A / 3.00 kW, IP20, max. output freq. 590 Hz	1,540.00	EC001857	681117	4549734944076	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4012-AAA	Inverter Q2A, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 3.70 kW, IP20, max. output freq. 590 Hz	1,652.00	EC001857	681123	4549734944137	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4018-AAA	Inverter Q2A, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, max. output freq. 590 Hz	2,035.00	EC001857	681116	4549734944069	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4023-AAA	Inverter Q2A, 400 V, ND: 23.4 A / 11 kW, HD: 18 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,420.00	EC001857	681124	4549734944144	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4031-AAA	Inverter Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, max. output freq. 590 Hz	2,879.00	EC001857	681125	4549734944151	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4038-AAA	Inverter Q2A, 400 V, ND: 38 A / 18.5 kW, HD: 31 A / 15 kW, IP20, max. output freq. 590 Hz	3,706.00	EC001857	681126	4549734944168	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4044-AAA	Inverter Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18.5 kW, IP20, max. output freq. 590 Hz	4,361.00	EC001857	681127	4549734944175	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4060-AAA	Inverter Q2A, 400 V, ND: 59.6 A / 30 kW, HD: 45 A / 22 kW, IP20, max. output freq. 590 Hz	5,170.00	EC001857	681120	4549734944106	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4075-AAA	Inverter Q2A, 400 V, ND: 74.9 A / 37 kW, HD: 60 A / 30 kW, IP20, max. output freq. 590 Hz	5,925.00	EC001857	681118	4549734944083	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4089-AAA	Inverter Q2A, 400 V, ND: 89.2 A / 45 kW, HD: 75 A / 37 kW, IP20, max. output freq. 590 Hz	7,285.00	EC001857	681121	4549734944113	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4103-AAA	Inverter Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, max. output freq. 590 Hz	7,775.00	EC001857	681115	4549734944052	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4140-AAA	Inverter Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, max. output freq. 590 Hz	9,165.00	EC001857	681132	4549734944229	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4168-AAA	Inverter Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, max. output freq. 590 Hz	11,060.00	EC001857	681129	4549734944199	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4208-AAA	Inverter Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, max. output freq. 590 Hz	13,560.00	EC001857	681130	4549734944205	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4250-AAA	Inverter Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, max. output freq. 590 Hz	14,360.00	EC001857	681114	4549734944045	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4296-AAA	Inverter Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, max. output freq. 590 Hz	17,930.00	EC001857	681119	4549734944090	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4371-AAA	Inverter Q2A, 400 V, ND: 371 A / 200 kW, HD: 304 A / 160 kW, IP20, max. output freq. 590 Hz	25,830.00	EC001857	682306	4549734947848	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4389-AAA	Inverter Q2A, 400 V, ND: 389 A / 220 kW, HD: 371 A / 200 kW, IP20, max. output freq. 590 Hz	38,980.00	EC001857	682307	4549734947855	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4453-AAA	Inverter Q2A, 400 V, ND: 453 A / 250 kW, HD: 414 A / 220 kW, IP20, max. output freq. 590 Hz	43,250.00	EC001857	682308	4549734947862	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4568-AAA	Inverter Q2A, 400 V, ND: 568 A / 315 kW, HD: 453 A / 250 kW, IP20, max. output freq. 590 Hz	48,110.00	EC001857	682309	4549734947879	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4675-AAA	Inverter Q2A, 400 V, ND: 675 A / 355 kW, HD: 605 A / 315 kW, IP20, max. output freq. 590 Hz	51,350.00	EC001857	682310	4549734947886	#		EA	EAJ	GBR	8504.4090.90
<b>Inverter A1000</b>											
CIMR-AC2A0004FAA	A1000 inverter, 3~ 200 V, HD: 0.4 kW 3.2 A, ND: 0.75 kW 3.5 A	1,011.00	EC001857	254864	4547648861960			EA	EAK	JPN	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CIMR-AC2A0006FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 0.75 kW 5.0 A, ND: 1.1 kW 6.0 A</a>	1,204.00	EC001857	<a href="#">254865</a>	4547648861977			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0010FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 1.5 kW 8.0 A, ND: 2.2 kW 9.6 A</a>	1,259.00	EC001857	<a href="#">254866</a>	4547648861984			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0021FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 4.0 kW 17.5 A, ND: 5.5 kW 21.0 A</a>	1,757.00	EC001857	<a href="#">254868</a>	4547648862004			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0030FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 5.5 kW 25.0 A, ND: 7.5 kW 30.0 A</a>	2,247.00	EC001857	<a href="#">254869</a>	4547648862011			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0040FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 7.5 kW 33.0 A, ND: 11.0 kW 40.0 A</a>	2,708.00	EC001857	<a href="#">254870</a>	4547648862028			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0056FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 11 kW 47.0 A, ND: 15.0 kW 56.0 A</a>	3,221.00	EC001857	<a href="#">254871</a>	4547648862035			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0312AAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 75 kW 283 A, ND: 90 kW 312 A</a>	20,940.00	EC001857	<a href="#">280386</a>	4547648865319			EA	EAK	JPN	8504.4090.90
<a href="#">CIMR-AC4A0002FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 0.4 kW 1.8 A, ND: 0.75 kW 2.1 A</a>	970.50	EC001857	<a href="#">324899</a>	4547648877268			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0004FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 0.75 kW 3.4 A, ND: 1.5 kW 4.1 A</a>	1,237.00	EC001857	<a href="#">324900</a>	4547648877275			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0005FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 1.5 kW 4.8 A, ND: 2.2 kW 5.4 A</a>	1,386.00	EC001857	<a href="#">324901</a>	4547648877282			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0007FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A</a>	1,562.00	EC001857	<a href="#">324902</a>	4547648877299			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0009FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A</a>	1,664.00	EC001857	<a href="#">324887</a>	4547648883474			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0011FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 4 kW 9.2 A, ND: 5.5 kW 11.1 A</a>	1,730.00	EC001857	<a href="#">324903</a>	4547648877305			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0018FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A</a>	2,115.00	EC001857	<a href="#">324904</a>	4547648877312			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0023FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 7.5 kW 18 A, ND: 11 kW 23 A</a>	2,655.00	EC001857	<a href="#">301573</a>	4547648870047			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0031FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A</a>	2,832.00	EC001857	<a href="#">301574</a>	4547648870054			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0038FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A</a>	3,429.00	EC001857	<a href="#">301575</a>	4547648870061			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0044FAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 18.5 kW 39 A, ND: 22 kW 44 A</a>	5,545.00	EC001857	<a href="#">301576</a>	4547648870078			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0058AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 22 kW 45 A, ND: 30 kW 58 A</a>	5,500.00	EC001857	<a href="#">324905</a>	4547648877329			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0072AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 30 kW 60 A, ND: 37 kW 72 A</a>	6,200.00	EC001857	<a href="#">324906</a>	4547648877336			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0088AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 37 kW 75 A, ND: 45 kW 88 A</a>	7,205.00	EC001857	<a href="#">324907</a>	4547648877343			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0103AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 45 kW 91 A, ND: 55 kW 103 A</a>	8,545.00	EC001857	<a href="#">324908</a>	4547648877350	#		EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0139AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 55 kW 112 A, ND: 75 kW 139 A</a>	9,330.00	EC001857	<a href="#">324909</a>	4547648877367			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0165AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 75 kW 150 A, ND: 90 kW 165 A</a>	12,010.00	EC001857	<a href="#">324910</a>	4547648877374			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0208AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 90 kW 180 A, ND: 110 kW 208 A</a>	15,560.00	EC001857	<a href="#">355206</a>	4547648909655			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0250AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 110 kW 216 A, ND: 132 kW 250 A</a>	17,300.00	EC001857	<a href="#">355207</a>	4547648909662			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0296AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 132 kW 296 A, ND: 160 kW 304 A</a>	20,670.00	EC001857	<a href="#">355208</a>	4547648909679			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0362AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 160 kW 304 A, ND: 185 kW 362 A</a>	26,610.00	EC001857	<a href="#">355209</a>	4547648909686			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0414AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 185 kW 370 A, ND: 220 kW 414 A</a>	40,120.00	EC001857	<a href="#">375334</a>	4547648958370			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0515AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 220 kW 450 A, ND: 250 kW 515 A</a>	44,550.00	EC001857	<a href="#">375335</a>	4547648958387			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0675AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 315 kW 605 A, ND: 355 kW 675 A</a>	52,900.00	EC001857	<a href="#">375336</a>	4547648958394			EA	EAK	GBR	8504.4090.90
<a href="#">CIMR-AC4A0930AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 450 kW 810 A, ND: 500 kW 930 A</a>	82,400.00	EC001857	<a href="#">351794</a>	4547648894388			EA	EAK	JPN	8504.4090.90
<a href="#">CIMR-AC4A1200AAA</a>	<a href="#">A1000 inverter: 3~ 400 V, HD: 560 kW 1090 A, ND: 630 kW 1200 A, max. output freq. 400Hz</a>	91,250.00	EC001857	<a href="#">351795</a>	4547648894395			EA	EAK	JPN	8504.4090.90

## Inverters MX2

<a href="#">3G3MX2-A2001-F</a>	<a href="#">MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 3~ input, sensorless vector</a>	321.50	EC001857	<a href="#">379062</a>	4548583484146			EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2002-F</a>	<a href="#">MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3~ input, sensorless vector</a>	321.50	EC001857	<a href="#">379063</a>	4548583484153			EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2004-F</a>	<a href="#">MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	340.90	EC001857	<a href="#">379064</a>	4548583484160			EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2007-F</a>	<a href="#">MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	454.40	EC001857	<a href="#">379065</a>	4548583484177	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2015-F</a>	<a href="#">MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	440.90	EC001857	<a href="#">379066</a>	4548583484184	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2022-F</a>	<a href="#">MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	498.70	EC001857	<a href="#">379067</a>	4548583484191	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2037-F</a>	<a href="#">MX inverter sürücü, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	576.00	EC001857	<a href="#">379068</a>	4548583484207	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2055-F</a>	<a href="#">MX inverter sürücü, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	1,370.00	EC001857	<a href="#">379069</a>	4548583484214	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2075-F</a>	<a href="#">MX inverter sürücü, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	1,589.00	EC001857	<a href="#">379070</a>	4548583484221	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2110-F</a>	<a href="#">MX inverter sürücü, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	2,273.00	EC001857	<a href="#">379071</a>	4548583484238	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A2150-F</a>	<a href="#">MX inverter sürücü, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	2,937.00	EC001857	<a href="#">379072</a>	4548583484245	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4004-F</a>	<a href="#">MX inverter sürücü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	706.50	EC001857	<a href="#">379073</a>	4548583484252	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4007-F</a>	<a href="#">MX inverter sürücü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	792.00	EC001857	<a href="#">378477</a>	4548583484276	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4015-F</a>	<a href="#">MX inverter sürücü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	889.00	EC001857	<a href="#">379076</a>	4548583484290	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4022-F</a>	<a href="#">MX inverter sürücü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	995.50	EC001857	<a href="#">379078</a>	4548583484313	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4030-F</a>	<a href="#">MX inverter sürücü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	1,029.00	EC001857	<a href="#">379080</a>	4548583484337	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4040-F</a>	<a href="#">MX inverter sürücü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	1,244.00	EC001857	<a href="#">379082</a>	4548583484351	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4055-F</a>	<a href="#">MX inverter sürücü, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	1,597.00	EC001857	<a href="#">379084</a>	4548583484375	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4075-F</a>	<a href="#">MX inverter sürücü, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	1,808.00	EC001857	<a href="#">379085</a>	4548583484382	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4110-F</a>	<a href="#">MX inverter sürücü, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	2,001.00	EC001857	<a href="#">378478</a>	4548583484399	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-A4150-F</a>	<a href="#">MX inverter sürücü, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ sensorless vector</a>	2,605.00	EC001857	<a href="#">379086</a>	4548583484405	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-AB001-F</a>	<a href="#">MX inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	397.60	EC001857	<a href="#">379087</a>	4548583484412	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-AB002-F</a>	<a href="#">MX inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	409.80	EC001857	<a href="#">379089</a>	4548583484436	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-AB004-F</a>	<a href="#">MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	424.90	EC001857	<a href="#">379091</a>	4548583484450	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-AB007-F</a>	<a href="#">MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	506.50	EC001857	<a href="#">379093</a>	4548583484474	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-AB015-F</a>	<a href="#">MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	599.50	EC001857	<a href="#">379095</a>	4548583484498	#		EA	EAP	CHN	8504.4090.90
<a href="#">3G3MX2-AB022-F</a>	<a href="#">MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	698.00	EC001857	<a href="#">379097</a>	4548583484511	#		EA	EAP	CHN	8504.4090.90

## Inverters MX2

<a href="#">3G3MX2-A4007-P-F</a>	<a href="#">3G3MX2 inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ sensorless vector, w/o heatsink</a>	635.50	EC001857	<a href="#">377379</a>	4548583379725	</
----------------------------------	--	--------	----------	------------------------	---------------	----



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">3G3MX2-A4022-P-E</a>	<a href="#">3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~, sensorless vector, w/o heatsink</a>	1,157.00	EC001857	<a href="#">377381</a>	4548583379749			EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-A4030-P-E</a>	<a href="#">3G3MX2 inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~, sensorless vector, w/o heatsink</a>	924.00	EC001857	<a href="#">377397</a>	4548583442801	#		EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AR004-P-E</a>	<a href="#">MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~input, sensorless vector, w/o heatsink</a>	476.40	EC001857	<a href="#">377385</a>	4548583442795			EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AR007-P-E</a>	<a href="#">3G3MX2 inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~input, sensorless vector, w/o heatsink</a>	476.40	EC001857	<a href="#">377375</a>	4548583379688	#		EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AR015-P-E</a>	<a href="#">MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~input, sensorless vector, w/o heatsink</a>	588.50	EC001857	<a href="#">377376</a>	4548583379695	#		EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AR022-P-E</a>	<a href="#">3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~input, sensorless vector, w/o heatsink</a>	687.50	EC001857	<a href="#">377377</a>	4548583379701	#		EA	EAP	JPN	8504.4090.90
<b>Inverterler RX / RX2</b>											
<a href="#">3G3RX2-A2004</a>	<a href="#">Inverter RX2, 200 V, VLD: 4.4 A / 0.75 kW, LD: 3.7 A / 0.75 kW, ND: 3.2 A / 0.4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,344.00	EC001857	<a href="#">687637</a>	4549734281386	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2007</a>	<a href="#">Inverter RX2, 200 V, VLD: 8.0 A / 1.5 kW, LD: 6.3 A / 1.5 kW, ND: 5.0 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,397.00	EC001857	<a href="#">687638</a>	4549734281393	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2015</a>	<a href="#">Inverter RX2, 200 V, VLD: 10.4 A / 2.2 kW, LD: 9.4 A / 2.2 kW, ND: 8.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,518.00	EC001857	<a href="#">687639</a>	4549734281409	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2022</a>	<a href="#">Inverter RX2, 200 V, VLD: 15.6 A / 3.7 kW, LD: 12 A / 3.7 kW, ND: 11 A / 2.2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,592.00	EC001857	<a href="#">687640</a>	4549734281416	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2037</a>	<a href="#">Inverter RX2, 200 V, VLD: 22.8 A / 5.5 kW, LD: 19.6 A / 5.5 kW, ND: 17.5 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,605.00	EC001857	<a href="#">687641</a>	4549734281423	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2075</a>	<a href="#">Inverter RX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	2,168.00	EC001857	<a href="#">687643</a>	4549734281447	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2110</a>	<a href="#">Inverter RX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, ND: 46 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	2,522.00	EC001857	<a href="#">687644</a>	4549734281454	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2150</a>	<a href="#">Inverter RX2, 200 V, VLD: 80 A / 18.5 kW, LD: 73 A / 18.5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	3,253.00	EC001857	<a href="#">687645</a>	4549734281461	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2185</a>	<a href="#">Inverter RX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	4,084.00	EC001857	<a href="#">687646</a>	4549734281478	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2220</a>	<a href="#">Inverter RX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	4,853.00	EC001857	<a href="#">687647</a>	4549734281485	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2300</a>	<a href="#">Inverter RX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	6,175.00	EC001857	<a href="#">687648</a>	4549734281492	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2370</a>	<a href="#">Inverter RX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	7,455.00	EC001857	<a href="#">687649</a>	4549734281508	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2450</a>	<a href="#">Inverter RX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	8,615.00	EC001857	<a href="#">687650</a>	4549734281515	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2550</a>	<a href="#">Inverter RX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	10,770.00	EC001857	<a href="#">687651</a>	4549734281522	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4007</a>	<a href="#">Inverter RX2, 400 V, VLD: 4.1 A / 1.5 kW, LD: 3.1 A / 1.5 kW, ND: 2.5 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,377.00	EC001857	<a href="#">687652</a>	4549734281539	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4015</a>	<a href="#">Inverter RX2, 400 V, VLD: 5.4 A / 2.2 kW, LD: 4.8 A / 2.2 kW, ND: 4.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,522.00	EC001857	<a href="#">687653</a>	4549734281546	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4022</a>	<a href="#">Inverter RX2, 400 V, VLD: 8.3 A / 3.7 kW, LD: 6.7 A / 3.7 kW, ND: 5.5 A / 2.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,609.00	EC001857	<a href="#">687654</a>	4549734281553	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4037</a>	<a href="#">Inverter RX2, 400 V, VLD: 12.6 A / 5.5 kW, LD: 11.1 A / 5.5 kW, ND: 9.2 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	1,748.00	EC001857	<a href="#">687655</a>	4549734281560	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4055</a>	<a href="#">Inverter RX2, 400 V, VLD: 17.5 A / 7.5 kW, LD: 16 A / 7.5 kW, ND: 14.8 A / 5.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	2,089.00	EC001857	<a href="#">687656</a>	4549734281577	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4075</a>	<a href="#">Inverter RX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	2,513.00	EC001857	<a href="#">687657</a>	4549734281584	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4110</a>	<a href="#">Inverter RX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	2,852.00	EC001857	<a href="#">687658</a>	4549734281591	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4150</a>	<a href="#">Inverter RX2, 400 V, VLD: 40 A / 18.5 kW, LD: 37 A / 18.5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	3,488.00	EC001857	<a href="#">687659</a>	4549734281607	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4185</a>	<a href="#">Inverter RX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	4,021.00	EC001857	<a href="#">687660</a>	4549734281614	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4220</a>	<a href="#">Inverter RX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	4,679.00	EC001857	<a href="#">687661</a>	4549734281621	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4300</a>	<a href="#">Inverter RX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	6,030.00	EC001857	<a href="#">687662</a>	4549734281638	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4370</a>	<a href="#">Inverter RX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	6,855.00	EC001857	<a href="#">687663</a>	4549734281645	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4450</a>	<a href="#">Inverter RX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	7,885.00	EC001857	<a href="#">687664</a>	4549734281652	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4550</a>	<a href="#">Inverter RX2, 400 V, VLD: 147 A / 75 kW, LD: 135 A / 75 kW, ND: 112 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20,</a>	8,715.00	EC001857	<a href="#">687665</a>	4549734281669	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B411K</a>	<a href="#">Inverter RX2, 400 V, VLD: 252 A / 132 kW, LD: 230 A / 132 kW, ND: 217 A / 110 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00,</a>	15,140.00	EC001857	<a href="#">687668</a>	4549734281690	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B413K</a>	<a href="#">Inverter RX2, 400 V, VLD: 316 A / 160 kW, LD: 290 A / 160 kW, ND: 260 A / 132 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00,</a>	19,410.00	EC001857	<a href="#">687635</a>	4549734281706	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B4750</a>	<a href="#">Inverter RX2, 400 V, VLD: 176 A / 90 kW, LD: 160 A / 90 kW, ND: 150 A / 75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00,</a>	11,410.00	EC001857	<a href="#">687666</a>	4549734281676	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B4900</a>	<a href="#">Inverter RX2, 400 V, VLD: 213 A / 110 kW, LD: 195 A / 110 kW, ND: 180 A / 90 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00,</a>	13,930.00	EC001857	<a href="#">687667</a>	4549734281683	#		EA	EAQ	JPN	8504.4090.90
<b>Inverter SX</b>											
<a href="#">SX-A6030-EVA4</a>	<a href="#">SX inverter IP20, 30 kW, 3~ 690 VAC, V/F drive, built-in filter, max. output freq. 400 Hz</a>	10,710.00	EC001857	<a href="#">692982</a>	4549734988209			EA	EAT	SWE	8504.4090.90
<b>Inverterler için Aksesuarlar</b>											
<a href="#">AX-CUSBM002-E</a>	<a href="#">Mini USB'den USB'ye bağlantı kablosu</a>	53.70	EC001681	<a href="#">322128</a>	4547648872188			EA	EAT	ITA	8503.0099.99
<b>Inverterler için Aksesuarlar</b>											
<a href="#">3G3AX-OP01</a>	<a href="#">LED operatör paneli, kablo uzunluğu max. 3m olabilir</a>	98.05	EC002025	335480	4547648489751			EA	EAZ	JPN	8523.8090.00
<a href="#">3G3AX-OP03</a>	<a href="#">LED operatör paneli, kablo uzunluğu max. 3m olabilir</a>	326.20	EC002025	<a href="#">357295</a>	4548583121751	#		EA	EAZ	JPN	8503.0099.99
<a href="#">3G3AX-OP05</a>	<a href="#">5 satır LCD dijital operatör paneli, kopyalama fonksiyonlu</a>	415.10	EC002025	<a href="#">376184</a>	4548583096110			EA	EAZ	JPN	8523.8090.00
<b>Inverterler için Aksesuarlar</b>											
<a href="#">3G3AX-MX2-CRT-E</a>	<a href="#">CompoNet option kartı</a>	200.60	EC002025	<a href="#">335663</a>	4547648767910			EA	EAZ	NLD	8517.6200.00
<a href="#">3G3AX-MX2-DRT-E</a>	<a href="#">DeviceNet opsiyon kartı</a>	200.30	EC002025	<a href="#">329711</a>	4547648767903			EA	EAZ	NLD	8517.6200.00
<a href="#">3G3AX-MX2-ECT</a>	<a href="#">MX2 EtherCAT opsiyon kartı</a>	486.90	EC002025	<a href="#">343139</a>	4547648834803	#		EA	EAZ	JPN	8517.6200.00
<a href="#">3G3AX-MX2-FIO15-E</a>	<a href="#">Extra I/O opsiyon kartı, 1 analog voltaj girişi, 1 analog akım girişi, 1 analog voltaj çıkışı, 8 bağımsız dijital girişi, 4 bağımsız dijital çıkışı</a>	159.00	EC002025	<a href="#">374112</a>	4548583372382			EA	EAZ	NLD	9032.8900.90
<a href="#">3G3AX-MX2-PRT-E</a>	<a href="#">MX2 opsiyon kartı, Profibus</a>	295.20	EC002025	<a href="#">327340</a>	4547648767897	#		EA	EAZ	NLD	8517.6200.00
<a href="#">3G3AX-RX2-ECT</a>	<a href="#">RX2 Series EtherCAT option board</a>	650.50	EC002025	703077	4549734714921			EA	EAZ	JPN	8517.6200.00
<a href="#">3G3AX-RX2-PG01</a>	<a href="#">RX2 PG speed controller option board</a>	241.10	EC002025	<a href="#">687952</a>	4549734281362	#		EA	EAZ	JPN	8523.8090.00
<a href="#">PG-B3</a>	<a href="#">A1000 Open collector PG, A, B, Z pulse, fmax 50 kHz</a>	185.40	EC002025	262489	4547648863605			EA	EAZ	JPN	8523.8090.00
<a href="#">PG-E3</a>	<a href="#">Endat PG interface for A1000. For speed feedback input by connection a motor encoder type: FRN1387 (HEIDENHAIN)</a>	466.20	EC002025	<a href="#">329710</a>	4547648880787			EA	EAZ	JPN	8471.6070.00
<a href="#">PG-F3</a>	<a href="#">Endat PG interface for A1000 and O2A inverters. For speed feedback input by connection a motor encoder type: EnDat 2.1/01, EnDat 2.2/01, EnDat 2.2/22 (HEIDENHAIN)</a>	402.60	EC002025	323403	4547648872522			EA	EAZ	JPN	8471.6070.00
<a href="#">PG-X3</a>	<a href="#">A1000 PG Linedriver, A, B, Z differential (RS422) girişi, fmax 300 kHz</a>	185.40	EC002025	256633	4547648862806			EA	EAZ	JPN	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PS-A10HB	A1000 24V DC Control board Power Supply option 400 V class	324.20	EC002025	355602	4547648915878			EA	EAZ	JPN	8471.6070.00
PS-V10S	24 VDC control board power supply for 5.5-15 kW	299.50	EC002025	240837	4547648850049			EA	EAZ	JPN	8471.6070.00
SI-232Z/J	RS-232C comms interface for use with LED operator JVOP-182	111.50	EC002025	249034	4547648856799			EA	EAZ	JPN	8517.6200.00
SI-232Z/IC	RS-232C haberleşme kartı, CIMR-11000 inverter	105.20	EC002025	249035	4547648856805			EA	EAZ	JPN	8517.6200.00
SI-EN3	EtherNet/IP option board for A1000 inverter	387.50	EC002025	330846	4547648882859	#		EA	EAZ	USA	8517.6200.00
SI-EN3/V	EtherNet/IP option board for V1000 inverter	553.50	EC002025	264659	4547648864237			EA	EAZ	USA	8517.6200.00
SI-EN3D	Dual Port EtherNet/IP option board for A1000, O2A and O2V inverters.	336.50	EC002025	414636	4547648997201			EA	EAZ	USA	8517.6200.00
SI-EN3DV	EtherNet/IP option board for V1000 inverter (dual)	461.10	EC002025	414637	4547648997218			EA	EAZ	USA	8517.6200.00
SI-EP3	A1000 option card - PROFINET	804.50	EC002025	373019	4547648949842			EA	EAZ	DEU	8517.6200.00
SI-EP3/V	V1000 option card - PROFINET	643.00	EC002025	373020	4547648949859			EA	EAZ	DEU	8517.6200.00
SI-ES3	EtherCAT option board for A1000, O2A and O2V inverters.	367.90	EC002025	683366	4549734951203	#		EA	EAZ	GBR	8517.6200.00
SI-ES3/Q2V	Q2V EtherCAT option board with JOHB-Q2V option card enclosure mounted from factory.	601.00	EC002025	695540	4549734996938	#		EA	EAZ	SWE	8517.6200.00
SI-ES3/V	Ethercat option board for V1000	731.00	EC002025	690265	4549734980753	#		EA	EAZ	GBR	8517.6200.00
SI-N3	DeviceNet opsiyon kartı for A1000 inverter	275.50	EC002025	228325	4547648864978			EA	EAZ	JPN	8517.6200.00
SI-N3/V	DeviceNet opsiyon kartı, V1000 inverter	266.10	EC002025	241427	4547648850384			EA	EAZ	JPN	8517.6200.00
SI-P3	Profibus opsiyon kartı, A1000 inverter	480.70	EC002025	274269	4547648864831			EA	EAZ	JPN	8517.6200.00
SI-P3/V	Profibus opsiyon kartı, V1000 inverter	428.90	EC002025	240836	4547648850032			EA	EAZ	JPN	8517.6200.00
SI-S3	CAN open option board for A1000 inverter	310.40	EC002025	274270	4547648864848			EA	EAZ	JPN	8517.6200.00
SI-S3/V	CANopen opsiyon kartı, V1000 inverter	325.60	EC002025	240835	4547648850025			EA	EAZ	JPN	8517.6200.00
SI-T3/V	MECHATROLINK II option board for V1000 inverter	714.00	EC002025	256634	4547648862813			EA	EAZ	JPN	8517.6200.00
<b>Inverterler için Aksesuarlar</b>											
AX-BCR4015045-TE	Frenleme ünitesi 400 V, sürekli 15 A/11 KVA, anlık 45 A/33 KVA, 16 ohm min	1,008.00	EC002025	324034	4547648873956			EA	EAZ	DEU	8533.2900.00
AX-BCR4017068-TE	Frenleme ünitesi 400 V, sürekli 17 A/13 KVA, anlık 68 A/51 KVA, 11 ohm min	993.00	EC002025	324035	4547648873963			EA	EAZ	DEU	8533.2900.00
AX-BCR4035090-TE	Frenleme ünitesi 400 V, sürekli 35 A/26 KVA, anlık 90 A/67 KVA, 8.5 ohm min	1,740.00	EC002025	324036	4547648873970			EA	EAZ	DEU	8533.2900.00
AX-BCR4070130-TE	Frenleme ünitesi 400 V, sürekli 70 A/52 KVA, anlık 130 A/97 KVA, 5.5 ohm min	2,262.00	EC002025	324037	4547648873987			EA	EAZ	DEU	8533.2900.00
AX-BCR4090240-TE	Frenleme ünitesi 400V, sürekli 90A/67KVA, anlık 240A/180KVA, 3.2 ohm min	3,329.00	EC002025	325091	4547648877442			EA	EAZ	DEU	8533.2900.00
<b>Inverterler için Aksesuarlar</b>											
A1000-REJOK15100-IE	Braking Resistor for J1000, 100 Ohms	39.18	EC002025	250563	4547648859806		10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15200-IE	Braking Resistor for J1000, 200 Ohms	51.70	EC002025	250562	4547648859813		10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15300-IE	Frenleme direnci, J1000, 300 Ohms	28.27	EC002025	250561	4547648859820		10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15400-IE	Frenleme direnci J1000, 400 Ohms	29.34	EC002025	250560	4547648859837		10	EA	EAZ	ITA	8533.2900.00
A1000-REV00K4030-IE	Braking Resistor, 30 ohm	43.60	EC002025	241659	4547648851268			EA	EAZ	ITA	9032.8900.90
A1000-REV00K4100-IE	Frenleme direnci, 100 ohm	48.03	EC002025	239854	4536853913878			EA	EAZ	ITA	9032.8900.90
A1000-REV00K5075-IE	Frenleme direnci, 75 ohm	50.90	EC002025	239855	4536853913885			EA	EAZ	ITA	9032.8900.90
A1000-REV00K6050-IE	Frenleme direnci, 50 ohm	70.30	EC002025	239856	4536853913892			EA	EAZ	ITA	9032.8900.90
A1000-REV00K9040-IE	Braking Resistor, 40 ohm	117.00	EC002025	239857	4536853913908			EA	EAZ	ITA	9032.8900.90
AX-REM00K1200-IE	Frenleme direnci, 200 ohm, 110 W nominal	29.45	EC002025	324011	4547648873727			EA	EAZ	ITA	8533.2900.00
AX-REM00K1400-IE	Frenleme direnci, 400 ohm, 190 W nominal	32.99	EC002025	324010	4547648873710			EA	EAZ	ITA	8533.2900.00
AX-REM00K2070-IE	Braking resistor, 70 ohm, 200 W nominal	34.53	EC002025	324012	4547648873734		10	EA	EAZ	ITA	8533.2900.00
AX-REM00K2120-IE	Frenleme direnci, 120 ohm, 200 W nominal	42.07	EC002025	324017	4547648873789			EA	EAZ	ITA	8533.2900.00
AX-REM00K2200-IE	Braking resistor, 200 ohm, 200 W nominal	42.07	EC002025	324015	4547648873765		10	EA	EAZ	ITA	8533.2900.00
AX-REM00K4035-IE	Frenleme direnci, 35 ohm, 400 W nominal	45.80	EC002025	324014	4547648873758			EA	EAZ	ITA	8533.2900.00
AX-REM00K4075-IE	Frenleme direnci, 70 ohm, 400 W nominal	50.75	EC002025	324013	4547648873741			EA	EAZ	ITA	8533.2900.00
AX-REM00K5120-IE	Frenleme direnci, 120 ohm, 500 W nominal	53.65	EC002025	324016	4547648873772			EA	EAZ	ITA	8533.2900.00
AX-REM00K6035-IE	Frenleme direnci, 35 ohm, 600 W nominal	82.90	EC002025	324023	4547648873840			EA	EAZ	ITA	8533.2900.00
AX-REM00K6100-IE	Frenleme direnci, 100 ohm, 600 W nominal	66.45	EC002025	324018	4547648873796			EA	EAZ	ITA	8533.2900.00
AX-REM00K9020-IE	Braking resistor, 20 ohm, 900 W nominal	145.30	EC002025	324024	4547648873857			EA	EAZ	ITA	8533.2900.00
AX-REM00K9070-IE	Frenleme direnci, 70 ohm, 900 W nominal	145.30	EC002025	324019	4547648873802			EA	EAZ	ITA	8533.2900.00
AX-REM01K9017-IE	Frenleme direnci, 17 ohm, 1900 W nominal	340.00	EC002025	324025	4547648873864			EA	EAZ	ITA	8533.2900.00
AX-REM01K9070-IE	Frenleme direnci, 70 ohm, 1900 W nominal	340.00	EC002025	324020	4547648873819			EA	EAZ	ITA	8533.2900.00
AX-REM02K1070-IE	Frenleme direnci, 70 ohm, 2100 W nominal	527.50	EC002025	324021	4547648873826			EA	EAZ	ITA	8533.2900.00
AX-REM03K5035-IE	Frenleme direnci, 35 ohm, 3500 W nominal	636.50	EC002025	324022	4547648873833			EA	EAZ	ITA	8533.2900.00
AX-REM19K0020-IE	Frenleme direnci, 20ohm, 19kW	735.00	EC002025	324030	4547648873918			EA	EAZ	ITA	8533.2900.00
AX-REM19K0030-IE	Frenleme direnci, 20ohm, 19kW	618.50	EC002025	324029	4547648873901			EA	EAZ	ITA	8533.2900.00
AX-REM38K0012-IE	Frenleme direnci, 12 ohm, (38 kW ton 30sec, Duty 10%)/(5500 W ton 300sec, Duty 25%, 50%)	928.00	EC002025	324031	4547648873925			EA	EAZ	ITA	8533.2900.00
ERE-150WJ101	Frenleme direnci, 100 Ohm, 200 VAC sürücü (1.5kW) (3G3IV-PERF150WJ101 ile eşdeğer)	40.94	EC002025	138124	4536853834982			EA	EAZ	JPN	9032.8900.90
ERE-150WJ201	Frenleme direnci, 200 Ohm, 200VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ201 ile eşdeğer)	52.85	EC002025	138125	4536853834999	#		EA	EAZ	JPN	9032.8900.90
ERE-150WJ301	Frenleme direnci, 300 Ohm, 400 VAC sürücü (2.2kW) (3G3IV-PERF150WJ301 ile eşdeğer)	40.94	EC002025	138126	4536853835002			EA	EAZ	JPN	9032.8900.90
ERE-150WJ401	Frenleme direnci, 400 Ohm, 400VAC sürücü (1.5kW) (3G3IV-PERF150WJ401 ile eşdeğer)	40.94	EC002025	147919	4536853835019	#		EA	EAZ	JPN	9032.8900.90
ERE-150WJ620	Braking resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150WJ620)	40.90	EC002025	143539	4536853835026			EA	EAZ	JPN	9032.8900.90
ERE-150WJ700	Frenleme direnci, 70 Ohm, 200 VAC sürücü (2.2kW) (3G3IV-PERF150WJ700 ile eşdeğer)	47.29	EC002025	148902	4536853835033			EA	EAZ	JPN	9032.8900.90
ERE-150WJ751	Frenleme direnci, 750 Ohm, 400VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ751 ile eşdeğer)	40.94	EC002025	138127	4536853835040			EA	EAZ	JPN	9032.8900.90
INV-BR15040-Type A	Resistor, aluminum, 1000 Watt, 40 Ohm	143.40	EC002025	187849	4549734983808			EA	EAZ	ITA	8504.4082.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Inverterler için Aksesuarlar</b>											
3GRV-PEI3010-SE	F7Z/F7Z footprint RFI filter, 10A, 415VAC, 3-faz, for 0.4 ~ 2.2kW units (equivalent to ES5972-10-07)	163.10	EC002025	139178	4536853864668			EA	EAZ	THA	8529.9097.90
3GRV-PEI3018-SE	F7Z/F7Z footprint RFI filter, 18A, 415VAC, 3-faz, for 3.7 ~ 5.5kW units (equivalent to ES59721-8-07)	196.10	EC002025	139179	4536853864699			EA	EAZ	THA	8529.9097.90
3GRV-PEI3035-E	F7Z/F7Z/L7Z footprint RFI filter, 35A, 400VAC, 3-phase, for 7.5 & 11kW units	292.60	EC002025	139050	4536853866570			EA	EAZ	GBR	8529.9097.90
3GRV-PEI3035-SE	F7Z/F7Z/L7Z footprint RFI filter, 35A, 415VAC, 3-faz, for 7.5 & 11kW units (equivalent to ES5972-35-07)	276.50	EC002025	139180	4536853864712			EA	EAZ	THA	8529.9097.90
3GRV-PEI3060-E	F7Z/F7Z/L7Z footprint RFI filter, 60A, 415VAC, 3-faz, for 15 & 18.5kW units	403.10	EC002025	139051	4536853866594			EA	EAZ	GBR	8529.9097.90
3GRV-PEI3060-SE	F7Z/F7Z/L7Z footprint RFI filter, 60A, 415VAC, 3-faz, for 15 & 18.5kW units (equivalent to ES5972-60-07)	437.40	EC002025	702556	4549734793803			EA	EAZ	THA	8529.9097.90
3GRV-PEI3070-E	F7Z/F7Z/L7Z RFI filter, 70A, 400VAC, 3-phase, for 22 & 30kW units	507.50	EC002025	139052	4536853866617			EA	EAZ	GBR	8529.9097.90
3GRV-PEI3100-SE	F7Z/F7Z RFI filter, 100A, 415 VAC, 3-faz	585.50	EC002025	702551	4549734793759			EA	EAZ	THA	8529.9097.90
A1000-FIA3024-SE	A1000 avak izi RFI filtresi, 24 A, 3~200 VAC, 2A0004 - 2A0021, 3 ~ 400 VAC, 4A0002 - 4A0023	122.50	EC002025	679458	4549734932608			EA	EAZ	THA	8529.9097.90
A1000-FIA3044-SE	A1000 avak izi RFI filtresi, 44 A, 3~ 400 VAC, 4A0031 - 4A0038	248.60	EC002025	679456	4549734932585			EA	EAZ	THA	8529.9097.90
A1000-FIA3052-SE	A1000 avak izi RFI filtresi, 52 A, 3~ 400 VAC, 4A0044	306.80	EC002025	679457	4549734932592			EA	EAZ	THA	8529.9097.90
A1000-FIA3071-BE	A1000 footprint RFI filtre, 71 A, 3~ 400 VAC, 4A0058 - 4A0088	466.90	EC002025	328811	4547648880367			EA	EAZ	GBR	8529.9097.90
A1000-FIA3105-BE	A1000 footprint RFI filtre, 105 A, 3~ 400 VAC, 4A0088 - 4A0139	587.50	EC002025	328812	4547648880374			EA	EAZ	GBR	8529.9097.90
A1000-FIA3170-BE	A1000 footprint RFI filtre, 170 A, 3~ 400 VAC, 4A0139 - 4A0208	1,175.00	EC002025	328813	4547648880381			EA	EAZ	GBR	8529.9097.90
A1000-FIA3300-BE	A1000 footprint RFI filtre, 300 A, 3~ 400 VAC, 4A0208 - 4A0362	1,892.00	EC002025	328814	4547648880398			EA	EAZ	GBR	8529.9097.90
A1000-FIV1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	30.90	EC002025	246710	4547648855013	#		EA	EAZ	THA	8529.9097.90
A1000-FIV1010-SE-LL	Accessory inverter A1000 EMC filter	56.90	EC002025	386159	4547648975322			EA	EAZ	THA	8529.9097.90
A1000-FIV1020-SE-LL-O	Accessory inverter A1000 EMC filter	51.55	EC002025	693907	4549734993272			EA	EAZ	THA	8529.9097.90
A1000-FIV1020-SE-O	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	44.95	EC002025	693906	4549734993265			EA	EAZ	THA	8529.9097.90
A1000-FIV1030-SE-LL-Q	Accessory inverter A1000 EMC filter	66.70	EC002025	693909	4549734993296			EA	EAZ	THA	8529.9097.90
A1000-FIV1030-SE-Q	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	58.45	EC002025	693908	4549734993289			EA	EAZ	THA	8529.9097.90
A1000-FIV1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	87.95	EC002025	246713	4547648855044			EA	EAZ	THA	8529.9097.90
A1000-FIV2010-SE-V1	Accessory inverter A1000 EMC filter	113.60	EC002025	385715	4547648974936			EA	EAZ	THA	8529.9097.90
A1000-FIV2020-SE	J1000/V1000 footprint RFI filter, 20A, 200 VAC, three phase, for 1.5 to 2.2KW drives	165.80	EC002025	246720	4547648855068			EA	EAZ	THA	8529.9097.90
A1000-FIV2030-SE	J1000/V1000 footprint RFI filter, 30A, 200 VAC, three phase, for 4.0KW drives	165.80	EC002025	246721	4547648855075			EA	EAZ	THA	8529.9097.90
A1000-FIV2060-SE-V1	O2V/V1000 footprint RFI filter, 52 A, 3-phase 200 VAC, for 5 to 7.5 kW drives	234.40	EC002025	392487	4547648980470			EA	EAZ	THA	8529.9097.90
A1000-FIV3005-SE	J1000/V1000 footprint RFI filtre, 5A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	68.85	EC002025	246714	4547648855112	#		EA	EAZ	THA	8529.9097.90
A1000-FIV3010-SE-LL-O	Accessory inverter A1000 EMC filter	85.90	EC002025	693911	4549734993319			EA	EAZ	THA	8529.9097.90
A1000-FIV3010-SE-O	J1000/V1000 footprint RFI filtre, 10A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	81.45	EC002025	693910	4549734993302	#		EA	EAZ	THA	8529.9097.90
A1000-FIV3020-SE-LL-O	Accessory inverter A1000 EMC filter	107.10	EC002025	693913	4549734993333			EA	EAZ	THA	8529.9097.90
A1000-FIV3020-SE-Q	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	96.40	EC002025	693912	4549734993326			EA	EAZ	THA	8529.9097.90
A1000-FIV3030-SE-LL	Accessory inverter A1000 EMC filter	125.70	EC002025	386169	4547648975421			EA	EAZ	THA	8529.9097.90
A1000-FIV3030-SE-V1	Accessory inverter A1000 EMC filter	108.40	EC002025	385718	4547648974967			EA	EAZ	THA	8529.9097.90
A1000-FIV3050-SE-LL	Accessory inverter A1000 EMC filter	265.50	EC002025	386170	4547648975438			EA	EAZ	THA	8529.9097.90
A1000-FIV3050-SE-V2	Accessory inverter A1000 EMC filter	186.00	EC002025	685947	4549734965385			EA	EAZ	THA	8529.9097.90
AX-FIC1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	30.90	EC002025	701949	4549734790918			EA	EAZ	THA	8529.9097.90
AX-FIC1010-SE-LL	Accessory inverter A1000 EMC filter	68.55	EC002025	701953	4549734790956			EA	EAZ	THA	8529.9097.90
AX-FIC1020-SE	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	44.95	EC002025	701950	4549734790925			EA	EAZ	THA	8529.9097.90
AX-FIC1020-SE-LL	Accessory inverter A1000 EMC filter	51.55	EC002025	701954	4549734790963			EA	EAZ	THA	8529.9097.90
AX-FIC1030-SE	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	58.45	EC002025	701951	4549734790932			EA	EAZ	THA	8529.9097.90
AX-FIC1030-SE-LL	Accessory inverter A1000 EMC filter	66.70	EC002025	701955	4549734790970			EA	EAZ	THA	8529.9097.90
AX-FIC1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	87.95	EC002025	701952	4549734790949			EA	EAZ	THA	8529.9097.90
AX-FIC1040-SE-LL	Accessory inverter A1000 EMC filter	93.10	EC002025	701956	4549734790987			EA	EAZ	THA	8529.9097.90
AX-FIC4005-SE	J1000/V1000 footprint RFI filtre, 5A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	68.85	EC002025	701957	4549734790994			EA	EAZ	THA	8529.9097.90
AX-FIC4005-SE-LL	Accessory inverter A1000 EMC filter	68.25	EC002025	701963	4549734791052			EA	EAZ	THA	8529.9097.90
AX-FIC4010-SE	J1000/V1000 footprint RFI filtre, 10A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	81.45	EC002025	701958	4549734791007			EA	EAZ	THA	8529.9097.90
AX-FIC4010-SE-LL	Accessory inverter A1000 EMC filter	85.90	EC002025	701964	4549734791069			EA	EAZ	THA	8529.9097.90
AX-FIC4015-SE	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	96.40	EC002025	701959	4549734791014			EA	EAZ	THA	8529.9097.90
AX-FIC4015-SE-LL	Accessory inverter A1000 EMC filter	107.10	EC002025	701965	4549734791076			EA	EAZ	THA	8529.9097.90
AX-FIC4030-SE	Accessory inverter A1000 EMC filter	108.40	EC002025	701960	4549734791021			EA	EAZ	THA	8529.9097.90
AX-FIC4030-SE-LL	Accessory inverter A1000 EMC filter	125.70	EC002025	701966	4549734791083			EA	EAZ	THA	8529.9097.90
AX-FIC4050-SE-LL	Accessory inverter A1000 EMC filter	265.50	EC002025	701967	4549734791090			EA	EAZ	THA	8529.9097.90
AX-FIC4080-SE	Common footprint RFI filter for Compact series (O2V/V1000/J1000/MX2), 80 A, 400 VAC, three phase, for 18.5 kW and 22 kW drives	680.00	EC002025	701962	4549734791045			EA	EAZ	HUN	8529.9097.90
AX-FIM1010-SE-LL	Accessory inverter MX2 EMC filter	35.31	EC002025	386171	4547648975445			EA	EAZ	THA	8529.9097.90
AX-FIM1010-SE-V1	MX footprint RFI filtre, 10A, 200VAC, tek faz	31.48	EC002025	354492	4547648905985			EA	EAZ	THA	8529.9097.90
AX-FIM1014-SE-LL	Accessory inverter MX2 EMC filter	50.15	EC002025	386172	4547648975452			EA	EAZ	THA	8529.9097.90
AX-FIM1014-SE-V1	MX footprint RFI filtre, 14 A, 1~ 200 VAC, 0.75 kW modeli	46.59	EC002025	392486	4547648980463	#		EA	EAZ	THA	8529.9097.90
AX-FIM1024-SE-LL	Accessory inverter MX2 EMC filter	54.85	EC002025	386173	4547648975469			EA	EAZ	THA	8529.9097.90
AX-FIM1024-SE-V1	MX footprint RFI filtre, 24A, 200VAC, tek faz, 1.5 ila 2.2KW modeli	51.95	EC002025	354493	4547648905992	#		EA	EAZ	THA	8529.9097.90
AX-FIM2030-SE-V1	MX footprint RFI filtre, 30A, 200VAC, three phase	132.70	EC002025	354496	4547648906029			EA	EAZ	THA	8529.9097.90
AX-FIM3005-SE-LL	Accessory inverter MX2 EMC filter	77.35	EC002025	386177	4547648975506			EA	EAZ	THA	8529.9097.90
AX-FIM3005-SE-V1	MX footprint RFI filtre, 5A, 400VAC, üç faz, 0.37 ila 1.1KW modeli	79.70	EC002025	354500	4547648906067			EA	EAZ	THA	8529.9097.90
AX-FIM3010-BE-LL	MX footprint RFI filtre, 10A, 400VAC, three phase, for 1.5 to 3.0KW models, low leakage current	114.80	EC002025	324545	4547648876056			EA	EAZ	GBR	8529.9097.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FIM3010-SE-LL	Accessory inverter MX2 EMC filter	92.85	EC002025	386178	4547648975513			EA	EAZ	THA	8529.9097.90
AX-FIM3010-SE-V1	MX footprint RFI filtre, 10A, 400VAC, üç faz, 1.5 ila 3.0kW modeli	95.65	EC002025	354501	4547648906074	#		EA	EAZ	THA	8529.9097.90
AX-FIM3014-SE-LL	Accessory inverter MX2 EMC filter	104.50	EC002025	386179	4547648975520			EA	EAZ	THA	8529.9097.90
AX-FIM3014-SE-V1	MX footprint RFI filtre, 14A, 400VAC, üç faz, 4.0kW modeli	107.90	EC002025	354502	4547648906081	#		EA	EAZ	THA	8529.9097.90
AX-FIM3030-SE-LL	Accessory inverter MX2 EMC filter	113.70	EC002025	386180	4547648975537			EA	EAZ	THA	8529.9097.90
AX-FIM3050-SE-LL	Accessory inverter MX2 EMC filter	238.50	EC002025	386181	4547648975544			EA	EAZ	THA	8529.9097.90
AX-FIM3050-SE-V1	MX footprint RFI filtre, 50A, 400VAC, üç faz, 11 ila 15kW modeli	212.30	EC002025	354504	4547648906104	#		EA	EAZ	THA	8529.9097.90
AX-FIR4011-SE	RX2 footprint RFI filter, 11 A, 3~ 400 VAC, for 0.75-3.7 kW models	113.70	EC002025	689170	4549734976091			EA	EAZ	THA	8529.9097.90
AX-FIR4030-SE	RX2 foot print RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	176.80	EC002025	689171	4549734976107			EA	EAZ	THA	8529.9097.90
AX-FIR4058-SE	RX2 foot print RFI filter, 58 A, 3~ 400 VAC, for 15-22 kW models	279.20	EC002025	689172	4549734976114			EA	EAZ	THA	8529.9097.90
AX-FIR4073-SE	RX2 book type RFI filter, 73 A, 3~ 400 VAC, for 30 kW models	399.00	EC002025	702548	4549734793728			EA	EAZ	CHN	8529.9097.90
AX-FIR4090-SE	RX2 book type RFI filter, 90 A, 3~ 400 VAC, for 37 kW models	454.40	EC002025	702549	4549734793735			EA	EAZ	CHN	8529.9097.90
AX-FIR4146-SE	RX2 book type RFI filter, 146 A, 3~ 400 VAC, for 44-55 kW models	632.00	EC002025	702546	4549734793704			EA	EAZ	CHN	8529.9097.90
AX-FIR4310-SE	RX2 bush bar type RFI filter, 310 A, 3~ 400 VAC, for 75-132 kW models	1,308.00	EC002025	702547	4549734793711			EA	EAZ	CHN	8529.9097.90
Q2-FIA4010-SE	O2A footprint RFI filter, 10 A, 3~ 400 VAC, for 4002, 4004, 4005, 4007 models	230.90	EC002025	682622	4549734949200			EA	EAZ	THA	8529.9097.90
Q2-FIA4020-SE	O2A footprint RFI filter, 20 A, 3~ 400 VAC, for 4009, 4012 models	274.10	EC002025	682631	4549734949293	#		EA	EAZ	THA	8529.9097.90
Q2-FIA4035-SE	O2A footprint RFI filter, 35 A, 3~ 400 VAC, for 4018, 4023 models	321.50	EC002025	682630	4549734949286	#		EA	EAZ	THA	8529.9097.90
Q2-FIA4050-SE	O2A footprint RFI filter, 50 A, 3~ 400 VAC, for 4031, 4038 models	509.00	EC002025	682629	4549734949279	#		EA	EAZ	THA	8529.9097.90
Q2-FIA4080-SE	O2A Book end style RFI filter, 80 A, 3~ 400 VAC, for O2A-A4044/O2A-A4060/O2A-A4075/O2A-A2042/O2A-A2056/O2A-A2070/O2V-A4044/O2V-A4060 models	680.00	EC002025	702544	4549734793681			EA	EAZ	THA	8529.9097.90
Q2-FIA4100-SE	O2A/O2V Book end style RFI filter, 100 A, 3~ 400 VAC, for O2A-A4089/O2A-A2082/O2V-A2082 models	850.50	EC002025	702540	4549734793643			EA	EAZ	CHN	8529.9097.90
Q2-FIA4170-SE	O2A Book end style RFI filter, 170 A, 3~ 400 VAC, for 4103, 4140, 4168 models	1,254.00	EC002025	702541	4549734793650			EA	EAZ	CHN	8529.9097.90
Q2-FIA4410-SE	O2A Busbar termination RFI filter, 410 A, 3~ 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	1,364.00	EC002025	702542	4549734793667			EA	EAZ	CHN	8529.9097.90
Q2-FIA4600-SE	O2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1,492.00	EC002025	702543	4549734793674			EA	EAZ	CHN	8529.9097.90
<b>Inverterler için Aksesuarlar</b>											
AX-FER2102-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below	11.70	EC002025	684893	4549734960939			EA	EAZ	CHN	8529.9097.90
AX-FER2815-PE	Ferrite choke, 28mm diameter, for 15kW inverters and below	14.52	EC002025	684894	4549734960946	#		EA	EAZ	CHN	8529.9097.90
AX-FER5045-PE	Ferrite choke, 50mm diameter, for 45kW inverters and below	60.70	EC002025	684895	4549734960953	#		EA	EAZ	CHN	8529.9097.90
AX-FER5255-PE	Ferrite choke, 52mm diameter, for 45kW Inverters and above	72.20	EC002025	684896	4549734960960			EA	EAZ	CHN	8529.9097.90
AX-RAI00191150-DE	AC input reactor, 115 A, 0.19 mH, for 45 to 55 kW sizes, 400 VAC, 3 phase	1,116.00	EC002025	319011	4547648871570			EA	EAZ	ESP	8529.9097.90
AX-RAI00290780-DE	AC çikis reaktör, RX serisi, 78A, 0.29mH, 30 ila 37kW boyutlarında, 400VAC, 3 faz	848.50	EC002025	319010	4547648871563			EA	EAZ	ESP	8529.9097.90
AX-RAI00360500-DE	AC çikis reaktör, RX serisi, 50A, 0.36mH, 18.5 ila 22kW boyutlarında, 400VAC, 3 faz	576.00	EC002025	319009	4547648871556			EA	EAZ	ESP	8529.9097.90
AX-RAI00740335-DE	AC çikis reaktör, MX2/ RX serisi, 33.5A, 0.74mH, 11 ve 15kW boyutlarında, 400VAC, 3 faz	497.40	EC002025	319005	4547648871525			EA	EAZ	ESP	8529.9097.90
AX-RAI01300170-DE	AC çikis reaktör, JX/ MX2/ RX serisi, 17A, 1.3mH, 5.5 ve 7.5kW boyutlarında, 400VAC, 3 faz	400.20	EC002025	318999	4547648871464			EA	EAZ	ESP	8529.9097.90
AX-RAI03500100-DE	AC çikis reaktör, MX2/ RX serisi, 10A, 3.5mH, 2.2-3.0 ve 4.0kW boyutlarında, 400VAC, 3 faz	270.70	EC002025	319004	4547648871518			EA	EAZ	ESP	8529.9097.90
AX-RAI07200050-DE	AC çikis reaktör, MX2/ RX serisi, 5A, 7.2mH, 0.4, 0.7 ve 1.5kW boyutlarında, 400VAC, 3 faz	259.00	EC002025	319003	4547648871501			EA	EAZ	ESP	8529.9097.90
AX-RAO02000320-DE	AC output reactor, 32 A, 2 mH, for 15 kW, 400 VAC, 3 phase	708.50	EC002025	319461	4547648871969			EA	EAZ	ESP	8529.9097.90
AX-RAO02500220-DE	AC çikis reaktör, MX2/ RX serisi, 22A, 2.5mH, 11kW üç faz, 400VAC	645.00	EC002025	319462	4547648871976			EA	EAZ	ESP	8529.9097.90
AX-RAO03600160-DE	AC çikis reaktör, JX/ MX2/ RX serisi, 16A, 3.6mH, 7.5kW üç faz, 400VAC	475.50	EC002025	319464	4547648871990			EA	EAZ	ESP	8529.9097.90
AX-RAO04600110-DE	AC output reactor, 11 A, 4.6 mH, for 5.5 kW, 400 VAC, 3 phase	416.90	EC002025	319466	4547648872010			EA	EAZ	ESP	8529.9097.90
AX-RAO07300080-DE	AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW, 400 VAC, 3 phase	503.00	EC002025	319467	4547648872027			EA	EAZ	ESP	8529.9097.90
AX-RAO11800053-DE	AC output reactor, 5.3 A, 11.8 mH, for 2.2 kW, 400 VAC, 3 phase	267.90	EC002025	354528	4547648906326			EA	EAZ	ESP	8529.9097.90
AX-RAO16300038-DE	AC çikis reaktör, JX/ MX2/ RX serisi, 3.8A, 16.3mH, 0.4, 0.7 ve 1.5kW üç faz, 400VAC	261.40	EC002025	319471	4547648872065			EA	EAZ	ESP	8529.9097.90
<b>Inverterler için Aksesuarlar</b>											
3G3AX-CAJOP300-FE	3 metre operatör panel kablosu	5.50	EC002025	324009	4547648873703			EA	EAZ	ITA	8503.0099.99
3G3AX-PCACN2	RJ45 TO USB converter/ connection cable	430.80	EC002025	283120	4547648623186			EA	EAZ	JPN	9032.8900.90
A1000-CAVPC232-FE	Bağlantı kablosu, RS-232C, 3G3JV/MV(V7)/E7/E7N/1000 ila PC, (equivalent ila 3G3JV-PCN329-E) 3m	19.65	EC001681	241953	4547648850759			EA	EAZ	ITA	8544.4290.90
<b>Inverterler için Aksesuarlar</b>											
900-192-9933-001	Door mounting kit for keypad JVOP-KPLxxxxxx screw mountng	56.75	EC002025	684852	4549734960557			EA	EAZ	JPN	8471.6070.00
JOHB-Q2V	O2V option card enclosure	38.21	EC002025	690245	4549734980562	#		EA	EAZ	CHN	8517.6200.00
JVOP-KPBCH04AAZ	Blank cover kit for O2V	38.21	EC002025	690779	4549734983976			EA	EAZ	JPN	8528.5291.00
JVOP-KPLCA04AEZ	O2 LCD Keypad (w/o Bluetooth)	248.40	EC002025	690347	4549734981323			EA	EAZ	JPN	8528.5291.00
JVOP-KPLCC04ABZ	O2 LCD Keypad (with Bluetooth)	791.00	EC002025	693138	4549734989046	#		EA	EAZ	GBR	8528.5291.00
ZPSA-GA50V5-1	Heatsink External Mounting Kit O2V 2030~2042, 4018~4023	128.20	EC002025	690261	4549734980715			EA	EAZ	JPN	8531.9000.00
<b>Inverterler için Aksesuarlar</b>											
CX-DRIVE 2.9	CX-Drive configuration software for inverters and servos	78.30	EC000809	379897	4547648970013			EA	EAZ	NLD	8523.8090.00
<b>Servo G Serisi</b>											
R88D-GT01H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 100W	1,836.00	EC002572	346799	4547648475266			EB	EBK	CHN	9032.8900.90
R88D-GT02H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 200W	1,955.00	EC002572	346800	4547648475273			EB	EBK	CHN	9032.8900.90
R88D-GT04H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 400W	1,836.00	EC002572	346801	4547648475280	#		EB	EBK	CHN	9032.8900.90
R88D-GT08H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 800W	2,099.00	EC002572	346802	4547648475297	#		EB	EBK	CHN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88D-GT15H</a>	<a href="#">G-serisi servo drive, 1~ 200 VAC, Analog/Pulse input type, 1.5 kW</a>	2,993.00	EC002572	<a href="#">364998</a>	4547648475310			EB	EBK	CHN	9032.8900.90
<b>Servo G Serisi</b>											
<a href="#">R88D-GN01H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK-II entegre, 100 W</a>	1,929.00	EC002572	<a href="#">285522</a>	4547648493284			EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN02H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK-II entegre, 200 W</a>	1,979.00	EC002572	<a href="#">285523</a>	4547648493291			EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN04H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK-II entegre, 400 W</a>	2,008.00	EC002572	<a href="#">285524</a>	4547648493307	#		EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN08H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK-II entegre, 750 W</a>	2,466.00	EC002572	<a href="#">285525</a>	4547648493314			EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN10H-ML2</a>	<a href="#">G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1 kW</a>	3,450.00	EC002572	<a href="#">355422</a>	4547648493321			EB	EBK	CHN	9032.8900.90
<a href="#">R88D-GN15H-ML2</a>	<a href="#">G-serisi servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1.5 kW</a>	3,721.00	EC002572	<a href="#">355423</a>	4547648493338			EB	EBK	CHN	9032.8900.90
<b>Servo G Serisi</b>											
<a href="#">R88M-G05030H-BS2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli</a>	727.50	EC001851	<a href="#">322925</a>	4547648493635			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G05030H-S2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental</a>	492.70	EC001851	<a href="#">322924</a>	4547648493437			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G10030H-BS2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, frenli</a>	832.00	EC001851	<a href="#">285893</a>	4547648493642			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G10030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm</a>	537.50	EC001851	<a href="#">285890</a>	4547648493444			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G20030H-S2-D</a>	<a href="#">G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector</a>	611.50	EC001851	<a href="#">378071</a>	4548583414815			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G20030H-BS2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, frenli</a>	983.50	EC001851	<a href="#">285894</a>	4547648493659			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G20030H-BS2-D</a>	<a href="#">G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli, silindirik konnektör</a>	991.00	EC001851	<a href="#">378066</a>	4548583415195			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G20030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm</a>	665.00	EC001851	<a href="#">285891</a>	4547648493451			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G20030H-S2-D</a>	<a href="#">G-Series AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, yuvarlak konnektör</a>	788.00	EC001851	<a href="#">378075</a>	4548583414853			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030H-BS2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, frenli</a>	1,065.00	EC001851	<a href="#">285895</a>	4547648493666	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030H-BS2-D</a>	<a href="#">G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector</a>	1,187.00	EC001851	<a href="#">378047</a>	4548583414587			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm</a>	719.50	EC001851	<a href="#">285892</a>	4547648493468	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030H-S2-D</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, yuvarlak konnektör</a>	858.50	EC001851	<a href="#">378046</a>	4548583414570	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G75030H-BS2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli</a>	1,360.00	EC001851	<a href="#">286278</a>	4547648493673	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G75030H-BS2-D</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli, yuvarlak konnektör</a>	1,485.00	EC001851	<a href="#">378051</a>	4548583414624			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G75030H-S2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental</a>	989.00	EC001851	<a href="#">286277</a>	4547648493475	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G75030H-S2-D</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, yuvarlak konnektör</a>	1,108.00	EC001851	<a href="#">378050</a>	4548583414617	#		EB	EBK	CHN	8501.5100.90
<b>Servo G Serisi</b>											
<a href="#">R88M-GP10030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (küçük tipli), 100 W, 200 VAC, 3000 rpm, 0.32 Nm</a>	676.00	EC001851	<a href="#">285896</a>	4547648496131			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-GP40030H-BS2</a>	<a href="#">G-serisi Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake</a>	1,428.00	EC001851	<a href="#">322928</a>	4547648496278			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-GP40030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (küçük tipli), 400 W, 200 VAC, 3000 rpm, 1.3 Nm</a>	838.00	EC001851	<a href="#">285898</a>	4547648496155			EB	EBK	CHN	8501.5100.90
<b>Servo G Serisi</b>											
<a href="#">R88M-G05030T-BS2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli</a>	1,085.00	EC001851	<a href="#">355426</a>	4547648494335			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G05030T-S2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute</a>	1,290.00	EC001851	<a href="#">317938</a>	4547648493895			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G10030T-BS2</a>	<a href="#">G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli</a>	1,807.00	EC001851	<a href="#">332276</a>	4547648494342			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G10030T-S2</a>	<a href="#">G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute</a>	1,087.00	EC001851	<a href="#">313364</a>	4547648493901			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1K030T-BS2</a>	<a href="#">G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, Brake</a>	2,949.00	EC001851	<a href="#">356460</a>	4547648494380			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K030T-S2</a>	<a href="#">G-serisi AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute</a>	2,198.00	EC001851	<a href="#">317939</a>	4547648493949			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K520T-S2</a>	<a href="#">G-series servo motor 1.5kW 2000BPM 230V, abs encoder</a>	2,605.00	EC001851	<a href="#">668450</a>	4547648495226			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K530T-BS2</a>	<a href="#">G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, Brake</a>	3,216.00	EC001851	<a href="#">355419</a>	4547648494397			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K530T-S2</a>	<a href="#">G-serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute</a>	2,506.00	EC001851	<a href="#">356590</a>	4547648493956			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G20030T-BS2</a>	<a href="#">G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli</a>	1,961.00	EC001851	<a href="#">332277</a>	4547648494359			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G20030T-S2</a>	<a href="#">G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute</a>	1,440.00	EC001851	<a href="#">317940</a>	4547648493918			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030T-BS2</a>	<a href="#">G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli</a>	2,165.00	EC001851	<a href="#">332278</a>	4547648494366			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030T-BS2-D</a>	<a href="#">G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake, with circular connector</a>	2,337.00	EC001851	<a href="#">378049</a>	4548583414600			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G40030T-S2</a>	<a href="#">G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute</a>	1,591.00	EC001851	<a href="#">317942</a>	4547648493925			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G75030T-BS2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli</a>	2,537.00	EC001851	<a href="#">332279</a>	4547648494373			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G75030T-S2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute</a>	1,898.00	EC001851	<a href="#">317943</a>	4547648493932			EB	EBK	CHN	8501.5100.90
<b>Servo G Serisi</b>											
<a href="#">R88A-CNG01A</a>	<a href="#">Servo motor konnektör servo motor güç kablosu için</a>	18.29	EC002584	<a href="#">292061</a>	4547648491075			EB	EBK	CHN	8501.4020.80
<a href="#">R88A-CNG01B</a>	<a href="#">frenli kablo konnektör G/SmartStep 2 motor tarafı</a>	11.84	EC002584	<a href="#">292063</a>	4547648560313			EB	EBK	CHN	8501.4020.80
<a href="#">R88A-CNG02R</a>	<a href="#">Artımsal enkoder kablosu için servo motor konnektörü G-Serisi 50 ila 750 W</a>	22.04	EC002584	<a href="#">678730</a>	4549734927987			EB	EBK	CHN	8544.4290.90
<b>Servo G Serisi</b>											
<a href="#">R88A-RRS0020S</a>	<a href="#">Servo aksesuarı, direnci: 500 W, 20 ohm</a>	363.90	EC002615	<a href="#">292062</a>	4547648560306			EB	EBK	JPN	8533.2900.00
<b>Servo G5 Serisi</b>											
<a href="#">R88A-CPG001S</a>	<a href="#">Genel amaçlı servo kontrol kablosu, 1m</a>	186.50	EC000237	<a href="#">292048</a>	4547648493116	#		EB	EBL	CHN	8544.4290.90
<a href="#">XW2Z-100J-B24</a>	<a href="#">Genel amaçlı servo terminal bloğu kablosu, 1m</a>	276.10	EC000237	<a href="#">294103</a>	4547648520881			EB	EBL	JPN	8501.4020.80
<a href="#">XW2Z-100J-B25</a>	<a href="#">Servo kontrol kablosu (CS1W/CJ1W/C200HW-NCx13 için), 1m</a>	186.00	EC000237	<a href="#">294105</a>	4547648520904			EB	EBL	JPN	8501.4020.80
<a href="#">XW2Z-100J-B31</a>	<a href="#">Servo kontrol kablosu for CJ1M-CPU21/22/23, 1m</a>	186.00	EC000237	<a href="#">294107</a>	4547648521031			EB	EBL	JPN	8501.4020.80



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XWZ7-100I-B34	G5 serisi terminal bloğu kablosu, CN1 konektör, use with XWZB-20G terminal bloğus, 1m	155.60	EC000237	323497	4547648737951			EB	EBL	JPN	8536.9010.00
XWZ7-200I-B24	Genel amaçlı servo terminal bloğu kablosu, 2m	309.50	EC000237	294104	4547648520898			EB	EBL	JPN	8501.4020.80
XWZ7-200I-B31	Cable: Servo Relay Unit to Servo driver, 2 m (G, G5)	202.70	EC000237	294108	4547648521048			EB	EBL	JPN	8501.4020.80
XWZ7-200I-B34	G5 serisi terminal bloğu kablosu, CN1 konektörü için XWZB-20G terminal bloğu ile birlikte kullanın, 2m	166.90	EC000237	323498	4547648737968			EB	EBL	JPN	8536.9010.00
<b>Servo G5 Serisi</b>											
R88D-KT01H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 100 W	1,346.00	EC002572	285527	4547648651370			EB	EBL	CHN	8501.4020.80
R88D-KT02H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 200 W	1,583.00	EC002572	285528	4547648651387			EB	EBL	CHN	8501.4020.80
R88D-KT04H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 400 W	1,683.00	EC002572	285529	4547648651394	#		EB	EBL	CHN	8501.4020.80
R88D-KT06F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 600 W	1,886.00	EC002572	285533	4547648651462			EB	EBL	CHN	8501.4020.80
R88D-KT08H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 750 W	1,914.00	EC002572	285530	4547648651400			EB	EBL	CHN	8501.4020.80
R88D-KT10F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.0 kW	2,005.00	EC002572	285534	4547648651479	#		EB	EBL	CHN	8501.4020.80
R88D-KT10H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.0 kW	2,304.00	EC002572	285531	4547648651417			EB	EBL	CHN	8501.4020.80
R88D-KT150F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 15.0 kW	8,900.00	EC002572	352678	4548583016262			EB	EBL	CHN	8501.4020.80
R88D-KT15F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.5 kW	2,012.00	EC002572	285535	4547648651486	#		EB	EBL	CHN	8501.4020.80
R88D-KT15H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.5 kW	2,645.00	EC002572	285532	4547648651424			EB	EBL	CHN	8501.4020.80
R88D-KT20F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 2.0 kW	2,291.00	EC002572	285536	4547648651493	#		EB	EBL	CHN	8501.4020.80
R88D-KT30F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 3.0 kW	2,480.00	EC002572	285537	4547648651509	#		EB	EBL	CHN	8501.4020.80
R88D-KT50F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 5.0 kW	3,577.00	EC002572	285538	4547648651516	#		EB	EBL	CHN	8501.4020.80
R88D-KT75F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 7.5 kW	6,575.00	EC002572	352677	4548583016255			EB	EBL	CHN	8501.4020.80
<b>Servo G5 Serisi</b>											
R88D-KN01H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 100 W	1,985.00	EC002572	285539	4547648651561			EB	EBL	CHN	8501.4020.80
R88D-KN02H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 200 W	2,246.00	EC002572	285540	4547648651578			EB	EBL	CHN	8501.4020.80
R88D-KN04H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 400 W	2,352.00	EC002572	285541	4547648651585			EB	EBL	CHN	8501.4020.80
R88D-KN06F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 600 W	2,574.00	EC002572	285545	4547648651653			EB	EBL	CHN	8501.4020.80
R88D-KN08H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 750 W	2,581.00	EC002572	285542	4547648651592			EB	EBL	CHN	8501.4020.80
R88D-KN10F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.0 kW	2,699.00	EC002572	285546	4547648651660			EB	EBL	CHN	8501.4020.80
R88D-KN10H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.0 kW	3,084.00	EC002572	285543	4547648651608			EB	EBL	CHN	8501.4020.80
R88D-KN15F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.5 kW	2,709.00	EC002572	285547	4547648651677			EB	EBL	CHN	8501.4020.80
R88D-KN15H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.5 kW	3,412.00	EC002572	285544	4547648651615			EB	EBL	CHN	8501.4020.80
R88D-KN20F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 2.0 kW	3,021.00	EC002572	285548	4547648651684			EB	EBL	CHN	8501.4020.80
R88D-KN30F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 3.0 kW	3,214.00	EC002572	285549	4547648651691			EB	EBL	CHN	8501.4020.80
R88D-KN50F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 5.0 kW	4,426.00	EC002572	285550	4547648651707			EB	EBL	CHN	8501.4020.80
<b>Servo G5 Serisi</b>											
R88D-KN01H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 100 W, 1~ 200 VAC	1,836.00	EC002572	352679	4548583021310	#		EB	EBL	CHN	8501.4020.80
R88D-KN02H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 200 W, 1~ 200 VAC	2,162.00	EC002572	352680	4548583021327	#		EB	EBL	CHN	8501.4020.80
R88D-KN04H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 400 W, 1~ 200 VAC	2,265.00	EC002572	352681	4548583021334	#		EB	EBL	CHN	8501.4020.80
R88D-KN06F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 600 W, 3~ 400 VAC	2,494.00	EC002572	352685	4548583021426	#		EB	EBL	CHN	8501.4020.80
R88D-KN08H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 750 W, 1~ 200 VAC	2,490.00	EC002572	352682	4548583021341	#		EB	EBL	CHN	8501.4020.80
R88D-KN10F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 3~ 400 VAC	2,600.00	EC002572	352686	4548583021433	#		EB	EBL	CHN	8501.4020.80
R88D-KN10H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 1~ 200 VAC	2,976.00	EC002572	352683	4548583021358			EB	EBL	CHN	8501.4020.80
R88D-KN150F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 15 kW, 3~ 400 VAC	10,210.00	EC002572	353422	4548583021495	#		EB	EBL	CHN	8501.4020.80
R88D-KN15F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 3~ 400 VAC	2,651.00	EC002572	352687	4548583021440	#		EB	EBL	CHN	8501.4020.80
R88D-KN15H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 1~ 200 VAC	3,086.00	EC002572	352684	4548583021365			EB	EBL	CHN	8501.4020.80
R88D-KN20F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 2 kW, 3~ 400 VAC	2,854.00	EC002572	352688	4548583021457	#		EB	EBL	CHN	8501.4020.80
R88D-KN30F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 3 kW, 3~ 400 VAC	3,035.00	EC002572	352689	4548583021464	#		EB	EBL	CHN	8501.4020.80
R88D-KN50F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 5 kW, 3~ 400 VAC	4,041.00	EC002572	352690	4548583021471	#		EB	EBL	CHN	8501.4020.80
R88D-KN75F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 7.5 kW, 3~ 400 VAC	6,400.00	EC002572	353421	4548583021488	#		EB	EBL	CHN	8501.4020.80
<b>Servo G5 Serisi</b>											
R88M-K05030H-BS2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	1,212.00	EC001851	285565	4547648653176			EB	EBL	CHN	8501.5100.90
R88M-K05030H-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	762.50	EC001851	285551	4547648652964			EB	EBL	CHN	8501.5100.90
R88M-K05030T-BS2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,557.00	EC001851	322953	4547648654852			EB	EBL	CHN	8501.5100.90
R88M-K05030T-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,126.00	EC001851	322939	4547648654647			EB	EBL	CHN	8501.5100.90
R88M-K10030H-BS2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, frenli	1,253.00	EC001851	285566	4547648653183			EB	EBL	CHN	8501.5100.90
R88M-K10030H-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental	794.00	EC001851	285552	4547648652971			EB	EBL	CHN	8501.5100.90
R88M-K10030T-BS2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	1,595.00	EC001851	322954	4547648654869			EB	EBL	CHN	8501.5100.90
R88M-K10030T-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,165.00	EC001851	322940	4547648654654			EB	EBL	CHN	8501.5100.90
R88M-K11K015C-BO52	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute, frenli ve yağ sızdırmazlığı	8,235.00	EC001851	352745	4548583017191			EB	EBL	CHN	8501.5230.90
R88M-K11K015C-S2	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute	7,830.00	EC001851	352743	4548583016590	#		EB	EBL	CHN	8501.5230.90
R88M-K15K015C-BO52	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute, frenli ve yağ sızdırmazlığı	9,645.00	EC001851	352691	4548583017207			EB	EBL	CHN	8501.5230.90
R88M-K15K015C-S2	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute	8,900.00	EC001851	352697	4548583016606			EB	EBL	CHN	8501.5230.90
R88M-K1K020C-BS2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,093.00	EC001851	322981	4547648657358			EB	EBL	CHN	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K1K020C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute	1,390.00	EC001851	322971	4547648657211			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,700.00	EC001851	285592	4547648656238			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,135.00	EC001851	285582	4547648656092	#		EB	EBL	CHN	8501.5220.89
R88M-K1K020H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,450.00	EC001851	285588	4547648656153			EB	EBL	CHN	8501.5220.89
R88M-K1K020H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental	1,081.00	EC001851	285578	4547648656016			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	1,818.00	EC001851	322977	4547648657273			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute	1,433.00	EC001851	322967	4547648657136			EB	EBL	CHN	8501.5220.89
R88M-K1K030C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,464.00	EC001851	322961	4547648654975	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute	1,946.00	EC001851	322947	4547648654760	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,085.00	EC001851	285572	4547648653299			EB	EBL	CHN	8501.5220.89
R88M-K1K030F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental	1,604.00	EC001851	285559	4547648653084	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,178.00	EC001851	322929	4547648653220			EB	EBL	CHN	8501.5220.89
R88M-K1K030H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental	1,540.00	EC001851	285556	4547648653015			EB	EBL	CHN	8501.5220.89
R88M-K1K030T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,533.00	EC001851	322958	4547648654906			EB	EBL	CHN	8501.5220.89
R88M-K1K030T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	1,994.00	EC001851	322944	4547648654692			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,183.00	EC001851	322982	4547648657365			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute	1,627.00	EC001851	322972	4547648657228			EB	EBL	CHN	8501.5220.89
R88M-K1K520F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,789.00	EC001851	285593	4547648656245	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,287.00	EC001851	285583	4547648656108	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,711.00	EC001851	285589	4547648656160			EB	EBL	CHN	8501.5220.89
R88M-K1K520H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental	1,296.00	EC001851	285579	4547648656023			EB	EBL	CHN	8501.5220.89
R88M-K1K520T-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,038.00	EC001851	322978	4547648657280			EB	EBL	CHN	8501.5220.89
R88M-K1K520T-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute	1,636.00	EC001851	322968	4547648657143			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute, frenli	2,761.00	EC001851	322962	4547648654982			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute	2,155.00	EC001851	322948	4547648654777	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental, frenli	2,406.00	EC001851	285573	4547648653305	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental	1,872.00	EC001851	285560	4547648653091	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental, frenli	2,419.00	EC001851	285570	4547648653237			EB	EBL	CHN	8501.5220.89
R88M-K1K530H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental	1,858.00	EC001851	285557	4547648653022			EB	EBL	CHN	8501.5220.89
R88M-K1K530T-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, frenli	2,746.00	EC001851	322959	4547648654913			EB	EBL	CHN	8501.5220.89
R88M-K1K530T-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	2,199.00	EC001851	322945	4547648654708			EB	EBL	CHN	8501.5220.89
R88M-K20030H-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli	1,379.00	EC001851	285567	4547648653190			EB	EBL	CHN	8501.5100.90
R88M-K20030H-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental	924.00	EC001851	285553	4547648652988			EB	EBL	CHN	8501.5100.90
R88M-K20030T-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli	1,727.00	EC001851	322955	4547648654876	#		EB	EBL	CHN	8501.5100.90
R88M-K20030T-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1,256.00	EC001851	322941	4547648654661	#		EB	EBL	CHN	8501.5100.90
R88M-K2K010C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute, frenli	3,237.00	EC001851	322937	4547648658515			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental, frenli	2,929.00	EC001851	285603	4547648658034			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental	2,294.00	EC001851	285600	4547648657976			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute, frenli	2,447.00	EC001851	322983	4547648657372			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	1,905.00	EC001851	322973	4547648657235			EB	EBL	CHN	8501.5220.89
R88M-K2K020F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental, frenli	2,107.00	EC001851	285594	4547648656252	#		EB	EBL	CHN	8501.5220.89
R88M-K2K020F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental	1,490.00	EC001851	285584	4547648656115	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute, frenli	3,046.00	EC001851	322963	4547648654999	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute	2,448.00	EC001851	322949	4547648654784	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental, frenli	2,722.00	EC001851	285574	4547648653312			EB	EBL	CHN	8501.5220.89
R88M-K2K030F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental	2,077.00	EC001851	285561	4547648653107	#		EB	EBL	CHN	8501.5220.89
R88M-K3K010C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute, frenli	3,941.00	EC001851	322938	4547648658522			EB	EBL	CHN	8501.5220.89
R88M-K3K010C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute	3,322.00	EC001851	322934	4547648658461			EB	EBL	CHN	8501.5220.89
R88M-K3K010F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental, frenli	3,652.00	EC001851	285604	4547648658041			EB	EBL	CHN	8501.5220.89
R88M-K3K010F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental	3,018.00	EC001851	285601	4547648657983	#		EB	EBL	CHN	8501.5220.89
R88M-K3K020C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli	2,835.00	EC001851	322984	4547648657389			EB	EBL	CHN	8501.5220.89
R88M-K3K020C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute	2,327.00	EC001851	322974	4547648657242			EB	EBL	CHN	8501.5220.89
R88M-K3K020F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental, frenli	2,486.00	EC001851	285595	4547648656269	#		EB	EBL	CHN	8501.5220.89
R88M-K3K020F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	1,864.00	EC001851	285585	4547648656122	#		EB	EBL	CHN	8501.5220.89
R88M-K3K030C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute, frenli	3,685.00	EC001851	322964	4547648655002			EB	EBL	CHN	8501.5220.89
R88M-K3K030C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute	2,791.00	EC001851	322950	4547648654791			EB	EBL	CHN	8501.5220.89
R88M-K3K030F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental, frenli	3,338.00	EC001851	285575	4547648653329			EB	EBL	CHN	8501.5220.89
R88M-K3K030F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental	2,426.00	EC001851	285562	4547648653114	#		EB	EBL	CHN	8501.5220.89
R88M-K40020C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli	1,727.00	EC001851	322929	4547648657334			EB	EBL	CHN	8501.5100.90
R88M-K40020C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute	1,260.00	EC001851	322969	4547648657198			EB	EBL	CHN	8501.5100.90
R88M-K40020F-B52	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental, frenli	1,361.00	EC001851	285590	4547648656214			EB	EBL	CHN	8501.5100.90
R88M-K40020F-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental	912.00	EC001851	285580	4547648656078			EB	EBL	CHN	8501.5100.90
R88M-K40030H-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,572.00	EC001851	285568	4547648653206	#		EB	EBL	CHN	8501.5100.90
R88M-K40030H-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,046.00	EC001851	285554	4547648652995	#		EB	EBL	CHN	8501.5100.90
R88M-K40030T-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli	1,902.00	EC001851	322956	4547648654883			EB	EBL	CHN	8501.5100.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K40030T-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1,388.00	EC001851	322942	4547648654678	#		EB	EBL	CHN	8501.5100.90
R88M-K4K020C-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute, frenli	3,288.00	EC001851	322985	4547648657396			EB	EBL	CHN	8501.5220.89
R88M-K4K020C-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute	2,890.00	EC001851	322925	4547648657259			EB	EBL	CHN	8501.5220.89
R88M-K4K020F-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental, frenli	2,952.00	EC001851	285596	4547648656276			EB	EBL	CHN	8501.5220.89
R88M-K4K020F-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,362.00	EC001851	285586	4547648656139			EB	EBL	CHN	8501.5220.89
R88M-K4K030C-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute, frenli	4,552.00	EC001851	322965	4547648655019			EB	EBL	CHN	8501.5220.89
R88M-K4K030C-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute	3,639.00	EC001851	322951	4547648654807			EB	EBL	CHN	8501.5220.89
R88M-K4K030F-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental, frenli	4,157.00	EC001851	285576	4547648653336			EB	EBL	CHN	8501.5220.89
R88M-K4K030F-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental	3,206.00	EC001851	285563	4547648653121	#		EB	EBL	CHN	8501.5220.89
R88M-K4K510C-B0S2	G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute, frenli	4,541.00	EC001851	323131	4548583017160			EB	EBL	CHN	8501.5220.89
R88M-K4K510C-S2	G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute	4,582.00	EC001851	356385	4548583016569			EB	EBL	CHN	8501.5220.89
R88M-K5K020C-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	3,646.00	EC001851	322986	4547648657402			EB	EBL	CHN	8501.5220.89
R88M-K5K020C-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,222.00	EC001851	322976	4547648657266	#		EB	EBL	CHN	8501.5220.89
R88M-K5K020F-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	3,155.00	EC001851	285592	4547648656283	#		EB	EBL	CHN	8501.5220.89
R88M-K5K020F-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2,486.00	EC001851	285587	4547648656146	#		EB	EBL	CHN	8501.5220.89
R88M-K5K030C-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute, frenli	5,975.00	EC001851	322966	4547648655026	#		EB	EBL	CHN	8501.5220.89
R88M-K5K030C-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute	5,045.00	EC001851	322952	4547648654814			EB	EBL	CHN	8501.5220.89
R88M-K5K030F-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental, frenli	5,500.00	EC001851	285577	4547648653343			EB	EBL	CHN	8501.5220.89
R88M-K5K030F-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental	4,614.00	EC001851	285564	4547648653138	#		EB	EBL	CHN	8501.5220.89
R88M-K60020C-B52	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute, frenli	1,762.00	EC001851	322980	4547648657341			EB	EBL	CHN	8501.5100.90
R88M-K60020C-S2	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute	1,278.00	EC001851	322970	4547648657204			EB	EBL	CHN	8501.5100.90
R88M-K60020F-B52	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental, frenli	1,459.00	EC001851	285591	4547648656221	#		EB	EBL	CHN	8501.5100.90
R88M-K60020F-S2	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental	1,036.00	EC001851	285581	4547648656085	#		EB	EBL	CHN	8501.5100.90
R88M-K6K010C-B0S2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute, frenli, with oil seal	6,210.00	EC001851	352701	4548583017177			EB	EBL	CHN	8501.5220.89
R88M-K6K010C-S2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute	5,680.00	EC001851	352695	4548583016576			EB	EBL	CHN	8501.5220.89
R88M-K75030C-B52	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute, frenli	2,401.00	EC001851	322960	4547648654968			EB	EBL	CHN	8501.5100.90
R88M-K75030C-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute	1,997.00	EC001851	322946	4547648654753			EB	EBL	CHN	8501.5100.90
R88M-K75030F-B52	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental, frenli	2,064.00	EC001851	285571	4547648653282			EB	EBL	CHN	8501.5100.90
R88M-K75030F-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental	1,579.00	EC001851	285558	4547648653077	#		EB	EBL	CHN	8501.5100.90
R88M-K75030H-B52	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	1,919.00	EC001851	285569	4547648653213	#		EB	EBL	CHN	8501.5100.90
R88M-K75030H-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,320.00	EC001851	285555	4547648653008	#		EB	EBL	CHN	8501.5100.90
R88M-K75030T-B52	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli	2,426.00	EC001851	322957	4547648654890			EB	EBL	CHN	8501.5100.90
R88M-K75030T-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	1,919.00	EC001851	322943	4547648654685			EB	EBL	CHN	8501.5100.90
R88M-K7K515C-B0S2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, frenli, with yağ sızdırmaızlığı	6,840.00	EC001851	352702	4548583017184	#		EB	EBL	CHN	8501.5220.89
R88M-K7K515C-S2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute	6,120.00	EC001851	352696	4548583016583	#		EB	EBL	CHN	8501.5220.89
R88M-K90010C-B52	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,511.00	EC001851	322936	4547648658508			EB	EBL	CHN	8501.5220.89
R88M-K90010C-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute	2,126.00	EC001851	322932	4547648658447			EB	EBL	CHN	8501.5220.89
R88M-K90010F-B52	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,122.00	EC001851	285602	4547648658027			EB	EBL	CHN	8501.5220.89
R88M-K90010F-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental	1,613.00	EC001851	285599	4547648657969			EB	EBL	CHN	8501.5220.89
R88M-K90010H-B52	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,191.00	EC001851	322930	4547648657990			EB	EBL	CHN	8501.5220.89
R88M-K90010H-S2	G5 serisi AC servo motor, 900 kW, 200 VAC, 1000 rpm, 8.59 Nm, incremental	1,613.00	EC001851	285598	4547648657938			EB	EBL	CHN	8501.5220.89
R88M-K90010T-B52	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,511.00	EC001851	322935	4547648658478			EB	EBL	CHN	8501.5220.89
R88M-K90010T-S2	G5 serisi AC servo motor, 900 kW, 200 VAC, 1000 rpm, 8.59 Nm, absolute	2,005.00	EC001851	322931	4547648658416			EB	EBL	CHN	8501.5220.89
R88M-KH40030H-B52-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,584.00	EC001851	328081	4548583406704			EB	EBL	CHN	8501.5100.90
R88M-KH40030H-S2-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,110.00	EC001851	328080	4548583406698			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-B52-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	2,229.00	EC001851	328085	4548583406742			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-S2-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,367.00	EC001851	328084	4548583406735			EB	EBL	CHN	8501.5100.90
<b>Servo G5 Serisi</b>											
R88M-KH1K020F-B51	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,599.00	EC001851	327699	4548583406780			EB	EBL	CHN	8501.5220.89
R88M-KH1K020F-S1	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,190.00	EC001851	327409	4548583406773			EB	EBL	CHN	8501.5220.89
R88M-KH1K520F-S1	G5 serisi high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,412.00	EC001851	327410	4548583406810			EB	EBL	CHN	8501.5220.89
R88M-KH2K020C-S1	G5 serisi high inertia AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	2,033.00	EC001851	327598	4548583406872			EB	EBL	CHN	8501.5220.89
R88M-KH3K020F-S1	G5 serisi high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,059.00	EC001851	327860	4548583406896			EB	EBL	CHN	8501.5220.89
R88M-KH4K020F-S1	G5 serisi high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2,581.00	EC001851	327709	4548583406933			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-B51	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	4,409.00	EC001851	327716	4548583407008			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-S1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,325.00	EC001851	327715	4548583406995			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-B51	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	3,602.00	EC001851	327714	4548583406988			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-S1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2,842.00	EC001851	327713	4548583406971			EB	EBL	CHN	8501.5220.89
R88M-KH7K515C-B51	G5 high inertia servo motor, 7.5 kW, 400 VAC, 1500 rpm, ABS, Brake	7,290.00	EC001851	327862	4548583407022			EB	EBL	CHN	8501.5220.89
<b>Servo G5 Serisi</b>											
R88A-CMK001S	Analog monitör kablosu, 1m	30.42	EC000237	628728	4549734927963	#		EB	EBL	JPN	8544.4290.90
<b>Servo G5 Serisi</b>											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88A-CNk41L</a>	G5 serisi servo harici enkoder konektör (for CN4)	36.90	EC002584	<a href="#">294101</a>	4547648720489			EB	EBL	JPN	8501.4020.80
<a href="#">R88A-CNk81S</a>	Aksesuar servo G5 güvenlik I / O sinyali konektörü (CN8)	26.98	EC002584	<a href="#">678726</a>	4549734927949			EB	EBL	CHN	8536.9010.00
<a href="#">R88A-CNw01R</a>	Enkoder kablo konektörü (CN2) sürücü tarafı tüm modeller	61.50	EC002584	<a href="#">678725</a>	4549734927932	#		EB	EBL	CHN	8544.4290.90
<b>Servo G5 Serisi</b>											
<a href="#">R88A-CRGD0R3C</a>	Absolute enkoder battery cable (battery not included)	148.50	EC002615	<a href="#">292058</a>	4547648493215			EB	EBL	CHN	8501.4020.80
<a href="#">R88A-CRGD0B3C-BS</a>	Absolute enkoder pil kablosu (BAT01G dahildir)	260.30	EC002615	<a href="#">292064</a>	4547648582780	#		EB	EBL	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R7A-CPB001S</a>	SmartStep 2 serisi servo kontrol kablosu, 1m	89.60	EC002615	<a href="#">292039</a>	4547648491013			EB	EBM	CHN	8501.4020.80
<a href="#">XW2Z-100J-B29</a>	CJ1W-NC113/213/413 ile terminal bloğu arası kablo, 1m	235.30	EC000237	<a href="#">292069</a>	4547648520997			EB	EBM	JPN	8501.4020.80
<a href="#">XW2Z-100J-B32</a>	SmartStep2 kablosu (100-400w) sürücü için servo röle ünitesi ile sürücü arası kablo	190.30	EC000237	<a href="#">292071</a>	4547648521055			EB	EBM	JPN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R7D-RP01H</a>	SmartStep 2 servo sürücü, pulse tipi, 100 W, 1~ 200 VAC	1,127.00	EC002572	<a href="#">285887</a>	4547648475181			EB	EBM	CHN	8501.4020.80
<a href="#">R7D-RP02HH</a>	SmartStep 2 servo sürücü, pulse tipi, 200 W, 1~ 200 VAC	1,153.00	EC002572	<a href="#">285888</a>	4547648475204			EB	EBM	CHN	8501.4020.80
<a href="#">R7D-RP04H</a>	SmartStep 2 servo sürücü, pulse tipi, 400 W, 1~ 200 VAC	1,197.00	EC002572	<a href="#">285889</a>	4547648475211	#		EB	EBM	CHN	8501.4020.80
<a href="#">R88D-GP08H</a>	SmartStep 2 servo sürücü, pulse tipi, 800 W, 1~ 200 VAC	1,594.00	EC002572	<a href="#">285526</a>	4547648728911	#		EB	EBM	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R7A-CNB01A</a>	SmartStep 2 servo motor konektör (CNB)	14.37	EC002584	<a href="#">292043</a>	4547648491068			EB	EBM	CHN	8501.4020.80
<a href="#">R7A-CNB01P</a>	SmartStep 2 ana enerji beslemesi konektör (CNA)	12.78	EC002584	<a href="#">292044</a>	4547648491082			EB	EBM	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R88A-RR080100S</a>	Servo aksesuarı, direnc: 80 W, 100 ohm	93.90	EC002615	<a href="#">292066</a>	4547648512688			EB	EBM	JPN	8533.2900.00
<a href="#">R88A-RR08050S</a>	Servo aksesuarı, direnc: 80 W, 50 ohm	93.90	EC002615	<a href="#">292065</a>	4547648512671			EB	EBM	JPN	8533.2900.00
<b>Servo SmartStep2</b>											
<a href="#">R7A-CLB002RG</a>	Harici rejeneratif direnc konektörü kablosu, 2m	27.66	EC002584	292042	4547648491051			EB	EBM	CHN	8544.4290.90
<b>Servolar için Aksesuarlar</b>											
<a href="#">R88A-CAWA005S-DE</a>	servo motor kablosu, 5m (DP9325252-5G ile aynı özellikte)	180.20	EC002615	<a href="#">139294</a>	4536853863319			EB	EBZ	DEU	8544.4290.90
<b>Servolar için Aksesuarlar</b>											
<a href="#">J7SP-CHP800-10-ME</a>	enkoder kablosu, 10m	236.60	EC002615	247407	4547648856157			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CFKB005CR-E</a>	Extension cable from Hall and Temperature sensors to Serial Converter, 5m	186.00	EC002615	354073	4547648903493			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA001-5CR-E</a>	G-serisi servo enkoder kablosu, 1.5m, absolute enkoder tipi, 50-750 W	119.60	EC002615	<a href="#">294025</a>	4547648867917			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA003CR-E</a>	G-serisi servo enkoder kablosu, 3m, absolute enkoder tipi, 50-750 W	135.20	EC002615	<a href="#">294026</a>	4547648867924			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA005CR-E</a>	G-serisi servo enkoder kablosu, 5m, absolute enkoder tipi, 50-750 W	151.70	EC002615	<a href="#">294027</a>	4547648867931			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA010CR-E</a>	G-serisi servo enkoder kablosu, 10m, absolute enkoder tipi, 50-750 W	190.30	EC002615	<a href="#">294028</a>	4547648867948			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA015CR-E</a>	G-serisi servo enkoder kablosu, 15m, absolute enkoder tipi, 50-750 W	232.20	EC002615	<a href="#">294029</a>	4547648867955			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA020CR-E</a>	G-serisi servo enkoder kablosu, 20m, absolute enkoder tipi, 50-750 W	274.50	EC002615	<a href="#">294080</a>	4547648867962			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA001-5CR-E</a>	Servo enkoder kablosu, 1.5m, incremental enkoder tipi, 50-750W	107.50	EC002615	<a href="#">281397</a>	4547648865593			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA003CR-E</a>	Servo enkoder kablosu, 3m, incremental enkoder tipi, 50-750W	120.40	EC002615	<a href="#">281398</a>	4547648865609	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA005CR-E</a>	Servo enkoder kablosu, 5m, incremental enkoder tipi, 50-750W	137.30	EC002615	<a href="#">281399</a>	4547648865616	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA010CR-E</a>	Servo enkoder kablosu, 10m, incremental enkoder tipi, 50-750W	180.30	EC002615	<a href="#">281400</a>	4547648865623	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA015CR-E</a>	Servo enkoder kablosu, 15m, incremental enkoder tipi, 50-750W	222.70	EC002615	<a href="#">281401</a>	4547648865630			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA020CR-E</a>	Servo enkoder kablosu, 20m, incremental enkoder tipi, 50-750W	265.70	EC002615	<a href="#">281402</a>	4547648865647			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA001-5CR-E</a>	G5 serisi servo enkoder kablosu, 1.5m, 50-750 W	114.00	EC002615	<a href="#">298261</a>	4547648868419			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA003CR-E</a>	G5 serisi servo enkoder kablosu, 3m, 50-750 W	126.50	EC002615	<a href="#">298262</a>	4547648868426			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA005CR-E</a>	G5 serisi servo enkoder kablosu, 5m, 50-750 W	143.70	EC002615	<a href="#">301748</a>	45476488570184	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA010CR-E</a>	G5 serisi servo enkoder kablosu, 10m, 50-750 W	186.00	EC002615	<a href="#">298264</a>	4547648868440	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA015CR-E</a>	G5 serisi servo enkoder kablosu, 15m, 50-750 W	228.80	EC002615	<a href="#">298265</a>	4547648868457			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA020CR-E</a>	G5 serisi servo enkoder kablosu, 20m, 50-750 W	271.00	EC002615	<a href="#">298266</a>	4547648868464	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA030CR-E</a>	G5 serisi servo enkoder kablosu, 30m, 50-750W	441.00	EC002615	<a href="#">347145</a>	4547648889612			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC001-5NR-E</a>	G5 serisi servo enkoder kablosu, 1.5m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	142.90	EC002615	<a href="#">301010</a>	4547648869553			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC003NR-E</a>	G5 serisi servo enkoder kablosu, 3m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	155.60	EC002615	<a href="#">301011</a>	4547648869560	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC005NR-E</a>	G5 serisi servo enkoder kablosu, 5m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	173.20	EC002615	<a href="#">298269</a>	4547648868495	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC010NR-E</a>	G5 serisi servo enkoder kablosu, 10m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	215.60	EC002615	<a href="#">298270</a>	4547648868501	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC015NR-E</a>	G5 serisi servo enkoder kablosu, 15m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	258.10	EC002615	<a href="#">298271</a>	4547648868518	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC020NR-E</a>	G5 serisi servo enkoder kablosu, 20m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	301.00	EC002615	<a href="#">298272</a>	4547648868525	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC030NR-E</a>	G5 serisi servo enkoder kablosu, 30m, 200V, 1kW - 1.5kW, 400V, 400W - 5kW	433.10	EC002615	<a href="#">341857</a>	4547648887090			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKM005SR-E</a>	Accurax G5 harici enkoder kablosu for CN4, 5m	177.90	EC002615	<a href="#">349416</a>	4547648891875			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKN001-4CR-E</a>	Accurax G5 linear sürücü ile serial converter ara kablosu, 1.5m	260.50	EC002615	354065	4547648903417			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKN003CR-E</a>	Accurax G5 linear sürücü ile serial converter ara kablosu, 3m	199.20	EC002615	354066	4547648903424			EB	EBZ	ITA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CRKN005CR-E	<a href="#">Accurax G5 linear sürücü ile serial converter ara kablosu, 5m</a>	221.80	EC002615	354067	4547648903431			EB	EBZ	ITA	8544.4290.90
R88A-CRKN010CR-E	<a href="#">Accurax G5 linear sürücü ile serial converter ara kablosu, 10m</a>	346.30	EC002615	354068	4547648903448			EB	EBZ	ITA	8544.4290.90
R88A-CRWA003C-DE	<a href="#">servo enkoder kablosu, 3m (DP9325256-3G ile eşdeğer)</a>	211.20	EC002615	139213	4536853863616	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA005C-DE	<a href="#">servo enkoder kablosu, 5m (DP9325256-5G ile eşdeğer)</a>	251.70	EC002615	139214	4536853863630			EB	EBZ	DEU	8544.4290.90
R88A-CRWA010C-DE	<a href="#">servo enkoder kablosu, 10m (DP9325256-10G ile eşdeğer)</a>	299.70	EC002615	139215	4536853863654			EB	EBZ	DEU	8544.4290.90
R88A-CRWA015C-DE	<a href="#">servo enkoder kablosu, 15m (DP9325256-15G ile eşdeğer)</a>	376.10	EC002615	139216	4536853863661			EB	EBZ	DEU	8544.4290.90
R88A-CRWA020C-DE	<a href="#">servo enkoder kablosu, 20m (DP9325256-20G ile eşdeğer)</a>	439.00	EC002615	139217	4536853863685			EB	EBZ	DEU	8544.4290.90
R88A-CRWB003N-E	<a href="#">Sigma II enkoder kablosu for 415 V motors, 3m (straight connector, similar JZSP-CMP02-3G is right-angled)</a>	272.40	EC002615	155713	4536853861636			EB	EBZ	ITA	8544.4290.90
R88A-CRWB005N-E	<a href="#">Sigma II enkoder kablosu for 415 V motors, 5m (straight connector, similar JZSP-CMP02-5G is right-angled)</a>	291.30	EC002615	139427	4536853861643			EB	EBZ	ITA	8544.4290.90
R88A-CRWB010N-E	<a href="#">Sigma II enkoder kablosu for 415 V motors, 10m (straight connector, similar JZSP-CMP02-10G is right-angled)</a>	336.90	EC002615	157478	4536853861667			EB	EBZ	ITA	8544.4290.90
R88A-CSK003S-E	<a href="#">Servo sürücü, aksesuarı, safety kablosu, 3m, G5 (CN8) - uçları açık</a>	83.00	EC000237	413679	4547648996754	#		EB	EBZ	ITA	8544.4999.00
<b>Servolar için Aksesuarlar</b>											
R7A-CAB001-5SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 1.5m</a>	55.35	EC002615	281391	4547648865531			EB	EBZ	ITA	8544.4999.00
R7A-CAB003SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 3m</a>	63.15	EC002615	281392	4547648865548			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-DE	<a href="#">SmartStep 2 güç kablosu, (50-400 W), yuvarkak IP67 konnektör, non frend, 5m</a>	131.90	EC002615	372686	4547648963251			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 5m</a>	72.20	EC002615	281393	4547648865555			EB	EBZ	ITA	8544.4999.00
R7A-CAB010SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 10m</a>	96.65	EC002615	281394	4547648865562			EB	EBZ	ITA	8544.4999.00
R88A-CAGA001-5BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 1.5m, 50-750 W</a>	50.55	EC002615	281403	4547648865654			EB	EBZ	ITA	8544.4290.90
R88A-CAGA001-5SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 1.5m, 50-750 W</a>	52.55	EC002615	294069	4547648867856			EB	EBZ	ITA	8544.4999.00
R88A-CAGA003BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 3m, 50-750 W</a>	56.15	EC002615	281404	4547648865661			EB	EBZ	ITA	8544.4290.90
R88A-CAGA003SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 3m, 50-750 W</a>	59.75	EC002615	294070	4547648867863	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA005BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 5m, 50-750 W</a>	63.85	EC002615	281405	4547648865678	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA005SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 5m, 50-750 W</a>	69.85	EC002615	294071	4547648867870	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA010BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 10m, 50-750 W</a>	82.25	EC002615	281406	4547648865685	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA010SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 10m, 50-750 W</a>	93.75	EC002615	294072	4547648867887	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA015BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 15m, 50-750 W</a>	100.70	EC002615	281407	4547648865692			EB	EBZ	ITA	8544.4290.90
R88A-CAGA015SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 15m, 50-750 W</a>	117.90	EC002615	294073	4547648867894			EB	EBZ	ITA	8544.4999.00
R88A-CAGA020SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 20m, 50-750 W</a>	141.90	EC002615	294074	4547648867900			EB	EBZ	ITA	8544.4999.00
R88A-CAGB001-5SR-E	<a href="#">Servo motor güç kablosu, 1.5m, frenzis, 900 W-1.5 kW</a>	142.50	EC002615	294081	4547648867979			EB	EBZ	ITA	8544.4999.00
R88A-CAGB003SR-E	<a href="#">Servo motor güç kablosu, 3m, frenzis, 900 W-1.5 kW</a>	163.90	EC002615	294082	4547648867986	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005BR-E	<a href="#">Servo motor güç kablosu, 5m, frenli, 900 W-1.5 kW</a>	214.30	EC002615	294089	4547648868051			EB	EBZ	ITA	8544.4999.00
R88A-CAGB005SR-E	<a href="#">Servo motor güç kablosu, 5m, frenzis, 900 W-1.5 kW</a>	192.40	EC002615	294083	4547648867993	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010BR-E	<a href="#">Servo motor güç kablosu, 10m, frenli, 900 W-1.5 kW</a>	296.40	EC002615	294090	4547648868068			EB	EBZ	ITA	8544.4999.00
R88A-CAGB010SR-E	<a href="#">Servo motor güç kablosu, 10m, frenzis, 900 W-1.5 kW</a>	262.90	EC002615	294084	4547648868006	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB015SR-E	<a href="#">Servo motor güç kablosu, 15m, frenzis, 900 W-1.5 kW</a>	333.30	EC002615	294085	4547648868013	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020SR-E	<a href="#">Servo motor güç kablosu, 20m, frenzis, 900 W-1.5 kW</a>	405.20	EC002615	294086	4547648868020	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB030SR-E	<a href="#">Servo motor güç kablosu, 30m, w/o brake, 900W-1.5kW</a>	582.00	EC002615	347177	4547648889933			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003BR-E	<a href="#">G5 serisi servo motor güç kablosu, 3m, frenli, 3-5 kW</a>	273.70	EC002615	298292	4547648868723			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003SR-E	<a href="#">G5 serisi servo motor güç kablosu, 3m, frenzis, 3-5 kW</a>	178.90	EC002615	298280	4547648868600	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005BR-E	<a href="#">G5 serisi servo motor güç kablosu, 5m, frenli, 3-5 kW</a>	319.60	EC002615	298293	4547648868730	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005SR-E	<a href="#">G5 serisi servo motor güç kablosu, 5m, frenzis, 3-5 kW</a>	209.20	EC002615	298281	4547648868617	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010BR-E	<a href="#">G5 serisi servo motor güç kablosu, 10m, frenli, 3-5 kW</a>	437.40	EC002615	298294	4547648868747	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010SR-E	<a href="#">G5 serisi servo motor güç kablosu, 10m, frenzis, 3-5 kW</a>	298.20	EC002615	298282	4547648868624	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015BR-E	<a href="#">G5 serisi servo motor güç kablosu, 15m, frenli, 3-5 kW</a>	550.00	EC002615	301013	4547648869584			EB	EBZ	ITA	8544.4999.00
R88A-CAGD015SR-E	<a href="#">G5 serisi servo motor güç kablosu, 15m, frenzis, 3-5 kW</a>	445.10	EC002615	298283	4547648868631	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD020BR-E	<a href="#">G5 serisi servo motor güç kablosu, 20m, frenli, 3-5 kW</a>	626.50	EC002615	298296	4547648868754			EB	EBZ	ITA	8544.4999.00
R88A-CAGD020SR-E	<a href="#">G5 serisi servo motor güç kablosu, 20m, frenzis, 3-5 kW</a>	541.50	EC002615	298284	4547648868648	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGE010BR-E	<a href="#">G5 serisi servo fren kablosu, 10 m, 6 kW - 15 kW</a>	184.00	EC002615	355283	4547648917360			EB	EBZ	ITA	8544.4290.90
R88A-CAGE015BR-E	<a href="#">G5 series servo brake cable, 15 m, 6 kW - 15 kW</a>	213.70	EC002615	355284	4547648917377			EB	EBZ	ITA	8544.4290.90
R88A-CAGE020BR-E	<a href="#">G5 serisi servo fren kablosu, 20 m, 6 kW - 15 kW</a>	216.90	EC002615	355285	4547648917384			EB	EBZ	ITA	8544.4290.90
R88A-CAKA001-5BR-E	<a href="#">G5 serisi servo fren kablosu, 1.5m, 50-750W</a>	120.90	EC002615	298297	4547648868761			EB	EBZ	ITA	8544.4999.00
R88A-CAKA001-5SR-E	<a href="#">G5 serisi servo motor güç kablosu, 1.5m, non frend, 50-750 W</a>	180.80	EC002615	298273	4547648868532			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003BR-E	<a href="#">G5 serisi servo fren kablosu, 3m, 50-750W</a>	126.50	EC002615	298298	4547648868778			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003SR-E	<a href="#">G5 serisi servo motor güç kablosu, 3m, non frend, 50-750 W</a>	195.70	EC002615	298274	4547648868549			EB	EBZ	ITA	8544.4999.00
R88A-CAKA005BR-E	<a href="#">G5 serisi servo fren kablosu, 5m, 50-750W</a>	134.00	EC002615	298299	4547648868785	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005SR-E	<a href="#">G5 serisi servo motor güç kablosu, 5m, non frend, 50-750 W</a>	216.40	EC002615	298275	4547648868556	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010BR-E	<a href="#">G5 serisi servo fren kablosu, 10m, 50-750W</a>	152.10	EC002615	298300	4547648868792	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010SR-E	<a href="#">G5 serisi servo motor güç kablosu, 10m, non frend, 50-750 W</a>	267.60	EC002615	298276	4547648868563	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015BR-E	<a href="#">G5 serisi servo fren kablosu, 15m, 50-750W</a>	171.20	EC002615	298301	4547648868808			EB	EBZ	ITA	8544.4999.00
R88A-CAKA015SR-E	<a href="#">G5 serisi servo motor güç kablosu, 15m, non frend, 50-750 W</a>	317.90	EC002615	298277	4547648868570			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020BR-E	<a href="#">G5 serisi servo fren kablosu, 20m, 50-750W</a>	188.80	EC002615	298302	4547648868815			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020SR-E	<a href="#">G5 serisi servo motor güç kablosu, 20m, non frend, 50-750 W</a>	368.50	EC002615	298278	4547648868587	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA030SR-E	<a href="#">G5 serisi servo motor güç kablosu, 30m, frenzis, 50-750W</a>	537.00	EC002615	347158	4547648889742			EB	EBZ	ITA	8544.4999.00
R88A-CAKE005SR-E	<a href="#">G5 serisi servo motor güç kablosu, 5 m, frenzis, 6 kW - 7.5 kW</a>	473.50	EC002615	355270	4547648917230	#		EB	EBZ	ITA	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAKE010SR-E	G5 serisi servo motor güc kablosu, 10m, non frend, 6kW ila 7.6kW	642.00	EC002615	355771	4547648917247	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE015SR-E	G5 serisi servo motor güc kablosu, 15m, frensiz, 6 kW - 7.5 kW	926.50	EC002615	355772	4547648917254			EB	EBZ	ITA	8544.4290.90
R88A-CAKE020SR-E	G5 serisi servo motor güc kablosu, 20m, frensiz, 6 kW - 7.5 kW	959.50	EC002615	355773	4547648917261			EB	EBZ	ITA	8544.4290.90
R88A-CAKF003BR-E	G5 serisi servo motor güc kablosu, 3m, frend, 750W ila 2KW	245.10	EC002615	298286	4547648868662			EB	EBZ	ITA	8544.4999.00
R88A-CAKF005BR-E	G5 serisi servo motor güc kablosu, 5m, frend, 750W ila 2KW	272.50	EC002615	298287	4547648868679	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF010BR-E	G5 serisi servo motor güc kablosu, 10m, frend, 750W ila 2KW	340.50	EC002615	298288	4547648868686	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF015BR-E	G5 serisi servo motor güc kablosu, 15m, frend, 750W ila 2KW	408.90	EC002615	298289	4547648868693	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF020BR-E	G5 serisi servo motor güc kablosu, 20m, frend, 750W ila 2KW	477.60	EC002615	298290	4547648868709			EB	EBZ	ITA	8544.4999.00
R88A-CAKF030BR-E	G5 serisi servo motor güc kablosu, 30m, frend, 750W to 2KW	622.00	EC002615	347161	4547648889773			EB	EBZ	ITA	8544.4999.00
R88A-CAKG010SR-E	G5 serisi servo motor güc kablosu, 10m, frensiz, 11KW - 15KW	814.00	EC002615	355777	4547648917308			EB	EBZ	ITA	8544.4290.90
R88A-CAKG020SR-E	G5 serisi servo motor güc kablosu, 20m, frensiz, 11KW - 15KW	1,249.00	EC002615	355779	4547648917322			EB	EBZ	ITA	8544.4290.90
R88A-CAWA003B-DE	servo motor (frenli) kablosu, 3m (DP9325253-3G ile aynı özellikte)	156.20	EC002615	139296	4536853863371			EB	EBZ	DEU	8544.4290.90
R88A-CAWA003S-DE	servo motor kablosu, 3m ( DP9325252-3G ile aynı özellikte)	146.50	EC002615	157422	4536853863302	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA005B-DE	servo motor (frenli) kablosu, 5m (DP9325253-5G ile aynı özellikte)	189.30	EC002615	139297	4536853863395			EB	EBZ	DEU	8544.4290.90
R88A-CAWA010B-DE	servo motor (frenli) kablosu, 10m (DP9325253-10G ile aynı özellikte)	262.50	EC002615	139298	4536853863418			EB	EBZ	DEU	8544.4290.90
R88A-CAWA010S-DE	servo motor kablosu, 10m (DP9325252-10G ile aynı özellikte)	244.60	EC002615	139295	4536853863333			EB	EBZ	DEU	8544.4290.90
R88A-CAWA015S-DE	servo motor kablosu, 15m (DP9325252-15G ile aynı özellikte)	330.10	EC002615	155691	4536853863340			EB	EBZ	DEU	8544.4290.90
R88A-CAWA020S-DE	servo motor kablosu, 20m (DP9325252-20G ile aynı özellikte)	405.70	EC002615	146112	4536853863364			EB	EBZ	DEU	8544.4290.90
R88A-CAWC003S-E	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 3m	208.40	EC002615	139430	4536853861711			EB	EBZ	ITA	8544.4290.90
R88A-CAWC005S-E	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 5m	230.40	EC002615	139431	4536853861735			EB	EBZ	ITA	8544.4290.90
R88A-CAWC010S-E	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 10m	285.30	EC002615	142781	4536853861759			EB	EBZ	ITA	8544.4290.90
R88A-CAWC015S-E	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 15m	342.50	EC002615	139432	4536853861766			EB	EBZ	ITA	8544.4290.90
R88A-CAWG003S-E	Sigma II motor cable for 4.4 kW motors, 3 m (straight connector, similar JZSP-CMM02D44-03G is right-angled)	233.20	EC002615	150202	4536853867270	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG005S-E	Sigma II motor cable for 4.4 kW motors, 5 m (straight connector, similar JZSP-CMM02D44-05G is right-angled)	280.70	EC002615	138835	4536853867355			EB	EBZ	ITA	8544.4290.90
R88A-CAWG010S-E	Sigma II motor cable for 4.4 kW motors, 10m (straight connector, similar JZSP-CMM02D44-10G is right-angled)	371.60	EC002615	156912	4536853867430			EB	EBZ	ITA	8544.4290.90
R88A-CAWK005S-DE	Sigma II/V servo motor güc kablosu (400 V frensiz), 5m	182.50	EC002615	138782	4536853868345			EB	EBZ	DEU	8544.4290.90
<b>Servolar için Aksesuarlar</b>											
R88A-SC01KE	Serial Converter unit, iron core linear motor	1,534.00	EC002584	354679	4547648907156			EB	EBZ	DEU	8501.4020.80
<b>Servolar için Aksesuarlar</b>											
R7A-FIB104-BE	SmartStep 2 RFI filtre (Basım), 1~200 VAC, 4 A (100 W, 200 W, 400 W)	73.05	EC002564	283801	4547648865869			EB	EBZ	GBR	8529.9097.90
R88A-FIK102-RE	G/G5 serisi RFI filtre, 2.4 A, 250 VAC, 100 ve 200 W modeller için	71.50	EC002564	283802	4547648865876	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK102-SE	G/G5 serisi RFI filtre, 2.4 A, 230 VAC, for 100 and 200 W models	57.35	EC002564	668904	4548583963443			EB	EBZ	THA	8529.9097.90
R88A-FIK104-BE	G/G5 serisi RFI filtre, 4.1 A, 250 VAC, 400 W modeller için	73.05	EC002564	283803	4547648865883	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK104-SE	G/G5 serisi RFI filtre, 4.1 A, 230 VAC, for 400 W models	59.85	EC002564	668987	4548583963375			EB	EBZ	THA	8529.9097.90
R88A-FIK107-BE	G/G5 serisi RFI filtre, 6.6 A, 250 VAC, 750 W modeller için	82.90	EC002564	283804	4547648865890			EB	EBZ	GBR	8529.9097.90
R88A-FIK107-SE	G/G5 serisi RFI filtre, 6.6 A, 230 VAC, for 750 W models	68.65	EC002564	668901	4548583963412			EB	EBZ	THA	8529.9097.90
R88A-FIK114-BE	G/G5 serisi RFI filtre, 14.2 A, 250 VAC, 1.0 ve 1.5 kW modeller için	104.50	EC002564	283805	4547648865906			EB	EBZ	GBR	8529.9097.90
R88A-FIK114-SE	G/G5 serisi RFI filtre, 14.2 A, 230 VAC, for 1.0 and 1.5 kW models	87.30	EC002564	668900	4548583963405			EB	EBZ	THA	8529.9097.90
R88A-FIK304-BE	G5 serisi RFI filtre, 4 A, 400 VAC, 600 ila 1.5 kW modelleri arasına için	107.30	EC002564	303857	4547648870887			EB	EBZ	GBR	8529.9097.90
R88A-FIK304-SE	G5 serisi RFI filtre, 4 A, 400 VAC, for 600 to 1.5 kW models	84.85	EC002564	668899	4548583963399	#		EB	EBZ	THA	8529.9097.90
R88A-FIK306-BE	G5 serisi RFI filtre, 6 A, 400 VAC, 2.0 kW modeller için	114.10	EC002564	303858	4547648870894			EB	EBZ	GBR	8529.9097.90
R88A-FIK306-SE	G5 serisi RFI filtre, 6 A, 400 VAC, for 2.0 kW models	92.30	EC002564	668902	4548583963429			EB	EBZ	THA	8529.9097.90
R88A-FIK312-BE	G5 serisi RFI filtre, 12 A, 400 VAC, 3.0 ila 5.0 kW modelleri arasına için	157.60	EC002564	303859	4547648870900			EB	EBZ	GBR	8529.9097.90
R88A-FIK312-SE	G5 serisi RFI filtre, 12 A, 400 VAC, for 3.0 to 5.0 kW models	128.70	EC002564	668898	4548583963382	#		EB	EBZ	THA	8529.9097.90
R88A-FIK330-BE	G5 serisi RFI filtre, 30A, 400VAC, 3.0 ila 7.5kW modelleri arasına için	242.00	EC002564	357083	4547648926270	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK330-SE	G5 serisi RFI filtre, 30 A, 400 VAC, for 3.0 to 7.5kW models	188.70	EC002564	668903	4548583963436			EB	EBZ	THA	8529.9097.90
R88A-FIK350-SE	G5 serisi RFI filtre, 50 A, 400 VAC, for 3.0 to 15kW models	274.30	EC002564	668906	4548583963467			EB	EBZ	THA	8529.9097.90
R88A-FIW104E	Smart Step(Xtra)Drive/Sigma II RFI filtre (Basım), 1~200 VAC, 4 A (30 W - 200 W)	118.40	EC002564	147105	4536853862602			EB	EBZ	GBR	8529.9097.90
<b>Servolar için Aksesuarlar</b>											
JZSP-CMP9-1-E	Sigma II servo driver CN2 (enkoder) connector kit	60.30	EC002584	365008	4547648934886			EB	EBZ	ITA	8544.4290.90
LPRA-06B-FRBN170	Motor power connector (female) for SGM4H (400 V) and SGM4H (400 V)	49.35	EC002584	138248	4536853871703			EB	EBZ	DEU	8503.0099.99
MS3108F18-10S	Military power connector IP67 for 400 V motors SGMGH (05/10/13/D), SGM4H (10/15/20/D), SGM4H (10/15/D), SGM4H fan	72.20	EC002584	168878	4536853875893			EB	EBZ	ITA	8536.9010.00
MS3108E20-2S	güc kablosu konektör G5 motor tarafı	79.45	EC002584	329420	4547648880664	#		EB	EBZ	ITA	8536.9010.00
MS3108E22-22S	Military güc konektör IP67 for 400 V motors SGMGH (20/30/44/D), SGM4H (30/40/50/D), SGM4H (30/40/D)	96.25	EC002584	168879	4536853875909	#		EB	EBZ	ITA	8536.9010.00
MS3108E24-11S	güc kablosu konektör G5 motor tarafı	84.65	EC002584	331799	4547648883078	#		EB	EBZ	ITA	8536.9010.00
MS3108E32-17S	Military güc konektör IP67 for 400 V motors SGMGH (55/75/1 A/1E/D)	130.10	EC002584	168880	4536853875916	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK02R	enkoder kablosu konektör, motor tarafı, 750 W'a kadar olan modeller için	40.52	EC002584	294392	4547648720434	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK04R-E	enkoder kablosu konektör, motor tarafı: R88M-K(1K0/1K5)30(H/T) -K(150/1K0/1K5/2K0/3K0/4K0/5K0)30(E/C) -K(400/600/1K0/1K5/2K0/3K0/4K0/5K0)20 -K(900/2K0/3K0)10	79.45	EC002584	329419	4547648880657	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK11A	Motor güc kablosu konektör, motor tarafı, model: 750 W'a kadar	71.10	EC002584	294393	4547648720458			EB	EBZ	JPN	8501.4020.80
R88A-CNK11B	konektör for breaking kablosu R88M-K(050/100/200/400/750)30(H/T)-B52	93.05	EC002584	354777	4547648720465			EB	EBZ	JPN	8536.9010.00
R88A-CNU01C	Servo kontrol G / C konektörü	42.57	EC002584	678723	4549734927918	#		EB	EBZ	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CNU11C	CNI için konektör kontrol L/O [analog / darbeli modeller için]	55.00	EC002584	678727	4549734927956	#		EB	EBZ	JPN	8536.9010.00
R88A-CNW01C	G5 CNI için ağ / kesim konektör kiti, sadece sebeke tipi sürücüler	45.70	EC002584	678729	4549734927970	#		EB	EBZ	JPN	8536.9010.00
SPOC-06K-FSDN169	Motor güç konektörü (disi), SGM4H (200 V) ve SGM6H (200 V), SPUIC-06K-FSDN169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	41.49	EC002584	137635	4536853874124			EB	EBZ	DEU	8536.5015.90
SPOC-17H-FRON169	Motor enkoder konektörü (disi), SGM4H ve SGM6H, SPUIC-17H-FRON169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	41.48	EC002584	156581	4536853874131			EB	EBZ	DEU	8536.5015.90
SRUC-06J-MSCN236	Smart Step IP67 motor güç konektörü, erkek (motor tarafından kullanılır)	25.07	EC002584	137636	4536853874155		20	EB	EBZ	DEU	8536.5015.90
SRUC-17G-MRWN087	Smart Step IP67 motor enkoder konektörü, erkek (motor tarafından kullanılır)	31.70	EC002584	175766	4536853883942		20	EB	EBZ	DEU	8536.9010.00
<b>Servolar için Aksesuarlar</b>											
R88A-RB2204751	Servo aksesuarı, direnç 220 W, 47 ohm	99.50	EC002615	357773	4547648803557	#		EB	EBZ	JPN	8533.2900.00
<b>Servolar için Aksesuarlar</b>											
R7A-CLB00252	Besleme kablosu (CNA), 2m	34.98	EC002584	298303	4547648868822			EB	EBZ	ITA	8544.4999.00
R88A-BAT01G	Absolute enkoder pilli	95.95	EC002584	292045	4547648491105	#		EB	EBZ	JPN	8506.5010.90
R88A-CPK8001S-E	Genel amaçlı I/O kablosu (CNI), G5 EtherCAT sürücüsü, 1m	135.50	EC000237	349414	4547648891851	#		EB	EBZ	ITA	8501.4020.80
R88A-CPK8002S-E	Genel amaçlı I/O kablosu (CNI), G5 EtherCAT sürücüsü, 2m	151.00	EC000237	349415	4547648891868	#		EB	EBZ	ITA	8501.4020.80
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC281	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 2 eksen, 16 cihaz	1,892.00	EC001422	332458	4547648810418			EC	ECA	JPN	8471.6070.00
CJ1W-NC481	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 16 cihaz	2,641.00	EC001422	332459	4547648810425			EC	ECA	JPN	8471.6070.00
CJ1W-NC482	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 64 cihaz	2,751.00	EC001422	339849	4547648837453			EC	ECA	JPN	8471.6070.00
CJ1W-NC882	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 8 eksen, 64 cihaz	3,279.00	EC001422	339850	4547648837460			EC	ECA	JPN	8471.6070.00
CJ1W-NCF82	CJ1 Position Control unit over EtherCAT, 16 axes, 64 nodes	3,760.00	EC001422	354622	4548583044388			EC	ECA	JPN	8471.6070.00
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC271	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 2 eksen	1,725.00	EC001422	323608	4547648708906			EC	ECA	CHN	8471.6070.00
CJ1W-NC471	CJ1 Position control unit with MECHATROLINK II, 4 axes	1,832.00	EC001422	323609	4547648708913			EC	ECA	CHN	8471.6070.00
CJ1W-NCF71	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 16 eksen	3,461.00	EC001422	323225	4547648708869			EC	ECA	CHN	8471.6070.00
<b>PLC Tabanlı Hareket Kontrol</b>											
CS1W-MC221-V1	Motion control unit, 2 axis	3,479.00	EC001422	171093	4547648074438			EC	ECA	JPN	8471.6070.00
CS1W-MC421-V1	4 axis motion control unit	5,680.00	EC001422	171092	4547648074421			EC	ECA	JPN	8471.6070.00
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC213	Pozisyon Kontrol ünitesi, 2 eksen, NPN open collector pulse çıkışı, 500 KHz	1,971.00	EC001422	323224	4547648708852			EC	ECA	CHN	8471.6070.00
CJ1W-NC413	Pozisyon Kontrol ünitesi, 4 eksen, NPN open collector pulse çıkışı, 500 KHz	2,950.00	EC001422	323227	4547648708883			EC	ECA	CHN	8471.6070.00
<b>Hareket Kontrolleri için Aksesuarlar</b>											
XW2B-20J6-8A	Servo rölesi ünitesi, 1 eksen, CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	198.00	EC002584	149077	4536854871849			EC	ECZ	JPN	8536.9010.00
XW2B-40J6-2B	Servo Röle Unit, 2 eksen, CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 ve C200H-NC211	202.10	EC002584	107564	4536854229718			EC	ECZ	JPN	8536.9010.00
XW2B-40J6-7	Servo Relay Unit, 2 axis	212.30	EC002584	107562	4536854229688			EC	ECZ	JPN	8536.9010.00
XW2B-40J6-9A	Servo rölesi ünitesi, 2 eksen, CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	234.40	EC002584	107567	4536854871856			EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A15	Servo kontrol kablosu (CS1W-NC213/413 için)	244.60	EC000237	107528	4536854778186			EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A33	Servo kontrol kablosu (CJ1M-CPU21/22/23 için)	170.30	EC000237	281447	4547648521086			EC	ECZ	JPN	8536.9010.00
XW2Z-100J-F1	Cable to Servo Driver, 1 m	211.70	EC000237	107499	4536854230271			EC	ECZ	JPN	8536.9010.00
<b>Hareket Kontrolleri için Aksesuarlar</b>											
R88A-CCM002P4-E	Programming cable, 2m (port 0)	65.15	EC001681	321832	4547648872157			EC	ECZ	ITA	8544.4290.90
<b>Hareket Kontrolleri için Aksesuarlar</b>											
XW2Z-100X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 1 m	73.00	EC000237	300889	4547648236362			EC	ECZ	JPN	8536.9010.00
XW2Z-100X-R	I/O connection cable, NX-ODS256-5 and XW2B-P16GD-C3-COM, 1 m	84.60	EC000237	702464	4549734724586			EC	ECZ	JPN	8544.4290.90
XW2Z-200X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 2 m	81.60	EC000237	300890	4547648236379			EC	ECZ	JPN	8536.9010.00
<b>MX2 Bundle</b>											
3G3MX2-A2007-F-ECT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, sensorless vector, with EtherCAT interface	670.50	EC001857	658980	4548583950351			EZ	EZA	NLD	8504.4090.90
3G3MX2-A4004-E-ECT	MX2 inverter sürücüsü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon kartı	802.50	EC001857	410015	4547648994422	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4007-E-ECT	MX2 inverter sürücüsü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon kartı	825.00	EC001857	410017	4547648994446	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4015-F-ECT	MX2 inverter sürücüsü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon kartı	902.00	EC001857	410019	4547648994460	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4022-F-ECT	MX2 inverter sürücüsü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon kartı	962.50	EC001857	410021	4547648994484	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4030-F-ECT	MX2 inverter sürücüsü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon kartı	1,041.00	EC001857	410023	4547648994507	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4040-F-ECT	MX2 inverter sürücüsü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon kartı	1,206.00	EC001857	410025	4547648994521	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4055-E-ECT	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon card	1,307.00	EC001857	670452	4548583971066	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4075-E-ECT	MX inverter drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon card	1,428.00	EC001857	670454	4548583971080	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4110-F-ECT	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon card	2,446.00	EC001857	668517	4548583961814	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4150-F-ECT	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT opsiyon card	2,662.00	EC001857	668519	4548583961838	#		EZ	EZA	NLD	8504.4090.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-AR001-F-ECT	MX2 inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	545.00	EC001857	410027	4547648994545			EZ	EZA	NLD	8504.4090.90
3G3MX2-AR002-F-ECT	MX2 inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	545.00	EC001857	410029	4547648994569	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AR004-F-ECT	MX2 inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	558.50	EC001857	410031	4547648994583	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AR007-F-ECT	MX2 inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	614.00	EC001857	410033	4547648994606	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AR015-F-ECT	MX2 inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	650.00	EC001857	410035	4547648994620	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AR022-F-ECT	MX2 inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	827.50	EC001857	410037	4547648994644	#		EZ	EZA	NLD	8504.4090.90
<b>Emniyet Limit Switchi</b>											
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.78	EC000030	170095	4547648033732	#		FA	FAA	JPN	8536.5007.00
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	21.13	EC000030	170101	4547648033794			FA	FAA	JPN	8536.5007.00
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	45.86	EC000030	170688	4547648050425			FA	FAA	JPN	8536.5007.00
D4N-1126G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	19.35	EC000030	170140	4547648034180	#		FA	FAA	JPN	8536.5007.00
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	24.74	EC000030	170146	4547648034241			FA	FAA	JPN	8536.5007.00
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	12.61	EC000030	170114	4547648033923	#		FA	FAA	JPN	8536.5007.00
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	13.92	EC000030	170120	4547648033985	#		FA	FAA	JPN	8536.5007.00
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	14.01	EC000030	170126	4547648034043			FA	FAA	JPN	8536.5007.00
D4N-122H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	22.03	EC000030	170212	4547648034906			FA	FAA	JPN	8536.5007.00
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	14.41	EC000030	170181	4547648034593			FA	FAA	JPN	8536.5007.00
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	19.35	EC000030	170219	4547648034975			FA	FAA	JPN	8536.5007.00
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	19.79	EC000030	170267	4547648035453			FA	FAA	JPN	8536.5007.00
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	23.82	EC000030	170274	4547648035521			FA	FAA	JPN	8536.5007.00
D4N-1A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170238	4547648035163			FA	FAA	JPN	8536.5007.00
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170245	4547648035231			FA	FAA	JPN	8536.5007.00
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	15.78	EC000030	170251	4547648035293			FA	FAA	JPN	8536.5007.00
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	18.44	EC000030	170281	4547648035590			FA	FAA	JPN	8536.5007.00
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	19.79	EC000030	170289	4547648035675			FA	FAA	JPN	8536.5007.00
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170309	4547648035880			FA	FAA	JPN	8536.5007.00
D4N-1120G	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	17.06	EC000030	170081	4547648030328			FA	FAA	JPN	8536.5007.00
D4N-1187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	24.64	EC000030	170593	4547648038683			FA	FAA	JPN	8536.5007.00
D4N-2280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	31.36	EC000030	170598	4547648038737			FA	FAA	JPN	8536.5007.00
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	15.30	EC000030	170310	4547648035897			FA	FAA	JPN	8536.5007.00
D4N-4120	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), makaralı kol (plastik kol, plastik makara)	14.85	EC000030	168848	4547648030335	#		FA	FAA	JPN	8536.5007.00
D4N-4122	Güvenlik Limit switch'i, makaralı kol (metal kol, plastik makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	19.79	EC000030	170104	4547648033824			FA	FAA	JPN	8536.5007.00
D4N-4125	Güvenlik Limit switch'i, makaralı kol (metal kol, metal makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	23.36	EC000030	170112	4547648033909			FA	FAA	JPN	8536.5007.00
D4N-4126G	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	17.98	EC000030	170142	4547648034203	#		FA	FAA	JPN	8536.5007.00
D4N-412H	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	25.61	EC000030	170148	4547648034265			FA	FAA	JPN	8536.5007.00
D4N-4131	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı	12.02	EC000030	170083	4547648030359	#		FA	FAA	JPN	8536.5007.00
D4N-4132	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı makaralı	13.02	EC000030	170085	4547648030373	#		FA	FAA	JPN	8536.5007.00
D4N-4162	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (yatay)	14.00	EC000030	170087	4547648030397	#		FA	FAA	JPN	8536.5007.00
D4N-4172	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (dikey)	17.98	EC000030	170135	4547648034135			FA	FAA	JPN	8536.5007.00
D4N-4180	Güvenlik Limit switch'i, kedi bacağı, 1 kablo yuvası, M20	31.45	EC000030	170590	4547648038652			FA	FAA	JPN	8536.5007.00
D4N-4187	Güvenlik Limit switch'i, plastik cubuk, 1 kablo yuvası, M20	24.50	EC000030	170595	4547648038706	#		FA	FAA	JPN	8536.5007.00
D4N-4220	Güvenlik Limit switch'i, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), makaralı kol (plastik kol, plastik makara)	16.19	EC000030	170155	4547648034333			FA	FAA	JPN	8536.5007.00
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	15.96	EC000030	170184	4547648034623			FA	FAA	JPN	8536.5007.00
D4N-4262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	14.41	EC000030	170192	4547648034708			FA	FAA	JPN	8536.5007.00
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	24.86	EC000030	170605	4547648038805			FA	FAA	JPN	8536.5007.00
D4N-4A20	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), makaralı kol (plastik kol, plastik makara)	17.53	EC000030	170089	4547648030410			FA	FAA	JPN	8536.5007.00
D4N-4A2G	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	18.44	EC000030	170220	4547648035484			FA	FAA	JPN	8536.5007.00
D4N-4A31	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı	12.61	EC000030	170240	4547648035187			FA	FAA	JPN	8536.5007.00
D4N-4A32	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı makaralı	13.13	EC000030	170292	4547648030441			FA	FAA	JPN	8536.5007.00
D4N-4A62	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), tek yönlü makara arm kol (yatay)	14.85	EC000030	170254	4547648035323			FA	FAA	JPN	8536.5007.00
D4N-4B32	Güvenlik Limit switch'i, D4N, M20 (1 kablo yuvası), 2NC (yavaş kapama), üstten basmalı makaralı	12.98	EC000030	170312	4547648035910			FA	FAA	JPN	8536.5007.00
D4N-8120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	24.74	EC000030	170100	4547648033787			FA	FAA	JPN	8536.5007.00
D4N-8131	Limit switch, plunger, 2 conduit, M20	19.40	EC000030	170119	4547648033978		50	FA	FAA	JPN	8536.5007.00
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	20.61	EC000030	170250	4547648035286			FA	FAA	JPN	8536.5007.00
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	43.51	EC000030	170097	4547648033756			FA	FAA	JPN	8536.5007.00
D4N-9126G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	46.67	EC000030	170143	4547648034210			FA	FAA	JPN	8536.5007.00
D4N-9B31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	35.74	EC000030	170305	4547648035842			FA	FAA	JPN	8536.5007.00
D4N-9B62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	41.02	EC000030	170321	4547648036009			FA	FAA	JPN	8536.5007.00
<b>Emniyet Rölesi</b>											
G7SA-2A2B 12VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	34.96	EC001437	121498	4536854716041		20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 24VDC	Güvenlik Rölesi, plug-in, DPST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	34.96	EC001437	146147	4536854579691	#	20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 48VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 48 VDC	41.66	EC001437	181321	4547648134071		20	FA	FAB	JPN	8536.4900.99
G7SA-3A1B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, 3PST-NC, 6 A, zorlamalı kontaklar, 24 VDC	34.96	EC001437	121580	4536854579752	#	10	FA	FAB	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G7SA-3A3B 12VDC</a>	<a href="#">Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 12 VDC</a>	39.20	EC001437	<a href="#">702995</a>	4549734669276		40	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-3A3B 24VDC</a>	<a href="#">Güvenlik Rölesi, plug-in, 3PST-NO, 3PST-NC, 6 A, zorlamalı kontaklar, 24 VDC</a>	39.20	EC001437	<a href="#">702989</a>	4549734669368	#	80	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-3A3B 48VDC</a>	<a href="#">Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 48 VDC</a>	39.20	EC001437	<a href="#">702987</a>	4549734669399		10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-4A2B 24VDC</a>	<a href="#">Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC</a>	39.20	EC001437	<a href="#">702990</a>	4549734669351	#	10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-5A1B 12VDC</a>	<a href="#">Safety relay, plug-in, 5PST-NO, 5PST-NC, 6 A, forcibly-guided contacts, 12 VDC</a>	39.20	EC001437	<a href="#">702996</a>	4549734669252		10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-5A1B 24VDC</a>	<a href="#">Güvenlik Rölesi, plug-in, 5PST-NO, 5PST-NC, 6 A, zorlamalı kontaklar, 24 VDC</a>	39.20	EC001437	<a href="#">702991</a>	4549734669344	#	10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-5A1B 48VDC</a>	<a href="#">Safety relay, plug-in, 5PST-NO, 5PST-NC, 6 A, forcible-guided contacts, 48 VDC</a>	39.20	EC001437	<a href="#">702988</a>	4549734669375		10	FA	FAB	CHN	8536.4900.99
<b>Emniyet Rölesi</b>											
<a href="#">P7SA-10E</a>	<a href="#">Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays</a>	28.70	EC001456	<a href="#">377197</a>	4548583409095	#	10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-10F-ND 24VDC</a>	<a href="#">Soket, DIN ray/yüzey montaj, 10 pin, vidalı terminal, G7SA 4 kutuplu röle için, LED indikatörü</a>	38.18	EC001456	<a href="#">377195</a>	4548583409071	#	10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-10F-ND-PU 24VDC</a>	<a href="#">Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator</a>	37.21	EC001456	<a href="#">677437</a>	4549734136150		10	FA	FAB	MYS	8536.6990.99
<a href="#">P7SA-10P</a>	<a href="#">Socket, back connecting, PCB terminals, 10 pin, for G7SA 4 pole relays</a>	9.55	EC001456	<a href="#">377193</a>	4548583409057		10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-14E</a>	<a href="#">Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays</a>	26.69	EC001456	<a href="#">377194</a>	4548583409064		10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-14F-ND 24VDC</a>	<a href="#">Soket, DIN ray/yüzey montaj, 14 pin, vidalı terminal, G7SA 6 kutuplu röle için, LED indikatörü</a>	38.18	EC001456	<a href="#">377196</a>	4548583409088	#	10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-14F-ND-PU 24VDC</a>	<a href="#">Socket, DIN rail/surface mounting, 14 pin, push-in terminals, for G7SA 6 pole relays, LED indicator</a>	37.21	EC001456	<a href="#">677438</a>	4549734136167		10	FA	FAB	MYS	8536.6990.99
<a href="#">P7SA-14P</a>	<a href="#">Socket, back connecting, PCB terminals, 14 pin, for G7SA 6 pole relays</a>	8.41	EC001456	<a href="#">377192</a>	4548583409040		10	FA	FAB	CHN	8536.6990.99
<b>Emniyet Rölesi</b>											
<a href="#">G7S-3A3B-F DC24</a>	<a href="#">Güvenlik Rölesi, soketli, 3PST-NO, 3PST-NC, 10A, zorlamalı kontaklar, 24 VDC</a>	44.19	EC001437	<a href="#">121503</a>	4536854872631	#	20	FA	FAB	JPN	8536.4900.99
<a href="#">G7S-4A2B-F DC24</a>	<a href="#">Güvenlik Rölesi, soketli, 4PST-NO, 2PST-NC, 10A, zorlamalı kontaklar, 24 VDC</a>	44.19	EC001437	<a href="#">121504</a>	4536854872648	#	20	FA	FAB	JPN	8536.4900.99
<b>Emniyet Rölesi</b>											
<a href="#">P7S-14F-ND 24VDC</a>	<a href="#">Soket, DIN ray/yüzey montaj, vidalı terminal, led indikatör, G7S röle için</a>	30.21	EC001456	<a href="#">113493</a>	4536854872655	#	5	FA	FAB	JPN	8536.4900.99
<b>Emniyet Ünitesi G9SA/B</b>											
<a href="#">G9SA-301 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input</a>	146.10	EC001449	<a href="#">346855</a>	4547648813945	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-301 AC100-240</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input</a>	214.10	EC001449	<a href="#">347288</a>	4547648814058	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-321-T075 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input</a>	265.80	EC001449	<a href="#">346848</a>	4547648813969	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-321-T15 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input</a>	265.40	EC001449	<a href="#">347783</a>	4547648813976	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-321-T30 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input</a>	264.80	EC001449	<a href="#">347784</a>	4547648813983	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-501 AC/DC24</a>	<a href="#">Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input</a>	206.10	EC001449	<a href="#">346847</a>	4547648813952	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-TH301 AC/DC24</a>	<a href="#">Çift el buylanı, 3PST-NO (Kategori 4), 5 A, SPST-NC ek, 2 kanal giriş</a>	160.40	EC001449	<a href="#">347785</a>	4547648813990	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-TH301 AC100-240</a>	<a href="#">Two-hand controller, 3PST-NO (category 4), 5 A, SPST-NC aux, 2 channel input</a>	190.60	EC001449	<a href="#">347778</a>	4547648814102	#		FA	FAC	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SA/B</b>											
<a href="#">G9SB-FX301</a>	<a href="#">G9SA için ek ünite, 3PST-NO (Kategori 4), 5 A, SPST-NC ek</a>	132.90	EC001449	<a href="#">347786</a>	4547648814003			FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-2002-A AC/DC24</a>	<a href="#">Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset</a>	119.80	EC001449	<a href="#">346849</a>	4547648814195	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-2002-C AC/DC24</a>	<a href="#">Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, manual-reset</a>	119.80	EC001449	<a href="#">346850</a>	4547648814218	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-200-B AC/DC24</a>	<a href="#">Safety relay unit, DIN17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, auto-reset (+ common input)</a>	106.40	EC001449	<a href="#">347790</a>	4547648814201	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-200-D AC/DC24</a>	<a href="#">Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)</a>	119.60	EC001449	<a href="#">347791</a>	4547648814225	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-3010 DC24</a>	<a href="#">Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux., 5 A, 2 channel direct breaking input, auto-reset</a>	126.70	EC001449	<a href="#">346851</a>	4547648814232	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-3012-A AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, auto-reset</a>	131.60	EC001449	<a href="#">347792</a>	4547648814249	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-3012-C AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, manual-reset</a>	131.60	EC001449	<a href="#">346852</a>	4547648814263	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-301-B AC/DC24</a>	<a href="#">Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux., 1 or 2 channel input, auto-reset (+ common input)</a>	117.10	EC001449	<a href="#">347793</a>	4547648814256	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-301-D AC/DC24</a>	<a href="#">Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux., 1 or 2 channel input, manual-reset (+ common input)</a>	131.90	EC001449	<a href="#">347794</a>	4547648814270	#		FA	FAC	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-AD322-T15-RC DC24</a>	<a href="#">Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux. logic AND output, 1 or 2 channel input, spring mounted terminals</a>	406.90	EC001449	<a href="#">353677</a>	4547648837026			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-AD322-T15-RT DC24</a>	<a href="#">Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux. logic AND output, 1 or 2 channel input, screw terminals</a>	419.40	EC001449	<a href="#">353676</a>	4547648837019			FA	FAD	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-BC202-RC DC24</a>	<a href="#">Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state aux., 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals</a>	335.90	EC001449	<a href="#">353679</a>	4547648837040			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-BC202-RT DC24</a>	<a href="#">Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state aux., 2 logic AND outputs, 1 or 2 channel input, screw terminals</a>	335.90	EC001449	<a href="#">353678</a>	4547648837033			FA	FAD	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-NS202-RT DC24</a>	<a href="#">Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC</a>	349.90	EC001449	<a href="#">353682</a>	4547648837156			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-NSA222-T03-RC DC24</a>	<a href="#">Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to 3s delay, 2 auxiliary outputs, spring-cage terminals</a>	534.50	EC001449	<a href="#">353685</a>	4547648837187			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-NSA222-T03-RT DC24</a>	<a href="#">Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC</a>	534.50	EC001449	<a href="#">353684</a>	4547648837170			FA	FAD	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-SM032-RC</a>	<a href="#">Standstill monitoring unit with spring-cage terminals</a>	952.50	EC001449	<a href="#">353669</a>	4547648837262	#		FA	FAD	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G9SX-SM032-RT</a>	<a href="#">Standstill monitoring unit with screw terminals</a>	952.50	EC001449	<a href="#">353668</a>	4547648837255			FA	FAD	CHN	8536.4900.99
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
<a href="#">D4NS-1AE</a>	<a href="#">Güvenlik kapı switchi, 1NC/1NO, 10 A, 1 x PG 13.5 kablo yuvası</a>	30.43	EC002592	<a href="#">163395</a>	4536854963629	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-1BF</a>	<a href="#">Güvenlik kapı switchi, 2 NC, 10 A, 1 x PG 13.5 kablo yuvası</a>	30.43	EC002592	<a href="#">163393</a>	4536854963674	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-1CF</a>	<a href="#">Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit</a>	28.23	EC002592	<a href="#">162281</a>	4536854963728			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-1DF</a>	<a href="#">Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit</a>	28.66	EC002592	<a href="#">100324</a>	4536854963766			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2AF</a>	<a href="#">Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit</a>	26.40	EC002592	<a href="#">163779</a>	4536854963636			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2BF</a>	<a href="#">Safety interlock switch, 2NC, 10 A, single PG 13.5 conduit</a>	30.00	EC002592	<a href="#">163692</a>	4536854963681			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2CF</a>	<a href="#">Safety-door switch, 2NC/1NO (slow action)</a>	30.43	EC002592	<a href="#">162586</a>	4536854963735	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2DF</a>	<a href="#">Safety interlock switch, 1NO/1NC, 10 A, single G1/2 conduit</a>	28.23	EC002592	<a href="#">162290</a>	4536854963773			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4AF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 1NC/1NO (yavaş kapama)</a>	25.08	EC002592	<a href="#">162578</a>	4536854963667	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4BF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC (yavaş kapama)</a>	25.08	EC002592	<a href="#">163278</a>	4536854963704			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4CF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (yavaş kapama)</a>	29.13	EC002592	<a href="#">163825</a>	4536854963759	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4DF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 3NC (yavaş kapama)</a>	29.13	EC002592	<a href="#">163560</a>	4536854963797			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4FF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (MIBB kontak)</a>	31.31	EC002592	<a href="#">163876</a>	4536854963872	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-5AF</a>	<a href="#">Limit switch</a>	32.06	EC002592	<a href="#">163563</a>	4536854963889			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-5BF</a>	<a href="#">Limit switch</a>	34.96	EC002592	<a href="#">162295</a>	4536854963919			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-8BF</a>	<a href="#">Güvenlik kapı switchi, 2 NC, 10 A, 2 x M20 kablo yuvası</a>	31.97	EC002592	<a href="#">163693</a>	4536854963957			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-8CF</a>	<a href="#">Güvenlik kapı switchi, 2 NC+1 NO, 10 A, 2 x M20 kablo yuvası</a>	34.76	EC002592	<a href="#">100390</a>	4536854963995			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-9AF</a>	<a href="#">Safety interlock switch, 1 NC/1 NO, 10 A, M12 connector</a>	62.25	EC002592	<a href="#">163192</a>	4536854964121			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-9BF</a>	<a href="#">Safety interlock switch, 2 NC, 10 A, M12 connector</a>	62.25	EC002592	<a href="#">163874</a>	4536854964138			FA	FAE	JPN	8536.5015.90
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
<a href="#">D4NL-1AFA-B</a>	<a href="#">Selenoidli Güvenlik kapı-lock switchi, mekanik kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli</a>	178.60	EC002593	<a href="#">133792</a>	4536854898341	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1AFB-B</a>	<a href="#">Selenoidli Güvenlik kapı-lock switchi, selenoid kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli</a>	185.30	EC002593	<a href="#">154667</a>	4536854898587			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1BFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, 10 A, PG 13.5 entry</a>	184.00	EC002593	<a href="#">133794</a>	4536854898372			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1CFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry</a>	177.40	EC002593	<a href="#">133797</a>	4536854898402			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1CFG-B</a>	<a href="#">Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry</a>	176.60	EC002593	<a href="#">133813</a>	4536854898648			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFA-B4</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry</a>	185.60	EC002593	<a href="#">144779</a>	4536854898433	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFA-B4</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC</a>	199.10	EC002593	<a href="#">133736</a>	4536854898914			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFG-B5</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC, Front key release</a>	183.00	EC002593	<a href="#">228865</a>	4536854903212			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFG-B</a>	<a href="#">Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 2NC, PG13.5 entry, Front key release</a>	184.00	EC002593	<a href="#">133816</a>	4536854898679			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1EFA-B</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC/1NO + 1NC/1NO, mechanical lock, 24 VDC</a>	176.60	EC002593	<a href="#">133802</a>	4536854898464			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1HFG-B</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC + 2NC, metal head, solenoid lock, 24 VDC</a>	183.10	EC002593	<a href="#">363820</a>	4548583138193			FA	FAE	JPN	8536.5007.00
<a href="#">D4NL-2AFA-B4</a>	<a href="#">Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, 24 VDC</a>	180.90	EC002593	<a href="#">133732</a>	4536854898839			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2BFA-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 1NC/1NO + 2NC, mechanical lock, 24 VDC</a>	179.10	EC002593	<a href="#">133795</a>	4536854898389			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2CFG-B</a>	<a href="#">Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, G1/2 entry</a>	179.90	EC002593	<a href="#">133814</a>	4536854898655			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2DFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry</a>	170.70	EC002593	<a href="#">133800</a>	4536854898440	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2DFA-B4</a>	<a href="#">Safety door-lock switch, G1/2 entry, 2NC + 2NC, mechanical lock, 24 VDC</a>	185.60	EC002593	<a href="#">145868</a>	4536854898921	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2DFG-B</a>	<a href="#">Limit switch</a>	161.40	EC002593	<a href="#">133817</a>	4536854898686			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2EFA-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24 VDC</a>	203.50	EC002593	<a href="#">133805</a>	4536854898501			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2EFA-B45</a>	<a href="#">Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24 VDC, Front key release</a>	203.50	EC002593	<a href="#">353628</a>	4547648621021			FA	FAE	JPN	8536.5007.00
<a href="#">D4NL-2EFG-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, 24 VDC solenoid lock / mechanical release</a>	197.60	EC002593	<a href="#">133822</a>	4536854898747			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2HFG-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 3NC + 2NC, solenoid lock, 24 VDC</a>	189.80	EC002593	<a href="#">155468</a>	4536854898808			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4AFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	181.50	EC002593	<a href="#">133793</a>	4536854898365	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4AFB-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	183.00	EC002593	<a href="#">133810</a>	4536854898600			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4CFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	179.10	EC002593	<a href="#">133799</a>	4536854898426	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4CFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	183.00	EC002593	<a href="#">133815</a>	4536854898662			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4DFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	184.00	EC002593	<a href="#">133801</a>	4536854898457			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4DFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	184.00	EC002593	<a href="#">151293</a>	4536854898693			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4EFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	189.40	EC002593	<a href="#">133803</a>	4536854898488			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4EFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	189.40	EC002593	<a href="#">133820</a>	4536854898723			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4FFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	189.80	EC002593	<a href="#">142528</a>	4536854898518	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4FFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	189.80	EC002593	<a href="#">133823</a>	4536854898754			FA	FAE	JPN	8536.5015.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NL-4GFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	189.80	EC002593	133806	4536854898549	#		FA	FAE	JPN	8536.5015.90
D4NL-4GFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	189.80	EC002593	103662	4536854898785	#		FA	FAE	JPN	8536.5015.90
D4NL-4HFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	189.80	EC002593	133809	4536854898570			FA	FAE	JPN	8536.5015.90
D4NL-4HFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	189.80	EC002593	133827	4536854898815			FA	FAE	JPN	8536.5015.90
D4SL-N2NFA-D	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, metal; resin, Mechanical lock/24VDC selenoid release, LED indicator	241.90	EC002593	669102	4548583316171			FA	FAE	JPN	8536.5007.00
D4SL-N2NFG-DN	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin head, selenoid lock, connector	197.30	EC002593	372876	4548583316225			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma	197.30	EC002593	367767	4548583315051			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, konektörlü	213.10	EC002593	382531	4548583315068			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-G	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid açma/mekanik kilitlemeli	206.20	EC002593	374819	4548583315075			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	161.40	EC002593	382548	4548583315136			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-DN	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator, connector	161.40	EC002593	377986	4548583315150			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	199.60	EC002593	382551	4548583315174			FA	FAE	JPN	8536.5007.00
D4SL-N4DFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma	163.80	EC002593	382551	4548583315174			FA	FAE	JPN	8536.5007.00
D4SL-N4DFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	199.60	EC002593	377987	4548583315198			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	161.40	EC002593	382663	4548583315853			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-DN	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator, connector	147.50	EC002593	382553	4548583315860			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	170.30	EC002593	382555	4548583315891			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör	170.30	EC002593	382664	4548583315938	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	170.30	EC002593	382562	4548583315976			FA	FAE	JPN	8536.5007.00
D4SL-N4GFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	191.50	EC002593	382661	4548583316010			FA	FAE	JPN	8536.5007.00
D4SL-N4GFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC selenoid lock/mechanical release, LED indicator	200.50	EC002593	382569	4548583316058			FA	FAE	JPN	8536.5007.00
D4SL-N4HFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	174.70	EC002593	382573	4548583316096			FA	FAE	JPN	8536.5007.00
D4SL-N4HFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC selenoid lock/mechanical release, LED indicator	170.40	EC002593	382577	4548583316133	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDA-D	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid açma, LED indikatör	230.70	EC002593	373889	4548583317772			FA	FAE	JPN	8536.5007.00
D4SL-N4NDG-D	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	228.70	EC002593	373890	4548583317819			FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör	216.30	EC002593	371536	4548583316812			FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-DN	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör, konektörlü	161.40	EC002593	382581	4548583316829			FA	FAE	JPN	8536.5007.00
D4SL-N4NFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	170.30	EC002593	382584	4548583316850			FA	FAE	JPN	8536.5007.00
D4SL-N4QDA-D	Door locking switch, M20, 3NC + 2NC/1NO, head: metal, Mechanical lock/24VDC selenoid release, LED indicator	156.60	EC002593	382622	4548583317932			FA	FAE	JPN	8536.5007.00
D4SL-N4QDG-D	Selenoidli Güvenlik-kapı switchi, M20, 3NC + 2NC/1NO kafa: metal, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	199.60	EC002593	377988	4548583317970			FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-D	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid açma, LED indikatör, terminal blok	230.70	EC002593	373886	4548583318014	#		FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-DN	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid açma, LED indikatör, konektörlü	213.80	EC002593	367248	4548583318021			FA	FAE	JPN	8536.5007.00
D4SL-N4RDG-D	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	233.30	EC002593	373887	4548583318052			FA	FAE	JPN	8536.5007.00
D4SL-N4VFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release	166.70	EC002593	395860	4548583314696	#		FA	FAE	JPN	8536.5007.00
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
D4DS-K1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, yatay montaj	3.70	EC001487	104525	4536853219956	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, dikey montaj	3.70	EC001487	134023	4536853219963	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, ayarlanabilir montaj (yatay)	12.99	EC001487	150258	4536853219970	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, ayarlanabilir montaj (yatay/dikey)	20.62	EC001487	152522	4536854383878	#	10	FA	FAE	JPN	8301.7000.00
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	53.20	EC002591	170730	4547648045322			FA	FAE	JPN	8536.5015.90
D4NH-1BAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)	53.60	EC002591	170746	4547648045483			FA	FAE	JPN	8536.5015.90
D4NH-1BRC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)	54.00	EC002591	170754	4547648045568			FA	FAE	JPN	8536.5015.90
D4NH-4AAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), mil aktüatörlü	53.20	EC002591	170732	4547648045346			FA	FAE	JPN	8536.5015.90
D4NH-4ABC	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), arm lever actuator	52.30	EC002591	170740	4547648045421			FA	FAE	JPN	8536.5015.90
D4NH-4BAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), mil aktüatörlü	52.35	EC002591	170748	4547648045506	#		FA	FAE	JPN	8536.5015.90
D4NH-4BRC	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), kol aktüatörlü	51.20	EC002591	170756	4547648045582			FA	FAE	JPN	8536.5015.90
D4NH-4CAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC/1NO (yavaş kapama), mil aktüatörlü	63.00	EC002591	170765	4547648045674			FA	FAE	JPN	8536.5015.90
<b>Emniyet Switchleri için Aksesuarlar</b>											
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting	9.61	EC001487	134705	4536853204402	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K2	Slide operation key for D4BL switch, vertical mounting	13.34	EC001487	134706	4536853204419	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K3	Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)	24.75	EC001487	134707	4536853204426	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K1	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, yatay montaj	6.65	EC001487	134587	4536853207533	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K2	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, dikey montaj	7.60	EC001487	134588	4536853207540	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K3	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, yatay montaj	23.96	EC001487	148097	4536853207557	#	10	FA	FAF	JPN	8301.7000.00
D4GS-NK1	Anahtar, yatay montaj	8.97	EC001487	133923	4536854688300		10	FA	FAF	JPN	8536.5015.90
D4GS-NK2	Anahtar, dikey montaj	9.45	EC001487	133828	4536854688317	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK4	Anahtar, ayarlanabilir	23.76	EC001487	133829	4536854688324	#	10	FA	FAF	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Işık Bariyeri</b>											
F3SJ-A0245P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	2,432.00	EC002549	225437	4547648138352			FA	FAG	JPN	8536.5019.90
F3SJ-A0299P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 299mm yükseklik, PNP	2,831.00	EC002549	246952	4547648138383			FA	FAG	JPN	8536.5019.90
F3SJ-A0623P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 623mm yükseklik, PNP	4,387.00	EC002549	232587	4547648138567			FA	FAG	JPN	8536.5019.90
F3SJ-A0731P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 731mm yükseklik, PNP	4,858.00	EC002549	225440	4547648138598			FA	FAG	JPN	8536.5019.90
F3SJ-A0875P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 875mm yükseklik, PNP	5,500.00	EC002549	289065	4547648138635			FA	FAG	JPN	8536.5019.90
F3SJ-A1055P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 1055mm yükseklik, PNP	6,370.00	EC002549	249991	4547648138666			FA	FAG	JPN	8536.5019.90
<b>Emniyet Işık Bariyeri</b>											
F3SJ-A0245P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	1,005.00	EC002549	189825	4547648137799			FA	FAG	JPN	8536.5019.90
F3SJ-A0470P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 470mm yükseklik, PNP	1,409.00	EC002549	224505	4547648137881			FA	FAG	JPN	8536.5019.90
F3SJ-A0545P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 545mm, PNP	2,104.00	EC002549	225435	4547648136907			FA	FAG	JPN	8536.5019.90
F3SJ-B0185P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik, PNP	826.50	EC002549	356723	4548583047402			FA	FAG	JPN	8536.5019.90
F3SJ-B0225P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	901.50	EC002549	356745	4548583047419	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0305P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik, PNP	985.00	EC002549	356724	4548583047426	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0545P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,232.00	EC002549	356741	4548583047457	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0625P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik, PNP	1,386.00	EC002549	356738	4548583047464	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0705P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 705mm yükseklik, PNP	1,457.00	EC002549	356726	4548583047471	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0785P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik, PNP	1,565.00	EC002549	356739	4548583047488	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0865P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1,651.00	EC002549	356727	4548583047495	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1025P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 945mm yükseklik, PNP	1,743.00	EC002549	356746	4548583047501	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1025P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 1025mm yükseklik, PNP	1,845.00	EC002549	356728	4548583047518	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1105P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	1,979.00	EC002549	356743	4548583047525	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP	2,112.00	EC002549	356729	4548583047532	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1265P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1265mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,243.00	EC002549	356747	4548583047549	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1505P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1505mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,459.00	EC002549	356742	4548583047570	#		FA	FAG	JPN	8536.5019.90
F3SJ-F0225P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	937.50	EC002549	356004	4548583047662	#		FA	FAG	JPN	8536.5019.90
F3SJ-F0305P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik	1,037.00	EC002549	356005	4548583047679	#		FA	FAG	JPN	8536.5019.90
F3SJ-F0465P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 465mm yükseklik	1,097.00	EC002549	356006	4548583047693	#		FA	FAG	JPN	8536.5019.90
F3SJ-F0625P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik	1,335.00	EC002549	356013	4548583047716	#		FA	FAG	JPN	8536.5019.90
F3SJ-F1025P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1025mm, PNP	1,865.00	EC002549	356012	4548583047761	#		FA	FAG	JPN	8536.5019.90
<b>Emniyet Temassız Switchleri</b>											
F3S-TGR-NBXM-21-05	Güvenlik temassız kapı switchi, ex-proof bölge için, reed, silindirik paslanmaz çelik M30, 2NC+1NO, 5m kablo	417.30	EC002592	387943	4547648977548			FA	FAI	GBR	8536.5005.00
F3S-TGR-NBXM-21-10	Non-contact door switch, ex zone, reed, barrel stainless steel M30, 2NC+1NO, 10m cable	452.10	EC002592	387944	4547648977555			FA	FAI	GBR	8536.5005.00
F3S-TGR-NBPR-21-05	Güvenlik temassız kapı switchi, reed, silindirik plastik M30, 2NC+1NO, 5m kablo	173.20	EC002592	387901	4547648977128			FA	FAI	GBR	8536.5005.00
F3S-TGR-NCPR-21-05	Non-contact door switch, reed, compact sensor 5m, plastic, 2NC+1NO contacts (D40R size equivalent)	157.60	EC002592	330853	4547648882927			FA	FAI	GBR	8536.5007.00
F3S-TGR-NL MR-21-05	Güvenlik temassız kapı switchi, reed, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	259.10	EC002592	387898	4547648977098			FA	FAI	GBR	8536.5005.00
F3S-TGR-NL MR-21-10	Non-contact door switch, reed, elongated stainless steel, 2NC+1NO, 10m cable	271.30	EC002592	387899	4547648977104			FA	FAI	GBR	8536.5005.00
F3S-TGR-NL MX-21-05	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 5m cable	383.30	EC002592	387941	4547648977524	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NL MX-21-10	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 10m cable	423.90	EC002592	387942	4547648977531			FA	FAI	GBR	8536.5005.00
F3S-TGR-NL PR-20-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC kontak	140.00	EC002592	231384	4536853906252			FA	FAI	GBR	8536.5007.00
F3S-TGR-NL PR-20-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli 5m, plastik, 2NC kontak	147.60	EC002592	231385	4536853906269			FA	FAI	GBR	8536.5007.00
F3S-TGR-NL PR-21-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC+1NO kontak	144.60	EC002592	231388	4536853906290			FA	FAI	GBR	8536.5007.00
F3S-TGR-NL PR-21-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli plastik, 2NC+1NO, 5m kablo	155.10	EC002592	231389	4536853906306			FA	FAI	GBR	8536.5007.00
F3S-TGR-NL PR-21-10	Non-contact door switch, reed, elongated sensor, plastic, 2NC+1NO contacts, 10m cable	174.70	EC002592	231390	4536853906313			FA	FAI	GBR	8536.5007.00
F3S-TGR-NL PR-21-M1J8	Güvenlik temassız kapı switchi, reed, uzun gövdeli, plastik, 2NC+1NO kontak, M12 konnektörlü kablolu	178.90	EC002592	231391	4536853906283			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMHR-21-05	Güvenlik temassız kapı switchi, reed, minyatür paslanmaz çelik hiyenic ortama uygun, 2NC+1NO, 5m kablo	203.40	EC002592	387891	4547648977029			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMHR-21-10	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 10m cable	216.20	EC002592	387892	4547648977036			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-11-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sol taraftan	128.40	EC002592	387887	4547648976985			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-11-08-R10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sağ taraftan	128.40	EC002592	387886	4547648976978			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-05	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, 5m kablolu	107.20	EC002592	252048	4547648861397			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-20-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, M8 konnektörlü sol taraftan	129.70	EC002592	387885	4547648976961			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-M8-WN	Non-contact door switch, reed, miniature plastic, 2NC, M8 connector	61.35	EC002592	295581	4547648868273	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-02	Güvenlik temassız kapı switchi, minyatür, reed, 2m, plastik, 2NC+1NO kontak	109.20	EC002592	252051	4547648861427			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05	Güvenlik temassız kapı switchi, minyatür, reed, 5m, plastik, 2NC+1NO kontak	118.80	EC002592	252052	4547648861434			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05-R	Safety Non-Contact Door switch, Reed, Miniature plastic Housing, 2NC/1NO, 5m pre-wired, Cable entry right sided	118.80	EC002592	378088	4547648964975			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts	138.20	EC002592	252053	4547648861441			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-M1J8	Güvenlik temassız kapı switchi, minyatür, reed, M12 konnektörlü, plastik, 2NC+1NO kontak	143.70	EC002592	252054	4547648861410			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSFR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik gıdaya uygun, 2NC+1NO, 5m kablo	229.90	EC002592	387896	4547648977074			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSHR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik hiyenic ortama uygun, 2NC+1NO, 5m kablo	229.90	EC002592	387894	4547648977050			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMR-20-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC kontak	220.70	EC002592	231392	4536853906412			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-05	Güvenlik temassız kapı switchi, reed, küçük gövdeli 5m, paslanmaz çelik, 2NC kontak	226.50	EC002592	231393	4536853906429			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-M1J8	Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts	244.70	EC002592	231395	4536853906405			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC+1NO kontak	223.80	EC002592	231396	4536853906450			FA	FAI	GBR	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F35-TGR-NSMR-21-05	Güvenlik temasız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	229.90	EC002592	231397	4536853906467			FA	FAI	GBR	8536.5007.00
F35-TGR-NSMR-21-10	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 10m cable	235.60	EC002592	231398	4536853906474			FA	FAI	GBR	8536.5007.00
F35-TGR-NSMP-21-M1J8	Güvenlik temasız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	248.30	EC002592	231399	4536853906443			FA	FAI	GBR	8536.5007.00
F35-TGR-NSPR-21-05	Güvenlik temasız kapı switchi, reed, küçük plastik, 2NC+1NO, 5m kablo	166.10	EC002592	330847	4547648882866			FA	FAI	GBR	8536.5007.00
F35-TGR-NSPR-21-10	Non-contact door switch, reed, small plastic, 2NC+1NO, 10m cable	175.90	EC002592	330848	4547648882873			FA	FAI	GBR	8536.5007.00
<b>Emniyet Temasız Switchleri</b>											
F35-TGR-NLPM-21-05	Güvenlik temasız kapı switchi, RFID master kodlu, uzun plastik, 2NC+1NO, 5m kablo	148.70	EC002592	387923	4547648977340			FA	FAI	GBR	8536.5005.00
F35-TGR-NLPM-21-10	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 10m cable	165.30	EC002592	387924	4547648977357			FA	FAI	GBR	8536.5005.00
F35-TGR-NLPM-21-M1J8	Safety Non-contact Doorswitch, RFID master coded, elongated plastic housing, 2NC/1NO, M12 8pin	167.50	EC002592	378257	4547648965590	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPU-21-05	Güvenlik temasız kapı switchi, RFID essiz kodlu, uzun plastik, 2NC+1NO, 5m kablo	148.70	EC002592	387921	4547648977326	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPU-21-10	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 10m cable	165.30	EC002592	387922	4547648977333			FA	FAI	GBR	8536.5005.00
F35-TGR-NLPU-21-M1J8	Güvenlik temasız kapı switchi, RFID essiz kodlu, uzun plastik, gövdeli, 2NC/1NO, M12 konnektörlü kablolu	169.30	EC002592	378256	4547648965583	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSPM-21-05	Güvenlik temasız kapı switchi, RFID master kodlu, küçük plastik, 2NC+1NO, 5m kablo	170.10	EC002592	387919	4547648977302			FA	FAI	GBR	8536.5005.00
F35-TGR-NSPM-21-10	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 10m cable	182.60	EC002592	387920	4547648977319			FA	FAI	GBR	8536.5005.00
F35-TGR-NSPM-21-M1J8	Non-contact door switch, small, RFID master code, M12 pigtail connector, 2NC+1NO contacts	178.90	EC002592	383263	4547648974042			FA	FAI	GBR	8536.5007.00
F35-TGR-NSPU-21-05	Güvenlik temasız kapı switchi, RFID essiz kodlu, küçük plastik, 2NC+1NO, 5m kablo	170.10	EC002592	387916	4547648977272	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSPU-21-10	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, 10m cable	182.60	EC002592	387917	4547648977289			FA	FAI	GBR	8536.5005.00
F35-TGR-NSPU-21-M1J8	Güvenlik temasız kapı switchi, RFID essiz kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	192.00	EC002592	387918	4547648977296	#		FA	FAI	GBR	8536.5005.00
<b>Emniyet Temasız Switchleri</b>											
F35-TGR-NBPC-21-05	Güvenlik temasız kapı switchi, kodlu, silindirik plastik M30, 2NC+1NO, 5m kablo	123.20	EC002592	387870	4547648976817			FA	FAI	GBR	8536.5005.00
F35-TGR-NBPC-21-M1J8	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	142.80	EC002592	387872	4547648976831			FA	FAI	GBR	8536.5005.00
F35-TGR-NLMC-21-05	Güvenlik temasız kapı switchi, kodlu, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	211.90	EC002592	387867	4547648976787			FA	FAI	GBR	8536.5005.00
F35-TGR-NLMC-21-10	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 10m cable	220.00	EC002592	387868	4547648976794			FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-02	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC kontak	95.00	EC002592	231368	4536853906177			FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-05	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli 5m, plastik, 2 NC kontak	97.90	EC002592	231369	4536853906184	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-10	Non-contact door switch, coded, elongated sensor 10m, plastic, 2 NC contacts	126.30	EC002592	231370	4536853906191			FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-M1J8	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli M12 konnektörlü, plastik, 2 NC kontak	120.20	EC002592	231371	4536853906160	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-02	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC+1 NO kontak	103.60	EC002592	231372	4536853906214	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-05	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	106.40	EC002592	231373	4536853906221	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-10	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	134.70	EC002592	231374	4536853906238	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-M1J8	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	138.10	EC002592	231375	4536853906207	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMHC-21-05	Güvenlik temasız kapı switchi, kodlu, minyatür paslanmaz çelik hiyenic ortama uygun, 2NC+1NO, 5m kablo	194.50	EC002592	387858	4547648976695			FA	FAI	GBR	8536.5005.00
F35-TGR-NMHC-21-M1J8	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	238.50	EC002592	387860	4547648976718			FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-20-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	111.30	EC002592	252056	4547648861304			FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-20-05	Güvenlik temasız kapı switchi, minyatür, kodlu, 5m plastik, 2 NC kontak	102.30	EC002592	252057	4547648861311			FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-20-M1J8	Güvenlik temasız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC kontak	121.80	EC002592	252059	4547648861298	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-02	Güvenlik temasız kapı switchi, minyatür, kodlu, 2m, plastik, 2 NC+1 NO kontak	99.90	EC002592	252060	4547648861342			FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-05	Güvenlik temasız kapı switchi, kodlu, minyatür plastik, 2NC+1NO, 5m kablo	118.80	EC002592	252061	4547648861359	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-10	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	138.20	EC002592	252062	4547648861366			FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-M1J8	Güvenlik temasız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC+1 NO kontak	143.70	EC002592	252063	4547648861335			FA	FAI	GBR	8536.5005.00
F35-TGR-NSFC-21-05	Güvenlik temasız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	207.60	EC002592	387864	4547648976756			FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-20-05	Güvenlik temasız kapı switchi, kodlu, küçük gövdeli 5m, paslanmaz çelik, 2 NC kontak	193.50	EC002592	231377	4536853906344			FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-20-M1J8	Güvenlik temasız kapı switchi, kodlu, küçük gövdeli M12 konnektörlü, paslanmaz çelik, 2 NC kontak	231.80	EC002592	231379	4536853906320			FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-02	Güvenlik temasız kapı switchi, kodlu, küçük gövdeli 2m, paslanmaz çelik, 2 NC+1 NO kontak	197.80	EC002592	231380	4536853906375			FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-05	Güvenlik temasız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	210.60	EC002592	231381	4536853906382			FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-10	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 10m cable	226.80	EC002592	231382	4536853906399			FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-M1J8	Güvenlik temasız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	236.10	EC002592	231383	4536853906368			FA	FAI	GBR	8536.5005.00
F35-TGR-NSPC-21-05	Güvenlik temasız kapı switchi, kodlu, küçük plastik, 2NC+1NO, 5m kablo	107.20	EC002592	330850	4547648882897			FA	FAI	GBR	8536.5007.00
F35-TGR-NSPC-21-10	Non-contact door switch, coded, small plastic, 2NC+1NO, 10m cable	134.20	EC002592	330851	4547648882903			FA	FAI	GBR	8536.5007.00
F35-TGR-NSPC-21-M1J8	Güvenlik temasız kapı switchi, kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	145.00	EC002592	330852	4547648882910			FA	FAI	GBR	8536.5007.00
<b>Emniyet Temasız Switchleri</b>											
D40ML-M2-U-M12	RFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, Pigtail w/M12 Connector	526.00	EC002593	669219	4548583967908			FA	FAI	GBR	8536.5007.00
D40ML-P2-B-5M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	467.90	EC002593	669235	4548583968066			FA	FAI	GBR	8536.5007.00
D40ML-P2-B-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	493.70	EC002593	669208	4548583967793	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-10M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	486.10	EC002593	669222	4548583967939			FA	FAI	GBR	8536.5007.00
D40ML-P2-U-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	493.70	EC002593	669209	4548583967809	#		FA	FAI	GBR	8536.5007.00
D40ML-S51-U-M12	RFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	767.50	EC002593	669203	4548583967748			FA	FAI	GBR	8536.5007.00
D40ML-S52-B-10M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	641.00	EC002593	669698	4548583967694			FA	FAI	GBR	8536.5007.00
D40ML-S52-B-5M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 5m Cable	623.00	EC002593	669213	4548583967847			FA	FAI	GBR	8536.5007.00
<b>Emniyet Temasız Switchleri</b>											
D40ML-CBL-M12-10M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	72.45	EC001855	670948	4548583973756			FA	FAI	GBR	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">D40ML-CR1-M12-5M</a>	<a href="#">Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length</a>	60.25	EC001855	<a href="#">670947</a>	4548583973749			FA	FAI	GBR	8544.4290.90
<a href="#">F39-TGR-NLPC-A</a>	<a href="#">Spare actuator for Coded type, Plastic, Elongated</a>	29.37	EC001487	<a href="#">234166</a>	4536853907402			FA	FAI	GBR	8536.5007.00
<a href="#">F39-TGR-NMPC-A</a>	<a href="#">Accessory F35-TGR-NMPC_actuator</a>	31.51	EC001487	<a href="#">252064</a>	4547648861458			FA	FAI	GBR	8536.5005.00
<a href="#">F39-TGR-NMR-SPACER</a>	<a href="#">Accessory F35-TGR-NMR_spacer</a>	11.25	EC002594	<a href="#">387948</a>	4547648977593			FA	FAI	GBR	8536.5005.00
<a href="#">F39-TGR-N-SCREWS</a>	<a href="#">Safety Torx screws set, M4, 4x30mm+4x20mm+4x10mm, incl. Washers and Torx bit</a>	10.18	EC002594	<a href="#">387947</a>	4547648977586		20	FA	FAI	GBR	8536.5005.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">NF1A-SCPU01-V1 VFB2.0</a>	<a href="#">Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs</a>	2,523.00	EC001449	<a href="#">231688</a>	4547648303385			FA	FAJ	JPN	8471.4100.00
<a href="#">NF1A-SCPU02 VER2.0</a>	<a href="#">Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs</a>	4,437.00	EC001449	<a href="#">231689</a>	4547648303392			FA	FAJ	JPN	8471.4100.00
<a href="#">NF1A-SCPU02-FIP VER1.0</a>	<a href="#">Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs, IP</a>	5,700.00	EC001449	<a href="#">313544</a>	4547648695121			FA	FAJ	JPN	8471.4100.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">DST1-4D12SL-1</a>	<a href="#">Remote I/O terminal, 12 x PNP inputs, 4 x test outputs</a>	1,025.00	EC001449	<a href="#">353672</a>	4547648836821			FA	FAJ	CHN	8536.4900.99
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">DST1-MD16SI-1</a>	<a href="#">Remote I/O terminal, 8 x PNP inputs, 8 x PNP outputs, 4 x test outputs</a>	1,185.00	EC001449	<a href="#">353673</a>	4547648836838			FA	FAJ	CHN	8536.4900.99
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">WS02-CFSC1-EV3</a>	<a href="#">Güvenlik ağı konfigüratörü, PC yazılımı</a>	685.00	EC000809	<a href="#">354910</a>	4548583052260			FA	FAJ	JPN	8523.8090.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">GL-SID1224</a>	<a href="#">Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses)</a>	1,153.00	EC001599	<a href="#">684979</a>	4549734420525			FA	FAJ	CHN	8471.6070.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">GL-SMD1624</a>	<a href="#">Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses) / 4 PNP S-Digital Output</a>	1,232.00	EC001599	<a href="#">684978</a>	4549734420501			FA	FAJ	CHN	8471.6070.00
<b>Emniyet Limit Switichi D4B</b>											
<a href="#">D4B-2111N</a>	<a href="#">Limit switch, roller lever, 17.5mm dia, SPDB NO/NC, snap action, 10 A</a>	39.44	EC000030	<a href="#">134568</a>	4536853207151	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-2115N</a>	<a href="#">Limit switch, roller lever, SPDB NO/NC, snap action, 10 A, G1/2 conduit</a>	52.50	EC000030	<a href="#">104521</a>	4536853205379			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-2116N</a>	<a href="#">Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A</a>	52.25	EC000030	<a href="#">134571</a>	4536853207182	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-2171N</a>	<a href="#">Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A</a>	36.31	EC000030	<a href="#">149173</a>	4536853207229			FA	FAK	CHN	8536.5007.00
<a href="#">D4B-2A11N</a>	<a href="#">Limit switch, roller lever, DPDB 2-NC, slow action, 10 A</a>	61.15	EC000030	<a href="#">134688</a>	4536853205584			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-2A71N</a>	<a href="#">Safety Limit switch, G1/2 conduit, DPDB 2-NC (slow-action), top roller plunger</a>	66.60	EC000030	<a href="#">224504</a>	4536853205645			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4111N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (plastik)</a>	40.39	EC000030	<a href="#">373424</a>	4548583369528	#	10	FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4113N</a>	<a href="#">Limit switch, SPDB NO/NC, snap action, 10 A</a>	67.55	EC000030	<a href="#">251100</a>	4547648598989			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4115N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (paslanmaz çelik)</a>	54.90	EC000030	<a href="#">370630</a>	4547648740999			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4116N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol</a>	42.92	EC000030	<a href="#">373425</a>	4548583369481	#	10	FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4117N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir çubuk kol</a>	47.43	EC000030	<a href="#">373233</a>	4548583369498	#	10	FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4170N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı</a>	41.15	EC000030	<a href="#">373246</a>	4548583369504	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4171N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı makaralı</a>	41.90	EC000030	<a href="#">373234</a>	4548583369511	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4511N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (plastik)</a>	46.48	EC000030	<a href="#">134607</a>	4536854776601			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4515N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (paslanmaz çelik)</a>	52.70	EC000030	<a href="#">373626</a>	4547648811835			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4516N</a>	<a href="#">Safety Limit switch, D4B, M20, 1NC/1NO (slow-action), adjustable roller lever</a>	52.85	EC000030	<a href="#">158135</a>	4536854776618			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4571N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), üstten basmalı makaralı</a>	52.55	EC000030	<a href="#">134609</a>	4536854776632		10	FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A11N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), makaralı kol (plastik)</a>	54.80	EC000030	<a href="#">103702</a>	4536854776649			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A16N</a>	<a href="#">Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable roller lever</a>	65.35	EC000030	<a href="#">134610</a>	4536854776656			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A17N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), ayarlanabilir çubuk kol</a>	59.60	EC000030	<a href="#">134613</a>	4536854790966			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A70N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı</a>	54.90	EC000030	<a href="#">153605</a>	4536854776663			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A71N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı makaralı</a>	58.00	EC000030	<a href="#">134611</a>	4536854776670			FA	FAK	JPN	8536.5007.00
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-BP-VER2 @ OFF</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik mesafesi 3m yan çapı, uyan bölgesi 10m yan çaplı, PL d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış</a>	5,210.00	EC002550	<a href="#">674732</a>	4548583061118			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-BP-DM</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm ve EtherNet/IP, Güvenlik yan çapı 3m, uyan bölgesi 10m, PL d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış</a>	5,735.00	EC002550	<a href="#">674735</a>	4548583409217			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SN-VER2</a>	<a href="#">Accessory safety, laser scanner, spare for replacement, sensor block without I/O block, Ver.2</a>	4,233.00	EC002550	<a href="#">674727</a>	4548583061132			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SN-DM</a>	<a href="#">Safety laser scanner with measurement data, replacement sensor block</a>	3,747.00	EC002550	<a href="#">674724</a>	4548583409231	#		FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-VER2</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik yan çapı 3m, uyan bölgesi 10m, PL d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, vandan kablo çıkış</a>	5,210.00	EC002550	<a href="#">674725</a>	4548583061125	#		FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-DM</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm ve EtherNet/IP, Güvenlik yan çapı 3m, uyan bölgesi 10m, PL d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, vandan kablo çıkış</a>	5,735.00	EC002550	<a href="#">674734</a>	4548583409224	#		FA	FAO	USA	8536.5019.90
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-BP-4M</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik yan çapı 4m, uyan bölgesi 15m, PL d &amp; Kat 3, 24VDC, arkadan kablo çıkış</a>	6,320.00	EC002550	<a href="#">674731</a>	4548583522183			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-BP-DM-4M</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm versiyonu, Güvenlik yan çapı 4m, uyan bölgesi 10m, PL d &amp; Kat 3, Ethernet/IP, 24VDC, arkadan kablo çıkış</a>	6,965.00	EC002550	<a href="#">674726</a>	4548583522213			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SN-4M</a>	<a href="#">Safety laser scanner, safety radius 4m, warning zone 15m, replacement sensor block</a>	4,720.00	EC002550	<a href="#">674730</a>	4548583522190			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-4M</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik yan çapı 4m, uyan bölgesi 15m, PL d &amp; Kat 3, 24VDC, vandan kablo çıkış</a>	6,320.00	EC002550	<a href="#">674729</a>	4548583522176			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-DM-4M</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm versiyonu ile, Güvenlik yan çapı 4m, uyan bölgesi 10m, PL d &amp; Kat 3, Ethernet/IP, 24VDC, vandan kablo çıkış</a>	6,965.00	EC002550	<a href="#">674733</a>	4548583522206			FA	FAO	USA	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Bölgesi</b>											
OS32C-BKT1	<a href="#">Alt/kenar montaj braketi + ünite montaj vidalı</a>	127.90	EC003015	<a href="#">349185</a>	4547648823531	#		FA	FAO	USA	8541.4900.00
OS32C-BKT2	<a href="#">Montaj kiri,XY döner montaj, OS32C-BKT1 ile birlikte kullanılmaktadır.</a>	140.60	EC003015	<a href="#">349186</a>	4547648823548			FA	FAO	USA	8541.4900.00
OS32C-BKT3	<a href="#">Basit montaj braketi x 2 + montaj vidası</a>	87.15	EC003015	<a href="#">349187</a>	4547648823555			FA	FAO	USA	8541.4900.00
OS32C-BKT4	<a href="#">Güvenlik lazer tarayıcı koruyucu (ekran için)</a>	90.25	EC003015	<a href="#">349188</a>	4547648823562			FA	FAO	USA	8541.4900.00
<b>Emniyet Bölgesi</b>											
OS32C-CBL-03M	<a href="#">Güvenlik lazer tarayıcı güç and I/O kablosu, 3m</a>	141.20	EC001855	<a href="#">349178</a>	4547648823463	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-10M	<a href="#">Güvenlik lazer tarayıcı güç and I/O kablosu, 10m</a>	187.90	EC001855	<a href="#">349179</a>	4547648823470	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-20M	<a href="#">Güvenlik lazer tarayıcı güç and I/O kablosu, 20m</a>	275.60	EC001855	<a href="#">349180</a>	4547648823487			FA	FAO	MYS	8541.4900.00
OS32C-ECBL-02M	<a href="#">Ethernet kablosu, konfigürasyon için, 2M</a>	213.70	EC002599	<a href="#">349182</a>	4547648823500			FA	FAO	JPN	8541.4900.00
OS32C-ECBL-05M	<a href="#">Ethernet kablosu, konfigürasyon için, 5M</a>	274.30	EC002599	<a href="#">349183</a>	4547648823517			FA	FAO	JPN	8541.4900.00
OS32C-ECBL-15M	<a href="#">Ethernet cable, for configuration and monitoring, 15M</a>	415.70	EC002599	<a href="#">349184</a>	4547648823524			FA	FAO	JPN	8541.4900.00
<b>Emniyet Bölgesi</b>											
OS32C-CBSP1	<a href="#">Accessory safety, laser scanner, spare for replacement, I/O block with cable access from left side</a>	1,079.00	EC003015	<a href="#">349177</a>	4547648823456			FA	FAO	USA	8541.4900.00
OS32C-WIN-KT	<a href="#">Accessory safety, laser scanner, spare for replacement, Scan window</a>	163.90	EC003015	<a href="#">349191</a>	4547648823593	#		FA	FAO	USA	8541.4900.00
WIN-CLN-KT	<a href="#">Güvenlik lazer tarayıcı aksesuar, temizleme kiti</a>	90.25	EC003015	<a href="#">359022</a>	4548583130548			FA	FAO	USA	8541.4900.00
<b>Emniyet Bölgesi</b>											
UMAL	<a href="#">Alüminyum köşe rampası, 2,44m</a>	203.10	EC002888	<a href="#">363812</a>	4547648535298			FA	FAO	USA	8536.5007.00
UMIC	<a href="#">Molded inside corner</a>	69.70	EC002888	<a href="#">363814</a>	4547648579261			FA	FAO	USA	8536.5007.00
UMJ54	<a href="#">Emniyet hasır, birleştirici döşeme, 1,22 m</a>	250.50	EC002888	<a href="#">679544</a>	4547648535267			FA	FAO	USA	8536.5007.00
<b>Emniyet Kontrolcüsü</b>											
G9SP-N10D	<a href="#">G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik giriş, 16 Güvenlik çıkış, 6 test çıkış, PNP</a>	870.00	EC001449	<a href="#">342714</a>	4547648830263			FA	FAP	CHN	8471.4100.00
G9SP-N10S	<a href="#">G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik giriş, 4 Güvenlik çıkış, 4 test çıkış, 4 standart çıkış, PNP</a>	718.50	EC001449	<a href="#">342713</a>	4547648830256			FA	FAP	CHN	8471.4100.00
G9SP-N20S	<a href="#">G9SP Bağımsız Güvenlik kontrolörü, 20 Güvenlik giriş, 8 Güvenlik çıkış, 6 test çıkış, PNP</a>	751.00	EC001449	<a href="#">342715</a>	4547648830270	#		FA	FAP	CHN	8471.4100.00
<b>Emniyet Kontrolcüsü</b>											
W502-G9SP01-V2	<a href="#">G9SP konfigüratörü, 1 lisans, WIN-2000/XP/Vista.</a>	519.50	EC000809	<a href="#">393620</a>	4548583546318			FA	FAP	JPN	8471.4100.00
<b>Emniyet Komponentleri</b>											
E3ZS-T81A	<a href="#">Photoelectric sensor</a>	270.00	EC002716	<a href="#">323229</a>	4547648674355	#		FA	FAX	CHN	8541.4900.00
<b>Emniyet Komponentleri</b>											
A4EG-OP2	<a href="#">Mounting bracket for securing the A4EG</a>	74.75	EC002886	<a href="#">247808</a>	4547648477062			FA	FAX	JPN	8536.5015.90
A4EG-OP3	<a href="#">A4EG Holding Key</a>	63.55	EC002886	<a href="#">247809</a>	4547648477079			FA	FAX	JPN	8536.5015.90
<b>Emniyet Komponentleri</b>											
D4BS-15FS	<a href="#">Safety door switch, D4BS, PG13.5 (1 conduit), 1NC/1NO (slow-action)</a>	49.00	EC002592	<a href="#">134578</a>	4536853207366		10	FA	FAX	JPN	8536.5015.90
D4BS-1AES	<a href="#">Safety door switch, D4BS, PG13.5 (1 conduit), 2NC (slow-action)</a>	52.40	EC002592	<a href="#">134589</a>	4536853207564		2	FA	FAX	JPN	8536.5015.90
D4BS-25FS	<a href="#">Limit switch</a>	49.83	EC002592	<a href="#">134579</a>	4536853207373			FA	FAX	JPN	8536.5015.90
D4BS-2AFS	<a href="#">Safety interlock switch, DPDB 2-NC, 10 A</a>	62.55	EC002592	<a href="#">134590</a>	4536853207571			FA	FAX	JPN	8536.5015.90
D4BS-45FS	<a href="#">Metal Güvenlik Limit switchi, D4BS, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama)</a>	51.60	EC002592	<a href="#">147019</a>	4536854776724			FA	FAX	JPN	8536.5015.90
D4BS-4AFS	<a href="#">Metal Güvenlik Limit switchi, D4BS, M20 (1 kablo yuvası), 2NC (yavaş kapama)</a>	55.05	EC002592	<a href="#">148098</a>	4536854776731			FA	FAX	JPN	8536.5015.90
D4GS-N1R	<a href="#">Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable</a>	73.75	EC002592	<a href="#">133907</a>	4536854687976			FA	FAX	JPN	8536.5015.90
D4GS-N2B	<a href="#">Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable</a>	75.90	EC002592	<a href="#">133910</a>	4536854688034			FA	FAX	JPN	8536.5015.90
D4GS-N3B	<a href="#">Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1m cable</a>	81.95	EC002592	<a href="#">133916</a>	4536854688171			FA	FAX	JPN	8536.5015.90
F3S-TGR-KM15-21	<a href="#">Safety key switch, plastic body with stainless steel head, M20, 2NC/1NO</a>	77.50	EC002592	<a href="#">419032</a>	4547648999779			FA	FAX	GBR	8536.5005.00
<b>Emniyet Komponentleri</b>											
D41G-1YDA-N2	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	962.50	EC002593	<a href="#">701145</a>	4549734703079			FA	FAX	DEU	8536.5019.90
D41G-1YDA-T1	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection</a>	837.00	EC002593	<a href="#">701146</a>	4549734703062			FA	FAX	DEU	8536.5019.90
D41G-2YDA-N2	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	938.50	EC002593	<a href="#">701143</a>	4549734703109			FA	FAX	DEU	8536.5019.90
D41G-2YDA-T1	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled</a>	814.00	EC002593	<a href="#">701144</a>	4549734703086			FA	FAX	DEU	8536.5019.90
D41G-2YDG-N2	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	938.50	EC002593	<a href="#">701142</a>	4549734703116			FA	FAX	DEU	8536.5019.90
D41G-2YDG-T1	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled</a>	814.00	EC002593	<a href="#">701116</a>	4549734703093			FA	FAX	DEU	8536.5019.90
D41G-2ZDA-T1	<a href="#">Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection</a>	814.00	EC002593	<a href="#">701149</a>	4549734703031			FA	FAX	DEU	8536.5019.90
D41G-2ZDG-N2	<a href="#">Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	938.50	EC002593	<a href="#">701147</a>	4549734703055			FA	FAX	DEU	8536.5019.90
D41G-2ZDG-T1	<a href="#">Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection</a>	814.00	EC002593	<a href="#">701148</a>	4549734703048			FA	FAX	DEU	8536.5019.90
D411-1YDA-N2	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">701132</a>	4549734703277			FA	FAX	DEU	8536.5019.90
D411-1YDG-N2	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">701131</a>	4549734703284			FA	FAX	DEU	8536.5019.90
D411-1ZDA-N2	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">701137</a>	4549734703222			FA	FAX	DEU	8536.5019.90
D411-1ZDG-N2	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">701136</a>	4549734703239			FA	FAX	DEU	8536.5019.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">D41L-2YDAE-N2</a>	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	872.50	EC002593	<a href="#">701128</a>	4549734703314			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2YDA-N2</a>	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	<a href="#">701130</a>	4549734703291			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2YDG-N2</a>	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	<a href="#">701129</a>	4549734703307			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2ZDA-N2</a>	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	<a href="#">701135</a>	4549734703246			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2ZDG-N2</a>	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	872.50	EC002593	<a href="#">701133</a>	4549734703260			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2ZDG-N2</a>	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	<a href="#">701134</a>	4549734703253			FA	FAX	DEU	8536.5019.90
<a href="#">D48L-1CRA</a>	Safety door-lock switch, mechanical lock, 24VDC, 1NC/1NO+1NC, 10 A	342.80	EC002593	<a href="#">134702</a>	4536853204372			FA	FAX	JPN	8536.5015.90
<a href="#">D48L-1CRA-A</a>	Safety door-lock switch, mechanical lock, 24VDC, 1NC/1NO+1NC, 10 A	412.50	EC002593	<a href="#">158134</a>	4536853204365			FA	FAX	JPN	8536.5015.90
<a href="#">D48L-1DRA</a>	Safety door-lock switch, mechanical lock, 24VDC, 2 NC/1 NO+1 NC, 10 A	459.70	EC002593	<a href="#">134710</a>	4536853204525			FA	FAX	JPN	8536.5015.90
<a href="#">D48L-2CRA</a>	Safety door-lock switch, mechanical lock, 24VDC, 1NC+1NC/1NO+1NC, 10 A	337.80	EC002593	<a href="#">134708</a>	4536853204433	#		FA	FAX	JPN	8536.5015.90
<a href="#">D48L-2DRA</a>	Safety door-lock switch, mechanical lock, 24VDC, 2NC/1NO+1NC, 10 A	397.10	EC002593	<a href="#">134711</a>	4536853204556	#		FA	FAX	JPN	8536.5015.90
<a href="#">D48L-2DRG</a>	Limit switch	368.80	EC002593	<a href="#">134724</a>	4536854404221	#		FA	FAX	JPN	8536.5015.90
<a href="#">D48L-4DRA-A</a>	Safety door-lock switch, mechanical lock, 24VDC, 2NC + 1NC, 10 A	374.70	EC002593	<a href="#">147015</a>	4536854776526	#		FA	FAX	JPN	8536.5015.90
<a href="#">E3S-TGR-KH1</a>	Safety interlock key switch, stainless steel housing, 1600N holding force, M20, 2NC/2NO	515.00	EC002593	<a href="#">419040</a>	4547648999854			FA	FAX	GBR	8536.5005.00
<a href="#">E3S-TGR-KH1.3</a>	Safety interlock key switch, hygienic stainless steel housing, 2000N holding force, M20, 2NC/2NO	586.50	EC002593	<a href="#">419041</a>	4547648999861			FA	FAX	GBR	8536.5005.00
<a href="#">E3S-TGR-KH1.3R</a>	Safety interlock key switch, hygienic stainless steel housing with manual release button, 2000N holding force, M20, 2NC/2NO	791.50	EC002593	<a href="#">419042</a>	4547648999878			FA	FAX	GBR	8536.5005.00
<b>Emniyet Komponentleri</b>											
<a href="#">D40Z-1C2</a>	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G9SX-NS or G9SP controller for Category 4/PIe, 2M	263.00	EC002592	<a href="#">356424</a>	4547648833752			FA	FAX	CHN	8536.5015.90
<a href="#">D40Z-1C5</a>	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G9SX-NS or G9SP controller for Category 4/PIe, 5M	276.00	EC002592	<a href="#">356425</a>	4547648833677			FA	FAX	CHN	8536.5015.90
<a href="#">D40Z-1C5-S</a>	Safety non-contact door switch, Cat.4/PIe, 5m cable, switch only	228.60	EC002592	<a href="#">356440</a>	4547648833707			FA	FAX	CHN	8536.5015.90
<a href="#">D40Z-1CA</a>	Safety non-contact door switch, Cat.4/PIe, actuator only	103.80	EC001487	<a href="#">356438</a>	4547648833684			FA	FAX	CHN	8536.5015.90
<a href="#">D41D-1CD-N1</a>	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8	252.30	EC002592	<a href="#">701115</a>	4549734702935			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-2CD-025N2</a>	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole	278.90	EC002592	<a href="#">701114</a>	4549734702942			FA	FAX	DEU	8536.5019.90
<b>Emniyet Komponentleri</b>											
<a href="#">D40A-1C015-F</a>	Non-contact door switches, Pigtail with M12 connector 4-pole	149.30	EC002592	<a href="#">355125</a>	4547648839068			FA	FAX	CHN	8536.5015.90
<a href="#">D40A-1C2</a>	Non-contact door switches, 2m cable	156.00	EC002592	<a href="#">353674</a>	4547648839044			FA	FAX	CHN	8536.5015.90
<a href="#">D40A-1C5</a>	Non-contact door switches, 5m cable	149.60	EC002592	<a href="#">353675</a>	4547648839051			FA	FAX	CHN	8536.5015.90
<b>Emniyet Komponentleri</b>											
<a href="#">D41D-8PS-CFM8-702M</a>	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m	45.52	EC001855	<a href="#">701299</a>	4549734703000			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-8PS-CFM8-705M</a>	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m	61.55	EC001855	<a href="#">701298</a>	4549734703017			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-8PS-CFM8-710M</a>	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m	86.15	EC001855	<a href="#">701297</a>	4549734703024			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-A1</a>	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	30.76	EC001487	<a href="#">701127</a>	4549734702959			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-A2</a>	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	30.76	EC001487	<a href="#">701152</a>	4549734702966			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-A3</a>	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	30.76	EC001487	<a href="#">701151</a>	4549734702973			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-MS</a>	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	28.30	EC002594	<a href="#">701150</a>	4549734702997			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-SK</a>	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	9.85	EC002594	<a href="#">701126</a>	4549734702980			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A11</a>	Actuator for D41G, compact, left-hand side, without emergency exit	196.90	EC001487	<a href="#">701141</a>	4549734703123			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A11-E0</a>	Actuator for D41G, compact, left-hand side, with emergency exit	272.00	EC001487	<a href="#">701140</a>	4549734703130			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A1R</a>	Actuator for D41G, compact, right-hand side, without emergency exit	196.90	EC001487	<a href="#">701139</a>	4549734703147			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A1R-E0</a>	Actuator for D41G, compact, right-hand side, with emergency exit	272.00	EC001487	<a href="#">701138</a>	4549734703154			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2L</a>	Actuator for D41G, with door handle, left-hand side, without emergency exit	301.60	EC001487	<a href="#">701120</a>	4549734703161			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2L-E1</a>	Actuator for D41G, with door handle, left-hand side, with emergency exit	450.30	EC001487	<a href="#">701121</a>	4549734703178			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2L-E1T</a>	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	539.00	EC001487	<a href="#">701122</a>	4549734703185			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2R</a>	Actuator for D41G, with door handle, right-hand side, without emergency exit	301.60	EC001487	<a href="#">701123</a>	4549734703192			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2R-E1</a>	Actuator for D41G, with door handle, right-hand side, with emergency exit	450.30	EC001487	<a href="#">701124</a>	4549734703208			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2R-E1T</a>	Actuator for D41G, with door handle, right-hand side, with emergency exit, with lockout tag	539.00	EC001487	<a href="#">701125</a>	4549734703215			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-8PS-CFM12-905M</a>	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m	79.65	EC001855	<a href="#">701296</a>	4549734703352			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-8PS-CFM12-910M</a>	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m	119.50	EC001855	<a href="#">701295</a>	4549734703369			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-A1</a>	Actuator for D41L, straight, 127 x 35 x 46 mm	105.90	EC001487	<a href="#">701119</a>	4549734703321			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-MP</a>	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	25.84	EC002594	<a href="#">701118</a>	4549734703338			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-MS</a>	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs	30.76	EC002594	<a href="#">701117</a>	4549734703345			FA	FAX	DEU	8536.5019.90
<b>Emniyet Komponentleri</b>											
<a href="#">A4E-B200VA</a>	Enabling switch, two outputs, vertical mounting, with rubber seal	74.45	EC002571	<a href="#">140171</a>	4536854780356			FA	FAX	JPN	8536.5080.90
<a href="#">A4E-C211VA</a>	Enabling switch, four contacts, vertical mounting, with rubber seal	94.35	EC002571	<a href="#">150156</a>	4536854780363		10	FA	FAX	JPN	8536.5080.90
<a href="#">A4EG-BF2R041</a>	Acil durdurma switchi, aktif/estime el switchi, Acil durdurma switchi (2NC)	417.90	EC002571	<a href="#">674137</a>	4548583869417			FA	FAX	JPN	8536.5015.90
<a href="#">A4EG-BM2R041</a>	Acil durdurma switchi, aktif/estime el switchi, anlik durum switchi (2NO)	431.70	EC002571	<a href="#">247806</a>	4547648521642	#		FA	FAX	JPN	8536.5015.90
<a href="#">A4EG-C000041</a>	Acil durdurma switchi, aktif/estime el switchi, 1 NC (kavrama cikisi)	339.70	EC002571	<a href="#">247804</a>	4547648477031	#		FA	FAX	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Komponentleri</b>											
MTKCA-0500-0250	<a href="#">Döşenmiş dış köşeler ve döseme boyutlarına uyan Döseme setleri 500 * 250</a>	225.00	EC002888	<a href="#">679658</a>	4549734114066			FA	FAX	USA	9031.4990.00
MTKCA-0500-0400	<a href="#">500 x 400 mm mat boyutlarına sığan kalıplanmış dış köşeler ve döseme seti</a>	321.10	EC002888	<a href="#">680039</a>	4549734114080			FA	FAX	USA	9031.4990.00
MTKCA-0500-1500	<a href="#">Set of molded outside corners and Trims that fit the mat dimensions 500*1500</a>	550.00	EC002888	<a href="#">677812</a>	4549734114110			FA	FAX	USA	9031.4990.00
MTKCA-0600-0400	<a href="#">Döşenmiş dış köşeler ve döseme setleri, mat boyutlarına 600 x 400 mm sığan set</a>	370.50	EC002888	<a href="#">680043</a>	4549734114165			FA	FAX	USA	9031.4990.00
MTKCA-0750-0250	<a href="#">Döşenmiş dış köşe takımları ve döseme boyutlarına 750 x 250 sığan Döseme takımı seti</a>	345.80	EC002888	<a href="#">679437</a>	4549734114233			FA	FAX	USA	9031.4990.00
MTKCA-0750-0500	<a href="#">Döşenmiş dış köşeler ve döseme boyutlarına 750 x 500 sığan Döseme takımı seti</a>	377.80	EC002888	<a href="#">679571</a>	4549734114264			FA	FAX	USA	9031.4990.00
MTKCA-0750-0750	<a href="#">750 x 750 mm mat boyutlarına uyan kalıplanmış dış köşeler ve döseme takımları</a>	486.00	EC002888	<a href="#">680181</a>	4549734114288			FA	FAX	USA	9031.4990.00
MTKCA-0750-1500	<a href="#">Döşenmiş dış köşe takımları ve döseme boyutlarına 750 x 1500 mm sığan Döseme takımları</a>	473.60	EC002888	<a href="#">679543</a>	4549734114301			FA	FAX	USA	9031.4990.00
MTKCA-1000-0500	<a href="#">Set of molded outside corners and Trims that fit the mat dimensions 1000*500</a>	434.50	EC002888	<a href="#">678235</a>	4549734114592			FA	FAX	USA	9031.4990.00
MTKCA-1000-0750	<a href="#">Döşenmiş dış köşeler ve döseme boyutlarına 1000 x 750 sığan Döseme takımı seti</a>	451.80	EC002888	<a href="#">679818</a>	4549734114615			FA	FAX	USA	9031.4990.00
MTKCA-1000-1250	<a href="#">Döşenmiş dış köşeler ve mat boyutlarına sığan Döseme setleri 1000 * 1250 mm</a>	480.90	EC002888	<a href="#">679540</a>	4549734114653			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0300-0300-1</a>	<a href="#">Safety mat black with 1-cable, 300 x 300 mm dimension</a>	268.80	EC002887	<a href="#">678348</a>	4549734115131			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0300-0300-2</a>	<a href="#">Safety mat black with 2-cable, 300 x 300 mm dimension</a>	268.80	EC002887	<a href="#">679690</a>	4549734116152			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0250-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 500 x 250 mm boyut</a>	222.20	EC002887	<a href="#">679659</a>	4549734115254			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0250-2</a>	<a href="#">Emniyet paspası, siyah, 2 kablolu, 500 x 250 mm boyut</a>	240.70	EC002887	<a href="#">679657</a>	4549734116275			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0400-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 500 x 400 mm boyut</a>	361.40	EC002887	<a href="#">680041</a>	4549734115278			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0400-2</a>	<a href="#">Emniyet paspası, siyah, 2 kablolu, 500 x 400 mm boyut</a>	361.40	EC002887	<a href="#">680046</a>	4549734116299			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0500-1</a>	<a href="#">Safety mat black with 1-cable, 500 x 500 mm dimension</a>	396.00	EC002887	<a href="#">680119</a>	4549734115285			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0500-2</a>	<a href="#">Safety mat black with 2-cable, 500 x 500 mm dimension</a>	396.00	EC002887	<a href="#">678238</a>	4549734116305			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-1500-1</a>	<a href="#">Safety mat black with 1-cable, 500 x 1500 mm dimension</a>	783.00	EC002887	<a href="#">680366</a>	4549734115308	#		FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-1500-2</a>	<a href="#">Safety mat black with 2-cable, 500 x 1500 mm dimension</a>	783.00	EC002887	<a href="#">678239</a>	4549734116329			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0600-0400-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 600 x 400 mm boyut</a>	376.20	EC002887	<a href="#">680042</a>	4549734115353			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0600-0400-2</a>	<a href="#">Emniyet paspası, siyah, 2 kablolu, 600 x 400 mm boyut</a>	376.20	EC002887	<a href="#">680040</a>	4549734116374			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0250-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 750 x 250 mm boyut</a>	345.80	EC002887	<a href="#">679435</a>	4549734115421			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0500-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 750 x 500 mm boyut</a>	480.90	EC002887	<a href="#">679570</a>	4549734115452			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0750-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 750 x 750 mm boyut</a>	715.00	EC002887	<a href="#">680179</a>	4549734115476			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0750-2</a>	<a href="#">Emniyet paspası, siyah, 2 kablolu, 750 x 750 mm boyut</a>	715.00	EC002887	<a href="#">680182</a>	4549734116497			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-0500-2</a>	<a href="#">Safety mat black with 2-cable, 1000 x 500 mm dimension</a>	577.00	EC002887	<a href="#">678240</a>	4549734116800			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-0750-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 1000 x 750 mm boyut</a>	773.50	EC002887	<a href="#">679817</a>	4549734115803	#		FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-0750-2</a>	<a href="#">Emniyet paspası, siyah, 2 kablolu, 1000 x 750 mm boyut</a>	773.50	EC002887	<a href="#">679819</a>	4549734116824			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1000-1</a>	<a href="#">Safety mat black with 1-cable, 1000 x 1000 mm dimension</a>	909.50	EC002887	<a href="#">680368</a>	4549734115834			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1000-2</a>	<a href="#">Safety mat black with 2-cable, 1000 x 1000 mm dimension</a>	782.50	EC002887	<a href="#">678241</a>	4549734116855			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1250-1</a>	<a href="#">Emniyet paspası, siyah, 1 kablo, 1000 x 1250 mm boyut</a>	997.50	EC002887	<a href="#">679486</a>	4549734115841			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1500-1</a>	<a href="#">Safety mat black with 1-cable, 1000 x 1500 mm dimension</a>	1,135.00	EC002887	<a href="#">678350</a>	4549734115858	#		FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1500-2</a>	<a href="#">Safety mat black with 2-cable, 1000 x 1500 mm dimension</a>	1,135.00	EC002887	<a href="#">678351</a>	4549734116879			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0500-0400-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 500 x 400 mm boyut</a>	396.00	EC002887	<a href="#">680044</a>	4549734117319			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0500-0400-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablolu, 500 x 400 mm boyut</a>	396.00	EC002887	<a href="#">680038</a>	4549734118330			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0500-1500-1</a>	<a href="#">Safety mat yellow with 1-cable, 500 x 1500 mm dimension</a>	822.00	EC002887	<a href="#">677813</a>	4549734117340			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0600-0400-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 600 x 400 mm boyut</a>	394.90	EC002887	<a href="#">680045</a>	4549734117395			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0600-0400-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 600 x 400 mm boyut</a>	394.90	EC002887	<a href="#">680047</a>	4549734118415			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0750-0750-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 750 x 750 mm boyut</a>	760.00	EC002887	<a href="#">680180</a>	4549734118538			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0750-1500-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 750 x 1500 mm boyut</a>	926.50	EC002887	<a href="#">679542</a>	4549734117531			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-0750-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 1000 x 750 mm boyut</a>	811.00	EC002887	<a href="#">679816</a>	4549734117845			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-0750-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 1000 x 750 mm boyut</a>	811.00	EC002887	<a href="#">679815</a>	4549734118866			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-1000-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 1000 x 1000 mm boyut</a>	839.50	EC002887	<a href="#">679539</a>	4549734117876			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-1500-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 1000 x 1500 mm boyut</a>	1,118.00	EC002887	<a href="#">679541</a>	4549734117890			FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-1500-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 1000 x 1500 mm boyut</a>	1,121.00	EC002887	<a href="#">679538</a>	4549734118910			FA	FAX	USA	9031.4990.00
UMRT4	<a href="#">Safety Mat/Safety Mat controller, Ramp trim with yellow PVC cover (1.22 m)</a>	157.00	EC002888	<a href="#">393576</a>	4547648535212			FA	FAX	USA	9031.4990.00
<b>Emniyet Komponentleri</b>											
<a href="#">UMA-CBL-3PCF-M8-05M</a>	<a href="#">Single connector 5 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket</a>	40.11	EC001855	<a href="#">678244</a>	4549734113861			FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-3PCF-M8-10M</a>	<a href="#">Single connector 10 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket</a>	37.05	EC001855	<a href="#">678245</a>	4549734113878			FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-3PMF-M8-05M</a>	<a href="#">Extension cable 5 m to connect a 2-cable mat (UMMA-2) to a controller, M8, 3Pin</a>	53.90	EC001855	<a href="#">678242</a>	4549734113786			FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-3PMF-M8-0.15M</a>	<a href="#">M8, 3-pin male to male extension cable, 0.15 m, to connect the connector sockets of 2-cable UMA Safety Mat together.</a>	42.62	EC001855	<a href="#">678243</a>	4549734113830			FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-4PCF-M8-05M</a>	<a href="#">Tek konektör 5 m kablo, bir kablo makarasını (UMMA-1) bir denetleyicive bağlar, M8, 4 soketli</a>	51.85	EC001855	<a href="#">679436</a>	4549734113892			FA	FAX	MYS	9031.4990.00
<a href="#">UMA-CBL-4PCF-M8-10M</a>	<a href="#">Single connector 10 m cable to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-socket</a>	69.60	EC001855	<a href="#">677814</a>	4549734113908			FA	FAX	MYS	9031.4990.00
<b>Emniyet Komponentleri</b>											
<a href="#">SCC-1224A</a>	<a href="#">Safety Edge Controller</a>	569.50	EC003015	<a href="#">683824</a>	4549734113755			FA	FAX	DEU	8536.5019.90
<b>Emniyet Komponentleri</b>											
<a href="#">A165E-02</a>	<a href="#">DPST-NC contact block for A165E Emergency stop switch</a>	16.60	EC000041	<a href="#">160649</a>	4536854344794	#	50	FA	FAX	JPN	8536.5015.90
<a href="#">A165E-LS-24D-01</a>	<a href="#">Acil durdurma switchi, ışıklı, 30mm cap, bas killitle/cevir resetle, SPST-NC, 24 VDC</a>	36.76	EC002034	<a href="#">160652</a>	4536854344824		5	FA	FAX	JPN	8536.5015.90
<a href="#">A165E-LS-24D-02</a>	<a href="#">Acil durdurma switchi, ışıklı, 30mm cap, bas killitle/cevir resetle, DPST-NC, 24 VDC</a>	53.85	EC002034	<a href="#">103317</a>	4536854344831		5	FA	FAX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A165E-M-02	Acil durdurma switchi, 40mm cap, bas kilitle/ceviri resetle, DPST-NC	40.85	EC002034	160653	4536854344855		5	FA	FAX	JPN	8536.5015.90
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	6.80	EC001038	153220	4536854344770		20	FA	FAX	JPN	8536.5015.90
A165E-S-01	Acil durdurma switchi, 30mm cap, bas kilitle/ceviri resetle, SPST-NC	36.76	EC002034	142199	4536854344862		5	FA	FAX	JPN	8536.5015.90
A165E-S-02	Acil durdurma switchi, 30mm cap, bas kilitle/ceviri resetle, DPST-NC	44.01	EC002034	142200	4536854344879	#	5	FA	FAX	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	59.50	EC002034	103725	4536854479090	#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	28.46	EC001038	141588	4536854349225		10	FA	FAX	JPN	8536.5015.90
A22E-M-24A-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	62.05	EC002034	151036	4536854349331	#	30	FA	FAX	JPN	8536.5015.90
A22E-M-24A-11	Acil durdurma switchi, 24 VAC/DC işikli, 40mm cap, bas kilitle/ceviri resetle, SPST-NO + SPST-NC, IP65	58.20	EC002034	142271	4536854349348	#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	17.62	EC001038	153294	4536854349232		10	FA	FAX	JPN	8536.5015.90
A22E-M-01	Acil durdurma switchi, 40mm cap, bas kilitle/ceviri resetle, 1NC	33.11	EC002034	141595	4536854349249		20	FA	FAX	JPN	8536.5015.90
A22E-M-02	Acil durdurma switchi, 40mm cap, bas kilitle/ceviri resetle, 2NC	41.93	EC002034	141596	4536854349256	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC, 40 mm dia., push-lock / turn-reset, DPST-NC, within a control box	95.70	EC002034	264239	4536854860263	#		FA	FAX	JPN	8536.5015.90
A22E-M-11B	Emergency stop switch, 24 VAC / DC, 40 mm dia., push-lock / turn-reset, SPST-NO + SPST-NC, within a control box	94.45	EC002034	264240	4536854860270			FA	FAX	JPN	8536.5015.90
A22E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, IP65	22.30	EC001038	141591	4536854380280		10	FA	FAX	JPN	8536.5015.90
A22E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 2 x SPST-N/C, IP65	33.11	EC002034	141511	4536854380433		20	FA	FAX	JPN	8536.5015.90
A22NE-M-L	Acil durdurma anahtari, aydinlatilmis, 40mm cap, basmali kilit / donus-reset, IP65	32.93	EC001038	680136	4549734184649		10	FA	FAX	JPN	8536.5015.90
A22NE-M-N	Acil durdurma anahtari, aydinlatilmamis, 40mm cap, imveli kilit / donus-reset, IP65	23.32	EC001038	680134	4549734184588		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-C	Acil durdurma anahtari, 24 VAC / DC aydinlatilmali, 40 mm cap, push-lock / donus-reset, SPST-NC, itme	70.05	EC002034	679730	4549734184885		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 40 mm cap, push-lock / donus-reset, 1NC	39.80	EC002034	679746	4549734184724		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N-B	E-Dur, itme, 1NC, 40-divar, kafa Orta Turn-reset, entegre kontrol kutusu ile	65.95	EC002034	679806	4549734185295			FA	FAX	JPN	8536.5015.90
A22NE-M-P102-C	Acil durdurma anahtari, Push-In, 24 VAC / DC aydinlatilmali, 40 mm cap, push-lock / donus-reset, NO + NC	75.50	EC002034	679748	4549734184892			FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 40 mm cap, push-lock / donus-reset, 1NC + YOK	45.28	EC002034	679732	4549734184731		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N-B	E-Stop, push-in, 1NC + 1NO, 40-divar, kafa Orta Turn-reset, entegre kontrol kutusu ile	76.80	EC002034	679808	4549734185301			FA	FAX	JPN	8536.5015.90
A22NE-M-P202-C	Acil durdurma anahtari, Push-In, 24 VAC / DC aydinlatilmali, 40 mm cap, push-lock / donus-reset, 2NC	75.50	EC002034	679722	4549734184908		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 40 mm cap, push-lock / donus-reset, 2NC	45.28	EC002034	679734	4549734184748	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia, kafa Orta Turn-reset, entegre kontrol kutusu ile	75.50	EC002034	679807	4549734185318			FA	FAX	JPN	8536.5015.90
A22NE-M-P212-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 40 mm cap, basmali kilit / donus-reset, 2NC + YOK	52.15	EC002034	679745	4549734184755			FA	FAX	JPN	8536.5007.00
A22NE-M-P222-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 40 mm cap, basmali kilit / donus-reset, 3NC	52.15	EC002034	679747	4549734184762		10	FA	FAX	JPN	8536.5007.00
A22NE-M-PD02-C	Emergency stop switch, Push-In, 24 VAC / DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	55.75	EC002034	687815	4549734441810			FA	FAX	JPN	8536.5015.90
A22NE-M-PD02-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	48.35	EC002034	687825	4549734442176	#		FA	FAX	JPN	8536.5015.90
A22NE-M-PD12-C	Emergency stop switch, Push-In, 24 VAC / DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 1 NC NO	62.45	EC002034	687817	4549734441858			FA	FAX	JPN	8536.5015.90
A22NE-S-N	Acil durdurma anahtari, aydinlatilmamis, 30 mm cap, basmali kilit / donus-reset, IP65	24.69	EC001038	680135	4549734184571		10	FA	FAX	JPN	8536.5015.90
A22NE-S-P002-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 30 mm cap, push-lock / donus-reset, NC	37.08	EC002034	679744	4549734184670			FA	FAX	JPN	8536.5015.90
A22NE-S-P102-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 30 mm cap, basmali kilit / donus-reset, NC + YOK	42.51	EC002034	679743	4549734184687		5	FA	FAX	JPN	8536.5015.90
A22NE-S-P202-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 30 mm cap, push-lock / donus-reset, 2NC	42.51	EC002034	679727	4549734184694		10	FA	FAX	JPN	8536.5015.90
A22NE-S-P212-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 30 mm cap, basmali kilit / donus-reset, 2NC + YOK	49.34	EC002034	679737	4549734184700		5	FA	FAX	JPN	8536.5015.90
A22NE-S-P222-N	Acil durdurma anahtari, Push-In, aydinlatilmamis, 30 mm cap, push-lock / donus-reset, 3NC	49.34	EC002034	679733	4549734184717		10	FA	FAX	JPN	8536.5015.90
A22Z-EG1	E-stop shroud, EMERGENCY OFF legend included.	38.84	EC000624	224501	4536854844058			FA	FAX	JPN	8536.5015.90
A22Z-EG2	E-stop Shroud yellow	38.84	EC000624	234627	4536854952579			FA	FAX	JPN	8536.5015.90
<b>Emniyet Komponentleri</b>											
44506-4010 ER5018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	153.10	EC002033	406333	4547648564427	#		FA	FAX	GBR	8536.5080.90
44506-4030 ER5018-030M	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	178.60	EC002033	406349	4547648581608			FA	FAX	GBR	8536.5080.90
44506-4110 ER5018-021ME	Güvenlik ipi e-stop switchi, 40m ye kadar, 2 NC + 1NO, M20 kablo girisi (3x)	208.50	EC002033	406335	4547648564687	#		FA	FAX	GBR	8536.5080.90
44506-4130 ER5018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	226.50	EC002033	406353	4547648579865			FA	FAX	GBR	8536.5080.90
44506-5010 ER6022-021M	Safety rope pull E-stop switch, up to 80m, contact 2 NC+1 NO, wiring 3 x M20	181.10	EC002033	406341	4547648565004	#		FA	FAX	GBR	8536.5080.90
44506-5110 ER6022-021ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	197.20	EC002033	406358	4547648582018			FA	FAX	GBR	8536.5080.90
44506-5210 ER6022-021ME	Safety rope pull E-stop switch, up to 80m, E-stop, contact 2 NC+1 NO, wiring 3 x M20	205.00	EC002033	406351	4547648579889			FA	FAX	GBR	8536.5080.90
44506-5410 ER6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	277.80	EC002033	406340	4547648565479			FA	FAX	GBR	8536.5080.90
44506-5450 ER6022-031MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 3 NC + 1 NO, wiring 3 x M20	406.80	EC002033	406364	4548583151499			FA	FAX	GBR	8536.5080.90
44506-5810 ER6022-022MSS	Safety rope pull E-stop switch, up to 100m, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	572.00	EC002033	406336	4547648579902			FA	FAX	GBR	8536.5080.90
44506-5970 ER6022-031MELSS	Safety rope pull E-stop switch, up to 100m, E-stop, indicator beacon, 3 NC + 1 NO contacts, wiring 3 x M20 stainless	638.00	EC002033	406368	4547648591232			FA	FAX	GBR	8536.5080.90
44506-6410 ER1022-042MELL	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, left-sided	324.00	EC002033	406347	4547648579919			FA	FAX	GBR	8536.5080.90
44506-7410 ER1032-042MEL	Safety rope pull E-stop switch, up to 200m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	471.00	EC002033	406334	4547648580694	#		FA	FAX	GBR	8536.5080.90
<b>Emniyet Komponentleri</b>											
44506-2705 RK5	Safety rope pull E-stop switch accessory, rope kit 5m	82.35	EC002026	406346	4547648563192			FA	FAX	GBR	8536.5080.90
44506-2710 RK10	Güvenlik ipi e-stop switchi aksesuarı, ip kiti 10m	92.10	EC002026	406347	4547648563420	#		FA	FAX	GBR	8536.5080.90
44506-2720 RK20	Safety rope pull E-stop switch accessory, rope kit 20m	111.80	EC002026	406339	4547648563987	#		FA	FAX	GBR	8536.5080.90
44506-2750 RK50	Safety rope pull E-stop switch accessory, rope kit 50m	166.60	EC002026	406338	4547648565387	#		FA	FAX	GBR	8536.5080.90
44506-2780 RK80	Güvenlik ipi e-stop switchi aksesuarı, ip kiti 80m	231.70	EC002026	406374	4547648566438			FA	FAX	GBR	8536.5080.90
44506-3711 R100M	Safety rope pull E-stop switch accessory, rope only 100m	164.80	EC002026	406350	4547648563888			FA	FAX	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	69.75	EC002026	406344	4547648562751			FA	FAX	GBR	8536.5080.90
44506-4710 SM06-EB10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	21.06	EC002026	406354	4547648561969			FA	FAX	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	14.17	EC002026	406355	4547648561754			FA	FAX	GBR	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">44506-4750 SM06-SP50</a>	<a href="#">Safety rope pull E-stop switch accessory, spring, stainless steel</a>	24.16	EC002026	<a href="#">406345</a>	4547648561990			FA	FAX	GBR	8536.5080.90
<a href="#">44506-4720 SM06-THSS</a>	<a href="#">Safety rope pull E-stop switch accessory, thimble, stainless steel, 4 pack</a>	12.36	EC002026	<a href="#">406356</a>	4547648561693			FA	FAX	GBR	8536.5080.90
<a href="#">44506-4780 SM06-RPSS</a>	<a href="#">Safety rope pull E-stop switch accessory, rope pulley, stainless steel</a>	48.47	EC002026	<a href="#">406343</a>	4547648562331			FA	FAX	GBR	8536.5080.90
<b>Emniyet Komponentleri</b>											
<a href="#">E3SP-B1P</a>	<a href="#">Control Unit for F3SJ, 3NO + 1NC, (use F39-JC_B double ended cable)</a>	436.20	EC001449	<a href="#">346846</a>	4547648813402	#		FA	FAX	CHN	8536.4900.99
<b>Emniyet Komponentleri</b>											
<a href="#">D4F-102-1R</a>	<a href="#">Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit</a>	93.20	EC000030	<a href="#">150189</a>	4536854896101	#		FA	FAX	JPN	8536.5007.00
<a href="#">D4F-102-3D</a>	<a href="#">Limit switch</a>	122.80	EC000030	<a href="#">134013</a>	4536854896347			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-102-3R</a>	<a href="#">Limit switch</a>	114.50	EC000030	<a href="#">134008</a>	4536854896262			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-302-5R</a>	<a href="#">Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit</a>	161.40	EC000030	<a href="#">145878</a>	4536854896446			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-320-3R</a>	<a href="#">Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit</a>	153.80	EC000030	<a href="#">143735</a>	4536854896248			FA	FAX	JPN	8536.5007.00
<a href="#">D4E-320-5D</a>	<a href="#">Safety switch</a>	167.90	EC000030	<a href="#">149121</a>	4536854896484			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4C32</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger</a>	17.53	EC000030	<a href="#">170375</a>	4547648036535			FA	FAX	JPN	8536.5007.00
<b>Emniyet Komponentleri</b>											
<a href="#">D4N-1A2HR</a>	<a href="#">Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)</a>	41.74	EC000030	<a href="#">170882</a>	4547648039574			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4A20R</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)</a>	26.45	EC000030	<a href="#">170831</a>	4547648039062			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4A31R</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger</a>	26.45	EC000030	<a href="#">170840</a>	4547648039154			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4A32R</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger</a>	29.47	EC000030	<a href="#">170849</a>	4547648039246			FA	FAX	JPN	8536.5007.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">F39-JBR2W</a>	<a href="#">Series connection cable for extension for F3SJ</a>	185.50	EC001855	<a href="#">357833</a>	4548583047792			FA	FAZ	JPN	8541.4900.00
<a href="#">F39-JD10A</a>	<a href="#">Verici+Alıcı kablo çifti F3SJ-B için 10m</a>	430.30	EC001855	<a href="#">356813</a>	4548583097124	#		FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JD3A</a>	<a href="#">Verici+Alıcı kablo çifti F3SJ-B için 3m</a>	226.50	EC001855	<a href="#">356811</a>	4548583097100			FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JD5B</a>	<a href="#">Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 5m</a>	197.40	EC001855	<a href="#">374274</a>	4548583097186			FA	FAZ	CHN	8541.4900.00
<a href="#">F39-JD7A</a>	<a href="#">Verici+Alıcı kablo çifti F3SJ-B için 7m</a>	332.40	EC001855	<a href="#">356812</a>	4548583097117			FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JD7B</a>	<a href="#">Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 7m</a>	291.00	EC001855	<a href="#">374271</a>	4548583097193			FA	FAZ	CHN	8541.4900.00
<a href="#">F39-JDR5B</a>	<a href="#">Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 0.5m</a>	182.50	EC001855	<a href="#">359019</a>	4548583097155			FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JR15L</a>	<a href="#">Series connection cable for F3SJ, 0.15M (cap both ends)</a>	134.70	EC001855	<a href="#">189901</a>	4547648149631			FA	FAZ	JPN	8541.9000.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">F39-LJ1</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SJ-E/-B, üst/alt montaj braketleri (4 parça)</a>	45.71	EC003015	<a href="#">359566</a>	4548583033092	#		FA	FAZ	CHN	8541.9000.00
<a href="#">F39-LJ2</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SJ-E/-B, orta-kenar montaj braketleri (2 parça)</a>	77.50	EC003015	<a href="#">359557</a>	4548583033108	#		FA	FAZ	CHN	8541.9000.00
<a href="#">F39-LJ5</a>	<a href="#">Safety Light Curtain Accessory, F3SJ-E/-B Series, contact mount bracket (4pcs.)</a>	51.95	EC003015	<a href="#">359563</a>	4548583083202			FA	FAZ	CHN	8541.9000.00
<a href="#">F39-TGR-CL-LLK</a>	<a href="#">Laser-alignment kit including bracket for F3S-TGR-CL SL-C</a>	765.50	EC003015	<a href="#">377560</a>	4547648962902			FA	FAZ	ITA	8541.4900.00
<a href="#">F39-TRD14</a>	<a href="#">Safety Light Curtain Accessory, test rod, 14mm</a>	53.90	EC003015	<a href="#">397116</a>	4548583561038	#		FA	FAZ	JPN	8541.9000.00
<a href="#">F39-TRD30</a>	<a href="#">Safety Light Curtain Accessory, test rod, 30mm</a>	51.55	EC003015	<a href="#">397119</a>	4548583561069			FA	FAZ	JPN	8541.9000.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">D4NS-5K30</a>	<a href="#">Güvenlik kapı switchi kapı aparatı, D4NS</a>	576.50	EC001487	<a href="#">227639</a>	4547648183109	#		FA	FAZ	JPN	8536.5015.90
<a href="#">D4SL-CN10</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, connector cable 10m</a>	96.70	EC003015	<a href="#">393318</a>	4548583560284	#		FA	FAZ	CHN	8536.5007.00
<a href="#">D4SL-CN3</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 3m</a>	47.91	EC003015	<a href="#">357560</a>	4547648782425			FA	FAZ	CHN	8536.5007.00
<a href="#">D4SL-CN5</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 5m</a>	77.30	EC003015	<a href="#">357561</a>	4547648782432			FA	FAZ	CHN	8536.5007.00
<a href="#">D4SL-NK1</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, yatay montaj</a>	8.07	EC001487	<a href="#">373813</a>	4548583322271	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK1G</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, operation key, horizontal mounting, cushion rubber</a>	11.02	EC001487	<a href="#">373815</a>	4548583322318			FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK1S</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, yatay montaj, (kva tip)</a>	8.07	EC001487	<a href="#">372695</a>	4548583322301			FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK2</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, dikey montaj</a>	8.34	EC001487	<a href="#">373814</a>	4548583322288	#	10	FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK2G</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, operation key, vertical mounting, cushion rubber</a>	8.91	EC001487	<a href="#">373816</a>	4548583322325	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK3</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, ayarlanabilir montaj (yatay)</a>	25.08	EC001487	<a href="#">367249</a>	4548583322295		10	FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK5</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, operation key, adjustable (horizontal/vertical)</a>	22.32	EC001487	<a href="#">412973</a>	4548583560277	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NSK10-LK</a>	<a href="#">D4SLN kayar/kilitleme anahtar sistemi, kilitleme kolu dahil değil</a>	235.20	EC001487	<a href="#">373979</a>	4548583330122	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NSK10-LKH</a>	<a href="#">D4SLN slide/lockout key system, with inner lever</a>	284.20	EC001487	<a href="#">373978</a>	4548583330153			FA	FAZ	JPN	8536.5007.00
<a href="#">F39-TGR-KAM</a>	<a href="#">Key for safety key switch with metal head</a>	7.36	EC001487	<a href="#">419025</a>	4547648999700			FA	FAZ	GBR	8536.5005.00
<a href="#">F39-TGR-KHFH</a>	<a href="#">Key for safety key switch, flexible with hygienic stainless steel body</a>	52.40	EC001487	<a href="#">419029</a>	4547648999748			FA	FAZ	GBR	8536.5005.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">F39-TGR-NT</a>	<a href="#">T-Connector for F3S-TGR-N_C and F3S-TGR-N_M(U)</a>	87.00	EC002594	<a href="#">667288</a>	4548583954809			FA	FAZ	ITA	8544.4999.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">82611-0010 CM-EIP-1</a>	<a href="#">G9SP EthernetIP haberleşme opsiyonu</a>	356.10	EC001449	<a href="#">364929</a>	4548583062429			FA	FAZ	USA	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Rölesi G9SE</b>											
<a href="#">G9SE-201-DC24</a>	<a href="#">Emniyet rölesi ünitesi, 24VDC, 2 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar</a>	107.10	EC001449	<a href="#">679415</a>	4549734169332	#		FB	FBE	CHN	8536.4900.99
<a href="#">G9SE-221-T05-DC24</a>	<a href="#">Emniyet röle ünitesi, 24VDC, 4 emniyet çıkışı 5 A maks.(2 + 2, 5 sn kapalı gecikmeli), yardımcı çıkışlar</a>	135.30	EC001449	<a href="#">679416</a>	4549734169356	#		FB	FBE	CHN	8536.4900.99
<a href="#">G9SE-221-T30-DC24</a>	<a href="#">Emniyet röle ünitesi, 24VDC, 4 emniyet çıkışı 5 A maks.(2 + 2, 30 s kapalı gecikmeli), yardımcı çıkışlar</a>	135.30	EC001449	<a href="#">679413</a>	4549734169363	#		FB	FBE	CHN	8536.4900.99
<a href="#">G9SE-401-DC24</a>	<a href="#">Emniyet röle ünitesi, 24VDC, 4 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar</a>	112.60	EC001449	<a href="#">679414</a>	4549734169349	#		FB	FBE	CHN	8536.4900.99
<b>Emniyet Rölesi G9SR</b>											
<a href="#">G9SR-AD201-RC</a>	<a href="#">Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 5A, ek çıkış</a>	182.10	EC001449	<a href="#">395792</a>	4547648989039			FB	FBR	NLD	8536.4900.99
<a href="#">G9SR-BC201-RC</a>	<a href="#">Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 2A max. ek çıkış</a>	114.10	EC001449	<a href="#">395791</a>	4547648989022			FB	FBR	NLD	8536.4900.99
<a href="#">G9SR-FX031-T90-RC</a>	<a href="#">Güvenlik Rölesi ünite, 24VDC, çıkış genişletme, 90s, 3 Güvenlik 5A, ek çıkış</a>	176.10	EC001449	<a href="#">395793</a>	4547648989046			FB	FBR	NLD	8536.4900.99
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-2RF0160P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 160mm, PNP</a>	546.00	EC002549	<a href="#">673577</a>	4549734103695			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0240P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 240mm, PNP</a>	589.50	EC002549	<a href="#">673531</a>	4549734103701			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0220P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 320mm, PNP</a>	848.50	EC002549	<a href="#">673572</a>	4549734103718			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0400P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 400mm, PNP</a>	983.00	EC002549	<a href="#">673552</a>	4549734103725			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF1040P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 1040mm, PNP</a>	1,731.00	EC002549	<a href="#">673516</a>	4549734103800			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2SRB0160-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN</a>	620.00	EC002549	<a href="#">699754</a>	4549734517157			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0240-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN</a>	704.50	EC002549	<a href="#">699756</a>	4549734517164			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0320-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN</a>	788.50	EC002549	<a href="#">699759</a>	4549734517171			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0400-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN</a>	829.50	EC002549	<a href="#">699761</a>	4549734517188			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0480-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN</a>	914.50	EC002549	<a href="#">699765</a>	4549734517195			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0560-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN</a>	998.50	EC002549	<a href="#">699767</a>	4549734517201			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0640-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN</a>	1,042.00	EC002549	<a href="#">699771</a>	4549734517218			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0800-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN</a>	1,212.00	EC002549	<a href="#">699775</a>	4549734517225			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1000-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN</a>	1,398.00	EC002549	<a href="#">699780</a>	4549734517232			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1200-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN</a>	1,563.00	EC002549	<a href="#">699783</a>	4549734517249			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1400-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN</a>	1,741.00	EC002549	<a href="#">699788</a>	4549734517256			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1600-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN</a>	1,927.00	EC002549	<a href="#">699792</a>	4549734517263			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1800-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN</a>	2,143.00	EC002549	<a href="#">699796</a>	4549734517270			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2000-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN</a>	2,307.00	EC002549	<a href="#">699799</a>	4549734517287			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-2RA0350-30</a>	<a href="#">Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 350mm, PNP/NPN</a>	865.50	EC002549	<a href="#">674113</a>	4549734102865			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RA0910-30</a>	<a href="#">Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP/NPN</a>	1,350.00	EC002549	<a href="#">674128</a>	4549734102933			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0190P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 190mm, PNP</a>	498.60	EC002549	<a href="#">673584</a>	4549734103947			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0270P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 270mm, PNP</a>	609.50	EC002549	<a href="#">673579</a>	4549734103954			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0510P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 510mm, PNP</a>	814.50	EC002549	<a href="#">673556</a>	4549734103985			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0590P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP</a>	917.00	EC002549	<a href="#">673500</a>	4549734103992			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0910P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP</a>	1,214.00	EC002549	<a href="#">673490</a>	4549734104036			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0990P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP</a>	1,223.00	EC002549	<a href="#">673591</a>	4549734104043			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF1070P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1070mm, PNP</a>	1,322.00	EC002549	<a href="#">673489</a>	4549734104050			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2SRB0160-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN</a>	582.50	EC002549	<a href="#">699755</a>	4549734517294			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0240-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN</a>	649.50	EC002549	<a href="#">699757</a>	4549734517300			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0320-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN</a>	715.00	EC002549	<a href="#">699760</a>	4549734517317			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0400-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN</a>	737.50	EC002549	<a href="#">699762</a>	4549734517324			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0480-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN</a>	804.00	EC002549	<a href="#">699766</a>	4549734517331			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0560-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN</a>	871.50	EC002549	<a href="#">699768</a>	4549734517348			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0640-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN</a>	891.00	EC002549	<a href="#">699772</a>	4549734517355			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0720-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN</a>	958.00	EC002549	<a href="#">699773</a>	4549734517362			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0800-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN</a>	1,025.00	EC002549	<a href="#">699776</a>	4549734517379			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0880-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN</a>	1,046.00	EC002549	<a href="#">699777</a>	4549734517386			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0960-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN</a>	1,128.00	EC002549	<a href="#">699779</a>	4549734517393			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1040-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN</a>	1,194.00	EC002549	<a href="#">699781</a>	4549734517409			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1040-25-K</a>	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 2, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN</a>	2,941.00	EC002549	<a href="#">702463</a>	4549734514040			FC	FCS	JPN	8536.5019.90
<a href="#">F3SG-2SRB1120-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN</a>	1,215.00	EC002549	<a href="#">699782</a>	4549734517416			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1200-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN</a>	1,284.00	EC002549	<a href="#">699784</a>	4549734517423			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1280-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN</a>	1,354.00	EC002549	<a href="#">699786</a>	4549734517430			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1360-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN</a>	1,374.00	EC002549	<a href="#">699787</a>	4549734517447			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1440-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN</a>	1,441.00	EC002549	<a href="#">699789</a>	4549734517454			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1520-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN</a>	1,531.00	EC002549	<a href="#">699790</a>	4549734517461			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1600-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN</a>	1,551.00	EC002549	<a href="#">699793</a>	4549734517478			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1680-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN</a>	1,619.00	EC002549	<a href="#">699794</a>	4549734517485			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1760-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN</a>	1,685.00	EC002549	<a href="#">699795</a>	4549734517492			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1840-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN</a>	1,707.00	EC002549	<a href="#">699797</a>	4549734517508			FC	FCS	CHN	8536.5019.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F3SG-2SRB1920-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN</a>	1,774.00	EC002549	<a href="#">699798</a>	4549734517515			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2080-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN</a>	1,862.00	EC002549	<a href="#">699800</a>	4549734517522			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2280-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN</a>	2,076.00	EC002549	<a href="#">699801</a>	4549734517539			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2480-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN</a>	2,192.00	EC002549	<a href="#">699802</a>	4549734517546			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-2SRB0240-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN</a>	624.50	EC002549	<a href="#">699758</a>	4549734517553			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0280-85</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN</a>	647.00	EC002549	<a href="#">699725</a>	4549734517621			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0400-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN</a>	696.50	EC002549	<a href="#">699763</a>	4549734517560			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0440-85</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN</a>	711.50	EC002549	<a href="#">699764</a>	4549734517638			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0560-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN</a>	812.50	EC002549	<a href="#">699769</a>	4549734517577			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0600-85</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN</a>	819.50	EC002549	<a href="#">699770</a>	4549734517645			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0720-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN</a>	883.50	EC002549	<a href="#">699774</a>	4549734517584			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0760-85</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN</a>	883.50	EC002549	<a href="#">699727</a>	4549734517652			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0880-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN</a>	957.00	EC002549	<a href="#">699778</a>	4549734517591			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0920-85</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN</a>	964.00	EC002549	<a href="#">699726</a>	4549734517669			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1200-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN</a>	1,161.00	EC002549	<a href="#">699785</a>	4549734517607			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1520-45</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN</a>	1,376.00	EC002549	<a href="#">699791</a>	4549734517614			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-4RA0240-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP/NPN</a>	978.00	EC002549	<a href="#">673576</a>	4549734102056			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0320-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 320mm, PNP/NPN</a>	1,070.00	EC002549	<a href="#">673491</a>	4549734102063	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0400-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP/NPN</a>	1,161.00	EC002549	<a href="#">673497</a>	4549734102070			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0480-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP/NPN</a>	1,253.00	EC002549	<a href="#">673567</a>	4549734102087	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0560-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP/NPN</a>	1,348.00	EC002549	<a href="#">673542</a>	4549734102094			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0640-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP/NPN</a>	1,438.00	EC002549	<a href="#">673510</a>	4549734102100	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0720-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP/NPN</a>	1,529.00	EC002549	<a href="#">673518</a>	4549734102117	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0800-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP/NPN</a>	1,622.00	EC002549	<a href="#">673529</a>	4549734102124	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0960-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP/NPN</a>	1,804.00	EC002549	<a href="#">673568</a>	4549734102148	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA1040-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP/NPN</a>	1,896.00	EC002549	<a href="#">673550</a>	4549734102155	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA1200-14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP/NPN</a>	2,081.00	EC002549	<a href="#">673580</a>	4549734102179	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA1520-14</a>	<a href="#">Safety Sensor, F3SG-R Advanced, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1520mm, PNP/NPN</a>	2,466.00	EC002549	<a href="#">673537</a>	4549734102216			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0160P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 160mm, PNP</a>	730.00	EC002549	<a href="#">673303</a>	4549734103145	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0240P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP</a>	814.00	EC002549	<a href="#">673276</a>	4549734103152			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE020P14</a>	<a href="#">Emniyet sensörü F3SG-4RA için basamaklı kablo _____ 25-01TS (verici ve alıcı için set başına iki kablo) M12 (8-pinli) konik konektör</a>	897.50	EC002549	<a href="#">673294</a>	4549734103169	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0400P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP</a>	981.50	EC002549	<a href="#">673272</a>	4549734103176			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0480P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP</a>	1,066.00	EC002549	<a href="#">673258</a>	4549734103183	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0560P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP</a>	1,150.00	EC002549	<a href="#">673298</a>	4549734103190	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0640P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP</a>	1,235.00	EC002549	<a href="#">673270</a>	4549734103206	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0720P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP</a>	1,320.00	EC002549	<a href="#">673292</a>	4549734103213	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0800P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP</a>	1,403.00	EC002549	<a href="#">673290</a>	4549734103220			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0880P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 880mm, PNP</a>	1,487.00	EC002549	<a href="#">673300</a>	4549734103237	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE0960P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP</a>	1,572.00	EC002549	<a href="#">673283</a>	4549734103244			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE1040P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP</a>	1,654.00	EC002549	<a href="#">673304</a>	4549734103251	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE1200P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP</a>	1,826.00	EC002549	<a href="#">673262</a>	4549734103275	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE1360P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1360mm, PNP</a>	2,017.00	EC002549	<a href="#">673277</a>	4549734103299			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RE1840P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1840mm, PNP</a>	2,963.00	EC002549	<a href="#">673251</a>	4549734103350			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4SRA0160-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN</a>	637.00	EC002549	<a href="#">699729</a>	4549734515511			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0240-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN</a>	729.00	EC002549	<a href="#">699731</a>	4549734515535			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0320-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN</a>	829.50	EC002549	<a href="#">699734</a>	4549734515559			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0400-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN</a>	1,091.00	EC002549	<a href="#">699736</a>	4549734515573			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0480-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN</a>	1,066.00	EC002549	<a href="#">699739</a>	4549734515597			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0560-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN</a>	1,844.00	EC002549	<a href="#">699741</a>	4549734515610			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0600-14-F</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN</a>	1,223.00	EC002549	<a href="#">699742</a>	4549734515627			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0640-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN</a>	1,271.00	EC002549	<a href="#">699743</a>	4549734515634			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0800-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN</a>	1,468.00	EC002549	<a href="#">699744</a>	4549734515672			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0920-14-F</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN</a>	1,755.00	EC002549	<a href="#">699745</a>	4549734515702			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1000-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN</a>	1,821.00	EC002549	<a href="#">699747</a>	4549734515726			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1200-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN</a>	2,028.00	EC002549	<a href="#">699748</a>	4549734515733			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1400-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN</a>	2,229.00	EC002549	<a href="#">699749</a>	4549734515740			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1600-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN</a>	2,467.00	EC002549	<a href="#">699750</a>	4549734515757			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1800-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN</a>	2,718.00	EC002549	<a href="#">699751</a>	4549734515764			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA2000-14</a>	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN</a>	2,981.00	EC002549	<a href="#">699752</a>	4549734515771			FC	FCS	CHN	

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F35G-4SR80240-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	706.50	EC002549	699807	4549734516419	#		FC	FCS	CHN	8536.5019.90
F35G-4SR80280-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 280 mm, PNP/NPN	755.00	EC002549	699810	4549734516426			FC	FCS	CHN	8536.5019.90
F35G-4SR80320-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	802.50	EC002549	699813	4549734516433			FC	FCS	CHN	8536.5019.90
F35G-4SR80320-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 320 mm, PNP/NPN	2,170.00	EC002549	700911	4549734513531			FC	FCS	JPN	8536.5019.90
F35G-4SR80360-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	845.00	EC002549	699815	4549734516440			FC	FCS	CHN	8536.5019.90
F35G-4SR80400-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	886.50	EC002549	699817	4549734516457			FC	FCS	CHN	8536.5019.90
F35G-4SR80400-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 400 mm, PNP/NPN	2,261.00	EC002549	706947	4549734513548			FC	FCS	JPN	8536.5019.90
F35G-4SR80440-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	934.50	EC002549	699820	4549734516464			FC	FCS	CHN	8536.5019.90
F35G-4SR80480-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	982.00	EC002549	699823	4549734516471			FC	FCS	CHN	8536.5019.90
F35G-4SR80480-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 480 mm, PNP/NPN	2,369.00	EC002549	699825	4549734516488			FC	FCS	JPN	8536.5019.90
F35G-4SR80520-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	1,024.00	EC002549	699828	4549734516495			FC	FCS	CHN	8536.5019.90
F35G-4SR80560-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,066.00	EC002549	699827	4549734516495			FC	FCS	CHN	8536.5019.90
F35G-4SR80560-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 560 mm, PNP/NPN	2,440.00	EC002549	700703	4549734513562			FC	FCS	JPN	8536.5019.90
F35G-4SR80600-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,114.00	EC002549	699828	4549734516501			FC	FCS	CHN	8536.5019.90
F35G-4SR80640-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,163.00	EC002549	699832	4549734516518			FC	FCS	CHN	8536.5019.90
F35G-4SR80640-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 640 mm, PNP/NPN	2,495.00	EC002549	700704	4549734513579			FC	FCS	JPN	8536.5019.90
F35G-4SR80680-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1,206.00	EC002549	699834	4549734516525			FC	FCS	CHN	8536.5019.90
F35G-4SR80720-14-K	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1,247.00	EC002549	699836	4549734516532			FC	FCS	CHN	8536.5019.90
F35G-4SR80760-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1,294.00	EC002549	699839	4549734516549			FC	FCS	CHN	8536.5019.90
F35G-4SR80800-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,342.00	EC002549	699842	4549734516556			FC	FCS	CHN	8536.5019.90
F35G-4SR80840-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1,385.00	EC002549	699844	4549734516563			FC	FCS	CHN	8536.5019.90
F35G-4SR80880-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1,426.00	EC002549	699846	4549734516570			FC	FCS	CHN	8536.5019.90
F35G-4SR80920-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,475.00	EC002549	699849	4549734516587			FC	FCS	CHN	8536.5019.90
F35G-4SR80960-14-F	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1,521.00	EC002549	699852	4549734516594			FC	FCS	CHN	8536.5019.90
F35G-4SR81000-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,653.00	EC002549	699854	4549734516600			FC	FCS	CHN	8536.5019.90
F35G-4SR81000-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1000 mm, PNP/NPN	3,006.00	EC002549	699291	4549734513593			FC	FCS	JPN	8536.5019.90
F35G-4SR81200-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,785.00	EC002549	699858	4549734516617			FC	FCS	CHN	8536.5019.90
F35G-4SR81200-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1200 mm, PNP/NPN	3,231.00	EC002549	699292	4549734513609			FC	FCS	JPN	8536.5019.90
F35G-4SR81400-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,006.00	EC002549	699863	4549734516624			FC	FCS	CHN	8536.5019.90
F35G-4SR81400-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1400 mm, PNP/NPN	3,435.00	EC002549	696213	4549734513616			FC	FCS	JPN	8536.5019.90
F35G-4SR81600-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,227.00	EC002549	699867	4549734516631			FC	FCS	CHN	8536.5019.90
F35G-4SR81800-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,455.00	EC002549	699871	4549734516648			FC	FCS	CHN	8536.5019.90
F35G-4SR81800-14-K	Safety Light Curtain, F35G-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1800 mm, PNP/NPN	3,846.00	EC002549	700977	4549734513630			FC	FCS	JPN	8536.5019.90
F35G-4SR82000-14	Safety Light Curtain, F35G-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,682.00	EC002549	699874	4549734516655			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F35G</b>											
F35G-4RA0270-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP/NPN	829.00	EC002549	673533	4549734102551	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0350-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP/NPN	897.50	EC002549	673564	4549734102568			FC	FCS	NLD	8536.5019.90
F35G-4RA0430-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP/NPN	967.00	EC002549	673560	4549734102575	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0510-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP/NPN	1,034.00	EC002549	673569	4549734102582			FC	FCS	NLD	8536.5019.90
F35G-4RA0590-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP/NPN	1,103.00	EC002549	673519	4549734102599	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0670-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP/NPN	1,172.00	EC002549	673578	4549734102605			FC	FCS	NLD	8536.5019.90
F35G-4RA0750-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP/NPN	1,242.00	EC002549	673511	4549734102612	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0830-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP/NPN	1,312.00	EC002549	673504	4549734102629			FC	FCS	NLD	8536.5019.90
F35G-4RA0910-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP/NPN	1,377.00	EC002549	673554	4549734102636	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0990-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP/NPN	1,448.00	EC002549	673505	4549734102643			FC	FCS	NLD	8536.5019.90
F35G-4RA1070-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP/NPN	1,515.00	EC002549	673553	4549734102650	#		FC	FCS	NLD	8536.5019.90
F35G-4RA1230-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP/NPN	1,652.00	EC002549	673594	4549734102674	#		FC	FCS	NLD	8536.5019.90
F35G-4RA1310-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP/NPN	1,723.00	EC002549	673502	4549734102681			FC	FCS	NLD	8536.5019.90
F35G-4RA1470-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP/NPN	1,858.00	EC002549	673513	4549734102704	#		FC	FCS	NLD	8536.5019.90
F35G-4RA1550-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP/NPN	1,927.00	EC002549	673549	4549734102711			FC	FCS	NLD	8536.5019.90
F35G-4RA1630-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP/NPN	1,994.00	EC002549	673523	4549734102728			FC	FCS	NLD	8536.5019.90
F35G-4RA1790-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP/NPN	2,132.00	EC002549	673546	4549734102742			FC	FCS	NLD	8536.5019.90
F35G-4RA1950-30	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1950mm, PNP/NPN	2,271.00	EC002549	673487	4549734102766			FC	FCS	NLD	8536.5019.90
F35G-4RF0190P30	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 190mm, PNP	616.00	EC002549	673285	4549734103398	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0270P30	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP	678.00	EC002549	673299	4549734103404	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0350P30	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP	741.00	EC002549	673256	4549734103411			FC	FCS	NLD	8536.5019.90
F35G-4RF0430P30	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP	804.00	EC002549	673293	4549734103428	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0510P30	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP	866.50	EC002549	673297	4549734103435	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0590P30	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP	929.00	EC002549	673278	4549734103442	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0670P30	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP	993.50	EC002549	673279	4549734103459			FC	FCS	NLD	8536.5019.90
F35G-4RF0750P30	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP	1,057.00	EC002549	673289	4549734103466	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0830P30	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP	1,118.00	EC002549	673291	4549734103473	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0910P30	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP	1,182.00	EC002549	673284	4549734103480	#		FC	FCS	NLD	8536.5019.90
F35G-4RF0990P30	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP	1,247.00	EC002549	673263	4549734103497			FC	FCS	NLD	8536.5019.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0880-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 880 mm, PNP/NPN</a>	2,775.00	EC002549	<a href="#">707689</a>	4549734513715			FC	FCS	JPN	8536.501990
F3SG-4SRB0920-25-F	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN</a>	1,138.00	EC002549	<a href="#">698950</a>	4549734516853			FC	FCS	CHN	8536.501990
F3SG-4SRB0960-25-K	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN</a>	1,168.00	EC002549	<a href="#">698953</a>	4549734516860			FC	FCS	CHN	8536.501990
F3SG-4SRB0960-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 960 mm, PNP/NPN</a>	3,053.00	EC002549	<a href="#">695799</a>	4549734513722			FC	FCS	JPN	8536.501990
F3SG-4SRB1000-25-F	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN</a>	1,198.00	EC002549	<a href="#">698955</a>	4549734516877			FC	FCS	CHN	8536.501990
F3SG-4SRB1000-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1000 mm, PNP/NPN</a>	3,102.00	EC002549	<a href="#">699189</a>	4549734610353			FC	FCS	JPN	8536.501990
F3SG-4SRB1040-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN</a>	1,271.00	EC002549	<a href="#">698956</a>	4549734516884			FC	FCS	CHN	8536.501990
F3SG-4SRB1040-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN</a>	3,121.00	EC002549	<a href="#">700925</a>	4549734513739			FC	FCS	JPN	8536.501990
F3SG-4SRB1120-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN</a>	1,342.00	EC002549	<a href="#">698957</a>	4549734516891			FC	FCS	CHN	8536.501990
F3SG-4SRB1200-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN</a>	1,402.00	EC002549	<a href="#">698959</a>	4549734516907			FC	FCS	CHN	8536.501990
F3SG-4SRB1200-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1200 mm, PNP/NPN</a>	2,943.00	EC002549	<a href="#">700894</a>	4549734513753			FC	FCS	JPN	8536.501990
F3SG-4SRB1280-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN</a>	1,475.00	EC002549	<a href="#">698961</a>	4549734516914			FC	FCS	CHN	8536.501990
F3SG-4SRB1360-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN</a>	1,546.00	EC002549	<a href="#">698962</a>	4549734516921			FC	FCS	CHN	8536.501990
F3SG-4SRB1360-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1360 mm, PNP/NPN</a>	3,088.00	EC002549	<a href="#">699293</a>	4549734513777			FC	FCS	JPN	8536.501990
F3SG-4SRB1440-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN</a>	1,605.00	EC002549	<a href="#">698964</a>	4549734516938			FC	FCS	CHN	8536.501990
F3SG-4SRB1520-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN</a>	1,677.00	EC002549	<a href="#">698965</a>	4549734516945			FC	FCS	CHN	8536.501990
F3SG-4SRB1520-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1520 mm, PNP/NPN</a>	3,616.00	EC002549	<a href="#">699029</a>	4549734513791			FC	FCS	JPN	8536.501990
F3SG-4SRB1600-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN</a>	1,749.00	EC002549	<a href="#">698968</a>	4549734516952			FC	FCS	CHN	8536.501990
F3SG-4SRB1600-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1600 mm, PNP/NPN</a>	3,654.00	EC002549	<a href="#">699490</a>	4549734513807			FC	FCS	JPN	8536.501990
F3SG-4SRB1680-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN</a>	1,809.00	EC002549	<a href="#">698969</a>	4549734516969			FC	FCS	CHN	8536.501990
F3SG-4SRB1760-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN</a>	1,881.00	EC002549	<a href="#">698970</a>	4549734516976			FC	FCS	CHN	8536.501990
F3SG-4SRB1840-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN</a>	1,953.00	EC002549	<a href="#">698972</a>	4549734516983			FC	FCS	CHN	8536.501990
F3SG-4SRB1840-25-K	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1840 mm, PNP/NPN</a>	3,876.00	EC002549	<a href="#">699489</a>	4549734513838			FC	FCS	JPN	8536.501990
F3SG-4SRB1920-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN</a>	2,011.00	EC002549	<a href="#">698973</a>	4549734516990			FC	FCS	CHN	8536.501990
F3SG-4SRB2080-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN</a>	2,084.00	EC002549	<a href="#">698975</a>	4549734517003			FC	FCS	CHN	8536.501990
F3SG-4SRB2280-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN</a>	2,217.00	EC002549	<a href="#">699728</a>	4549734517010			FC	FCS	CHN	8536.501990
F3SG-4SRB2480-25	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN</a>	2,347.00	EC002549	<a href="#">699753</a>	4549734517027			FC	FCS	CHN	8536.501990
<b>Emniyet Işık Bariyeri F3SG</b>											
F3SG-4PGA0670-2A	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 20.0 m, Product length 670 mm, Active/active</a>	888.50	EC001832	<a href="#">695671</a>	4549734453486			FC	FCS	JPN	8536.501990
F3SG-4PGA0670-2C	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 5 m, product length 670 mm, Active/passive</a>	795.50	EC001832	<a href="#">695715</a>	4549734453523			FC	FCS	JPN	8536.501990
F3SG-4PGA0670-2L	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 70 m, product length 670 mm, Active/active</a>	912.50	EC001832	<a href="#">695718</a>	4549734453561			FC	FCS	JPN	8536.501990
F3SG-4PGA0970-3A	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 20.0 m, Product length 970 mm, Active/active</a>	1,104.00	EC001832	<a href="#">695664</a>	4549734453493			FC	FCS	JPN	8536.501990
F3SG-4PGA0970-3L	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 70 m, product length 970 mm, Active/active</a>	1,134.00	EC001832	<a href="#">695719</a>	4549734453578			FC	FCS	JPN	8536.501990
F3SG-4PGA1070-4A	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1070 mm, Active/active</a>	1,419.00	EC001832	<a href="#">695711</a>	4549734453509			FC	FCS	JPN	8536.501990
F3SG-4PGA1070-4C	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1070 mm, Active/passive</a>	1,272.00	EC001832	<a href="#">695716</a>	4549734453547			FC	FCS	JPN	8536.501990
F3SG-4PGA1070-4L	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1070 mm, Active/active</a>	1,425.00	EC001832	<a href="#">695720</a>	4549734453585			FC	FCS	JPN	8536.501990
F3SG-4PGA1370-4A	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1370 mm, Active/active</a>	1,482.00	EC001832	<a href="#">695710</a>	4549734453516			FC	FCS	JPN	8536.501990
F3SG-4PGA1370-4C	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1370 mm, Active/passive</a>	1,332.00	EC001832	<a href="#">695717</a>	4549734453554			FC	FCS	JPN	8536.501990
F3SG-4PGA1370-4L	<a href="#">Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1370 mm, Active/active</a>	1,490.00	EC001832	<a href="#">695721</a>	4549734453592			FC	FCS	JPN	8536.501990
F3SG-4SRA0560-45	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN</a>	794.50	EC002549	<a href="#">699701</a>	4549734516174			FC	FCS	CHN	8536.501990
F3SG-4SRA0920-85	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN</a>	1,408.00	EC002549	<a href="#">699699</a>	4549734516266			FC	FCS	CHN	8536.501990
F3SG-4SRA1520-45	<a href="#">Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN</a>	1,886.00	EC002549	<a href="#">699700</a>	4549734516211			FC	FCS	CHN	8536.501990
F3SG-4SRA240-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN</a>	748.50	EC002549	<a href="#">699809</a>	4549734517034			FC	FCS	CHN	8536.501990
F3SG-4SRB0280-85	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN</a>	776.00	EC002549	<a href="#">699812</a>	4549734517102			FC	FCS	CHN	8536.501990
F3SG-4SRB0400-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN</a>	835.00	EC002549	<a href="#">699819</a>	4549734517041			FC	FCS	CHN	8536.501990
F3SG-4SRB0440-85	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN</a>	853.50	EC002549	<a href="#">699822</a>	4549734517119			FC	FCS	CHN	8536.501990
F3SG-4SRB0560-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN</a>	974.50	EC002549	<a href="#">699829</a>	4549734517058			FC	FCS	CHN	8536.501990
F3SG-4SRB0600-85	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN</a>	982.00	EC002549	<a href="#">699831</a>	4549734517126			FC	FCS	CHN	8536.501990
F3SG-4SRB0720-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN</a>	1,061.00	EC002549	<a href="#">699838</a>	4549734517065			FC	FCS	CHN	8536.501990
F3SG-4SRB0760-85	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN</a>	1,061.00	EC002549	<a href="#">699841</a>	4549734517133			FC	FCS	CHN	8536.501990
F3SG-4SRB0880-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN</a>	1,149.00	EC002549	<a href="#">699848</a>	4549734517072			FC	FCS	CHN	8536.501990
F3SG-4SRB0920-85	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN</a>	1,158.00	EC002549	<a href="#">699851</a>	4549734517140			FC	FCS	CHN	8536.501990
F3SG-4SRB1200-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN</a>	1,393.00	EC002549	<a href="#">699860</a>	4549734517089			FC	FCS	CHN	8536.501990
F3SG-4SRB1520-45	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN</a>	1,651.00	EC002549	<a href="#">699866</a>	4549734517096			FC	FCS	CHN	8536.501990
<b>Emniyet Işık Bariyeri F3SG</b>											
F3W-MA0100P	<a href="#">Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 100mm ışın boşluğu</a>	440.90	EC003015	<a href="#">667382</a>	4548583571150			FC	FCS	JPN	8541.4900.00
F3W-MA0300P	<a href="#">Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 300mm ışın boşluğu</a>	552.00	EC003015	<a href="#">667381</a>	4548583571167			FC	FCS	JPN	8541.4900.00
<b>Emniyet Işık Bariyeri Aksesuar</b>											
F39-BT	<a href="#">Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, bluetooth ünitesi</a>	112.70	EC003015	<a href="#">667386</a>	4548583564350			FC	FCZ	JPN	8541.4900.00
F39-BTLP	<a href="#">Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, bluetooth ve lamba ünitesi</a>	101.70	EC003015	<a href="#">667384</a>	4548583564367	#		FC	FCZ	JPN	8541.4900.00
F39-FMA150B	<a href="#">Muting sensor arm mounter for retroreflective sensor, length 150 mm (2 mounters per set)</a>	82.65	EC003015	<a href="#">695791</a>	4549734523134			FC	FCZ	CHN	8541.4900.00
F39-FMA150T	<a href="#">Muting sensor arm mounter for through-beam sensor, length 150 mm (2 mounters per set)</a>	67.10	EC003015	<a href="#">695793</a>	4549734523110			FC	FCZ	CHN	8541.4900.00
F39-FMA400B	<a href="#">Muting sensor arm mounter for retroreflective sensor, length 400 mm (2 mounters per set)</a>	92.25	EC003015	<a href="#">695790</a>	4549734523141			FC	FCZ	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F39-FMA400T</a>	<a href="#">Muting sensor arm mounter for through-beam sensor, length 400 mm (2 mounters per set)</a>	76.65	EC003015	<a href="#">695792</a>	4549734523127			FC	FCZ	CHN	8541.4900.00
<a href="#">F39-GCN4</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konektörü set (1 alıcı için + 1 verici için)</a>	160.90	EC003015	<a href="#">667378</a>	4548583594197			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-GCN4-D</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konektörü, alıcı için</a>	90.25	EC003015	<a href="#">667380</a>	4548583594210			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-GCN4-L</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konektörü, verici için</a>	70.55	EC003015	<a href="#">667379</a>	4548583594203			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-GCN5</a>	<a href="#">Muting Sensor Connection Box for F3SG-SR/PG series</a>	218.10	EC003015	<a href="#">695767</a>	4549734458177			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-GCNY1</a>	<a href="#">Safety Sensor Accessory, F3SG-R Easy, M12 Y-joint connector, 0.5m</a>	29.50	EC003015	<a href="#">667638</a>	4548583568013			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-GCNY2</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, M12 Y-joint connector, 0.5m</a>	50.30	EC003015	<a href="#">667643</a>	4548583568020			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-JG10A-D</a>	<a href="#">F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 10m</a>	62.20	EC001855	<a href="#">667628</a>	4548583567856			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG10A-L</a>	<a href="#">F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 10m</a>	45.79	EC001855	<a href="#">667630</a>	4548583567672			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG10B-D</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, receiver extension cable M12 8-pin, male/female, 10m</a>	79.40	EC001855	<a href="#">667635</a>	4548583567986			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG10B-L</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 10m</a>	57.50	EC001855	<a href="#">667645</a>	4548583567801			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG10C-D</a>	<a href="#">Root-straight cable 10 m for F3SG-SR (cable for receiver with dedicated connector - Black)</a>	49.08	EC001855	<a href="#">690360</a>	4549734458009			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG10C-L</a>	<a href="#">Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Gray)</a>	37.10	EC001855	<a href="#">690359</a>	4549734457996			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG15A-D</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 15m</a>	83.85	EC001855	<a href="#">667600</a>	4548583567863			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG15A-L</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 15m</a>	60.30	EC001855	<a href="#">667626</a>	4548583567689			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG1B-D</a>	<a href="#">F3SG-R İleri seviye, receiver extension cable M12 8-pin, male/ 1m</a>	34.18	EC001855	<a href="#">667634</a>	4548583567948		5	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG1B-L</a>	<a href="#">F3SG-R İleri seviye, emitter extension cable M12 5-pin, male/ 1m</a>	25.61	EC001855	<a href="#">667631</a>	4548583567764		5	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG20A-D</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 20m</a>	104.90	EC001855	<a href="#">667633</a>	4548583567870			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG20A-L</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 20m</a>	75.70	EC001855	<a href="#">667644</a>	4548583567696			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG3A-D</a>	<a href="#">F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 3m</a>	31.04	EC001855	<a href="#">667599</a>	4548583567832		5	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG3A-L</a>	<a href="#">F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 3m</a>	23.27	EC001855	<a href="#">667598</a>	4548583567658		5	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG3B-L</a>	<a href="#">Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 3m</a>	31.99	EC001855	<a href="#">667639</a>	4548583567771		5	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG3C-D</a>	<a href="#">Root-straight cable 3 m for F3SG-SR (cable for receiver with dedicated connector - Black)</a>	27.53	EC001855	<a href="#">690027</a>	4549734457941			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG3C-L</a>	<a href="#">Root-straight cable 3 m for F3SG-SR (cable for emitter with dedicated connector - Gray)</a>	22.75	EC001855	<a href="#">690033</a>	4549734457934			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG7A-D</a>	<a href="#">F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 7m</a>	48.49	EC001855	<a href="#">667627</a>	4548583567849			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG7A-L</a>	<a href="#">F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 7m</a>	35.72	EC001855	<a href="#">667625</a>	4548583567665			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG7C-D</a>	<a href="#">Root-straight cable 7 m for F3SG-SR (cable for receiver with dedicated connector - Black)</a>	37.10	EC001855	<a href="#">690358</a>	4549734457972			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JG7C-L</a>	<a href="#">Root-straight cable 7 m for F3SG-SR (cable for emitter with dedicated connector - Gray)</a>	31.12	EC001855	<a href="#">690357</a>	4549734457965		5	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JGR12L</a>	<a href="#">Side-by-side Cascading Cable set 0.12 m for F3SG-4SR (2 cables per set, for emitter and receiver)</a>	103.40	EC001855	<a href="#">688922</a>	4549734458061			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JGR2W</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye, seri bağlama kablo seti (2 adet)</a>	51.15	EC001855	<a href="#">667568</a>	4548583564398			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JGB2WT5</a>	<a href="#">Cascading cable for Safety sensor F3SG-4RA →25-01TS (two cables per set, for emitter and receiver) M12 (8-pin) to cap connector</a>	115.30	EC001855	<a href="#">679503</a>	4548583865013			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JGR3K-L</a>	<a href="#">Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for receiver - black)</a>	29.93	EC001855	<a href="#">690029</a>	4549734458030			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JGR3K-D</a>	<a href="#">Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for emitter - gray)</a>	25.15	EC001855	<a href="#">690028</a>	4549734458023			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-JGR3W</a>	<a href="#">Cascading cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitter and receiver)</a>	103.40	EC001855	<a href="#">688669</a>	4549734458054			FC	FCZ	JPN	8544.4290.90
<a href="#">F39-LMAE1</a>	<a href="#">Bracket for muting sensor arm mounter (2 units per set)</a>	33.52	EC003015	<a href="#">695794</a>	4549734523714			FC	FCZ	CHN	8541.4900.00
<b>Emniyet Işık Bariyeri Aksesuarı</b>											
<a href="#">F39-PML0990-2</a>	<a href="#">Mirror column 990 mm for multibeam safety sensor F3SG-PG, A/L (2 beams)</a>	269.50	EC003015	<a href="#">695785</a>	4549734523264			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-PML1310-3</a>	<a href="#">Mirror column 1310 mm for multibeam safety sensor F3SG-PG, A/L (3 beams)</a>	330.40	EC003015	<a href="#">695784</a>	4549734523271			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-PML1310-4</a>	<a href="#">Mirror column 1310 mm for multibeam safety sensor F3SG-PG, A/L (4 beams)</a>	388.00	EC003015	<a href="#">695783</a>	4549734523288			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-PML1630-4</a>	<a href="#">Mirror column 1630 mm for multibeam safety sensor F3SG-PG, A/L (4 beams)</a>	396.30	EC003015	<a href="#">695782</a>	4549734523295			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-SML0990</a>	<a href="#">Mirror column 990 mm for Safety Light Curtain F3SG-SR/PG up to 800 mm</a>	484.80	EC003015	<a href="#">695789</a>	4549734523219			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-SML1310</a>	<a href="#">Mirror column 1310 mm for Safety Light Curtain F3SG-SR/PG up to 1120 mm</a>	549.00	EC003015	<a href="#">695788</a>	4549734523226			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-SML1630</a>	<a href="#">Mirror column 1630 mm for Safety Light Curtain F3SG-SR/PG up to 1440 mm</a>	724.00	EC003015	<a href="#">695787</a>	4549734523233			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-SML1950</a>	<a href="#">Mirror column 1950 mm for Safety Light Curtain F3SG-SR/PG up to 1760 mm</a>	757.00	EC003015	<a href="#">695786</a>	4549734523240			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-ST0990</a>	<a href="#">Floor mount column of 990 mm for F3SG-SR/PG, protective height up to 880 mm</a>	157.00	EC003015	<a href="#">695770</a>	4549734523165			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-ST1310</a>	<a href="#">Floor mount column of 1310 mm for F3SG-SR/PG, protective height up to 1280 mm</a>	184.50	EC003015	<a href="#">695771</a>	4549734523172			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-ST1630</a>	<a href="#">Floor mount column of 1630 mm for F3SG-SR/PG, protective height up to 1520 mm</a>	239.50	EC003015	<a href="#">695772</a>	4549734523189			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-ST1950</a>	<a href="#">Floor mount column of 1950 mm for F3SG-SR/PG, protective height up to 1840 mm</a>	245.50	EC003015	<a href="#">695773</a>	4549734523196			FC	FCZ	CHN	8541.9000.00
<a href="#">F39-STB</a>	<a href="#">Mount-column adjustable base for F3SG-SR/PG</a>	127.10	EC003015	<a href="#">695769</a>	4549734523158			FC	FCZ	CHN	8541.9000.00
<b>Emniyet Işık Bariyeri Aksesuarı</b>											
<a href="#">F39-LGF</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye, arayüz ünitesi</a>	217.90	EC003015	<a href="#">667567</a>	4548583564381			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-LGA</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SG-R Serisi, ayarlanabilir braket seti (2 adet), ayarlama +/- 15°</a>	28.04	EC003015	<a href="#">667566</a>	4548583564121			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-LGF</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SG-R Serisi, sabit braket seti (2 adet)</a>	18.20	EC003015	<a href="#">667565</a>	4548583564114			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-LGMAL</a>	<a href="#">Safety Sensor Accessory, F3W-MA Smart Muting Actuator, L-Shape Muting Bracket (2pcs.)</a>	96.70	EC003015	<a href="#">669119</a>	4548583571174			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-LGTR</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SG-R Serisi, üst/alt ayarlama braket seti (4 adet), ayarlama +/- 22.5°</a>	95.55	EC003015	<a href="#">667385</a>	4548583564329		#	FC	FCZ	JPN	7326.9098.90
<a href="#">F39-LP</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye, lamba ünitesi</a>	47.41	EC003015	<a href="#">667337</a>	4548583564343			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-LSGA</a>	<a href="#">Adjustable Side-Mount Bracket (2 brackets per set)</a>	35.35	EC003015	<a href="#">690252</a>	4549734523684			FC	FCZ	CHN	8544.4290.90
<a href="#">F39-LSGF</a>	<a href="#">Fixed Side-Mount Bracket (2 brackets per set)</a>	32.74	EC003015	<a href="#">694903</a>	4549734457804		#	FC	FCZ	JPN	8544.4290.90
<a href="#">F39-LSGTB-K</a>	<a href="#">Mounting bracket for F3SG-SRB IP69K Model (set of 2 brackets)</a>	63.55	EC003015	<a href="#">695798</a>	4549734457903			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-LSGTB-SJ</a>	<a href="#">Adjustable top/bottom bracket set (2 pcs.) for F3S//SN series</a>	22.26	EC003015	<a href="#">690268</a>	4549734523042			FC	FCZ	CHN	8541.4900.00
<a href="#">F39-PTG</a>	<a href="#">Safety Sensor Accessory, F3SG-R Series, Laser-alignment kit</a>	389.90	EC003015	<a href="#">668894</a>	4548583577707			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-PTS</a>	<a href="#">Laser-alignment kit for F3SG-SR/PG Series</a>	687.50	EC003015	<a href="#">701636</a>	4549734712286			FC	FCZ	JPN	8541.4900.00
<a href="#">F39-SGLP</a>	<a href="#">Safety sensor accessory, F3SG-SR/PG, lamp unit</a>	22.26	EC003015	<a href="#">695768</a>	4549734523103			FC	FCZ	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Işık Bariyeri Aksesuar</b>											
<a href="#">E39-SGBT</a>	<a href="#">Bluetooth Communication Unit for E39-SGIT-IL3</a>	79.50	EC003015	<a href="#">688699</a>	4549734523097			FC	FCZ	CHN	8541.4900.00
<a href="#">E39-SGIT-IL3</a>	<a href="#">Intelligent Tap unit for F35G-SR/PG</a>	227.20	EC003015	<a href="#">688700</a>	4549734523080			FC	FCZ	CHN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZG</b>											
<a href="#">ZG2-WDC41A</a>	<a href="#">ZG Profile sensor controller, PNP, 24VDC, includes Smart Monitor ZG Software</a>	5,750.00	EC001825	<a href="#">257544</a>	4547648621687			GA	GAB	JPN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZS</b>											
<a href="#">ZS-HLDC41</a>	<a href="#">ZS-H controller, analog output and PNP digital outputs</a>	1,778.00	EC001825	<a href="#">223618</a>	4547648218634			GA	GAC	JPN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZS</b>											
<a href="#">ZS-LD200 2M</a>	<a href="#">Sensor head, diffuse, 200+/-50mm sensing range, 5um resolution</a>	2,698.00	EC001825	<a href="#">180553</a>	4547648084543			GA	GAC	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LDA11-N 2M</a>	<a href="#">Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor NPN outputs</a>	1,399.00	EC003015	<a href="#">169183</a>	4547648027342			GA	GAD	JPN	9031.9000.00
<a href="#">ZX-LDA41-N 2M</a>	<a href="#">Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs</a>	1,424.00	EC003015	<a href="#">169184</a>	4547648027359			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LD100L</a>	<a href="#">Laser displacement sensor head, 100+/-40mm, line beam (requires amplifier)</a>	1,575.00	EC001825	<a href="#">106270</a>	4536854772399			GA	GAD	JPN	9031.9000.00
<a href="#">ZX-LD40L 2M</a>	<a href="#">Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)</a>	1,568.00	EC001825	<a href="#">237554</a>	4547648342186			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-GT2840S41</a>	<a href="#">Sensor head integrated type, measuring width 28mm, distance 40mm, PNP (for use with ZG-GTC)</a>	3,544.00	EC002716	<a href="#">238019</a>	4547648424424			GA	GAD	JPN	8541.4900.00
<a href="#">ZX-GT28541</a>	<a href="#">Sensor head separate type, measuring width 28mm, distance 500mm, PNP (for use with ZG-GTC)</a>	3,456.00	EC002716	<a href="#">238017</a>	4547648424400			GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LD100</a>	<a href="#">Laser displacement sensor head, 100+/-40mm, spot focus (requires amplifier)</a>	1,354.00	EC001825	<a href="#">154218</a>	4536854772306			GA	GAD	JPN	9031.9000.00
<a href="#">ZX-LD40</a>	<a href="#">Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)</a>	1,354.00	EC001825	<a href="#">150241</a>	4536854772290			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LT005</a>	<a href="#">Laser sensor head, through-beam, 5mm beam width (requires amplifier)</a>	1,399.00	EC002716	<a href="#">106277</a>	4536854810121			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-LT010</a>	<a href="#">Laser sensor head, through-beam, 10mm beam width (requires amplifier)</a>	1,407.00	EC002716	<a href="#">106279</a>	4536854823633			GA	GAD	JPN	9031.4990.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-XC4A 4M</a>	<a href="#">Extension cable (amplifier to head), 4m</a>	318.20	EC003015	<a href="#">267630</a>	4547648597081			GA	GAD	CHN	8544.4290.90
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-EDA41 2M</a>	<a href="#">Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model</a>	1,124.00	EC003015	<a href="#">147926</a>	4536854864063			GA	GAD	JPN	8542.3390.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-EM02HT</a>	<a href="#">Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)</a>	1,320.00	EC002714	<a href="#">162403</a>	4547648007979			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-EM02T</a>	<a href="#">Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)</a>	765.50	EC002714	<a href="#">106190</a>	4536854895777			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-EM02MT</a>	<a href="#">Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)</a>	1,276.00	EC002714	<a href="#">106191</a>	4536854895784			GA	GAD	JPN	9031.4990.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-EDR5T</a>	<a href="#">Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier)</a>	788.50	EC002714	<a href="#">143642</a>	4536854895746			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-EV04T</a>	<a href="#">Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)</a>	962.50	EC002714	<a href="#">162899</a>	4547648007962			GA	GAD	JPN	9031.4990.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">E9NC-TA0</a>	<a href="#">Contact sensor amplifier, Smart tuning, fieldbus communication</a>	292.60	EC003015	<a href="#">393087</a>	4548583519046			GA	GAD	JPN	8541.4900.00
<a href="#">ZX-TDA41 2M</a>	<a href="#">Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model</a>	1,413.00	EC003015	<a href="#">175666</a>	4547648095488			GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-TDS04T</a>	<a href="#">Sensor head, standard type Ø 6mm, distance 4mm (for use with ZX-TDA)</a>	2,315.00	EC003015	<a href="#">168125</a>	4547648006071			GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">E9NC-TH12LE 2M</a>	<a href="#">Contact sensor, right-angle air type, M9, flange, 12 mm detection range, 0.1um resolution</a>	2,136.00	EC003015	<a href="#">393082</a>	4548583414419	#		GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">E9NC-TXC5</a>	<a href="#">Accessory contact sensor, E9NC, connection cable for contact sensor, 5 m</a>	117.20	EC003015	<a href="#">393084</a>	4548583414488	#		GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX2-LDA11 2M</a>	<a href="#">lazer mesafe sensörü, CMOS tip, amplifikatör, NPN</a>	661.50	EC001825	<a href="#">351515</a>	4548583005860			GA	GAD	JPN	9031.9000.00
<a href="#">ZX2-LDA41 2M</a>	<a href="#">lazer mesafe sensörü, CMOS tip, amplifikatör, PNP</a>	661.50	EC001825	<a href="#">351516</a>	4548583005877	#		GA	GAD	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Akılı Sensörler ZX</b>											
ZX2-LD100 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, nokta ışın, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	861.00	EC001825	351521	4548583005938	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100L 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi ışın, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	820.50	EC001825	351522	4548583005945	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, nokta ışın, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	794.50	EC001825	351519	4548583005914	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50L 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi ışın, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	816.50	EC001825	351520	4548583005921	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50V 0.5M	Laser displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	1,514.00	EC001825	355135	4548583074019			GA	GAD	JPN	9031.9000.00
<b>Akılı Sensörler ZX</b>											
ZX2-XC1R	Extension cable (amplifier to head), 1m	125.90	EC003015	351517	4548583005891			GA	GAD	CHN	9031.9000.00
ZX2-XC4R	Extension cable (amplifier to head), 4m	198.70	EC003015	351518	4548583005907	#		GA	GAD	CHN	9031.9000.00
ZX2-XC9R	Extension cable (amplifier to head), 9m	312.10	EC003015	351523	4548583005952			GA	GAD	CHN	9031.9000.00
<b>Akılı Sensörler ZX</b>											
ZX2-CAL	hesaplama ünitesi	257.30	EC003015	352349	4548583005884			GA	GAD	JPN	9031.9000.00
<b>Akılı Sensörler ZX</b>											
ZX1-LD100A61 2M	lazer mesafe sensörü, 100 +/- 50mm, NPN, 2m kablolu	1,046.00	EC001825	358734	4548583105836			GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 2M	lazer mesafe sensörü, 100 +/- 50mm, PNP, 2m kablolu	1,046.00	EC001825	358735	4548583105843	#		GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 5M	Laser displacement sensor, 100 +/- 50 mm, PNP, 5m cable	1,095.00	EC001825	358743	4548583105935			GA	GAD	JPN	9031.9000.00
ZX1-LD100A86 0.5M	Laser displacement sensor, 100 +/- 50 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358751	4548583106048			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 2M	lazer mesafe sensörü, 300 +/- 150mm, NPN, 2m kablolu	1,046.00	EC001825	358736	4548583105867			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 5m cable	1,095.00	EC001825	358744	4548583105942			GA	GAD	JPN	9031.9000.00
ZX1-LD300A66 0.5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 0.5m pigtail connector	1,194.00	EC001825	358752	4548583106055			GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 2M	lazer mesafe sensörü, 300 +/- 150mm, PNP, 2m kablolu	1,046.00	EC001825	358737	4548583105874	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 5m cable	1,095.00	EC001825	358745	4548583105959			GA	GAD	JPN	9031.9000.00
ZX1-LD300A86 0.5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358753	4548583106062			GA	GAD	JPN	9031.9000.00
ZX1-LD50A61 2M	lazer mesafe sensörü, 50 +/- 10mm, NPN, 2m kablolu	1,046.00	EC001825	358732	4548583105812			GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 2M	lazer mesafe sensörü, 50 +/- 10mm, PNP, 2m kablolu	1,046.00	EC001825	358733	4548583105829	#		GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 5M	Laser displacement sensor, 50 +/- 10 mm, PNP, 5m cable	1,095.00	EC001825	358741	4548583105911			GA	GAD	JPN	9031.9000.00
ZX1-LD50A86 0.5M	Laser displacement sensor, 50 +/- 10 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358749	4548583106024			GA	GAD	JPN	9031.9000.00
ZX1-LD600A61 2M	lazer mesafe sensörü, 600 +/- 400mm, NPN, 2m kablolu	1,046.00	EC001825	358738	4548583105881			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 2M	lazer mesafe sensörü, 600 +/- 400mm, PNP, 2m kablolu	1,046.00	EC001825	358739	4548583105898	#		GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 5m cable	1,095.00	EC001825	358747	4548583105980			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81L 2M	Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1	1,042.00	EC001825	668927	4548583314054			GA	GAD	JPN	9031.9000.00
ZX1-LD600A86 0.5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358755	4548583106086			GA	GAD	JPN	9031.9000.00
<b>Profil Ölçüm Sistemi</b>											
F8PC-010T-E	Pressure sensor, liquid and gas, 0.1 to 1 MPa, PNP, IO-Link COM3, analog	712.50	EC001190	684394	4549734213240	#		GA	GAF	JPN	9026.2020.00
F8PC-100T-E	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog	712.50	EC001190	684395	4549734213257	#		GA	GAF	JPN	9026.2020.00
<b>Profil Ölçüm Sistemi</b>											
F8FC-25T	Flow sensor, liquid, PNP, IO-Link COM3, analog	916.00	EC001190	684371	4549734213011	#		GA	GAF	JPN	9026.1021.00
<b>Sensör Harici Yükseltici N-Sma</b>											
E3NC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	249.50	EC003015	375078	4548583374980			GA	GAN	CHN	8536.5019.90
E3NC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	249.50	EC003015	375079	4548583374997			GA	GAN	CHN	8536.5019.90
E3NC-LH01 2M	Laser sensor head, 55-85mm, 0.1 mm spot	323.50	EC002719	375086	4548583376144			GA	GAN	JPN	8541.4900.00
E3NC-LH02 2M	Laser sensor head, 120mm, 0.8 mm spot adjustable	323.50	EC001821	375085	4548583376137			GA	GAN	JPN	8541.4900.00
E3NC-LH03 2M	Laser sensor head, retro-reflective, 8m, 2mm spot	272.00	EC002717	392637	4548583489318			GA	GAN	JPN	8541.4900.00
E3NC-SA51 2M	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	249.50	EC003015	375071	4548583376090			GA	GAN	JPN	8536.5019.90
E3NC-SA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	249.50	EC003015	379286	4548583425743			GA	GAN	JPN	8536.5019.90
E3NC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	457.40	EC002719	375074	4548583376151			GA	GAN	JPN	8541.4900.00
E3NC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	457.40	EC002719	375077	4548583376168			GA	GAN	JPN	8541.4900.00
E3NC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	457.40	EC002719	379290	4548583442061			GA	GAN	JPN	8541.4900.00
<b>Sensör Harici Yükseltici N-Sma</b>											
E3NX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	245.40	EC001820	671056	4548583802582	#		GA	GAN	JPN	8536.5019.90
E3NX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	299.40	EC001820	671057	4548583802599			GA	GAN	JPN	8536.5019.90
E3NX-CA41 2M	Fiber amplifikatör, standart model, renk markası algılama beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	249.20	EC001820	671058	4548583802605	#		GA	GAN	JPN	8536.5019.90
E3NX-CA51 2M	Fiber amplifikatör, gelişmiş model, renk işareti algılama beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	299.40	EC001820	671059	4548583802612	#		GA	GAN	JPN	8536.5019.90
E3NX-FAQ	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	237.20	EC002651	375783	4548583375222			GA	GAN	CHN	8536.5019.90
E3NX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	218.30	EC002651	375081	4548583375123			GA	GAN	CHN	8536.5019.90
E3NX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	274.40	EC002651	681543	4549734190442	#		GA	GAN	CHN	8536.5019.90
E3NX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable	237.20	EC002651	375076	4548583375130			GA	GAN	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F3NX-FA41 2M</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable</a>	218.30	EC002651	<a href="#">375075</a>	4548583375147	#		GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA41AN 2M</a>	<a href="#">Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable</a>	274.40	EC002651	<a href="#">681545</a>	4549734190459			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA51 2M</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable</a>	237.20	EC002651	<a href="#">375073</a>	4548583375154			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA54</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector</a>	237.20	EC002651	<a href="#">378463</a>	4548583424210			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA54TW</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector</a>	237.20	EC002651	<a href="#">382424</a>	4548583424227			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA6</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector</a>	218.30	EC002651	<a href="#">375072</a>	4548583375161			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA8</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector</a>	218.30	EC002651	<a href="#">375065</a>	4548583375185			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FA9TW</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector</a>	237.20	EC002651	<a href="#">375068</a>	4548583375215			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-FAH41 2M</a>	<a href="#">Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, 2 m cable</a>	194.40	EC002651	<a href="#">681542</a>	4549734190404			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-MA11 2M</a>	<a href="#">Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable</a>	285.60	EC002651	<a href="#">681533</a>	4548583514690			GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-MA41 2M</a>	<a href="#">Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, 2 m cable</a>	285.60	EC002651	<a href="#">681532</a>	4548583514713	#		GA	GAN	CHN	8536.5019.90
<a href="#">F3NX-MA8</a>	<a href="#">Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, system connector</a>	280.10	EC002651	<a href="#">681535</a>	4548583514744			GA	GAN	CHN	8536.5019.90
<b>Sensör Harici Yükseltici N-Sma</b>											
<a href="#">F3NW-ECT</a>	<a href="#">EtherCat communication unit for N-Smart sensors</a>	507.50	EC001603	<a href="#">375785</a>	4548583375093			GA	GAN	CHN	8541.4900.00
<b>Diğer Algılama Komponentleri</b>											
<a href="#">F3E-06-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin connector, detection area 200mm</a>	344.00	EC001832	<a href="#">235624</a>	4536853911218			GA	GAX	DEU	8536.5019.90
<a href="#">F3E-12-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, detection area 1320mm, M8-4pin connector</a>	549.50	EC001832	<a href="#">253472</a>	4547648861588			GA	GAX	DEU	8536.5019.90
<a href="#">F3E-16-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm</a>	598.50	EC001832	<a href="#">231744</a>	4536853908485			GA	GAX	DEU	8536.5019.90
<a href="#">F3E-46-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm</a>	841.00	EC001832	<a href="#">231748</a>	4536853908522			GA	GAX	DEU	8536.5019.90
<b>Diğer Algılama Komponentleri</b>											
<a href="#">F3W-D052C 5M</a>	<a href="#">Pickinç Sensor, Through Beam, sensing distance 3m, PNP output, 5 m cable</a>	529.00	EC001832	<a href="#">677791</a>	4549734111539			GA	GAX	JPN	8536.5019.90
<a href="#">F3W-D052D 1M</a>	<a href="#">Pickinç Sensor, Through Beam, Sensing distance 3m, NPN output</a>	902.50	EC001832	<a href="#">676805</a>	4549734111522	#		GA	GAX	JPN	8536.5019.90
<b>Diğer Algılama Komponentleri</b>											
<a href="#">F3W-E032A8 2M</a>	<a href="https://industrial.omron.com.tr/tr/home">https://industrial.omron.com.tr/tr/home</a>	372.20	EC001832	242184	4547648454902			GA	GAX	CHN	8541.4900.00
<b>Diğer Algılama Komponentleri</b>											
<a href="#">ZJ-BA5074</a>	<a href="#">High performance bar type ioniser, 740mm</a>	2,235.00	EC000000	250525	4547648514460			GA	GAX	JPN	8543.7090.99
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">F39-L12</a>	<a href="#">Protective Bracket, One each for emitter &amp; Reciver, (mounting screws included)</a>	42.42	EC003015	<a href="#">127294</a>	4536854487347			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">F39-R22</a>	<a href="#">Reflektör, 40x55mm</a>	42.05	EC002467	<a href="#">392638</a>	4548583489332			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">F39-P52</a>	<a href="#">Line beam lens attachment for F3NC-LH02</a>	30.42	EC003015	<a href="#">392640</a>	4548583489370			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">ZX-XC1A 1M</a>	<a href="#">Extension cable (amplifier to head), 1m</a>	230.40	EC003015	<a href="#">106271</a>	4536854776465			GA	GAZ	JPN	8544.4290.90
<a href="#">ZX-XC8A 8M</a>	<a href="#">Extension cable (amplifier to head), 8m</a>	431.20	EC003015	<a href="#">106274</a>	4536854810169			GA	GAZ	JPN	8544.4290.90
<a href="#">ZX-XGC2A</a>	<a href="#">ZX-GT - receiver-controller extension cable 2m</a>	377.90	EC003015	<a href="#">238032</a>	4547648424455			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">E39-L180</a>	<a href="#">Mounting bracket for ZX1-LD50/LD100 sensor</a>	38.78	EC003015	<a href="#">364865</a>	4548583104938			GA	GAZ	JPN	9031.9000.00
<a href="#">F39-L181</a>	<a href="#">Mounting bracket for ZX1-LD300/LD600 sensor</a>	38.78	EC003015	<a href="#">364866</a>	4548583104945			GA	GAZ	JPN	9031.9000.00
<a href="#">ZX0-XC10R</a>	<a href="#">Extension cable ZX1 (for pre-wired connector models), 10m</a>	184.90	EC001855	<a href="#">359063</a>	4548583104914			GA	GAZ	CHN	8544.4290.90
<a href="#">ZX0-XC20R</a>	<a href="#">Extension cable ZX1 (for pre-wired connector models), 20m</a>	247.20	EC001855	<a href="#">359064</a>	4548583104921			GA	GAZ	CHN	8544.4290.90
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">ZS-XCSBR</a>	<a href="#">Extension Robot cable (amplifier to head), 5m</a>	794.50	EC003015	<a href="#">180561</a>	4547648103589			GA	GAZ	JPN	8536.5015.90
<a href="#">ZS-XRS3</a>	<a href="#">RS-232C cable, 2m cable length, for PC connection</a>	182.10	EC001681	<a href="#">680914</a>	4549734168717			GA	GAZ	JPN	8544.4210.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">ZW-XE5005B</a>	<a href="#">Extension fiber optic cable 5 m for family ZW-5000. Fiber adapter ZW-XEC2 is included</a>	463.50	EC003015	<a href="#">684077</a>	4549734122375			GA	GAZ	JPN	8544.7000.90
<a href="#">ZW-XF7005B</a>	<a href="#">Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included</a>	752.50	EC003015	<a href="#">676438</a>	4548583796102			GA	GAZ	JPN	8544.7000.90
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">F39-R13</a>	<a href="#">Reflector, F3C-L-DA sensor, 7x7mm effective area</a>	29.50	EC002467	<a href="#">163372</a>	4536854958311	#		GA	GAZ	JPN	8541.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Döner Enkoder E6A2</b>											
<a href="#">E6A2-CSSC 100P/R 2M</a>	<a href="#">Rotary Encoder</a>	204.40	EC001486	<a href="#">128496</a>	4536853366698			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CSSC 360P/R 2M</a>	<a href="#">Encoder, incremental, 360ppr, 12-24 VDC, 2-phase, NPN, 2 m cable</a>	204.40	EC001486	<a href="#">147610</a>	4536853366728			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CWSC 100P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu</a>	190.60	EC001486	<a href="#">128484</a>	4536853366490			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CWSC 100P/R 2M</a>	<a href="#">Enkoder, artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 2m kablolu</a>	206.00	EC001486	<a href="#">128501</a>	4536853366810			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CWSC 200P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 0.5m kablolu</a>	190.60	EC001486	<a href="#">128485</a>	4536853366506			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CWSC 200P/R 2M</a>	<a href="#">Enkoder, artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 2m kablolu</a>	205.80	EC001486	<a href="#">128502</a>	4536853366827			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CWSC 200P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 200puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu</a>	196.70	EC001486	<a href="#">128414</a>	4536854494055			GC	GCA	JPN	9032.9000.90
<b>Döner Enkoder E6B2</b>											
<a href="#">E6B2-CWZ1X 1000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 0.5m kablolu</a>	250.30	EC001486	<a href="#">236008</a>	4547648295543			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ1X 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu</a>	269.30	EC001486	<a href="#">235972</a>	4547648295642			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ1X 2000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 2000puls, 5 VDC, Line driver, 0.5m kablolu</a>	276.10	EC001486	<a href="#">236009</a>	4547648295581			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 1000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 0.5m kablolu</a>	254.80	EC001486	<a href="#">235986</a>	4547648296212			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 1000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 0.5m kablolu</a>	264.20	EC001486	<a href="#">235982</a>	4547648296168			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 2000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 2000puls, 12-24 VDC, PNP, 0.5m kablolu</a>	280.80	EC001486	<a href="#">235987</a>	4547648296229	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 2000P/R 0.5M</a>	<a href="#">Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 0.5m cable</a>	273.10	EC001486	<a href="#">235983</a>	4547648296175			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 360P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 360puls, 12-24 VDC, PNP, 0.5m kablolu</a>	315.30	EC001486	<a href="#">235984</a>	4547648296182			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 360P/R 2M</a>	<a href="#">Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable</a>	252.60	EC001486	<a href="#">361819</a>	4547648462907	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 500P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 500puls, 12-24 VDC, PNP, 0.5m kablolu</a>	281.70	EC001486	<a href="#">235985</a>	4547648296199			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 1000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5-24 VDC, 3-faz, NPN, 0.5m kablolu</a>	252.60	EC001486	<a href="#">236001</a>	4547648295185			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5-24 VDC, 3-faz, NPN</a>	264.50	EC001486	<a href="#">236012</a>	4547648295611	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 100P/R 2M</a>	<a href="#">Enkoder, artımlı, 100puls, 5-24 VDC, 3-faz, NPN</a>	268.00	EC001486	<a href="#">236010</a>	4547648295598			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 1024P/R 0.5M</a>	<a href="#">Encoder, incremental, 1024ppr, 5-24 VDC, NPN output, 0.5m cable</a>	317.10	EC001486	<a href="#">351619</a>	4547648296304			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 2000P/R 0.5M</a>	<a href="#">Enkoder, artımlı, 2000puls, 5-24 VDC, NPN, 0.5m kablolu</a>	329.10	EC001486	<a href="#">236005</a>	4547648295222			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 2000P/R 2M</a>	<a href="#">Enkoder, artımlı, 2000puls, 5-24 VDC, 3-faz, NPN, 2m kablolu</a>	290.10	EC001486	<a href="#">235929</a>	4547648295949			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 200P/R 2M</a>	<a href="#">Enkoder, artımlı, 200puls, 5-24 VDC, 3-faz, NPN</a>	229.30	EC001486	<a href="#">236015</a>	4547648295703			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 360P/R 0.5M</a>	<a href="#">Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 0.5m cable</a>	252.60	EC001486	<a href="#">235997</a>	4547648295147			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 360P/R 2M</a>	<a href="#">Enkoder, artımlı, 360puls, 5-24 VDC, 3-faz, NPN</a>	264.50	EC001486	<a href="#">236014</a>	4547648295697			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 500P/R 0.5M</a>	<a href="#">Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 0.5m cable</a>	252.60	EC001486	<a href="#">235999</a>	4547648295161			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 500P/R 2M</a>	<a href="#">Enkoder, artımlı, 500puls, 5-24 VDC, 3-faz, NPN</a>	247.90	EC001486	<a href="#">236011</a>	4547648295604	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 600P/R 2M</a>	<a href="#">Encoder, incremental, 600ppr, 5-24 VDC, 3-phase, NPN output</a>	257.40	EC001486	<a href="#">236013</a>	4547648295659	#		GC	GCB	CHN	9032.9000.90
<b>Döner Enkoder E6C2-C</b>											
<a href="#">E6C2-CWZ1X 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu</a>	357.90	EC001486	<a href="#">257299</a>	4547648528559	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 1000P/R 5M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 5m kablolu</a>	403.30	EC001486	<a href="#">257319</a>	4547648528856	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 1024P/R 2M</a>	<a href="#">Enkoder, artımlı, 1024puls, 5 VDC, Line driver, 2m kablolu</a>	306.80	EC001486	<a href="#">257311</a>	4547648528696			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 2000P/R 2M</a>	<a href="#">Enkoder, artımlı, 2000puls, 5 VDC, Line driver, 2m kablolu</a>	381.50	EC001486	<a href="#">257303</a>	4547648528597	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 360P/R 2M</a>	<a href="#">Encoder, incremental, 360ppr, 5 VDC, Line driver output, 2m cable</a>	285.40	EC001486	<a href="#">257297</a>	4547648528535			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 2m kablolu</a>	302.40	EC001486	<a href="#">257309</a>	4547648528658	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 2m kablolu</a>	268.30	EC001486	<a href="#">257304</a>	4547648528603	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 2000P/R 2M</a>	<a href="#">Enkoder, artımlı, 2000puls, 12-24 VDC, PNP, 2m kablolu</a>	323.80	EC001486	<a href="#">257310</a>	4547648528665			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 200P/R 2M</a>	<a href="#">Enkoder, artımlı, 200puls, 12-24 VDC, PNP, 2m kablolu</a>	268.30	EC001486	<a href="#">257305</a>	4547648528610	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 360P/R 2M</a>	<a href="#">Enkoder, artımlı, 360puls, 12-24 VDC, PNP, 2m kablolu</a>	282.90	EC001486	<a href="#">257306</a>	4547648528627	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 500P/R 2M</a>	<a href="#">Enkoder, artımlı, 500puls, 12-24 VDC, PNP, 2m kablolu</a>	285.40	EC001486	<a href="#">257307</a>	4547648528634	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 5-24 VDC, NPN, 2m kablolu</a>	352.00	EC001486	<a href="#">257263</a>	4547648528191	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 100P/R 2M</a>	<a href="#">Enkoder, artımlı, 100puls, 5-24 VDC, NPN, 2m kablolu</a>	265.90	EC001486	<a href="#">257256</a>	4547648528122			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 10P/R 2M</a>	<a href="#">Encoder, incremental, 10ppr, 5-24 VDC, NPN output, 2m cable</a>	265.90	EC001486	<a href="#">257250</a>	4547648528061			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 1800P/R 2M</a>	<a href="#">Encoder, incremental, 1800ppr, 5-24 VDC, NPN output, 2m cable</a>	423.80	EC001486	<a href="#">257266</a>	4547648528221			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 2000P/R 2M</a>	<a href="#">Enkoder, artımlı, 2000puls, 5-24 VDC, NPN, 2m kablolu</a>	376.30	EC001486	<a href="#">257267</a>	4547648528238			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 200P/R 2M</a>	<a href="#">Enkoder, artımlı, 200puls, 5-24 VDC, NPN, 2m kablolu</a>	265.90	EC001486	<a href="#">257257</a>	4547648528139			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 360P/R 2M</a>	<a href="#">Enkoder, artımlı, 360puls, 5-24 VDC, NPN, 2m kablolu</a>	281.00	EC001486	<a href="#">257259</a>	4547648528153			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 500P/R 2M</a>	<a href="#">Enkoder, artımlı, 500puls, 5-24 VDC, NPN, 2m kablolu</a>	282.90	EC001486	<a href="#">257261</a>	4547648528177			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 60P/R 2M</a>	<a href="#">Enkoder, artımlı, 60puls, 5-24 VDC, NPN, 2m kablolu</a>	311.70	EC001486	<a href="#">257255</a>	4547648528115			GC	GCC	CHN	9032.9000.90
<b>Döner Enkoder E6CP</b>											
<a href="#">E6CP-AG5C-C 256 2M</a>	<a href="#">Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör</a>	298.20	EC001486	<a href="#">106174</a>	4536854588532	#		GC	GCE	CHN	9032.9000.90
<b>Döner Enkoder E6F</b>											
<a href="#">E6F-CWZ5G 1000P/R 2M</a>	<a href="#">Enkoder, artımlı, 1000puls, 12-24 VDC, PNP/NPN, 2m kablolu</a>	644.00	EC001486	<a href="#">128114</a>	4536854740435			GC	GCF	JPN	9032.9000.90
<b>Döner Enkoder E6F6</b>											
<a href="#">E6F-AB3C-C 360 2M</a>	<a href="#">Enkoder, mutlak, 360puls, 10-bit, 5-12 VDC, 2m kablolu, H8PR konnektör</a>	804.00	EC001486	<a href="#">154208</a>	4536853371975			GC	GCF	JPN	9032.9000.90
<a href="#">E6F-AG5B 360 2M</a>	<a href="#">Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable</a>	706.00	EC001486	<a href="#">128108</a>	4536854687877			GC	GCF	JPN	9032.9000.90
<a href="#">E6F-AG5C-C 256 2M</a>	<a href="#">Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör</a>	705.50	EC001486	<a href="#">145524</a>	4536853372033			GC	GCF	JPN	9032.9000.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E6F-AG5C-C 360 2M</a>	<a href="#">Enkoder, mutlak, 360puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör</a>	721.50	EC001486	<a href="#">168882</a>	4547648048132			GC	GCF	JPN	9032.9000.90
<a href="#">E6F-AG5C-C 720 2M</a>	<a href="#">Enkoder, mutlak, 720puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör</a>	754.00	EC001486	<a href="#">168883</a>	4547648048149			GC	GCF	JPN	9032.9000.90
<b>Döner Enkoder E6C3-C</b>											
<a href="#">E6C3-CW32XH 3600P/R 1M</a>	<a href="#">Encoder incremental, 8 dia rugged housing, line driver output, 3600 ppr</a>	479.50	EC001486	<a href="#">150186</a>	4536854873553			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW32XH 3600P/R 2M</a>	<a href="#">Enkoder artımlı, 8 çap dayanıklı gövde, line driver, 3600 puls, 2m kablolu</a>	519.00	EC001486	<a href="#">149118</a>	4536854871825			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 1000P/R 2M</a>	<a href="#">Enkoder artımlı, 8 çap dayanıklı gövde, 1000puls, 12-24 VDC, PNP/NPN, 2m kablolu</a>	479.50	EC001486	<a href="#">143733</a>	4536854871399			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 1000P/R 2M</a>	<a href="#">Enkoder artımlı, 8 çap dayanıklı gövde, 100puls, 12-24 VDC, PNP/NPN, 2m kablolu</a>	432.00	EC001486	<a href="#">151300</a>	4536854871313			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 1024P/R 2M</a>	<a href="#">Encoder, incremental, 8 dia tough model, 1024ppr, 12-24 VDC, Complimentary output, 2m cable</a>	479.50	EC001486	<a href="#">154670</a>	4536854871405			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 2000P/R 2M</a>	<a href="#">Rotary Encoder</a>	479.50	EC001486	<a href="#">128257</a>	4536854871443			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 200P/R 1M</a>	<a href="#">Encoder incremental, 8 dia rugged housing, complimentary output, 200 ppr</a>	392.80	EC001486	<a href="#">128190</a>	4536854873065			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 300P/R 2M</a>	<a href="#">Encoder incremental, 8 dia, shaft, rugged housing, complimentary output, 300 ppr, 2 m cable</a>	432.00	EC001486	<a href="#">149115</a>	4536854871337			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 360P/R 2M</a>	<a href="#">Enkoder artımlı, 8 çap dayanıklı gövde, PNP/NPN, 3600 puls, 2m kablolu</a>	519.00	EC001486	<a href="#">128260</a>	4536854871474			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 360P/R 2M</a>	<a href="#">Encoder incremental, 8 dia rugged housing, complimentary output, 360 ppr, 2m cable</a>	432.00	EC001486	<a href="#">143732</a>	4536854871344			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 500P/R 2M</a>	<a href="#">Enkoder artımlı, 8 çap dayanıklı gövde, PNP/NPN, 500 puls, 2m kablolu</a>	479.50	EC001486	<a href="#">146939</a>	4536854871351			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CW25GH 720P/R 2M</a>	<a href="#">Encoder incremental, 8mm dia, shaft, rugged housing, 720ppr, 12-24 VDC, complimentary output, 2m cable</a>	479.50	EC001486	<a href="#">128252</a>	4536854871375			GC	GCG	JPN	9032.9000.90
<b>Döner Enkoder E6C3-A</b>											
<a href="#">E6C3-AG5B 1024P/R 2M</a>	<a href="#">Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable</a>	631.50	EC001486	<a href="#">128235</a>	4536854871221			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5B 360P/R 2M</a>	<a href="#">Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, PNP açık kollektör, 2m kablolu</a>	631.50	EC001486	<a href="#">156885</a>	4536854871207			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5B 720P/R 2M</a>	<a href="#">Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, PNP open collector, gray code output, 2m cable</a>	631.50	EC001486	<a href="#">128234</a>	4536854871214			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C 1024P/R 2M</a>	<a href="#">Enkoder, mutlak, 1024puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu</a>	589.50	EC001486	<a href="#">128227</a>	4536854870989			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C 360P/R 2M</a>	<a href="#">Enkoder, mutlak, 360 puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu</a>	615.50	EC001486	<a href="#">128225</a>	4536854870965			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C-C 256P/R 2M</a>	<a href="#">Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable</a>	631.50	EC001486	<a href="#">145873</a>	4536854871061	#		GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C-C 360P/R 2M</a>	<a href="#">Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu</a>	631.50	EC001486	<a href="#">103666</a>	4536854871078			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C-C 720P/R 2M</a>	<a href="#">Enkoder, mutlak, 720puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu</a>	631.50	EC001486	<a href="#">168881</a>	4547648048125			GC	GCH	JPN	9032.9000.90
<b>Döner Enkoderler için Aksesuarlar</b>											
<a href="#">E69-C04B</a>	<a href="#">Accessory encoder, shaft coupling dia. 4mm</a>	19.91	EC003015	<a href="#">128545</a>	4536853373498	#		GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C06B</a>	<a href="#">Accessory encoder, shaft coupling for E6B2/E6C2-C/E6CP/E6D encoder</a>	20.35	EC003015	<a href="#">128543</a>	4536853373467	#		GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C06M</a>	<a href="#">Accessory encoder, shaft coupling dia. 6mm, metal</a>	88.90	EC003015	<a href="#">144309</a>	4536853373634			GC	GCZ	USA	9029.9000.90
<a href="#">E69-C08B</a>	<a href="#">Accessory encoder, shaft coupling for E6C3-A encoder</a>	28.51	EC003015	<a href="#">150821</a>	4536853373689			GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C10B</a>	<a href="#">Accessory encoder, shaft coupling for E6F encoder</a>	32.06	EC003015	<a href="#">156411</a>	4536853373504			GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C10M</a>	<a href="#">Accessory encoder, shaft coupling dia. 10mm, metal</a>	120.00	EC003015	<a href="#">224046</a>	4536853373641			GC	GCZ	USA	9029.9000.90
<a href="#">E69-C610R</a>	<a href="#">Shaft coupling for E6F-C encoder, Different end diameter</a>	38.61	EC003015	<a href="#">128458</a>	4536853373610			GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C68B</a>	<a href="#">Accessory encoder, shaft coupling dia. 6mm and 8mm</a>	34.12	EC003015	<a href="#">105487</a>	4536853373603	#		GC	GCZ	JPN	9029.9000.90
<a href="#">E69-DF10</a>	<a href="#">Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10m</a>	241.40	EC001855	<a href="#">357358</a>	4548583064980			GC	GCZ	CHN	9029.9000.90
<a href="#">E69-DF20</a>	<a href="#">Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 20m</a>	366.70	EC001855	<a href="#">357361</a>	4536853373573			GC	GCZ	CHN	9029.9000.90
<a href="#">E69-DF5</a>	<a href="#">Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m</a>	172.40	EC001855	<a href="#">357364</a>	4536853373542			GC	GCZ	CHN	9029.9000.90
<a href="#">E69-FA</a>	<a href="#">Flange for E6C2-C encoder</a>	11.93	EC003015	<a href="#">143272</a>	4536853373481			GC	GCZ	JPN	9029.9000.90
<b>Fiber Algılama Kafası E32</b>											
<a href="#">E32-D11N 2M</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, M6, 2m kablolu</a>	157.40	EC002651	<a href="#">374494</a>	4548583336124			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D11R 2M</a>	<a href="#">Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2m cable</a>	43.33	EC002651	<a href="#">412734</a>	4548583049208			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D14L 2M</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, 6mm çap, 2m kablolu</a>	129.00	EC002651	<a href="#">182524</a>	4547648094924			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D211 2M</a>	<a href="#">Fiber optic sensor, diffuse, M4 head, standard R10 fiber, 2m cable</a>	40.56	EC002651	<a href="#">379167</a>	4548583413863			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D211R 2M</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, M4, yüksek esneklik R1, 2m kablolu</a>	101.20	EC002651	<a href="#">379168</a>	4548583413870			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D21N 2M</a>	<a href="#">Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2m cable</a>	98.00	EC002651	<a href="#">383729</a>	4548583487833			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D21R 2M</a>	<a href="#">Fiber optic sensor, diffuse, M3, high flex, 2m cable</a>	135.20	EC002651	<a href="#">416699</a>	4548583049215			GD	GDA	CHN	8541.4900.00
<a href="#">E32-DC200</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, M6, 2m kablolu</a>	33.14	EC002651	<a href="#">182959</a>	4547648094986			GD	GDA	CHN	8541.4900.00
<a href="#">E32-DC200F 2M</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, M3, 2m kablolu</a>	43.70	EC002651	<a href="#">182804</a>	4547648094993	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-DC500 5M</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, M6, 5m</a>	72.75	EC002651	<a href="#">182799</a>	4547648094764	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-LR11NP 2M</a>	<a href="#">Fiber optic sensor, retro-reflective, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable</a>	69.00	EC002651	<a href="#">383734</a>	4548583487871			GD	GDA	CHN	8541.4900.00
<a href="#">E32-R21 2M</a>	<a href="#">Fiber optik sensör, reflektörlü, M6, R10 fiber, 2m kablolu</a>	183.20	EC002651	<a href="#">357347</a>	4548583049130			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T11N 2M</a>	<a href="#">Fiber optik sensör, karşılıklı, M4, 2m kablolu</a>	122.30	EC002651	<a href="#">374495</a>	4548583336117	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-T11R 2M</a>	<a href="#">Fiber optic sensor, through-beam, M4 head, high flex R1 fibre, 2m cable</a>	63.70	EC002651	<a href="#">356136</a>	4548583049147			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T21R 2M</a>	<a href="#">Fiber optic sensing head, through-beam, M3, high-flex R1 fiber, 2m</a>	107.80	EC002651	<a href="#">411349</a>	4548583049185		10	GD	GDA	CHN	8541.4900.00
<a href="#">E32-TC200 2M</a>	<a href="#">Fiber optik sensör, karşılıklı, M4, 2m kablolu</a>	38.53	EC002651	<a href="#">182801</a>	4547648094870	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-TC200F 2M</a>	<a href="#">Fiber optik sensör, karşılıklı, M3, 2m kablolu</a>	54.30	EC002651	<a href="#">182803</a>	4547648094894			GD	GDA	CHN	8541.4900.00
<a href="#">E32-TC500 5M</a>	<a href="#">Fiber optic sensor, through-beam, M4, 5m cable</a>	83.85	EC002651	<a href="#">182793</a>	4547648094702			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
<a href="#">E32-D15Y 2M</a>	<a href="#">Fiber optik sensör, cisimden vansimalı, kare gövde, standart R25 fiber, 2m kablolu</a>	128.50	EC002651	<a href="#">172129</a>	4547648018081			GD	GDA	JPN	8541.4900.00
<a href="#">E32-D15VR 2M</a>	<a href="#">Fiber optic sensor, diffuse, square side view, high flex R1 fiber, 2m cable</a>	103.20	EC002651	<a href="#">379165</a>	4548583413832			GD	GDA	CHN	8541.4900.00
<a href="#">E32-EC41-1 1M</a>	<a href="#">Fiber optic sensor, diffuse co-axial, M3 head, high-flex fiber R1, 1m cable</a>	132.70	EC002651	<a href="#">656830</a>	4548583373624			GD	GDA	NLD	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-FT15YR-1.2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex R1 fiber, 2m cable	265.90	EC002651	656856	4548583737860			GD	GDA	NLD	8541.4900.00
E32-ET15LR-2M	Fiber optic sensor, through-beam, rectangular body, side view, high flex, 2m cable	186.00	EC002651	656843	4548583737969			GD	GDA	NLD	8541.4900.00
E32-LT35Z-2M	Fiber optic sensor head, through-beam, square, flat-view, integrated lens, R1 flexible fiber, 2 m cable	218.90	EC002651	680947	4548583783232			GD	GDA	CHN	8541.4900.00
E32-T15Y-2M	Fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	142.60	EC002651	379183	4548583414167			GD	GDA	CHN	8541.4900.00
E32-T15YR-2M	Fiberoptik sensör, karşılıklı, kare, yüksek esneklik R1 fiber, 2m kablolu	190.60	EC002651	379197	4548583414174			GD	GDA	CHN	8541.4900.00
E32-T15ZR-2M	Fibre optic sensor, thru-beam, square flat form head, high flex R1 fibre, 2m cable	198.90	EC002651	379196	4548583414198			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E32-D22R-2M	Fiberoptik sensör, cisimden vansimalı, minyatür gövde, cap 3mm, yüksek esneklik R1 fiber, 2m kablolu	89.85	EC002651	357351	4548583049222			GD	GDA	CHN	8541.4900.00
E32-D24-2M	Fiberoptik sensör, cisimden vansimalı, 3mm cap, 2m kablolu	97.10	EC002651	374487	4548583336148			GD	GDA	CHN	8541.4900.00
E32-D32-2M	Fiberoptik sensör, cisimden vansimalı, 2mm cap, 2m kablolu	73.65	EC002651	182528	4547648094979			GD	GDA	CHN	8541.4900.00
E32-D33-2M	Fiberoptik sensör, cisimden vansimalı, 3mm cap, 2m kablolu	77.25	EC002651	182796	4547648094733			GD	GDA	CHN	8541.4900.00
E32-DC200R-2M	Fiberoptik sensör, cisimden vansimalı, M6	56.80	EC002651	182797	4547648094740			GD	GDA	CHN	8541.4900.00
E32-DC200R4-2M	Fiberoptik sensör, cisimden vansimalı, cap 2.5mm, standart R25 fiber, 2m kablolu	69.50	EC002651	182798	4547648094757			GD	GDA	CHN	8541.4900.00
E32-DC200F	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	38.69	EC002651	379175	4548583413986			GD	GDA	CHN	8541.4900.00
E32-DC200F4	Fiberoptik sensör, cisimden vansimalı, M3, R10, 2m kablolu	84.20	EC002651	379176	4548583413993			GD	GDA	CHN	8541.4900.00
E32-T12B-2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	65.30	EC002651	356130	4548583049178			GD	GDA	CHN	8541.4900.00
E32-T14L-2M	Fiberoptik sensör, karşılıklı, uzun mesafe, 2m kablolu	136.90	EC002651	182517	4547648094818			GD	GDA	CHN	8541.4900.00
E32-T14LR-2M	Fiber optic sensor, through-beam, 3mm side view, high flex R1 fiber, 2m cable	261.60	EC002651	374490	4548583336193			GD	GDA	CHN	8541.4900.00
E32-T22-2M	Fiberoptik sensör, karşılıklı, 2mm cap, standart R10 fiber, 2m kablolu	69.85	EC002651	182520	4547648094849			GD	GDA	CHN	8541.4900.00
E32-T24-2M	Fiberoptik sensör, karşılıklı, 1mm, 2m kablolu	130.90	EC002651	374488	4548583336155			GD	GDA	CHN	8541.4900.00
E32-TC200R	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	77.25	EC002651	379191	4548583414303			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E32-D11L-2M	Fiberoptik sensör, cisimden vansimalı, M6, uzun mesafe, 2m kablolu	102.90	EC002651	182523	4547648094917			GD	GDA	CHN	8541.4900.00
E32-D11L-5M	Fiber optic sensor, diffuse, M6 head, long distance, standard R25 fibre, 5m cable	156.30	EC002651	131621	4536853293673			GD	GDA	JPN	8541.4900.00
E32-D21L-2M	Fiberoptik sensör, cisimden vansimalı, M4, uzun mesafe, 2m kablolu	110.70	EC002651	182526	4547648094955			GD	GDA	CHN	8541.4900.00
E32-D21L-5M	Fiberoptik sensör, cisimden vansimalı, 3mm cap, uzun mesafe, 2m kablolu	104.50	EC002651	182527	4547648094962			GD	GDA	CHN	8541.4900.00
E32-LD11-2M	Fiberoptik sensör, cisimden vansimalı, M6, uzun mesafe, standart R25 fiber, 2m kablolu	53.50	EC002651	374457	4548583363458			GD	GDA	CHN	8541.4900.00
E32-LD11N-2M	Fiber optic sensor, diffuse, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	114.00	EC002651	383723	4548583485716			GD	GDA	CHN	8541.4900.00
E32-LD11R-2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2m cable	114.00	EC002651	374454	4548583363472			GD	GDA	CHN	8541.4900.00
E32-LT11-2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, standart R25 fiber, 2m kablolu	60.15	EC002651	374449	4548583336551			GD	GDA	CHN	8541.4900.00
E32-LT11N-2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	100.50	EC002651	383735	4548583485686			GD	GDA	CHN	8541.4900.00
E32-LT11R-2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, yüksek esneklik R1 fiber, 2m kablolu	120.60	EC002651	374450	4548583336568			GD	GDA	CHN	8541.4900.00
E32-R16-2M	Fiber optic sensor, retro-reflective, long-distance, 2m cable	147.00	EC002651	392257	4548583414075			GD	GDA	CHN	8541.4900.00
E32-T11L-2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, 2m kablolu	80.80	EC002651	182515	4547648094795			GD	GDA	CHN	8541.4900.00
E32-T12L-2M	Fiberoptik sensör, karşılıklı, cap 3mm, uzun mesafe, standart R25 fiber, 2m kablolu	106.60	EC002651	182516	4547648094801			GD	GDA	CHN	8541.4900.00
E32-T14-2M	Fiberoptik sensör, karşılıklı, 2m kablolu	110.00	EC002651	356129	4548583049123			GD	GDA	CHN	8541.4900.00
E32-T14-5M	Fiberoptik sensör, karşılıklı, uzun mesafe, standart R25 fiber, 5m kablolu	172.20	EC002651	131622	4536853293680			GD	GDA	JPN	8541.4900.00
E32-T21L-2M	Fiberoptik sensör, karşılıklı, 2m kablolu	87.00	EC002651	182519	4547648094832			GD	GDA	CHN	8541.4900.00
E32-T21L-5M	Fiber optic sensor, through-beam, dia 2mm head with lens, long distance, standard R25 fiber, 2m cable	121.30	EC002651	182521	4547648094863			GD	GDA	CHN	8541.4900.00
E32-TC200A-2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	37.57	EC002651	182802	4547648094887			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E32-D11-2M	Fiberoptik sensör, cisimden vansimalı, M6, robotik fiber R4, 2m kablolu	58.30	EC002651	182522	4547648094900			GD	GDA	CHN	8541.4900.00
E32-D21-2M	Fiberoptik sensör, cisimden vansimalı, M3, robotik fiber R4, 2m kablolu	85.20	EC002651	182525	4547648094931			GD	GDA	CHN	8541.4900.00
E32-D21B-2M	Fiberoptik sensör, cisimden vansimalı, M4, robotik fiber R4, 2m kablolu	108.30	EC002651	182958	4547648094948			GD	GDA	CHN	8541.4900.00
E32-D22B-2M	Fiberoptik sensör, cisimden vansimalı, cap 1.5mm, yüksek esneklik fiber R1, 2m kablolu	163.00	EC002651	182795	4547648094726			GD	GDA	CHN	8541.4900.00
E32-DC200C	Photoelectric sensor, optical fibre, diffuse, M6, 2m spiral flex cable (requires F3X amplifier)	61.75	EC002651	103780	4536853293871			GD	GDA	JPN	8541.4900.00
E32-T11-2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	57.45	EC002651	182514	4547648094788			GD	GDA	CHN	8541.4900.00
E32-T21-2M	Fiber optic sensor, through-beam, M3, robotic fiber R4, 2m cable	95.80	EC002651	182518	4547648094825			GD	GDA	CHN	8541.4900.00
E32-T22B-2M	Fiberoptik sensör, karşılıklı, cap 1.5mm, robotik fiber R4, 2m kablolu	97.30	EC002651	182957	4547648094856			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E32-A04-2M	Fiber optic sensor, through-beam, 2mm dia side view head, standard R10 fiber, 2m cable	694.00	EC002651	379194	4548583414334			GD	GDA	CHN	8541.4900.00
E32-A09-2M	Fiber optic sensor, limited reflective, 15 to 38mm, 2m cable	489.60	EC002651	172351	4547648093569			GD	GDA	JPN	8541.4900.00
E32-C21N-2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2m cable	136.00	EC002651	383726	4548583485747			GD	GDA	CHN	8541.4900.00
E32-C31-2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 2m cable	79.60	EC002651	411347	4547648095006		#	GD	GDA	CHN	8541.4900.00
E32-C31N-2M	Fiber optic sensor, diffuse, coaxial, M3, side view, high flex R4 fiber, 2m cable	142.60	EC002651	379159	4548583413771			GD	GDA	CHN	8541.4900.00
E32-C41-1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 1m cable	106.20	EC002651	411346	4547648094771			GD	GDA	CHN	8541.4900.00
E32-C42-1M	Fiber optic sensor, diffuse, coaxial, 2mm, standard R25 fiber, 1m cable	161.40	EC002651	379160	4548583413788			GD	GDA	CHN	8541.4900.00
E32-CC200-2M	Fiber optic sensor, diffuse, coaxial, M6, standard fiber R25, 2m cable	44.92	EC002651	182805	4547648095013			GD	GDA	CHN	8541.4900.00
E32-CC200R	Fiber optic sensor, diffuse, coaxial, M6, high flex R4 fiber, 2m cable	70.65	EC002651	379161	4548583413795			GD	GDA	CHN	8541.4900.00
E32-D32L-2M	Fiber optic sensor, diffuse, 3mm dia head, coaxial type, standard R25 fiber, 2m cable	73.55	EC002651	379199	4548583413931			GD	GDA	CHN	8541.4900.00
E32-EC31-6M	Fibre optic sensor, diffuse, M3 head, co-axial type, standard R25 fibre, 6m cable	112.80	EC002651	656864	4548583737600			GD	GDA	NLD	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-L15 2M	Diffuse fibre, 50mm stand-off, 6mm beamspot, can be used with E3X-DAC, 2m cable	219.60	EC002651	<a href="#">392260</a>	4548583414020			GD	GDA	CHN	8541.4900.00
E32-L25	Fiber optic sensor, limited reflective, 2m cable	94.00	EC002651	<a href="#">392254</a>	4548583414044			GD	GDA	CHN	8541.4900.00
E32-L25L 2M	Fiber optic sensor, limited reflective, label detection, 2mm, R10 fiber, 2m cable	153.70	EC002651	<a href="#">357349</a>	4548583049093			GD	GDA	CHN	8541.4900.00
E32-T225 2M	Fiber optik sensör, karşılıklı, 3mm cap, standart R10 fiber, 2m kablolu	136.90	EC002651	<a href="#">374492</a>	4548583336216			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E32-D36P1 2M	Fiber optic sensor, diffuse, square head, area sensing 11mm, robot application, break resistant R4, 2m cable	423.80	EC003015	<a href="#">379173</a>	4548583413955			GD	GDA	CHN	8541.4900.00
E32-ET16WR-1 2M	Fiber optic sensor, through-beam, 70mm curtain, 2m cable	808.00	EC003015	<a href="#">656858</a>	4548583737891			GD	GDA	NLD	8541.4900.00
E32-ET16WR-2 2M	Fiber optic sensor, through-beam, 50mm curtain, 2m cable	831.00	EC003015	<a href="#">656836</a>	4548583737907			GD	GDA	NLD	8541.4900.00
E32-T16 2M	Fiber optic sensor, through-beam, area detection, 10mm area, R25 fiber, 2m cable	196.30	EC003015	<a href="#">357343</a>	4548583049062			GD	GDA	CHN	8541.4900.00
E32-T16 5M	Fiber optic sensor, through-beam, square right angle head, area detection (10mm), standard R25 fibre, 5m cable	201.00	EC003015	<a href="#">357342</a>	4548583049079			GD	GDA	CHN	8541.4900.00
E32-T16P 2M	Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable	242.70	EC003015	<a href="#">356124</a>	4548583048980			GD	GDA	CHN	8541.4900.00
E32-T16PR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	338.80	EC003015	<a href="#">356126</a>	4548583049017			GD	GDA	CHN	8541.4900.00
E32-T16W 2M	Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable	559.00	EC003015	<a href="#">357346</a>	4548583048997			GD	GDA	CHN	8541.4900.00
E32-T16WR 2M	Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable	645.00	EC003015	<a href="#">357348</a>	4548583049055			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E32-C91N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable	137.40	EC002651	<a href="#">671062</a>	4548583802643	#		GD	GDA	CHN	8541.4900.00
E32-D11U 2M	Fiber optic sensor, diffuse, M6 head, chemical resistant coating, R4 fiber, 2m cable	91.35	EC002651	<a href="#">379162</a>	4548583413801			GD	GDA	CHN	8541.4900.00
E32-D51 2M	Fibre optic sensor, diffuse, M6 head, temperature resistant (150 degC), R35 fibre, 2m cable	160.60	EC002651	<a href="#">131592</a>	4536853292904			GD	GDA	JPN	8541.4900.00
E32-D61 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable, for E3X-NA/SD amp only	379.00	EC002651	<a href="#">365161</a>	4548583080454			GD	GDA	CHN	8541.4900.00
E32-D61-5 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable	293.50	EC002651	<a href="#">369327</a>	4548583080478			GD	GDA	CHN	8541.4900.00
E32-ED34 2M	Fiber optic sensor, diffuse, side view, dia 6mm head, R5 fiber, 2m cable	122.70	EC002651	<a href="#">656813</a>	4548583737754			GD	GDA	NLD	8541.4900.00
E32-G14	Fiber optic sensor, through-beam, 10mm slot, 2m cable	200.30	EC002651	<a href="#">356128</a>	4548583049260			GD	GDA	CHN	8541.4900.00
E32-T11U 2M	Fiber optic sensor, through-beam, M4 head, chemical resistant, R4 fiber, 2m cable	122.30	EC002651	<a href="#">374491</a>	4548583336209			GD	GDA	CHN	8541.4900.00
E32-T245 2M	Fiber optic sensor, through-beam, 3mm dia side view, standard R10 fiber, 2m cable	383.70	EC002651	<a href="#">374493</a>	4548583336223			GD	GDA	CHN	8541.4900.00
E32-T61-S 2M	Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable	373.60	EC002651	<a href="#">355403</a>	4548583034495			GD	GDA	CHN	8541.4900.00
E32-T61-S 5M	Fiber optic sensor, through-beam, M4 head, temperature resistant (350 degC), R25 fibre, 5m cable	1,044.00	EC002651	<a href="#">355405</a>	4548583034518			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
E39-FE51	Sideview lens 90 deg for E32fibre	175.90	EC003015	<a href="#">656850</a>	4548583738010			GD	GDA	NLD	8541.9000.00
<b>Fiber Algılama Kafası E32</b>											
E32-F01 100M	Optical fiber, 100m roll, R10, 2.2mm dia, monocoire	910.50	EC003015	<a href="#">656829</a>	4548583737501			GD	GDA	NLD	8541.4900.00
<b>Fotoelektrik Sensör E3JM</b>											
E3JM-10M4-G-NN	Fotoelektrik sensör, kare gövde, karşılıklı, 10m, röle çıkışlı, sıkıstırmalı konektör	157.90	EC002716	<a href="#">680474</a>	4549734172912			GD	GDG	CHN	8541.4900.00
E3JM-10M4-NN	Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PEI/2 conduit	169.50	EC002716	<a href="#">680483</a>	4549734172875			GD	GDG	CHN	8541.4900.00
E3JM-10M4T-G-NN	Fotoelektrik sensör, kare gövde, karşılıklı, 10m, zamanlayıcı, fonksiyonlu, röle çıkışlı, sıkıstırmalı konektör	170.30	EC002716	<a href="#">680478</a>	4549734172943			GD	GDG	CHN	8541.4900.00
E3JM-DS70M4-G	Fotoelektrik sensör, cisimden vansimalı, 700mm, AC/DC, röle	110.70	EC001821	<a href="#">232860</a>	4536854779107	#		GD	GDG	CHN	8541.4900.00
E3JM-DS70M4T-G	Fotoelektrik sensör, cisimden vansimalı, 700mm, AC/DC, röle, zamanlayıcı 5s	122.80	EC001821	<a href="#">232861</a>	4536854779114	#		GD	GDG	CHN	8541.4900.00
E3JM-DS70R4-G	Photoelectric sensor, diffuse, 300mm, AC/DC, Transistor output, PNP	163.50	EC001821	<a href="#">232895</a>	4536854779466			GD	GDG	CHN	8541.4900.00
E3JM-R4M4	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, conduit PE 1/2	116.30	EC002717	<a href="#">232871</a>	4536854779213			GD	GDG	CHN	8541.4900.00
E3JM-R4M4-G	Fotoelektrik sensör, reflektörlü, 4m, AC/DC, röle	111.20	EC002717	<a href="#">232862</a>	4536854779121	#		GD	GDG	CHN	8541.4900.00
E3JM-R4M4T-G	Fotoelektrik sensör, reflektörlü, 4m, AC/DC, röle, zamanlayıcı 5s	125.00	EC002717	<a href="#">232863</a>	4536854779138	#		GD	GDG	CHN	8541.4900.00
E3JM-R4R4-G	Fotoelektrik sensör, polarize reflektörlü, 4m, AC/DC, transistör çıkış, PNP	149.60	EC002717	<a href="#">232892</a>	4536854779435			GD	GDG	CHN	8541.4900.00
E3JM-R4R4T-G-33	Photoelectric sensor, Polarized retroreflective, 4m, AC/DC, Transistor output PNP, timer	173.10	EC002717	<a href="#">232904</a>	4536854779923			GD	GDG	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3AS</b>											
E3AS-F1000IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	162.70	EC002719	<a href="#">690973</a>	4549734512510			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	157.00	EC002719	<a href="#">690206</a>	4549734512534			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMN-M1TJ_0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	<a href="#">690972</a>	4549734512558			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	162.70	EC002719	<a href="#">690969</a>	4549734512619			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	157.00	EC002719	<a href="#">690208</a>	4549734512633	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT-M1TJ_0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	<a href="#">690968</a>	4549734512657			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	122.10	EC002719	<a href="#">690967</a>	4549734512664			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	110.40	EC002719	<a href="#">690209</a>	4549734512688			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN-M1TJ_0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	<a href="#">690966</a>	4549734512701			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	122.10	EC002719	<a href="#">690963</a>	4549734512763			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	110.40	EC002719	<a href="#">690211</a>	4549734512787	#		GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E3AS-F1000IPT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	151.10	EC002719	<a href="#">690961</a>	4549734512800			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IPT-M3 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 pigtail connector 4-pin, 0.3 m</a>	151.10	EC002719	<a href="#">690962</a>	4549734512794			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMD M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector</a>	157.00	EC002719	<a href="#">690201</a>	4549734512282			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable</a>	162.70	EC002719	<a href="#">690948</a>	4549734512213			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector</a>	157.00	EC002719	<a href="#">690200</a>	4549734512237			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	191.90	EC002719	<a href="#">690985</a>	4549734512251			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	162.70	EC002719	<a href="#">690982</a>	4549734512312			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector</a>	157.00	EC002719	<a href="#">690202</a>	4549734512336	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IMT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	191.90	EC002719	<a href="#">690981</a>	4549734512350			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IPN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable</a>	122.10	EC002719	<a href="#">690980</a>	4549734512367			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IPN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector</a>	110.40	EC002719	<a href="#">690203</a>	4549734512381			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IPN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	151.10	EC002719	<a href="#">690979</a>	4549734512404			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IPT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	122.10	EC002719	<a href="#">690976</a>	4549734512466			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IPT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector</a>	110.40	EC002719	<a href="#">690205</a>	4549734512480	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1500IPT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	151.10	EC002719	<a href="#">690974</a>	4549734512503			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150LMN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable</a>	412.60	EC002719	<a href="#">696057</a>	4549734663854			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150LMN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector, 4-pin</a>	412.60	EC002719	<a href="#">696056</a>	4549734663878			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150LMN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	429.90	EC002719	<a href="#">696075</a>	4549734663380			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150LMT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	412.60	EC002719	<a href="#">696055</a>	4549734663939			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150LMT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin</a>	412.60	EC002719	<a href="#">696053</a>	4549734663953			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150LMT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	429.90	EC002719	<a href="#">696074</a>	4549734663403			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150MNN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable</a>	400.90	EC002719	<a href="#">696063</a>	4549734663731			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150MNN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin</a>	400.90	EC002719	<a href="#">696062</a>	4549734663755			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150MNN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	418.30	EC002719	<a href="#">696077</a>	4549734663359			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150MT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	400.90	EC002719	<a href="#">696061</a>	4549734663816			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150MT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin</a>	400.90	EC002719	<a href="#">696059</a>	4549734663830	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL150MT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	418.30	EC002719	<a href="#">696076</a>	4549734663373			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable</a>	412.60	EC002719	<a href="#">696069</a>	4549734663618			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector, 4-pin</a>	412.60	EC002719	<a href="#">696068</a>	4549734663632			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	429.90	EC002719	<a href="#">696079</a>	4549734663328			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	412.60	EC002719	<a href="#">696067</a>	4549734663694			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMT 5M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable</a>	424.20	EC002719	<a href="#">696066</a>	4549734663700			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin</a>	412.60	EC002719	<a href="#">696065</a>	4549734663717			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500LMT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	429.90	EC002719	<a href="#">696078</a>	4549734663342			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500MNN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable</a>	400.90	EC002719	<a href="#">696040</a>	4549734663250			GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E3AS-HL500MN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8, connector 4-pin</a>	400.90	EC002719	<a href="#">696038</a>	4549734663274			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500MN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	418.30	EC002719	<a href="#">696081</a>	4549734663298			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500MT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable</a>	400.90	EC002719	<a href="#">696073</a>	4549734663571			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500MT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 connector 4-pin</a>	400.90	EC002719	<a href="#">696071</a>	4549734663595	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-HL500MT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail Smartclick connector, 0.3 m</a>	418.30	EC002719	<a href="#">696080</a>	4549734663311			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L200MN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable</a>	197.60	EC002719	<a href="#">690960</a>	4549734512817			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L200MN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector</a>	191.90	EC002719	<a href="#">690212</a>	4549734512831			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L200MN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	226.70	EC002719	<a href="#">690959</a>	4549734512855			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L200MT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable</a>	197.60	EC002719	<a href="#">690956</a>	4549734512916			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L200MT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 4-pin connector</a>	191.90	EC002719	<a href="#">690214</a>	4549734512930	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L200MT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail Smartclick connector, 0.3 m</a>	226.70	EC002719	<a href="#">690955</a>	4549734512954			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L80MN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable</a>	197.60	EC002719	<a href="#">690954</a>	4549734512961			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L80MN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector</a>	191.90	EC002719	<a href="#">690215</a>	4549734512985	2		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L80MN-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	226.70	EC002719	<a href="#">690953</a>	4549734513005			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L80MT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable</a>	197.60	EC002719	<a href="#">690950</a>	4549734513067			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L80MT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 4-pin connector</a>	191.90	EC002719	<a href="#">690217</a>	4549734513081	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-L80MT-M1TJ 0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail Smartclick connector, 0.3 m</a>	226.70	EC002719	<a href="#">690949</a>	4549734513104			GD	GDH	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3Z</b>											
<a href="#">E3Z-B61 2M</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 500mm, DC, 3 kablolu, NPN, 2m kablolu</a>	160.00	EC002717	<a href="#">323118</a>	4547648676632			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-B66</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 500mm, DC, 3 kablolu, NPN, M8 konnektör</a>	147.00	EC002717	<a href="#">323120</a>	4547648676656			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-B67</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 2m, DC, 3 kablolu, NPN, M8 konnektör</a>	147.00	EC002717	<a href="#">323123</a>	4547648676724			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-B81 2M</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 500mm, DC, 3 kablolu, PNP, 2m kablolu</a>	160.00	EC002717	<a href="#">323119</a>	4547648676649			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-B82 2M</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 2m, DC, 3 kablolu, PNP, 2m kablolu</a>	160.00	EC002717	<a href="#">323124</a>	4547648676762	#		GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-B86</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 500mm, DC, 3 kablolu, PNP, M8 konnektör</a>	147.00	EC002717	<a href="#">323121</a>	4547648676663	#		GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-B87</a>	<a href="#">Fotoelektrik sensör, seffaf nesne reflektörü, 2m, DC, 3 kablolu, PNP, M8 konnektör</a>	147.00	EC002717	<a href="#">323125</a>	4547648676786	#		GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D61 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, NPN, 2m kablolu</a>	94.10	EC001821	<a href="#">685917</a>	4549734446600	#		GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D62 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, NPN, 2m kablolu</a>	94.40	EC001821	<a href="#">685920</a>	4549734446648	#		GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D62 5M</a>	<a href="#">Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 5m cable (requires bracket)</a>	94.85	EC001821	<a href="#">241530</a>	4547648287180			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D66</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, NPN, M8 konnektör</a>	98.85	EC001821	<a href="#">685918</a>	4549734446624		50	GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D67</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, NPN, M8 konnektör</a>	98.85	EC001821	<a href="#">685921</a>	4549734446662			GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D81 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, PNP, 2m kablolu</a>	94.15	EC001821	<a href="#">685614</a>	4549734446617	#		GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D81 5M</a>	<a href="#">Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires bracket)</a>	97.65	EC001821	<a href="#">241516</a>	4547648287173			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D81-M1J 0.3M</a>	<a href="#">Photoelectric sensor, diffuse, compact square, infrared LED, 100m, PNP, L-on/D-on selectable, M12 pig-tail connector</a>	96.10	EC001821	<a href="#">338387</a>	4547648676212			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D82 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, PNP, 2m kablolu</a>	94.40	EC001821	<a href="#">685613</a>	4549734446655	#		GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D82 5M</a>	<a href="#">Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 5m cable (requires bracket)</a>	97.65	EC001821	<a href="#">241531</a>	4547648287197			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D82-IL 3 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, 2m kablolu, IO-link, COM 3</a>	99.20	EC001821	<a href="#">671105</a>	4548583793255			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D82-IL 3 5M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, 5m kablolu, IO-link, COM 3</a>	107.30	EC001821	<a href="#">671100</a>	4548583793262			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D82-M1J 0.3M</a>	<a href="#">Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M12 pigtail (requires bracket)</a>	109.10	EC001821	<a href="#">338388</a>	4547648676229			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D82-M1TJ 0.3 0.3M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, M12 kablolu, IO-link, COM 3</a>	99.20	EC001821	<a href="#">671222</a>	4548583793279			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-D86</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, PNP, M8 konnektör</a>	98.85	EC001821	<a href="#">685919</a>	4549734446631	#		GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D87</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, PNP, M8 konnektör</a>	98.85	EC001821	<a href="#">685922</a>	4549734446679	#		GD	GDI	IDN	8541.4900.00
<a href="#">E3Z-D87-IL 3</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, M8 konnektör, IO-link, COM 3</a>	99.20	EC001821	<a href="#">671102</a>	4548583793309			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G61 2M</a>	<a href="#">Fotoelektrik sensör, tek ışınli, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu</a>	124.00	EC002720	<a href="#">332056</a>	4547648676519			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G61-M3J</a>	<a href="#">Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, NPN, M8 pigtail connector</a>	128.60	EC002720	<a href="#">332057</a>	4547648676533		10	GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G62 2M</a>	<a href="#">Fotoelektrik sensör, çift ışınli, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu</a>	151.00	EC002720	<a href="#">332058</a>	4547648676540			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G62-M3J</a>	<a href="#">Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, NPN, M8 pigtail connector</a>	145.50	EC002720	<a href="#">332033</a>	4547648676564		10	GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G81 2M</a>	<a href="#">Fotoelektrik sensör, tek ışınli, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu</a>	124.00	EC002720	<a href="#">332059</a>	4547648676908	#	10	GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G81-M3J</a>	<a href="#">Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M8 pigtail connector</a>	161.30	EC002720	<a href="#">332060</a>	4547648676915		10	GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G82 2M</a>	<a href="#">Fotoelektrik sensör, çift ışınli, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu</a>	151.00	EC002720	<a href="#">332061</a>	4547648676939			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-G82-M3J</a>	<a href="#">Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, PNP, M8 pigtail connector</a>	190.00	EC002720	<a href="#">332062</a>	4547648676946	#		GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-L61 2M</a>	<a href="#">Fotoelektrik sensör, dar ışın, cisimden yansımali, 90+30mm, DC, 3 kablolu, NPN, 2m kablolu</a>	134.30	EC001821	<a href="#">323114</a>	4547648676250			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-L81 2M</a>	<a href="#">Fotoelektrik sensör, dar ışın, cisimden yansımali, 90+30mm, DC, 3 kablolu, PNP, 2m kablolu</a>	149.60	EC001821	<a href="#">323115</a>	4547648676274			GD	GDI	CHN	8541.4900.00
<a href="#">E3Z-L81-IL 3 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, 2m kablolu, IO-link, COM 3</a>	99.20	EC001821	<a href="#">671107</a>	4548583793354			GD	GDI	CHN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-L81-JL 3.5M	Fotoelektrik sensör, cisimden yansimalı, 90mm, dar ışın, DC, PNP, 5m kablolu, IO-link, COM 3	107,30	EC001821	671104	4548583793361			GD	GDI	CHN	8541.4900.00
E3Z-L81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 x 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	131,40	EC001821	323131	4547648677301	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-M1TJ-HL 3-1 0.3M	Fotoelektrik sensör, cisimden yansimalı, 90mm, dar ışın, DC, PNP, M12 kablolu, IO-link, COM 3	112,00	EC001821	671090	4548583793385			GD	GDI	CHN	8541.4900.00
E3Z-L86	Fotoelektrik sensör, dar ışın, cisimden yansimalı, 90x30mm, DC, 3 kablolu, PNP, M8 konnektör	149,60	EC001821	323117	4547648676298			GD	GDI	CHN	8541.4900.00
E3Z-L86-L 3	Fotoelektrik sensör, cisimden yansimalı, 90mm, dar ışın, DC, PNP, M8 konnektör, IO-link, COM 3	99,20	EC001821	671112	4548583793408			GD	GDI	CHN	8541.4900.00
E3Z-L161 2M	Fotoelektrik sensör, arka plan bastırmalı lazer sensör, 20-300mm, NPN, 2m kablolu	205,80	EC002719	323137	4547648678735	#		GD	GDI	CHN	8541.4900.00
E3Z-L166	Fotoelektrik sensör, arka plan bastırmalı lazer, 20-300mm, M8, 4-pin konnektör, NPN	200,90	EC002719	323138	4547648678742	#		GD	GDI	CHN	8541.4900.00
E3Z-L168	Fotoelektrik sensör, arka plan bastırmalı lazer, 300mm, NPN, L-ON/D-ON seçilebilir, M8 konnektör	242,10	EC002719	323142	4547648678780			GD	GDI	CHN	8541.4900.00
E3Z-L181 2M	Fotoelektrik sensör, arka plan bastırmalı lazer sensör, 20-300mm, PNP	205,80	EC002719	323139	4547648678759	#		GD	GDI	CHN	8541.4900.00
E3Z-L181 5M	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output	209,00	EC002719	323067	4547648679749			GD	GDI	CHN	8541.4900.00
E3Z-L181-M1J 0.3M	Photoelectric sensor, BGS laser, 20-300mm, M12 pigtail, PNP	243,80	EC002719	323041	4547648678926			GD	GDI	CHN	8541.4900.00
E3Z-L181-M3J 0.3M	Photoelectric sensor, BGS laser, 20-300mm, M8 pigtail 4-pin, PNP	206,40	EC002719	323064	4547648679282	#		GD	GDI	CHN	8541.4900.00
E3Z-L183 2M	Fotoelektrik sensör, arka plan bastırmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 konnektör	205,80	EC002719	323143	4547648678797			GD	GDI	CHN	8541.4900.00
E3Z-L183-M1J 0.3M	Photoelectric sensor, BGS laser, 25-300mm, M12 pigtail, PNP, High Speed Version	243,80	EC002719	323045	4547648678964			GD	GDI	CHN	8541.4900.00
E3Z-L186	Fotoelektrik sensör, arka plan bastırmalı lazer, 20-300mm, M8, 4-pin konnektör, PNP	201,90	EC002719	323140	4547648678766	#		GD	GDI	CHN	8541.4900.00
E3Z-L188	Fotoelektrik sensör, arka plan bastırmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8-4pin konnektör	204,80	EC002719	323144	4547648678803	#		GD	GDI	CHN	8541.4900.00
E3Z-L861 2M	Fotoelektrik sensör, reflektörlü lazer, 15m, NPN, 2m kablolu	161,60	EC002717	323145	4547648678810			GD	GDI	CHN	8541.4900.00
E3Z-L866	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konnektör, NPN	163,50	EC002717	323146	4547648678827			GD	GDI	CHN	8541.4900.00
E3Z-L881 2M	Fotoelektrik sensör, reflektörlü lazer, 15m, PNP, 2m kablolu	161,60	EC002717	323147	4547648678834	#		GD	GDI	CHN	8541.4900.00
E3Z-L881-M1J 0.3M	Photoelectric sensor, retro-reflective laser, 15m, M12 pigtail, PNP	147,90	EC002717	323049	4547648679008			GD	GDI	CHN	8541.4900.00
E3Z-L886	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konnektör, PNP	160,00	EC002717	323148	4547648678841	#		GD	GDI	CHN	8541.4900.00
E3Z-L561 2M	Fotoelektrik sensör, arka plan bastırmalı, 40-200mm, DC, 3 kablolu, NPN, 2m kablolu	130,60	EC002719	323126	4547648677011	#		GD	GDI	CHN	8541.4900.00
E3Z-L563 2M	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	164,70	EC002719	323153	4547648680592			GD	GDI	CHN	8541.4900.00
E3Z-L566	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, 40-200mm, DC, 3 kablolu, NPN, M8 konnektör	134,30	EC002719	323128	4547648677035	#		GD	GDI	CHN	8541.4900.00
E3Z-L568	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, M8-4pin konnektör	138,00	EC002719	323154	4547648680615			GD	GDI	CHN	8541.4900.00
E3Z-L581 2M	Fotoelektrik sensör, arka plan bastırmalı, 40-200mm, DC, 3 kablolu, PNP, 2m kablolu	130,60	EC002719	323129	4547648677059	#		GD	GDI	CHN	8541.4900.00
E3Z-L581 5M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, 5m cable (requires bracket)	152,10	EC002719	323034	4547648677080			GD	GDI	CHN	8541.4900.00
E3Z-L581-M1J 0.3M	Fotoelektrik sensör, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M12 pigtail (requires bracket)	189,20	EC002719	323136	4547648678674			GD	GDI	CHN	8541.4900.00
E3Z-L581-M3J 0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M8 pigtail 4-pin (requires bracket)	106,10	EC002719	323113	4547648677912			GD	GDI	CHN	8541.4900.00
E3Z-L583 2M	Fotoelektrik sensör, arka plan bastırmalı, 2-80mm, DC, 3 kablolu, PNP, 2m kablolu	163,60	EC002719	323134	4547648678339			GD	GDI	CHN	8541.4900.00
E3Z-L586	Fotoelektrik sensör, arka plan bastırmalı, 40-200mm, DC, 3 kablolu, PNP, M8 konnektör	134,30	EC002719	323130	4547648677066	#		GD	GDI	CHN	8541.4900.00
E3Z-L588	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, PNP, L-ON/D-ON seçilebilir, M8 konnektör	165,80	EC002719	323135	4547648678353			GD	GDI	CHN	8541.4900.00
E3Z-L761 2M	Fotoelektrik sensör, karşılıklı lazer, 60m, kablolu, NPN, 2m kablolu	205,80	EC002716	323149	4547648678858	#		GD	GDI	CHN	8541.4900.00
E3Z-L766	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konnektör, NPN	201,90	EC002716	323150	4547648678865			GD	GDI	CHN	8541.4900.00
E3Z-L781 2M	Fotoelektrik sensör, karşılıklı lazer, 60m, PNP, 2m kablolu	205,80	EC002716	323151	4547648678872			GD	GDI	CHN	8541.4900.00
E3Z-L781-M1J 0.3M	Photoelectric sensor, through-beam laser, 60m, M12 pigtail, PNP	226,50	EC002716	323053	4547648679046			GD	GDI	CHN	8541.4900.00
E3Z-L786	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konnektör, PNP	205,80	EC002716	323152	4547648678889	#		GD	GDI	CHN	8541.4900.00
E3Z-L786-D	Photoelectric sensor, through-beam laser receiver, 60m, M8 4-pin connector, PNP	79,75	EC002716	333179	4547648679695	#		GD	GDI	CHN	8541.4900.00
E3Z-L786-L	Photoelectric sensor, through-beam laser emitter, 60m, M8 4-pin connector	147,90	EC002716	323058	4547648679091			GD	GDI	CHN	8541.4900.00
E3Z-R61 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, 2m kablolu	100,40	EC002717	685014	4549734446563	#		GD	GDI	IDN	8541.4900.00
E3Z-R61-C 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable, including reflector E39-R1	149,60	EC002717	372328	4547648676748			GD	GDI	CHN	8541.4900.00
E3Z-R66	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, M8 konnektör	105,20	EC002717	685915	4549734446587	#		GD	GDI	IDN	8541.4900.00
E3Z-R81 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, 2m kablolu	100,50	EC002717	685615	4549734446570	#		GD	GDI	IDN	8541.4900.00
E3Z-R81 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflector & bracket)	100,50	EC002717	241528	4547648287159			GD	GDI	CHN	8541.4900.00
E3Z-R81-JL 3.2M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 2m kablolu, IO-link, COM 3	98,50	EC002717	671110	4548583793156			GD	GDI	CHN	8541.4900.00
E3Z-R81-JL 3.5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 5m kablolu, IO-link, COM 3	107,30	EC002717	671106	4548583793163			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J 0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M12 pigtail (requires reflector & bracket)	75,05	EC002717	338386	4547648676205			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J 0.8M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	91,55	EC002717	339281	4547648678179			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1TJ 0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	96,50	EC002717	339201	4547648680844			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1TJ-HL 3 0.3M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M12 kablolu, IO-link, COM 3	98,50	EC002717	671094	4548583793170			GD	GDI	CHN	8541.4900.00
E3Z-R81-M3J 0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M8 pigtail 4-pin (requires reflector & bracket)	96,50	EC002717	339271	4547648676694			GD	GDI	CHN	8541.4900.00
E3Z-R81-M5J 0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	112,90	EC002717	338405	4547648678131			GD	GDI	CHN	8541.4900.00
E3Z-R86	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, M8 konnektör	105,20	EC002717	685916	4549734446594	#		GD	GDI	IDN	8541.4900.00
E3Z-R86-2	Photoelectric sensor, rectangular housing with mounting hole ø3.2, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	105,20	EC002717	339273	4547648676984			GD	GDI	CHN	8541.4900.00
E3Z-R86-4	Photoelectric sensor, retro-reflective, compact square, infrared LED, 5m, PNP, L-on/D-on selectable, M8-4pin connector	94,40	EC002717	339294	4547648680011			GD	GDI	CHN	8541.4900.00
E3Z-R86H	Retro-reflective with M.S.R. 4m, without sensitivity adjusters, PNP, M8 plug-in 4-pins	80,70	EC002717	658924	4548583583818			GD	GDI	CHN	8541.4900.00
E3Z-R86H 3	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M8 konnektör, IO-link, COM 3	98,50	EC002717	671109	4548583793200			GD	GDI	CHN	8541.4900.00
E3Z-T61 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, 2m kablolu	127,80	EC002716	685902	4549734446440	#		GD	GDI	IDN	8541.4900.00
E3Z-T61A 2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, 2m kablolu	121,30	EC002716	685906	4549734446488		20	GD	GDI	IDN	8541.4900.00
E3Z-T66	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, M8 konnektör	132,50	EC002716	685904	4549734446464	#		GD	GDI	IDN	8541.4900.00
E3Z-T66A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, M8 konnektör	132,10	EC002716	685908	4549734446501			GD	GDI	IDN	8541.4900.00
E3Z-T66-D	Photoelectric sensor, through-beam receiver, 15m, infrared LED, NPN, M8-4pin connector	106,40	EC002716	685926	4549734446730			GD	GDI	IDN	8541.4900.00
E3Z-T81 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, 2m kablolu	128,80	EC002716	685903	4549734446457	#		GD	GDI	IDN	8541.4900.00
E3Z-T81 5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 5m cable (requires 2 brackets)	52,85	EC002716	241526	4547648287135			GD	GDI	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-T81A 2M	<a href="#">Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, 2m kablolu</a>	43.15	EC002716	<a href="#">685907</a>	4549734446495			GD	GDI	IDN	8541.4900.00
E3Z-T81A 6M	<a href="#">Fotoelektrik sensör, through-beam, 10m, DC, 3-wire, PNP, 6m cable (requires 2 brackets)</a>	148.20	EC002716	<a href="#">339274</a>	4547648677073			GD	GDI	CHN	8541.4900.00
E3Z-T81A-D 2M	<a href="#">Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable</a>	91.30	EC002716	<a href="#">685932</a>	4549734446792			GD	GDI	IDN	8541.4900.00
E3Z-T81A-L 2M	<a href="#">Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, 2m cable (requires 2 brackets)</a>	91.30	EC002716	<a href="#">685931</a>	4549734446785			GD	GDI	IDN	8541.4900.00
E3Z-T81A-M1J 0.3M	<a href="#">Fotoelektrik sensör, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m</a>	186.10	EC002716	<a href="#">339279</a>	4547648677653			GD	GDI	CHN	8541.4900.00
E3Z-T81C-GOSRD-CN	<a href="#">Fotoelektrik sensör, through-beam receiver, 15m, DC, 3-wire, PNP, Dark-ON, without adjuster, M8 4-pin connector</a>	99.20	EC002716	<a href="#">323111</a>	4547648683081			GD	GDI	CHN	8541.4900.00
E3Z-T81C-GOSRL-CN	<a href="#">Fotoelektrik sensör, through-beam emitter, 15m, DC, 3-wire, PNP, M8 4-pin connector</a>	58.65	EC002716	<a href="#">323110</a>	4547648683074			GD	GDI	CHN	8541.4900.00
E3Z-T81-D-M1J-1 0.3M	<a href="#">Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m</a>	84.25	EC002716	<a href="#">339296</a>	4547648680059			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL 3 2M	<a href="#">Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 2m kablolu, IO-link, COM 3</a>	130.60	EC002716	<a href="#">671108</a>	4548583793057			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL 3 5M	<a href="#">Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 5m kablolu, IO-link, COM 3</a>	141.70	EC002716	<a href="#">671101</a>	4548583793064			GD	GDI	CHN	8541.4900.00
E3Z-T81-L-M1J-1 0.3M	<a href="#">Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m</a>	56.65	EC002716	<a href="#">339295</a>	4547648680042			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J 0.3M	<a href="#">Photoelectric sensor, through-beam, Sn=15m, PNP, elastic, red LED, 0.3m PVC cable with M12 4-pin</a>	173.10	EC002716	<a href="#">338385</a>	4547648676199			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J-1 0.3M	<a href="#">Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m</a>	128.00	EC002716	<a href="#">338391</a>	4547648677288			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J-HL 2 0.3M	<a href="#">Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 2</a>	147.90	EC002716	<a href="#">671086</a>	4548583793033			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J-HL 3 0.3M	<a href="#">Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 3</a>	147.90	EC002716	<a href="#">671103</a>	4548583793071			GD	GDI	CHN	8541.4900.00
E3Z-T82 2M	<a href="#">Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, 2m kablolu</a>	133.60	EC002716	<a href="#">685911</a>	4549734446532		40	GD	GDI	IDN	8541.4900.00
E3Z-T86	<a href="#">Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, M8 konnektör</a>	132.50	EC002716	<a href="#">685905</a>	4549734446471		#	GD	GDI	IDN	8541.4900.00
E3Z-T86A	<a href="#">Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, M8 konnektör</a>	128.00	EC002716	<a href="#">685909</a>	4549734446518			GD	GDI	IDN	8541.4900.00
E3Z-T86A-D	<a href="#">Photoelectric sensor, through-beam receiver, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)</a>	96.50	EC002716	<a href="#">685900</a>	4549734446839		#	GD	GDI	IDN	8541.4900.00
E3Z-T86A-L	<a href="#">Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)</a>	73.30	EC002716	<a href="#">685901</a>	4549734446822			GD	GDI	IDN	8541.4900.00
E3Z-T86-D	<a href="#">Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)</a>	70.55	EC002716	<a href="#">685928</a>	4549734446754			GD	GDI	IDN	8541.4900.00
E3Z-T86-L 3	<a href="#">Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M8 konnektör, IO-link, COM 3</a>	130.60	EC002716	<a href="#">671113</a>	4548583793101			GD	GDI	CHN	8541.4900.00
E3Z-T86-L	<a href="#">Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)</a>	73.00	EC002716	<a href="#">685927</a>	4549734446747			GD	GDI	IDN	8541.4900.00
E3Z-T87	<a href="#">Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, M8 konnektör</a>	131.60	EC002716	<a href="#">685913</a>	4549734446556			GD	GDI	IDN	8541.4900.00
<b>Fotoelektrik Sensör E3Z</b>											
E3ZM-B61 2M	<a href="#">Fotoelektrik sensör, seffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, 2m kablolu</a>	204.10	EC002717	<a href="#">332040</a>	4547648689250			GD	GDI	CHN	8541.4900.00
E3ZM-B66	<a href="#">Fotoelektrik sensör, seffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, M8, 4-pin konnektör</a>	201.00	EC002717	<a href="#">332044</a>	4547648689298			GD	GDI	CHN	8541.4900.00
E3ZM-B66T	<a href="#">Fotoelektrik sensör, seffaf alqılama, reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, NPN, M8, 4-pin konnektör</a>	215.20	EC002717	<a href="#">323655</a>	4547648797306			GD	GDI	JPN	8541.4900.00
E3ZM-B81 2M	<a href="#">Fotoelektrik sensör, seffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, PNP, 2m kablolu</a>	204.10	EC002717	<a href="#">332042</a>	4547648689274			GD	GDI	CHN	8541.4900.00
E3ZM-B81T 2M	<a href="#">Fotoelektrik sensör, seffaf alqılama, reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, 2m kablolu</a>	207.60	EC002717	<a href="#">323656</a>	4547648797313			GD	GDI	JPN	8541.4900.00
E3ZM-B86	<a href="#">Fotoelektrik sensör, seffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, M8, 4-pin konnektör, PNP</a>	201.00	EC002717	<a href="#">332045</a>	4547648689304			GD	GDI	CHN	8541.4900.00
E3ZM-B86-1	<a href="#">Photoelectric sensor, transparent, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector not included</a>	201.00	EC002717	<a href="#">332054</a>	4547648728706			GD	GDI	CHN	8541.4900.00
E3ZM-B86-C	<a href="#">Photoelectric sensor, transparent PET bottle, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector included</a>	260.80	EC002717	<a href="#">326598</a>	4547648689427			GD	GDI	CHN	8541.4900.00
E3ZM-B86T	<a href="#">Fotoelektrik sensör, seffaf alqılama, reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, M8, 4-pin konnektör</a>	197.00	EC002717	<a href="#">323657</a>	4547648797320		#	GD	GDI	JPN	8541.4900.00
E3ZM-CT81 2M	<a href="#">Photoelectric sensor, through-beam, compact square, stainless steel body, IP69K, 15m, infrared LED, PNP, 2m cable</a>	271.50	EC002716	<a href="#">232309</a>	4547648315814			GD	GDI	JPN	8541.4900.00
E3ZM-D82 2M	<a href="#">Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, PNP, 2m kablolu</a>	179.30	EC001821	<a href="#">232467</a>	4547648235600			GD	GDI	JPN	8541.4900.00
E3ZM-D82-S1J 0.3M	<a href="#">Photoelectric sensor, diffuse, metal body, IP69K, 1m, M12 4-pin stainless steel pigtail 0.3m, PNP</a>	241.60	EC001821	<a href="#">249464</a>	4547648593304			GD	GDI	JPN	8541.4900.00
E3ZM-D87	<a href="#">Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, M8, 4-pin, PNP</a>	178.50	EC001821	<a href="#">232468</a>	4547648235617			GD	GDI	JPN	8541.4900.00
E3ZM-L SB2H 2M	<a href="#">Fotoelektrik sensör, sabit arka plan bastırılmalı, metal gövde, IP69K, 0.1m, PNP, 2m kablolu</a>	180.10	EC002719	<a href="#">232473</a>	4547648235686			GD	GDI	JPN	8541.4900.00
E3ZM-L SB4H 2M	<a href="#">Fotoelektrik sensör, sabit arka plan bastırılmalı, metal gövde, IP69K, 0.15m, PNP</a>	179.30	EC002719	<a href="#">232474</a>	4547648235693			GD	GDI	JPN	8541.4900.00
E3ZM-L SB6H 2M	<a href="#">Fotoelektrik sensör, sabit arka plan bastırılmalı, metal gövde, IP69K, 0.2m, PNP, 2m kablolu</a>	179.30	EC002719	<a href="#">232475</a>	4547648235709			GD	GDI	JPN	8541.4900.00
E3ZM-L SB8H 2M	<a href="#">Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.1m, M8 4-pin, PNP output</a>	154.60	EC002719	<a href="#">232476</a>	4547648235716			GD	GDI	JPN	8541.4900.00
E3ZM-L SB9H	<a href="#">Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.2m, M8 4-pin, PNP</a>	153.10	EC002719	<a href="#">232478</a>	4547648235730			GD	GDI	JPN	8541.4900.00
E3ZM-R61 2M	<a href="#">Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, NPN, 2m kablolu</a>	175.50	EC002717	<a href="#">232479</a>	4547648235747			GD	GDI	JPN	8541.4900.00
E3ZM-R66	<a href="#">Photoelectric sensor, retro-reflective, metal body, IP69K, 4m, M8 4-pin, NPN output</a>	204.00	EC002717	<a href="#">232480</a>	4547648235754			GD	GDI	JPN	8541.4900.00
E3ZM-R81 2M	<a href="#">Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, PNP, 2m kablolu</a>	175.50	EC002717	<a href="#">232481</a>	4547648235761			GD	GDI	JPN	8541.4900.00
E3ZM-R86	<a href="#">Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, M8, 4-pin, PNP</a>	179.30	EC002717	<a href="#">232482</a>	4547648235778			GD	GDI	JPN	8541.4900.00
E3ZM-T81 2M	<a href="#">Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, PNP, 2m kablolu</a>	281.70	EC002716	<a href="#">232485</a>	4547648235808			GD	GDI	JPN	8541.4900.00
E3ZM-T81 5M	<a href="#">Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output</a>	331.40	EC002716	<a href="#">226037</a>	4547648271790			GD	GDI	JPN	8541.4900.00
E3ZM-T81-L 5M	<a href="#">Photoelectric sensor, rectangular, SUS body, IR LED, thru-beam emitter, 15m, PNP, L-ON/D-ON selectable, 5m cable</a>	153.60	EC002716	<a href="#">292361</a>	4547648719148			GD	GDI	JPN	8541.4900.00
E3ZM-T83 5M	<a href="#">Photoelectric sensor, through-beam, 0.8m, compact square, stainless steel, infrared LED, internal slit, IP69K, PNP, 5m cable</a>	283.80	EC002716	<a href="#">227530</a>	4547648289375			GD	GDI	JPN	8541.4900.00
E3ZM-T86	<a href="#">Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, M8, 4-pin, PNP</a>	282.30	EC002716	<a href="#">232486</a>	4547648235815			GD	GDI	JPN	8541.4900.00
E3ZM-T88	<a href="#">Fotoelektrik sensör, karşılıklı, 0.8m, kompakt kare, paslanmaz çelik, infrared LED, IP69K, PNP, M8 4-pin konnektör</a>	296.80	EC002716	<a href="#">227532</a>	4547648289399			GD	GDI	JPN	8541.4900.00
E3ZM-V61 2M	<a href="#">Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, 2m kablolu</a>	241.60	EC001820	<a href="#">332046</a>	4547648689311			GD	GDI	CHN	8541.4900.00
E3ZM-V66	<a href="#">Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, M8, 4-pin konnektör</a>	238.70	EC001820	<a href="#">332048</a>	4547648689359		#	GD	GDI	CHN	8541.4900.00
E3ZM-V81 2M	<a href="#">Fotoelektrik sensör, difüz, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, 2m kablolu</a>	240.60	EC001820	<a href="#">326595</a>	4547648689335			GD	GDI	CHN	8541.4900.00
E3ZM-V81 5M	<a href="#">Colour mark sensor, diffuse, 12 +/- 2mm, 50µs response time, stainless steel body, IP69K, PNP</a>	250.30	EC001820	<a href="#">326596</a>	4547648689342			GD	GDI	CHN	8541.4900.00
E3ZM-V86	<a href="#">Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, M8, 4-pin konnektör</a>	237.60	EC001820	<a href="#">332049</a>	4547648689366		#	GD	GDI	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3S</b>											
E3S-AD11	<a href="#">Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, 2m cable</a>	123.20	EC001821	<a href="#">130510</a>	4536853282233			GD	GDI	JPN	8541.4900.00
E3S-AD12	<a href="#">Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, 2m cable</a>	122.40	EC001821	<a href="#">143232</a>	4536853282257			GD	GDI	JPN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-AD13	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, 2m cable	130.00	EC001821	142140	4536853283872			GD	GDJ	JPN	8541.4900.00
E3S-AD31	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, 2m cable	124.70	EC001821	155083	4536853282493			GD	GDJ	JPN	8541.4900.00
E3S-AD32	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, 2m cable	122.80	EC001821	149804	4536853282516			GD	GDJ	JPN	8541.4900.00
E3S-AD33	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, 2m cable	142.90	EC001821	147715	4536853283858			GD	GDJ	JPN	8541.4900.00
E3S-AD36	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, M12 plug-in	130.00	EC001821	130433	4536853282578	#		GD	GDJ	JPN	8541.4900.00
E3S-AD37	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, M12 plug-in	131.60	EC001821	104096	4536853282585			GD	GDJ	JPN	8541.4900.00
E3S-AD38	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, M12 plug-in	136.90	EC001821	104101	4536853283780			GD	GDJ	JPN	8541.4900.00
E3S-AD61	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, 2m cable	123.20	EC001821	130445	4536853282752			GD	GDJ	JPN	8541.4900.00
E3S-AD63	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, 2m cable	132.70	EC001821	144400	4536853283698			GD	GDJ	JPN	8541.4900.00
E3S-AD81	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, 2m cable	126.60	EC001821	130456	4536853283018			GD	GDJ	JPN	8541.4900.00
E3S-AD82	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, 2m cable	122.80	EC001821	142136	4536853283032			GD	GDJ	JPN	8541.4900.00
E3S-AD83	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, 2m cable	130.30	EC001821	130404	4536853283827			GD	GDJ	JPN	8541.4900.00
E3S-AD86	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, M12 plug-in	130.00	EC001821	130461	4536853283094			GD	GDJ	JPN	8541.4900.00
E3S-AD87	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, M12 plug-in	129.00	EC001821	130462	4536853283100	#		GD	GDJ	JPN	8541.4900.00
E3S-AD88	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, M12 plug-in	136.60	EC001821	130402	4536853283773			GD	GDJ	JPN	8541.4900.00
E3S-AR11	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, 2m cable	137.60	EC002717	142134	4536853282219			GD	GDJ	JPN	8541.4900.00
E3S-AR16	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, M12 plug-in	145.00	EC002717	154284	4536853282301			GD	GDJ	JPN	8541.4900.00
E3S-AR31	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, 2m cable	137.60	EC002717	130428	4536853282479			GD	GDJ	JPN	8541.4900.00
E3S-AR36	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, M12 plug-in	142.30	EC002717	130432	4536853282561			GD	GDJ	JPN	8541.4900.00
E3S-AR61	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, 2m cable	137.20	EC002717	152076	4536853282738			GD	GDJ	JPN	8541.4900.00
E3S-AR66	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, M12 plug-in	145.00	EC002717	105534	4536853282820			GD	GDJ	JPN	8541.4900.00
E3S-AR81	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, 2m cable	137.60	EC002717	130455	4536853282998			GD	GDJ	JPN	8541.4900.00
E3S-AR86	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, M12 plug-in	142.30	EC002717	130460	4536853283087			GD	GDJ	JPN	8541.4900.00
E3S-AT11	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, 2m cable	167.00	EC002716	130506	4536853282172			GD	GDJ	JPN	8541.4900.00
E3S-AT31	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, 2m cable	169.20	EC002716	130521	4536853282431			GD	GDJ	JPN	8541.4900.00
E3S-AT36	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, M12 plug-in	179.30	EC002716	130430	4536853282530	#		GD	GDJ	JPN	8541.4900.00
E3S-AT36-L	Photoelectric sensor, through-beam emitter, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	78.40	EC002716	156494	4536853282547			GD	GDJ	JPN	8541.4900.00
E3S-AT61	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, 2m cable	167.00	EC002716	154285	4536853282691			GD	GDJ	JPN	8541.4900.00
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, M12 plug-in	179.10	EC002716	130448	4536853282790			GD	GDJ	JPN	8541.4900.00
E3S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable	169.20	EC002716	130454	4536853282950			GD	GDJ	JPN	8541.4900.00
E3S-AT86	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, M12 plug-in	179.30	EC002716	130458	4536853283056			GD	GDJ	JPN	8541.4900.00
E3S-CD11 2M	Fotoelektrik sensor, cisimden yansimali, 700mm, DC, 3 kablolu, NPN/PNP, yataw, 2m kablolu	180.90	EC001821	239839	4547648357180			GD	GDJ	CHN	8541.4900.00
E3S-CD11-M1J 0.3M	Photoelectric sensor, Diffuse, 700mm range, Horizontal, NPN/PNP, M12 connector	206.80	EC001821	239819	4547648357357			GD	GDJ	CHN	8541.4900.00
E3S-CD12 2M	Fotoelektrik sensor, cisimden yansimali, 2m, DC, 3 kablolu, NPN/PNP, yataw, 2m kablolu	191.30	EC001821	239840	4547648357197			GD	GDJ	CHN	8541.4900.00
E3S-CD16 2M	Fotoelektrik sensor, cisimden yansimali, 700mm, DC, 3 kablolu, NPN/PNP, yataw, M12 konnektor	206.80	EC001821	239827	4547648357593			GD	GDJ	CHN	8541.4900.00
E3S-CD17	Fotoelektrik sensor, cisimden yansimali, 2m, DC, 3 kablolu, NPN/PNP, yataw, M12 konnektor	204.90	EC001821	239828	4547648357609			GD	GDJ	CHN	8541.4900.00
E3S-CD61 2M	Fotoelektrik sensor, cisimden yansimali, 700mm, DC, 3 kablolu, NPN/PNP, dusey, 2m kablolu	175.70	EC001821	239811	4547648357227			GD	GDJ	CHN	8541.4900.00
E3S-CD61-M1J 0.3M	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 0.3m cable with M12 connector	185.80	EC001821	239806	4547648357395			GD	GDJ	CHN	8541.4900.00
E3S-CD62 2M	Fotoelektrik sensor, cisimden yansimali, 2m, DC, 3 kablolu, NPN/PNP, dusey, 2m kablolu	193.50	EC001821	239812	4547648357234			GD	GDJ	CHN	8541.4900.00
E3S-CD66 2M	Fotoelektrik sensor, cisimden yansimali, 700mm, DC, 3 kablolu, NPN/PNP, dusey, M12 konnektor	215.00	EC001821	239829	4547648357616			GD	GDJ	CHN	8541.4900.00
E3S-CD67	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	215.00	EC001821	239830	4547648357623			GD	GDJ	CHN	8541.4900.00
E3S-CL1 2M	Fotoelektrik sensor, mesafe ayarlanabilir arka plan bastirmali, 5-200mm, NPN/PNP, 2m kablolu	229.30	EC002719	239843	4547648357418	#		GD	GDJ	CHN	8541.4900.00
E3S-CL1 5M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 5m cable	217.20	EC002719	239821	4547648357425			GD	GDJ	CHN	8541.4900.00
E3S-CL1-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	218.40	EC002719	239808	4547648357517			GD	GDJ	CHN	8541.4900.00
E3S-CL2 2M	Fotoelektrik sensor, mesafe ayarlanabilir arka plan bastirmali, 5-500mm, NPN/PNP, 2m kablolu	210.40	EC002719	239844	4547648357432	#		GD	GDJ	CHN	8541.4900.00
E3S-CL2 5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	235.60	EC002719	239822	4547648357449			GD	GDJ	CHN	8541.4900.00
E3S-CL2-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	232.70	EC002719	239809	4547648357524			GD	GDJ	CHN	8541.4900.00
E3S-CR11 2M	Fotoelektrik sensor, reflektörlü, 3m, DC, 3 kablolu, NPN/PNP, yataw, 2m kablolu	179.30	EC002717	239838	4547648357173			GD	GDJ	CHN	8541.4900.00
E3S-CR16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	259.80	EC002717	239831	4547648357630			GD	GDJ	CHN	8541.4900.00
E3S-CR61 2M	Fotoelektrik sensor, reflektörlü, 3m, DC, 3 kablolu, NPN/PNP, dusey, 2m kablolu	176.80	EC002717	239842	4547648357210			GD	GDJ	CHN	8541.4900.00
E3S-CR61 5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5m cable	202.80	EC002717	239815	4547648357289			GD	GDJ	CHN	8541.4900.00
E3S-CR61-M1J 0.3M	Photoelectric sensor, retroreflective	209.70	EC002717	239805	4547648357388			GD	GDJ	CHN	8541.4900.00
E3S-CR66	Fotoelektrik sensor, reflektörlü, 3m, DC, 3 kablolu, NPN/PNP, dusey, M12 konnektor	187.00	EC002717	239845	4547648357494			GD	GDJ	CHN	8541.4900.00
E3S-CT11 2M	Fotoelektrik sensor, karşılıklı, 30m, DC, 3 kablolu, NPN/PNP, yataw, 2m kablolu	239.30	EC002716	239837	4547648357166			GD	GDJ	CHN	8541.4900.00
E3S-CT11 5M	Photoelectric sensor, through beam	271.10	EC002716	239816	4547648357296			GD	GDJ	CHN	8541.4900.00
E3S-CT11-D 2M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 2 m cable	156.50	EC002716	239802	4547648357326			GD	GDJ	CHN	8541.4900.00
E3S-CT11-D 5M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	179.10	EC002716	239823	4547648357463			GD	GDJ	CHN	8541.4900.00
E3S-CT11-L 5M	Photoelectric sensor, through-beam emitter, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	139.40	EC002716	239790	4547648357456			GD	GDJ	CHN	8541.4900.00
E3S-CT16	Fotoelektrik sensor, karşılıklı, 30m, DC, 3 kablolu, NPN/PNP, yataw, M12 konnektor	275.10	EC002716	239846	4547648357531			GD	GDJ	CHN	8541.4900.00
E3S-CT61 2M	Fotoelektrik sensor, karşılıklı, 30m, DC, 3 kablolu, NPN/PNP, dusey, 2m kablolu	254.80	EC002716	239841	4547648357203			GD	GDJ	CHN	8541.4900.00
E3S-CT61 5M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 5m cable	271.50	EC002716	239817	4547648357302			GD	GDJ	CHN	8541.4900.00
E3S-CT61-D 5M	Photoelectric sensor, through-beam receiver, Sn=12m, NPN/PNP, zinc diecast, 5m PVC cable	179.10	EC002716	239825	4547648357487	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61-L 5M	Photoelectric sensor, through-beam emitter, Sn=12m, zinc diecast, 5m PVC cable	124.40	EC002716	239824	4547648357470			GD	GDJ	CHN	8541.4900.00
E3S-CT61-L-5 5M	Through-beam emitter, 5 m range, oil-resistant, DC, 5 m cable output	122.40	EC002716	239835	4547648357739			GD	GDJ	CHN	8541.4900.00
E3S-CT66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	233.80	EC002716	239847	4547648357562			GD	GDJ	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-CT66-D	Photoelectric sensor, through-beam receiver, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	206.00	EC002716	<a href="#">239826</a>	4547648357586			GD	GDJ	CHN	8541.4900.00
E3S-CT66-L	Photoelectric sensor, through-beam (emitter only), 30m, DC, vertical, M12 plug-in	152.70	EC002716	<a href="#">239793</a>	4547648357579			GD	GDJ	CHN	8541.4900.00
E3S-CT66-L-5	Photoelectric sensor, through-beam emitter, 5m, customized emission power, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	130.30	EC002716	409500	4548583535930			GD	GDJ	CHN	8541.4900.00
E3S-R17	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, yatay, M12 konnektör	162.60	EC002717	<a href="#">130422</a>	4536853284244			GD	GDJ	JPN	8541.4900.00
E3S-R32	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, 2m kablolu	162.60	EC002717	<a href="#">130354</a>	4536853284701			GD	GDJ	JPN	8541.4900.00
E3S-R36	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, yatay, M12 konnektör	159.20	EC002717	<a href="#">130355</a>	4536853284718			GD	GDJ	JPN	8541.4900.00
E3S-R37	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, M12 konnektör	152.70	EC002717	<a href="#">130356</a>	4536853284725			GD	GDJ	JPN	8541.4900.00
E3S-B67	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, düşey, M12 konnektör	159.20	EC002717	<a href="#">130423</a>	4536853284251			GD	GDJ	JPN	8541.4900.00
E3S-R86	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, düşey, M12 konnektör	155.10	EC002717	<a href="#">130359</a>	4536853284756			GD	GDJ	JPN	8541.4900.00
E3S-R87	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, düşey, M12 konnektör	156.50	EC002717	<a href="#">130360</a>	4536853284763			GD	GDJ	JPN	8541.4900.00
<b>Fiberoptik Amplifikatör E3X</b>											
E3X-ECT	E3X communication unit, EtherCAT	563.00	EC003015	<a href="#">357104</a>	4548583057661			GD	GDK	CHN	8541.4900.00
E3X-HD11-2M	Fiberoptik amplifikatörü, kolay kullanım, NPN, 2M	185.30	EC002651	<a href="#">691084</a>	4549734551069	#		GD	GDK	CHN	8536.5019.90
E3X-HD14	Fiberoptik amplifikatörü, kolay kullanım, NPN, M8 (4pin) konnektör	213.20	EC002651	<a href="#">691082</a>	4549734551090			GD	GDK	CHN	8536.5019.90
E3X-HD41-2M	Fiberoptik amplifikatörü, kolay kullanım, PNP, 2M	185.30	EC002651	<a href="#">691076</a>	4549734551106	#		GD	GDK	CHN	8536.5019.90
E3X-HD41-5M	Fiber amplifier, Stable and Easy operation, Giga Bay II LED, PNP, 5 M	205.50	EC002651	<a href="#">691081</a>	4549734551113			GD	GDK	CHN	8536.5019.90
E3X-HD44	Fiberoptik amplifikatörü, kolay kullanım, M8 (4pin) konnektör	213.20	EC002651	<a href="#">691079</a>	4549734551144			GD	GDK	CHN	8536.5019.90
E3X-HD6	Fiberoptik amplifikatörü, kolay kullanım, NPN, CN-konnektör	185.30	EC002651	<a href="#">691078</a>	4549734551151			GD	GDK	CHN	8536.5019.90
E3X-HD8	Fiberoptik amplifikatörü, kolay kullanım, PNP, CN-konnektör	185.30	EC002651	<a href="#">691077</a>	4549734551168			GD	GDK	CHN	8536.5019.90
E3X-NA11-2M	Fiberoptik amplifikatörü, IP50, NPN, 2m kablolu	136.00	EC002651	<a href="#">239765</a>	4547648358750	#		GD	GDK	CHN	8536.5019.90
E3X-NA11F-2M	Fiber amplifier with potentiometer, fast response time, NPN output, 2m cable	232.90	EC002651	<a href="#">239772</a>	4547648358828			GD	GDK	CHN	8536.5019.90
E3X-NA11V-2M	Fiberoptik amplifikatörü, IP66, NPN, 2m kablolu	204.70	EC002651	<a href="#">239773</a>	4547648358842			GD	GDK	CHN	8536.5019.90
E3X-NA14V	Amplifier with potentiometer, IP66, NPN output, M8 plug-in	200.90	EC002651	<a href="#">239774</a>	4547648358866			GD	GDK	CHN	8536.5019.90
E3X-NA41-2M	Fiberoptik amplifikatörü, IP50, PNP, 2m kablolu	136.00	EC002651	<a href="#">239766</a>	4547648358767	#		GD	GDK	CHN	8536.5019.90
E3X-NA41F-2M	Fiber amplifier with potentiometer, fast response time, PNP output, 2m cable	232.90	EC002651	<a href="#">239775</a>	4547648358835			GD	GDK	CHN	8536.5019.90
E3X-NA41V-2M	Fiberoptik amplifikatörü, IP66, PNP, 2m kablolu	200.90	EC002651	<a href="#">239760</a>	4547648358859			GD	GDK	CHN	8536.5019.90
E3X-NA44V	Fiberoptik amplifikatörü, IP66, PNP, M8 konnektör	200.90	EC002651	<a href="#">239771</a>	4547648358811			GD	GDK	CHN	8536.5019.90
E3X-NA51-2M	Fiberoptik amplifikatörü, çubuk LED göstergesi, DC, 3 kablolu, PNP, 2m kablolu	222.60	EC002651	<a href="#">239777</a>	4547648358927			GD	GDK	CHN	8536.5019.90
E3X-NA8	Fiberoptik amplifikatörü, IP50, PNP, konnektör	116.70	EC002651	<a href="#">239770</a>	4547648358804			GD	GDK	CHN	8536.5019.90
E3X-NAG11-2M	Fiberoptik amplifikatörü, benek algılayıcı, NPN, 2m kablolu	151.00	EC002651	<a href="#">239767</a>	4547648358774			GD	GDK	CHN	8536.5019.90
E3X-NAG41-2M	Amplifier with potentiometer, mark detection, green LED, PNP output, 2m cable	136.50	EC002651	<a href="#">239768</a>	4547648358781			GD	GDK	CHN	8536.5019.90
E3X-SD21-2M	Fiberoptik amplifikatörü, NPN, 2M	136.00	EC002651	<a href="#">340860</a>	4547648809221			GD	GDK	CHN	8536.5019.90
E3X-SD51-2M	Fiberoptik amplifikatörü, PNP, 2M	136.00	EC002651	<a href="#">340861</a>	4547648809238	#		GD	GDK	CHN	8536.5019.90
E3X-SD9	Fiberoptik amplifikatörü, PNP, konnektör	144.70	EC002651	<a href="#">340863</a>	4547648809252			GD	GDK	CHN	8536.5019.90
<b>Fiberoptik Amplifikatör E3X</b>											
E3X-CN11	Connector, 3-wire cable for master amplifier, 2m cable	17.92	EC003015	<a href="#">336330</a>	4547648647717			GD	GDK	CHN	8541.4900.00
E3X-CN11-5M	Connector, 3-wire cable for master amplifier, 5m cable	25.50	EC003015	<a href="#">336334</a>	4547648647755			GD	GDK	CHN	8541.4900.00
E3X-CN12	Connector, 1-wire cable for slave amplifier, 2m cable	16.31	EC003015	<a href="#">336331</a>	4547648647724			GD	GDK	CHN	8541.4900.00
E3X-CN12-5M	Connector, 1-wire cable for slave amplifier, 5m cable	18.73	EC003015	<a href="#">336335</a>	4547648647762			GD	GDK	CHN	8541.4900.00
E3X-CN21	Accessory fiber amplifier system connector for master amplifier, standard, 2M cables	25.06	EC003015	<a href="#">336332</a>	4547648647731			GD	GDK	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3T</b>											
E3T-CD11-2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansımali, 50mm, L-ON, NPN, 2m kablolu	149.30	EC001821	<a href="#">351567</a>	4547648838542	#		GD	GDO	JPN	8541.4900.00
E3T-CD13-2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansımali, 50mm, L-ON, PNP, 2m kablolu	218.50	EC001821	<a href="#">351568</a>	4547648838559	#		GD	GDO	JPN	8541.4900.00
E3T-CT14-2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı, 1m, D-ON, PNP, 2m kablolu	173.80	EC002716	<a href="#">351564</a>	4547648838511			GD	GDO	JPN	8541.4900.00
E3T-CT245-2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı, 500mm, D-ON, PNP, 2m kablolu	173.80	EC002716	<a href="#">351566</a>	4547648838535			GD	GDO	JPN	8541.4900.00
E3T-FD11-2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablolu, NPN, L-ON, yassı, 2m kablolu	109.10	EC001821	<a href="#">130184</a>	4536853289881			GD	GDO	JPN	8541.4900.00
E3T-FD13-2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu	106.30	EC001821	<a href="#">156504</a>	4536854366437			GD	GDO	JPN	8541.4900.00
E3T-FD13M-2M	Photoelectric sensor, flat, diffuse 5-30mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	78.70	EC001821	<a href="#">351549</a>	4548583011144			GD	GDO	JPN	8541.4900.00
E3T-FD14-2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablolu, PNP, D-ON, yassı, 2m kablolu	109.50	EC001821	<a href="#">142150</a>	4536854366451			GD	GDO	JPN	8541.4900.00
E3T-FL11-2M	Photoelectric sensor, background suppression, 1-15mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	134.00	EC002719	<a href="#">224243</a>	4547648223607			GD	GDO	JPN	8541.4900.00
E3T-FL13-2M	Fotoelektrik sensör, arka plan bastırılmalı, 1-15mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu	178.90	EC002719	<a href="#">224245</a>	4547648223621			GD	GDO	JPN	8541.4900.00
E3T-FL21-2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	151.00	EC002719	<a href="#">224247</a>	4547648223645			GD	GDO	JPN	8541.4900.00
E3T-FL23-2M	Fotoelektrik sensör, arka plan bastırılmalı, 1-30mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu	146.40	EC002719	<a href="#">224249</a>	4547648223669			GD	GDO	JPN	8541.4900.00
E3T-FL24-2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires bracket)	151.00	EC002719	<a href="#">224250</a>	4547648223676			GD	GDO	JPN	8541.4900.00
E3T-FT11-2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, NPN, L-ON, yassı, 2m kablolu	145.40	EC002716	<a href="#">149691</a>	4536853289867			GD	GDO	JPN	8541.4900.00
E3T-FT12-2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, NPN, D-ON, yassı, 2m kablolu	142.10	EC002716	<a href="#">130183</a>	4536853289874			GD	GDO	JPN	8541.4900.00
E3T-FT13-2M	Fotoelektrik sensör, karşılıklı, minyatür, yassı, 500mm, L-ON, PNP, 2m kablolu	145.40	EC002716	<a href="#">130100</a>	4536854366345	#		GD	GDO	JPN	8541.4900.00
E3T-FT14-2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, PNP, D-ON, yassı, 2m kablolu	142.10	EC002716	<a href="#">130101</a>	4536854366352			GD	GDO	JPN	8541.4900.00
E3T-FT23-2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting	179.70	EC002716	<a href="#">224644</a>	4536854914102			GD	GDO	JPN	8541.4900.00
E3T-FT24-2M	Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable	183.40	EC002716	<a href="#">224652</a>	4536854914065			GD	GDO	JPN	8541.4900.00
E3T-SL11-2M	Fotoelektrik sensör, cisimden yansımali, 15mm, DC, 3 kablolu, NPN, L-ON, 2m kablolu	110.60	EC002719	<a href="#">156503</a>	4536853289836			GD	GDO	JPN	8541.4900.00
E3T-SL13-2M	Fotoelektrik sensör, cisimden yansımali, 15mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	104.70	EC002719	<a href="#">145481</a>	4536854366383			GD	GDO	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3T-SL13M 2M	Photoelectric sensor, side view, limited 5-15mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	117.40	EC002719	351546	4548583011069			GD	GDO	JPN	8541.4900.00
E3T-SL13-M5J 0.3M	Photoelectric sensor	106.60	EC002719	100408	4547648016551	5		GD	GDO	JPN	8541.4900.00
E3T-SL14 2M	Fotoelektrik sensör, cisimden yansımali, minyatür, 5-15mm, D-ON, PNP, 2m kablolu	97.65	EC002719	149692	4536854366406			GD	GDO	JPN	8541.4900.00
E3T-SL21 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablolu, NPN, L-ON, 2m kablolu	106.30	EC002719	147720	4536853289904			GD	GDO	JPN	8541.4900.00
E3T-SL23 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	108.30	EC002719	130103	4536854366413	#		GD	GDO	JPN	8541.4900.00
E3T-SL23-M5J 0.3M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, MR connector (requires bracket)	136.50	EC002719	163556	4547648016575			GD	GDO	JPN	8541.4900.00
E3T-SL24 2M	Fotoelektrik sensör, cisimden yansımali, minyatür, 5-30mm, D-ON, PNP, 2m kablolu	106.30	EC002719	130104	4536854366420	#		GD	GDO	JPN	8541.4900.00
E3T-SR22 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, NPN, D-ON, 2m kablolu	117.40	EC002717	224199	4547648222884			GD	GDO	JPN	8541.4900.00
E3T-SR23 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	115.80	EC002717	224201	4547648222952			GD	GDO	JPN	8541.4900.00
E3T-SR23-M5J 0.3M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, pigtail connector, MR, 3 pin (requires bracket)	140.00	EC002717	224237	4547648223430			GD	GDO	JPN	8541.4900.00
E3T-SR24 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, PNP, D-ON, 2m kablolu	115.80	EC002717	224204	4547648222983			GD	GDO	JPN	8541.4900.00
E3T-SR41-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, NPN, L-ON, 2m kablolu	147.90	EC002717	249831	4547648590389			GD	GDO	JPN	8541.4900.00
E3T-SR43-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, PNP, L-ON, 2m kablolu	95.30	EC002717	249833	4547648590402			GD	GDO	JPN	8541.4900.00
E3T-SR44 2M	Fotoelektrik sensör	126.00	EC002717	249830	4547648590372			GD	GDO	JPN	8541.4900.00
E3T-SR44-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, D-on, 2m cable, M2 mounting	107.30	EC002717	249834	4547648590419			GD	GDO	JPN	8541.4900.00
E3T-ST11 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, NPN, L-ON, 2m kablolu	145.40	EC002716	156502	4536853289805			GD	GDO	JPN	8541.4900.00
E3T-ST12 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, NPN, D-ON, 2m kablolu	142.60	EC002716	130180	4536853289812			GD	GDO	JPN	8541.4900.00
E3T-ST13 2M	Fotoelektrik sensör, karşılıklı, minyatür, 1m, L-ON, PNP, 2m kablolu	142.10	EC002716	130098	4536854366321			GD	GDO	JPN	8541.4900.00
E3T-ST14 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, PNP, D-ON, 2m kablolu	141.00	EC002716	130099	4536854366338	#		GD	GDO	JPN	8541.4900.00
E3T-ST23 2M	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, L-ON, 2m kablolu	161.30	EC002716	224653	4536854914126			GD	GDO	JPN	8541.4900.00
E3T-ST24 2M	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, D-ON, 2m kablolu	148.20	EC002716	224649	4536854914096			GD	GDO	JPN	8541.4900.00
E3T-ST33E 2M	Photoelectric sensor, through-beam, miniature, side-view, IRI, LED, 2m, PNP, L-on, 2m cable, M2 mounting	115.00	EC002716	393228	4548583516472			GD	GDO	JPN	8541.4900.00
<b>Fotoelektrik Sensör E3C-LDA</b>											
E3C-LD11N 2M	Laser sensor head, diffuse reflective, 1 m, spot beam, 2 m cable	440.00	EC001821	707114	4549734741347			GD	GDQ	JPN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SX472	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	9.12	EC002720	392303	4548583476011	#	100	GD	GDR	JPN	8536.5019.90
EE-SX473	Photo micro sensor, slot type, Close-mounting, L-ON, NPN, connector	12.94	EC002720	392304	4548583476028		20	GD	GDR	JPN	8536.5019.90
EE-SX670	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	12.04	EC002720	392306	4548583476042	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670A	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	392307	4548583476059	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	20.64	EC002720	392308	4548583476080	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1m robotic cable	25.87	EC002720	237964	4547648354639	#		GD	GDR	CHN	8536.5019.90
EE-SX670R	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	16.70	EC002720	392309	4548583476097	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670-WR 1M	Photomicro sensor	18.93	EC002720	237956	4547648354554	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	11.44	EC002720	392310	4548583476073	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671A	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	392311	4548583476103	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671P	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	20.23	EC002720	392312	4548583476110		50	GD	GDR	JPN	8536.5019.90
EE-SX671P-WR 1M	Photomicro sensor	44.61	EC002720	237965	4547648354660	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671R	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	16.70	EC002720	392313	4548583476127		50	GD	GDR	JPN	8536.5019.90
EE-SX671-WR 1M	Photomicro sensor	42.76	EC002720	237957	4547648354561		20	GD	GDR	CHN	8536.5019.90
EE-SX672	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	392314	4548583476134	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672A	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	11.85	EC002720	392315	4548583476141	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	17.16	EC002720	392316	4548583476158	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1m robotic cable	20.51	EC002720	237966	4547648354677			GD	GDR	CHN	8536.5019.90
EE-SX672R	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	17.38	EC002720	392317	4548583476165		50	GD	GDR	JPN	8536.5019.90
EE-SX672-WR 1M	Photomicro sensor	21.60	EC002720	237958	4547648354578		20	GD	GDR	CHN	8536.5019.90
EE-SX673	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	9.70	EC002720	392318	4548583476172		100	GD	GDR	JPN	8536.5019.90
EE-SX673A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	12.32	EC002720	392319	4548583476189		50	GD	GDR	JPN	8536.5019.90
EE-SX673P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, incident light indicator, PNP, connector	27.65	EC002720	393162	4548583476196		20	GD	GDR	JPN	8536.5019.90
EE-SX673R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	19.79	EC002720	392320	4548583476202		10	GD	GDR	JPN	8536.5019.90
EE-SX673-WR 1M	Photomicro sensor	37.10	EC002720	237959	4547648354585			GD	GDR	CHN	8536.5019.90
EE-SX674	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	15.34	EC002720	392321	4548583476219	#	50	GD	GDR	JPN	8536.5019.90
EE-SX674A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	17.25	EC002720	392322	4548583476226		50	GD	GDR	JPN	8536.5019.90
EE-SX674P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	25.04	EC002720	392323	4548583476233		50	GD	GDR	JPN	8536.5019.90
EE-SX674P-WR 1M	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre wired 2M	21.96	EC002720	237968	4547648354691			GD	GDR	CHN	8536.5019.90
EE-SX674R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	14.27	EC002720	392324	4548583476240		10	GD	GDR	JPN	8536.5019.90
EE-SX674-WR 1M	Photomicro sensor	16.55	EC002720	237960	4547648354592			GD	GDR	CHN	8536.5019.90
EE-SX675	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	13.66	EC002720	392325	4548583476257		50	GD	GDR	JPN	8536.5019.90
EE-SX770 2M	Photomicro sensor, slim, 5mm slot, D-on, NPN, 2m cable	53.70	EC002720	127668	4536854355509			GD	GDR	JPN	8536.5019.90
EE-SX770P	Photomicro sensor, slim, 5mm slot, D-on, PNP, 2m cable	35.42	EC002720	127688	4536854402371		10	GD	GDR	JPN	8536.5019.90
EE-SX771 2M	Photomicro sensor, slim, L-shape, D-on, NPN, 2m cable	38.28	EC002720	127672	4536854355547		10	GD	GDR	JPN	8536.5019.90
EE-SX771A 2M	Photomicro sensor	36.41	EC002720	127673	4536854355554			GD	GDR	JPN	8536.5019.90
EE-SX771P	Photomicro sensor, slim, 5mm slot, L-shaped, D-on, PNP, 2m cable	34.72	EC002720	127689	4536854402388		10	GD	GDR	JPN	8536.5019.90
EE-SX771R	Photomicro sensor	34.96	EC002720	127597	4536854402456			GD	GDR	JPN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX772 2M	Photomicro sensor, slot type, slim, T-shaped, NPN, 2m cable	35.93	EC002720	127675	4536854356728			GD	GDR	JPN	8536.5019.90
EE-SX772A 2M	Photomicro sensor, slim, 5mm slot, T-shaped, without incident light indicator, D-ON, NPN, 2m cable	36.41	EC002720	151458	4536854356735			GD	GDR	JPN	8536.5019.90
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, D-on, PNP, 2m cable	33.50	EC002720	127594	4536854402395	10		GD	GDR	JPN	8536.5019.90
EE-SX772B	Photomicro sensor	34.50	EC002720	127598	4536854402463	100		GD	GDR	JPN	8536.5019.90
EE-SX870 2M	Photomicro sensor, slim, Standard-shape, L-on, NPN, 2m cable	46.25	EC002720	127670	4536854355523			GD	GDR	JPN	8536.5019.90
EE-SX870P	Photomicro sensor, slim, 5mm slot, L-on, PNP, 2m cable	34.72	EC002720	142714	4536854402401	10		GD	GDR	JPN	8536.5019.90
EE-SX871 2M	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24Vdc, NPN, 2M	36.41	EC002720	127674	4536854355561			GD	GDR	JPN	8536.5019.90
EE-SX871P	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24Vdc, PNP, 2M	31.59	EC002720	127595	4536854402418	10		GD	GDR	JPN	8536.5019.90
EE-SX872 2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24Vdc, NPN, 2M	38.28	EC002720	127676	4536854356742			GD	GDR	JPN	8536.5019.90
EE-SX872A 2M	Photo micro sensor, T-shaped 5mm slot with, L-ON, No incident light, 5-24Vdc, NPN, 2M	38.28	EC002720	104676	4536854356759	10		GD	GDR	JPN	8536.5019.90
EE-SX872P	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24Vdc, PNP, 2M	34.72	EC002720	103843	4536854402425	10		GD	GDR	JPN	8536.5019.90
EE-SX950P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	18.04	EC002720	378484	4548583416734	5		GD	GDR	JPN	8536.5019.90
EE-SX951P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	19.06	EC002720	378495	4548583416796	10		GD	GDR	JPN	8536.5019.90
EE-SX951P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	18.04	EC002720	378485	4548583416741	5		GD	GDR	JPN	8536.5019.90
EE-SX951R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	22.89	EC002720	378492	4548583416697	10		GD	GDR	JPN	8536.5019.90
EE-SX951-W 1M	Photo micro sensor, slot type, NPN, 1m cable	18.30	EC002720	378480	4548583416642	5		GD	GDR	JPN	8536.5019.90
EE-SX952P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.22	EC002720	378496	4548583416802	10		GD	GDR	JPN	8536.5019.90
EE-SX952P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	15.77	EC002720	378486	4548583416758	5		GD	GDR	JPN	8536.5019.90
EE-SX952-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	13.13	EC002720	378489	4548583416703	10		GD	GDR	JPN	8536.5019.90
EE-SX952-W 1M	Photo micro sensor, slot type, NPN, 1m cable	15.77	EC002720	378481	4548583416659	5		GD	GDR	JPN	8536.5019.90
EE-SX953P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.57	EC002720	378497	4548583416819	10		GD	GDR	JPN	8536.5019.90
EE-SX953-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	19.79	EC002720	378490	4548583416710	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.22	EC002720	378498	4548583416826	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	21.50	EC002720	378488	4548583416772	5		GD	GDR	JPN	8536.5019.90
EE-SX954-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	24.92	EC002720	378493	4548583416727	10		GD	GDR	JPN	8536.5019.90
EE-SX970P-C1	Photomicro sensor, slot type, standard shape, 5mm, PNP, connector	28.25	EC002720	335080	4547648822312			GD	GDR	CHN	8536.5019.90
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	25.87	EC002720	335087	4547648822275	50		GD	GDR	CHN	8536.5019.90
EE-SX974P-C1	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	25.87	EC002720	335083	4547648822343			GD	GDR	CHN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SPX302-W2A 1M	Photomicro sensor, slot type, 3.6mm, D-ON, NPN, 1m cable	39.28	EC002720	127753	4536854778513	5		GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A 2M	Photo micro sensor	32.96	EC002720	225408	4536854778733			GD	GDR	CHN	8536.5019.90
EE-SPX303N	Photomicro sensor, slot type, 13mm, D-on, NPN, connector	30.63	EC002720	324057	4547648766548	50		GD	GDR	JPN	8536.5019.90
EE-SPX401	Photo micro sensor	26.36	EC002720	103759	4536854776458	50		GD	GDR	CHN	8536.5019.90
EE-SPX403N	Photomicro sensor, slot type, 13mm, NPN, connector	27.77	EC002720	324058	4547648766555			GD	GDR	JPN	8536.5019.90
EE-SPX613 1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1m cable	80.70	EC002720	127750	4536853234195			GD	GDR	JPN	8536.5019.90
EE-SPX841	Photomicro sensor	31.41	EC002720	164206	4536854518294			GD	GDR	JPN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, D-ON, NPN, connector	31.59	EC001821	144819	4536854778094	100		GD	GDR	CHN	8536.5019.90
EE-SPY401	Photomicro sensor, reflective type, horizontal (radial), Sn=5mm, L-ON, NPN, connector	25.87	EC001821	127752	4536854778087	100		GD	GDR	CHN	8536.5019.90
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	24.92	EC001821	158099	4536854778100	50		GD	GDR	CHN	8536.5019.90
EE-SPY411	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2-5mm, L-ON, NPN, connector	51.40	EC001821	127758	4536854778599	#	20	GD	GDR	CHN	8536.5019.90
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2-5mm, L-ON, NPN, connector	39.99	EC001821	148065	4536854778605	#	20	GD	GDR	CHN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SY672	Photomicro sensor, reflective type, vertical (axial), Sn=1-5mm (adjustable), L-ON/D-ON selectable, NPN, connector	24.92	EC001821	127547	4536853238797	20		GD	GDR	JPN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-1017 3M	Connector with cable for photomicrosensor EE-SX97 series, 3M	23.22	EC001855	335077	4547648822398			GD	GDR	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3FA / E3RA</b>											
E3FA-BN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378858	4548583440623			GD	GDS	IDN	8536.9095.00
E3FA-BN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378859	4548583440630			GD	GDS	IDN	8536.9095.00
E3FA-BN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378868	4548583440739			GD	GDS	IDN	8536.9095.00
E3FA-BN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378869	4548583440746			GD	GDS	IDN	8536.9095.00
E3FA-BP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378878	4548583440845			GD	GDS	IDN	8536.9095.00
E3FA-BP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378879	4548583440852			GD	GDS	IDN	8536.9095.00
E3FA-BP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378888	4548583440951			GD	GDS	IDN	8536.9095.00
E3FA-BP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378889	4548583440958	#		GD	GDS	IDN	8536.9095.00
E3FA-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden vansimalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378852	4548583440562	#		GD	GDS	IDN	8536.9095.00
E3FA-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden vansimalı, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378853	4548583440579	#		GD	GDS	IDN	8536.9095.00
E3FA-DN13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden vansimalı, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC001821	378854	4548583440586	#		GD	GDS	IDN	8536.9095.00
E3FA-DN14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden vansimalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381318	4548583468498			GD	GDS	CHN	8541.4900.00
E3FA-DN15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden vansimalı, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381322	4548583468535			GD	GDS	CHN	8541.4900.00



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-DN16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	46.42	EC001821	381326	4548583468573			GD	GDS	CHN	8541.4900.00
E3FA-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378862	4548583440678	#		GD	GDS	IDN	8536.9095.00
E3FA-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378863	4548583440685	#		GD	GDS	IDN	8536.9095.00
E3FA-DN23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC001821	378864	4548583440692	#		GD	GDS	IDN	8536.9095.00
E3FA-DN24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381319	4548583468504			GD	GDS	CHN	8541.4900.00
E3FA-DN25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381323	4548583468542			GD	GDS	CHN	8541.4900.00
E3FA-DN26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	46.42	EC001821	381327	4548583468580			GD	GDS	CHN	8541.4900.00
E3FA-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378872	4548583440784	#		GD	GDS	IDN	8536.9095.00
E3FA-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378873	4548583440791	#		GD	GDS	IDN	8536.9095.00
E3FA-DP13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC001821	378874	4548583440807	#		GD	GDS	IDN	8536.9095.00
E3FA-DP14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381320	4548583468511			GD	GDS	CHN	8541.4900.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	43.67	EC001821	382773	4548583499447			GD	GDS	CHN	8541.4900.00
E3FA-DP15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381324	4548583468559			GD	GDS	CHN	8541.4900.00
E3FA-DP15-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	43.67	EC001821	382774	4548583499454			GD	GDS	CHN	8541.4900.00
E3FA-DP16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	46.42	EC001821	381328	4548583468597			GD	GDS	CHN	8541.4900.00
E3FA-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378882	4548583440890	#		GD	GDS	IDN	8536.9095.00
E3FA-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378883	4548583440906	#		GD	GDS	IDN	8536.9095.00
E3FA-DP23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC001821	378884	4548583440913	#		GD	GDS	IDN	8536.9095.00
E3FA-DP24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381321	4548583468528			GD	GDS	CHN	8541.4900.00
E3FA-DP24-F016	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 150mm fixed, PNP, L-ON/D-ON selectable, M12 connector	34.54	EC001821	659020	4548583731110			GD	GDS	CHN	8541.4900.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	33.82	EC001821	382777	4548583499485			GD	GDS	CHN	8541.4900.00
E3FA-DP25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381325	4548583468566	#		GD	GDS	CHN	8541.4900.00
E3FA-DP25-F1	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, low hysteresis, PNP, L-ON/D-ON selectable, M12 connector	43.67	EC001821	409501	4548583584655			GD	GDS	CHN	8541.4900.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	33.77	EC001821	382778	4548583499492			GD	GDS	CHN	8541.4900.00
E3FA-DP26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	46.42	EC001821	381329	4548583468603			GD	GDS	CHN	8541.4900.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	36.60	EC001821	382779	4548583499508			GD	GDS	CHN	8541.4900.00
E3FA-IN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.10	EC002719	378855	4548583440593			GD	GDS	IDN	8536.9095.00
E3FA-IN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.10	EC002719	378856	4548583440609			GD	GDS	IDN	8536.9095.00
E3FA-IN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.65	EC002719	378865	4548583440708			GD	GDS	IDN	8536.9095.00
E3FA-IN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.65	EC002719	378866	4548583440715			GD	GDS	IDN	8536.9095.00
E3FA-IP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.90	EC002719	378875	4548583440814			GD	GDS	IDN	8536.9095.00
E3FA-IP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.65	EC002719	378876	4548583440821			GD	GDS	IDN	8536.9095.00
E3FA-LP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.25	EC002719	378885	4548583440920	#		GD	GDS	IDN	8536.9095.00
E3FA-LP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BG5, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	52.30	EC002719	382780	4548583499515			GD	GDS	CHN	8541.4900.00
E3FA-LP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.05	EC002719	378886	4548583440937	#		GD	GDS	IDN	8536.9095.00
E3FA-LP22-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BG5, 200mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.20	EC002719	659592	4548583731158			GD	GDS	CHN	8536.9095.00
E3FA-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC002717	378850	4548583440548	#		GD	GDS	IDN	8536.9095.00
E3FA-RN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksenli reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC002717	378851	4548583440555			GD	GDS	IDN	8536.9095.00
E3FA-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC002717	378860	4548583440654			GD	GDS	IDN	8536.9095.00
E3FA-RN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksenli reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC002717	378861	4548583440661			GD	GDS	IDN	8536.9095.00
E3FA-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC002717	378870	4548583440760	#		GD	GDS	IDN	8536.9095.00
E3FA-RP11 5M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, retro-reflektive, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 5m kablolu	46.01	EC002717	419143	4548583595576			GD	GDS	CHN	8541.4900.00
E3FA-RP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC002717	378871	4548583440777			GD	GDS	IDN	8536.9095.00
E3FA-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC002717	378880	4548583440876	#		GD	GDS	IDN	8536.9095.00
E3FA-RP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.50	EC002717	659017	4548583731196			GD	GDS	CHN	8536.9095.00
E3FA-RP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC002717	378881	4548583440883			GD	GDS	IDN	8536.9095.00
E3FA-TN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	61.25	EC002716	389692	4548583440531			GD	GDS	IDN	8536.9095.00
E3FA-TN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.50	EC002716	381314	4548583468450			GD	GDS	CHN	8541.4900.00
E3FA-TN21	Fotoelektrik sensör, M18 eksenel, plastik kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	61.25	EC002716	404483	4548583440647	#		GD	GDS	IDN	8541.4900.00
E3FA-TN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.50	EC002716	381315	4548583468467			GD	GDS	CHN	8541.4900.00
E3FA-TP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m PVC kablolu	61.25	EC002716	404484	4548583440753	#		GD	IDN	8541.4900.00	
E3FA-TP11 5M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 5m PVC cable	51.20	EC002716	416701	4548583569201			GD	GDS	CHN	8541.4900.00
E3FA-TP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.50	EC002716	381316	4548583468474			GD	GDS	CHN	8541.4900.00
E3FA-TP21	Fotoelektrik sensör, M18 eksenel, plastik kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	61.25	EC002716	404485	4548583440869	#		GD	GDS	IDN	8541.4900.00
E3FA-TP21-D	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	40.93	EC002716	415553	4548583547308			GD	GDS	CHN	8541.4900.00
E3FA-TP21-F011	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam, 20m, PNP, L-ON fixed, M12 connector	57.25	EC002716	382535	4548583502208			GD	GDS	CHN	8541.4900.00
E3FA-TP21-L	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	28.87	EC002716	415552	4548583547292			GD	GDS	CHN	8541.4900.00
E3FA-TP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.50	EC002716	381317	4548583468481			GD	GDS	CHN	8541.4900.00
E3FA-TN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	54.85	EC002719	378857	4548583440616			GD	GDS	IDN	8536.9095.00
E3FA-VN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	54.85	EC002719	378867	4548583440722			GD	GDS	IDN	8536.9095.00
E3FA-VP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	54.85	EC002719	378877	4548583440838			GD	GDS	IDN	8536.9095.00
E3FA-VP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	54.85	EC002719	378887	4548583440944			GD	GDS	IDN	8536.9095.00
E3FB-BN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffah nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378899	4548583441064			GD	GDS	IDN	8536.9095.00
E3FB-BN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffah nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378900	4548583441071			GD	GDS	IDN	8536.9095.00
E3FB-BN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffah nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378910	4548583441170			GD	GDS	IDN	8536.9095.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FR-BN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	62.85	EC002717	378911	4548583441187			GD	GDS	IDN	8536.9095.00
E3FR-BP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378921	4548583441286			GD	GDS	IDN	8536.9095.00
E3FR-BP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378922	4548583441293			GD	GDS	IDN	8536.9095.00
E3FR-BP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	62.85	EC002717	378932	4548583441392			GD	GDS	IDN	8536.9095.00
E3FR-BP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	62.85	EC002717	378933	4548583441408			GD	GDS	IDN	8536.9095.00
E3FR-DN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378893	4548583441002			GD	GDS	IDN	8536.9095.00
E3FR-DN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	46.89	EC001821	378894	4548583441019			GD	GDS	IDN	8536.9095.00
E3FR-DN13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	378895	4548583441026			GD	GDS	IDN	8536.9095.00
E3FR-DN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	51.20	EC001821	378904	4548583441118			GD	GDS	IDN	8536.9095.00
E3FR-DN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	51.20	EC001821	378905	4548583441125			GD	GDS	IDN	8536.9095.00
E3FR-DN23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	53.60	EC001821	378906	4548583441132			GD	GDS	IDN	8536.9095.00
E3FR-DP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378915	4548583441224	#		GD	GDS	IDN	8536.9095.00
E3FR-DP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378916	4548583441231	#		GD	GDS	IDN	8536.9095.00
E3FR-DP13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	378917	4548583441248	#		GD	GDS	IDN	8536.9095.00
E3FR-DP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	51.20	EC001821	378926	4548583441330	#		GD	GDS	IDN	8536.9095.00
E3FR-DP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	51.20	EC001821	378927	4548583441347	#		GD	GDS	IDN	8536.9095.00
E3FR-DP23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden vansımalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	53.60	EC001821	378928	4548583441354	#		GD	GDS	IDN	8536.9095.00
E3FR-DP25-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	49.66	EC001821	387806	4548583518926			GD	GDS	CHN	8541.4900.00
E3FR-DP26-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.05	EC001821	659014	4548583731295			GD	GDS	CHN	9031.9000.00
E3FR-LN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.80	EC002719	378896	4548583441033			GD	GDS	IDN	8536.9095.00
E3FR-LN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.80	EC002719	378897	4548583441040			GD	GDS	IDN	8536.9095.00
E3FR-LN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	59.25	EC002719	378907	4548583441149			GD	GDS	IDN	8536.9095.00
E3FR-LN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	59.70	EC002719	378908	4548583441156			GD	GDS	IDN	8536.9095.00
E3FR-LP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.70	EC002719	378918	4548583441255			GD	GDS	IDN	8536.9095.00
E3FR-LP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.90	EC002719	378919	4548583441262			GD	GDS	IDN	8536.9095.00
E3FR-LP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	58.90	EC002719	378929	4548583441361	#		GD	GDS	IDN	8536.9095.00
E3FR-LP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	59.10	EC002719	378930	4548583441378	#		GD	GDS	IDN	8536.9095.00
E3FR-RN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC002717	378891	4548583440982			GD	GDS	IDN	8536.9095.00
E3FR-RN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	51.20	EC002717	378902	4548583441095			GD	GDS	IDN	8536.9095.00
E3FR-RP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC002717	378913	4548583441200	#		GD	GDS	IDN	8536.9095.00
E3FR-RP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	41.62	EC002717	378914	4548583441217			GD	GDS	IDN	8536.9095.00
E3FR-RP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	51.20	EC002717	378924	4548583441316	#		GD	GDS	IDN	8536.9095.00
E3FR-RP21-F2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	48.42	EC002717	659019	4548583731325			GD	GDS	CHN	8536.9095.00
E3FR-BP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, eşekslenli reflektörlü, 0-500m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	53.60	EC002717	378925	4548583441323			GD	GDS	IDN	8536.9095.00
E3FR-TN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.20	EC002716	378890	4548583440975			GD	GDS	IDN	8536.9095.00
E3FR-TN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	73.20	EC002716	378901	4548583441088			GD	GDS	IDN	8536.9095.00
E3FR-TP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.20	EC002716	378912	4548583441194			GD	GDS	IDN	8536.9095.00
E3FR-TP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	73.20	EC002716	378923	4548583441309			GD	GDS	IDN	8536.9095.00
E3FR-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	47.65	EC002716	415550	4548583593671			GD	GDS	CHN	8541.4900.00
E3FR-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	33.39	EC002716	415551	4548583593688			GD	GDS	CHN	8541.4900.00
E3FR-VN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.20	EC002719	378898	4548583441057			GD	GDS	IDN	8536.9095.00
E3FR-VN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	53.20	EC002719	378909	4548583441163			GD	GDS	IDN	8536.9095.00
E3FR-VP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.20	EC002719	378920	4548583441279			GD	GDS	IDN	8536.9095.00
E3FR-VP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	53.20	EC002719	378931	4548583441385			GD	GDS	IDN	8536.9095.00
E3FC-BN21	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, M12 connector	97.35	EC002717	670301	4548583732698			GD	GDS	CHN	8541.4900.00
E3FC-BP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	87.15	EC002717	659444	4548583732667			GD	GDS	CHN	8541.4900.00
E3FC-BP21 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	94.45	EC002717	659450	4548583732674			GD	GDS	CHN	8541.4900.00
E3FC-DN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659451	4548583732704			GD	GDS	CHN	8541.4900.00
E3FC-DN13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659438	4548583732711			GD	GDS	CHN	8541.4900.00
E3FC-DN15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659458	4548583732728			GD	GDS	CHN	8541.4900.00
E3FC-DN16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659432	4548583732735			GD	GDS	CHN	8541.4900.00
E3FC-DN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	73.40	EC001821	659435	4548583732742			GD	GDS	CHN	8541.4900.00
E3FC-DN23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	73.95	EC001821	659422	4548583732759			GD	GDS	CHN	8541.4900.00
E3FC-DN25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	73.95	EC001821	659441	4548583732766			GD	GDS	CHN	8541.4900.00
E3FC-DN26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	73.40	EC001821	659431	4548583732773			GD	GDS	CHN	8541.4900.00
E3FC-DP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659430	4548583732780			GD	GDS	CHN	8541.4900.00
E3FC-DP13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659436	4548583732797			GD	GDS	CHN	8541.4900.00
E3FC-DP13 5M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 5m cable	84.20	EC001821	659437	4548583732803			GD	GDS	CHN	8541.4900.00
E3FC-DP15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659429	4548583732810			GD	GDS	CHN	8541.4900.00
E3FC-DP16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659449	4548583732827			GD	GDS	CHN	8541.4900.00
E3FC-DP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	72.75	EC001821	659445	4548583732834			GD	GDS	CHN	8541.4900.00
E3FC-DP23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden vansımalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	73.95	EC001821	659439	4548583732841			GD	GDS	CHN	8541.4900.00
E3FC-DP25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	72.75	EC001821	659448	4548583732858			GD	GDS	CHN	8541.4900.00
E3FC-DP26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden vansımalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	73.95	EC001821	659462	4548583732872			GD	GDS	CHN	8541.4900.00
E3FC-LN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	104.90	EC002719	659456	4548583732889			GD	GDS	CHN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FC-LN12 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	105.90	EC002719	659460	4548583732896			GD	GDS	CHN	8541.4900.00
E3FC-LN21	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	105.90	EC002719	659447	4548583732902			GD	GDS	CHN	8541.4900.00
E3FC-LN22	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	104.90	EC002719	659459	4548583732919			GD	GDS	CHN	8541.4900.00
E3FC-LP11 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105.90	EC002719	659428	4548583732926			GD	GDS	CHN	8541.4900.00
E3FC-LP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 5m cable	117.00	EC002719	659440	4548583732933			GD	GDS	CHN	8541.4900.00
E3FC-LP12 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105.40	EC002719	659424	4548583732940			GD	GDS	CHN	8541.4900.00
E3FC-LP21	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	104.90	EC002719	659426	4548583732964			GD	GDS	CHN	8541.4900.00
E3FC-LP22	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	105.90	EC002719	659454	4548583732971			GD	GDS	CHN	8541.4900.00
E3FC-RN11 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.40	EC002717	659427	4548583732988			GD	GDS	CHN	8541.4900.00
E3FC-RN21	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.40	EC002717	659425	4548583732995			GD	GDS	CHN	8541.4900.00
E3FC-RP11 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC002717	659446	4548583733008			GD	GDS	CHN	8541.4900.00
E3FC-RP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	84.75	EC002717	659453	4548583733015			GD	GDS	CHN	8541.4900.00
E3FC-RP21	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.40	EC002717	659455	4548583733022			GD	GDS	CHN	8541.4900.00
E3FC-TN11 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	122.30	EC002716	659457	4548583733039			GD	GDS	CHN	8541.4900.00
E3FC-TN21	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	128.50	EC002716	659452	4548583733046			GD	GDS	CHN	8541.4900.00
E3FC-TN11 2M	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	119.30	EC002716	659443	4548583733053			GD	GDS	CHN	8541.4900.00
E3FC-TP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, thru-beam, 20m, PNP, L-ON/D-ON selectable, 5m cable	145.70	EC002716	659423	4548583733060			GD	GDS	CHN	8541.4900.00
E3FC-TP21	Fotoelektrik sensör, M18 eksenel,SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	123.80	EC002716	659433	4548583733084			GD	GDS	CHN	8541.4900.00
E3RA-DN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	50.05	EC001821	378952	4548583441590			GD	GDS	IDN	8536.9095.00
E3RA-DN12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	51.20	EC001821	378953	4548583441606			GD	GDS	IDN	8536.9095.00
E3RA-DN13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, 2m cable	53.60	EC001821	378954	4548583441613			GD	GDS	IDN	8536.9095.00
E3RA-DN21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	50.05	EC001821	378957	4548583441644			GD	GDS	IDN	8536.9095.00
E3RA-DN22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	51.20	EC001821	378958	4548583441651			GD	GDS	IDN	8536.9095.00
E3RA-DN23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, M12 connector	53.60	EC001821	378959	4548583441668			GD	GDS	IDN	8536.9095.00
E3RA-DP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	50.05	EC001821	378962	4548583441699			GD	GDS	IDN	8536.9095.00
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	51.20	EC001821	378963	4548583441705			GD	GDS	IDN	8536.9095.00
E3RA-DP13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, 2m cable	53.60	EC001821	378964	4548583441712			GD	GDS	IDN	8536.9095.00
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	50.05	EC001821	378967	4548583441743		40	GD	GDS	IDN	8536.9095.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	51.20	EC001821	378968	4548583441750			GD	GDS	IDN	8536.9095.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	53.60	EC001821	378969	4548583441767			GD	GDS	IDN	8536.9095.00
E3RA-RN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	50.05	EC002717	378951	4548583441583			GD	GDS	IDN	8536.9095.00
E3RA-RN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	50.05	EC002717	378956	4548583441637			GD	GDS	IDN	8536.9095.00
E3RA-RP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	50.05	EC002717	378961	4548583441682			GD	GDS	IDN	8536.9095.00
E3RA-RP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	50.05	EC002717	378966	4548583441736			GD	GDS	IDN	8536.9095.00
E3RA-TN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	66.45	EC002716	378950	4548583441576			GD	GDS	IDN	8536.9095.00
E3RA-TN21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	66.45	EC002716	378955	4548583441620			GD	GDS	IDN	8536.9095.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	66.45	EC002716	378960	4548583441675			GD	GDS	IDN	8536.9095.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	66.45	EC002716	378965	4548583441729			GD	GDS	IDN	8536.9095.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	57.70	EC001821	378978	4548583441859			GD	GDS	IDN	8536.9095.00
E3RB-DP12 2M	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	57.70	EC001821	378983	4548583441903			GD	GDS	IDN	8536.9095.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	56.80	EC001821	378987	4548583441941			GD	GDS	IDN	8536.9095.00
E3RB-DP21-E2	Photoelectric sensor, M18 threaded barrel, radial type, metal, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, inverted logic, M12 connector	86.00	EC001821	683197	4549734276993			GD	GDS	CHN	8536.9095.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	48.17	EC001821	378988	4548583441958			GD	GDS	IDN	8536.9095.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	59.70	EC001821	378989	4548583441965			GD	GDS	IDN	8536.9095.00
E3RB-RN11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	51.65	EC002717	378971	4548583441781			GD	GDS	IDN	8536.9095.00
E3RB-RN21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	51.65	EC002717	378976	4548583441835			GD	GDS	IDN	8536.9095.00
E3RB-RP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	47.31	EC002717	378981	4548583441880			GD	GDS	IDN	8536.9095.00
E3RB-RP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	56.80	EC002717	378986	4548583441934			GD	GDS	IDN	8536.9095.00
E3RB-TP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	77.35	EC002716	378980	4548583441873			GD	GDS	IDN	8536.9095.00
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	77.50	EC002716	378985	4548583441927			GD	GDS	IDN	8536.9095.00
<b>Fotoelektrik Sensör E3E1</b>											
E3E1-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	31.29	EC001821	378936	4548583441439			GD	GDT	IDN	8536.9095.00
E3E1-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	32.21	EC001821	378937	4548583441446			GD	GDT	IDN	8536.9095.00
E3E1-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	31.29	EC001821	378940	4548583441477			GD	GDT	IDN	8536.9095.00
E3E1-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	32.21	EC001821	378941	4548583441484			GD	GDT	IDN	8536.9095.00
E3E1-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	31.29	EC001821	378944	4548583441514			GD	GDT	IDN	8536.9095.00
E3E1-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	32.21	EC001821	378945	4548583441521		#	GD	GDT	IDN	8536.9095.00
E3E1-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	31.29	EC001821	378948	4548583441552		#	GD	GDT	IDN	8536.9095.00
E3E1-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	32.21	EC001821	378949	4548583441569		#	GD	GDT	IDN	8536.9095.00
E3E1-DP22-10	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör, (10'lü paket)	291.30	EC001821	401859	4548583571617			GD	GDT	CHN	8536.9095.00
E3E1-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	31.29	EC002717	378935	4548583441422			GD	GDT	IDN	8536.9095.00
E3E1-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, M12 konektör	31.29	EC002717	378939	4548583441460			GD	GDT	IDN	8536.9095.00
E3E1-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	31.29	EC002717	378943	4548583441507			GD	GDT	IDN	8536.9095.00
E3E1-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, M12 konektör	31.29	EC002717	378947	4548583441545		#	GD	GDT	IDN	8536.9095.00
E3E1-RP21-10	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 3m, PNP, L-ON/D-ON seçilebilir, M12 konektör, (10'lü paket)	282.50	EC002717	401861	4548583571631			GD	GDT	CHN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3F1-TN11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.87	EC002716	378934	4548583441415			GD	GDT	IDN	8536.9095.00
E3F1-TN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	42.50	EC002716	378938	4548583441453			GD	GDT	IDN	8536.9095.00
E3F1-TP11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.92	EC002716	378942	4548583441491			GD	GDT	IDN	8536.9095.00
E3F1-TP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	42.50	EC002716	378946	4548583441538	#		GD	GDT	IDN	8536.9095.00
<b>Fotoelektrik Sensör E3JK-Lite</b>											
E3JK-DP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden vansimalı, 2.5m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC001821	668839	4548583746589	#		GD	GDU	IDN	8541.4900.00
E3JK-DP12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden vansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.25	EC001821	668840	4548583746602			GD	GDU	IDN	8541.4900.00
E3JK-DP13-2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	66.10	EC001821	669198	4548583580862			GD	GDU	CHN	8541.4900.00
E3JK-DR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden vansimalı, 2.5m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	82.95	EC001821	668835	4548583746480	#		GD	GDU	IDN	8541.4900.00
E3JK-DR12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden vansimalı, 300mm, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	79.15	EC001821	668843	4548583746510	#		GD	GDU	IDN	8541.4900.00
E3JK-DR13-2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	71.15	EC001821	669192	4548583580763	#		GD	GDU	CHN	8541.4900.00
E3JK-RN12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	668831	4548583746701			GD	GDU	IDN	8541.4900.00
E3JK-RP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	668833	4548583746664			GD	GDU	IDN	8541.4900.00
E3JK-RP12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	668836	4548583746725	#		GD	GDU	IDN	8541.4900.00
E3JK-RR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	76.70	EC002717	668844	4548583746626	#		GD	GDU	IDN	8541.4900.00
E3JK-RR12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	76.70	EC002717	668829	4548583746688	#		GD	GDU	IDN	8541.4900.00
E3JK-RR12-5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5m cable	76.35	EC002717	379009	4548583484023			GD	GDU	CHN	8541.4900.00
E3JK-TP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105.70	EC002716	668830	4548583746442			GD	GDU	IDN	8541.4900.00
E3JK-TR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	112.70	EC002716	668838	4548583746343	#		GD	GDU	IDN	8541.4900.00
E3JK-TR11-5M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	115.60	EC002716	668841	4548583746350			GD	GDU	IDN	8541.4900.00
E3JK-TR12-2M	Photoelectric sensor, square body, red LED, through-beam, 5 m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	112.70	EC002716	688662	4548583746374			GD	GDU	IDN	8541.4900.00
<b>Fotoelektrik Sensör E3S-D</b>											
E3S-DBN21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, SmartTeach, 4.5m, NPN, M12 konnektör	137.10	EC002717	393258	4548583518339			GD	GDV	CHN	8541.4900.00
E3S-DBP21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, SmartTeach, 4.5m, PNP, M12 konnektör	121.30	EC002717	388939	4548583518292	#		GD	GDV	CHN	8541.4900.00
E3S-DBP21T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, potansiyometreli, 4.5m, PNP, M12 konnektör	107.90	EC002717	388938	4548583518285			GD	GDV	CHN	8541.4900.00
E3S-DBP22	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, SmartTeach, 0.7m, PNP, M12 konnektör	123.20	EC002717	388941	4548583518315	#		GD	GDV	CHN	8541.4900.00
E3S-DBP22T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, potansiyometreli, 0.7m, PNP, M12 konnektör	113.40	EC002717	388940	4548583518308			GD	GDV	CHN	8541.4900.00
E3S-DCN21	Renk sensörü, cisimden vansimalı, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, NPN, M12 konnektör	240.60	EC001820	670883	4548583819047			GD	GDV	CHN	8541.4900.00
E3S-DPC21-IL2	Renk sensörü, cisimden vansimalı, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-link V1.1 haberleşme COM2 (38.4kbps), M12 konnektör	285.40	EC001820	670884	4548583819054			GD	GDV	CHN	8541.4900.00
E3S-DPC21-IL3	Renk sensörü, cisimden vansimalı, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-link V1.1 haberleşme COM3 (230.4kbps), M12 konnektör	285.40	EC001820	670885	4548583819061	#		GD	GDV	CHN	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3S-GS3B4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, PNP, 2m kablolu	195.30	EC002720	130258	4536853286194	#		GD	GDX	JPN	8541.4900.00
E3S-GS3B4-5M	Photoelectric sensor, slot, 30mm, DC, 3-wire, PNP, 5m cable	219.60	EC002720	130268	4536853286514			GD	GDX	JPN	8541.4900.00
E3S-GS3E4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, NPN, 2m kablolu	174.10	EC002720	130246	4536853285937	#		GD	GDX	JPN	8541.4900.00
E3S-LS10XB4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, PNP, 2m kablolu	220.80	EC002719	130256	4536853286132			GD	GDX	JPN	8541.4900.00
E3S-LS10XE4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, NPN, 2m kablolu	220.80	EC002719	130243	4536853285876			GD	GDX	JPN	8541.4900.00
E3S-LS20XB4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, PNP, 2m kablolu	220.80	EC002719	130257	4536853286156			GD	GDX	JPN	8541.4900.00
E3S-LS20XE4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, NPN, 2m kablolu	220.80	EC002719	130244	4536853285890			GD	GDX	JPN	8541.4900.00
E3S-LS3NW-2M	Fotoelektrik sensör, cisimden vansimalı, 10-60mm, DC, 3 kablolu, NPN, düşey, 2m kablolu	131.20	EC002719	154808	4536854810060			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-2M	Fotoelektrik sensör, sınırlı mesafe, cisimden vansimalı, 10-60mm, PNP, 2m kablolu	141.70	EC002719	130314	4536854917318			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M31.0.3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	110.30	EC002719	130317	4536854917387			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M51.0.3M	Photoelectric sensor limited reflective, diffuse, wide beam for structured-shiny/irregularly objects, 10-60mm, PNP, pigtail 0.3m with M8 3-pin connector	110.30	EC002719	155478	4536854917424			GD	GDX	JPN	8541.4900.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable	379.20	EC002717	130213	4536853287924			GD	GDX	JPN	8541.4900.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable	382.80	EC002717	130211	4536853287900			GD	GDX	JPN	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3H2-DS10B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, cisimden vansimalı, 100mm sabit, PNP, 2m kablolu	87.35	EC001821	323686	4547648873017			GD	GDX	ITA	8541.4900.00
E3H2-DS10B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, cisimden vansimalı, 100mm sabit, PNP, M12, 4-pin	100.20	EC001821	323687	4547648873024			GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, cisimden vansimalı, 300mm öğretilmeli, PNP, 2m kablolu	155.20	EC001821	323682	4547648872973			GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, cisimden vansimalı, 300mm öğretilmeli, M12, 4-pin	101.60	EC001821	323683	4547648872980	#		GD	GDX	ITA	8541.4900.00
E3H2-R2B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, polarizasyon reflektörlü, 2m öğretilmeli, PNP, M12, 4-pin	108.00	EC002717	323679	4547648872942			GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, karşılıklı, 4m ayarlanabilir, PNP, 2m kablolu	147.00	EC002716	323674	4547648872898			GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, karşılıklı, 4m ayarlanabilir, PNP, M12, 4-pin	196.30	EC002716	323675	4547648872904	#		GD	GDX	ITA	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3ET2-005-150	Light curtain, 5mm resolution, 150mm height, NPN/PNP output	1,269.00	EC001832	365856	4548583326828			GD	GDX	ITA	8536.5019.90
E3ET2-005-300	Light curtain, 5mm resolution, 300mm height, NPN/PNP output	1,907.00	EC001832	365858	4548583326842			GD	GDX	ITA	8536.5019.90
E3ET2-018-150	Light curtain, 18mm resolution, 150mm height, NPN/PNP output	847.00	EC001832	365857	4548583326835			GD	GDX	ITA	8536.5019.90
E3ET2-018-300	Light curtain, 18mm resolution, 300mm height, NPN/PNP output	1,062.00	EC001832	365859	4548583326859			GD	GDX	ITA	8536.5019.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Diğer Fotoelektrik Sensörler</b>											
<a href="#">E3EM2-005-300-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 300mm height, analog output</a>	1,907.00	EC001832	<a href="#">365875</a>	4548583327016			GD	GDX	ITA	8536.5019.90
<a href="#">E3EM2-005-450-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 450mm height, analog output</a>	2,548.00	EC001832	<a href="#">365877</a>	4548583327030			GD	GDX	ITA	8536.5019.90
<a href="#">E3EM2-005-600-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 600mm height, analog output</a>	3,181.00	EC001832	<a href="#">365879</a>	4548583327054			GD	GDX	ITA	8536.5019.90
<a href="#">E3EM2-005-900-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 900mm height, analog output</a>	4,470.00	EC001832	<a href="#">365881</a>	4548583327078			GD	GDX	ITA	8536.5019.90
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-F9</a>	<a href="#">Fine fiber attachment for E3X amplifiers</a>	7.08	EC003015	<a href="#">146998</a>	4536853297251		100	GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-L143</a>	<a href="#">Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-FDA</a>	10.11	EC003015	<a href="#">130028</a>	4536854537578		50	GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-F1</a>	<a href="#">Long-distance lens unit for E32 through-beam fibers</a>	55.00	EC003015	<a href="#">323182</a>	4547648667876	#		GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F16</a>	<a href="#">Long-distance lens unit for E32 through-beam fibers</a>	314.80	EC003015	<a href="#">305600</a>	4547648266178			GD	GDZ	JPN	8541.4900.00
<a href="#">E39-F18</a>	<a href="#">Focal lens for E32-CC200 / E32-C11N, 50mm range</a>	230.40	EC003015	<a href="#">305601</a>	4547648651134			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F2</a>	<a href="#">Focal lens, side view unit for E32 through-beam optical fibers</a>	88.90	EC003015	<a href="#">323183</a>	4547648667883			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3A</a>	<a href="#">Small spot lens unit for E32-D32 optical fiber</a>	128.60	EC003015	<a href="#">323185</a>	4547648667937			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3A-5</a>	<a href="#">Focus lens for E32-FC41 fiber sensor head, 7mm focus length, 0.1mm spot</a>	102.90	EC003015	<a href="#">323188</a>	4547648667968			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3B</a>	<a href="#">Focus lens for E32-FC31 fiber sensor head, 17mm focus length, 0.5mm spot</a>	106.40	EC003015	<a href="#">323189</a>	4547648667975			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3C</a>	<a href="#">Focus lens for E32-FC31 fibre sensor head, 20mm focus length, 4mm spot</a>	248.90	EC003015	<a href="#">323190</a>	4547648667982			GD	GDZ	CHN	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-F10</a>	<a href="#">Connector for E32 optical fiber cable</a>	13.43	EC003015	<a href="#">155530</a>	4536853297268			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32A-1M</a>	<a href="#">Spiral protective tube for E32, M3, diffuse, optical fibers, 1m</a>	49.35	EC003015	<a href="#">131355</a>	4536853297367			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32C-1M</a>	<a href="#">Spiral protective tube for E32, M4, through-beam, optical fibers, 1m</a>	67.70	EC003015	<a href="#">106026</a>	4536853297381			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32C5-0.5M</a>	<a href="#">Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m</a>	66.10	EC003015	<a href="#">131359</a>	4536853297442			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32D-1M</a>	<a href="#">Spiral protective tube for E32, M6, diffuse, optical fibers, 1m</a>	46.25	EC003015	<a href="#">131357</a>	4536853297398			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32D5-0.5M</a>	<a href="#">Spiral protective tube for E32, M6, diffuse, optical fibers, 0.5m</a>	37.10	EC003015	<a href="#">144836</a>	4536853297459			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F4</a>	<a href="#">Cutter for all E32 optical fibers</a>	4.30	EC003015	<a href="#">131351</a>	4536853297169			GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">EE-1001</a>	<a href="#">Accessory Connector for Photomicrosensors, 4-pin , solder terminals</a>	2.04	EC003015	<a href="#">379735</a>	4548583379572		100	GD	GDZ	CHN	8544.4290.90
<a href="#">EE-1001-1</a>	<a href="#">Connector for Photomicrosensors, 4-pin , solder terminals, bridge between L and +</a>	4.30	EC003015	<a href="#">379736</a>	4548583379589		100	GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1003</a>	<a href="#">Accessory Photomicrosensor connector</a>	3.93	EC001855	<a href="#">154581</a>	4536854886485		50	GD	GDZ	JPN	8541.4900.00
<a href="#">EE-1006-1M</a>	<a href="#">Accessory Photomicrosensor connector with cable 1m</a>	4.15	EC001855	<a href="#">158029</a>	4536854831942		50	GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1006-2M</a>	<a href="#">Accessory Photomicrosensor connector with cable 2m</a>	5.73	EC001855	<a href="#">149189</a>	4536854831935	#		GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1006-3M</a>	<a href="#">Accessory Photomicrosensor connector with cable 3m</a>	6.12	EC001855	<a href="#">127851</a>	4536854831959			GD	GDZ	CHN	8544.4290.90
<a href="#">EE-1010-2M</a>	<a href="#">Accessory Photomicro sensor EE-SPX_03_cable connector_PVC_2m</a>	6.63	EC001855	<a href="#">127848</a>	4536853231057	#		GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1010-R-2M</a>	<a href="#">Accessory Photomicro sensor EE-SPX_03_cable connector_robotic_PVC_2m</a>	18.69	EC001855	<a href="#">127849</a>	4536853231071			GD	GDZ	CHN	8541.4900.00
<a href="#">EE-2002</a>	<a href="#">Accessory Photomicro sensor EE-SPX_03_NPN/PNP converter and cable connector_0.5m</a>	22.06	EC003015	<a href="#">127846</a>	4536853230944		20	GD	GDZ	JPN	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-R1</a>	<a href="#">Reflektör, 40x60x7.5mm,</a>	16.31	EC002467	<a href="#">358211</a>	4548583065079		130	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R10</a>	<a href="#">Reflektör, 52x62x8mm,</a>	18.21	EC002467	<a href="#">131424</a>	4536854515217			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R1K</a>	<a href="#">Reflektör, 40x60x7.5mm,</a>	39.28	EC002467	<a href="#">372980</a>	4548583128873		15	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R1S</a>	<a href="#">Reflektör, 40x60x7.5mm,</a>	9.12	EC002467	<a href="#">372803</a>	4548583128910	#	5	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R2</a>	<a href="#">Reflektör, 80.8x60x7.5mm,</a>	22.06	EC002467	<a href="#">372981</a>	4548583128859	#	10	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R21</a>	<a href="#">Reflektör, 30x35mm</a>	20.84	EC002467	<a href="#">386286</a>	4548583489325	#		GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R3</a>	<a href="#">Reflektör, 42x22mm</a>	24.92	EC002467	<a href="#">131460</a>	4536853295950			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R37-CA</a>	<a href="#">Sensor reflector, high precision type, 14mm x 23mm</a>	11.50	EC002467	<a href="#">249845</a>	4547648595193			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R4</a>	<a href="#">Reflektör, 23x14mm</a>	25.40	EC002467	<a href="#">131468</a>	4536853296193			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R40</a>	<a href="#">Reflektör, 84.5x84.5x8.7mm,</a>	20.94	EC002467	<a href="#">356162</a>	4547648923460		100	GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R42</a>	<a href="#">Reflektör, 51x60mm</a>	2.75	EC002467	<a href="#">699561</a>	4549734893008	#		GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R49</a>	<a href="#">Sensor reflector, snap fitting, 30mm dia</a>	8.54	EC002467	<a href="#">356167</a>	4547648923514			GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R50</a>	<a href="#">Reflektör, 40x60mm, IP69K, deterjana dayanıklılık</a>	39.28	EC002467	<a href="#">699563</a>	4549734893022			GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R51</a>	<a href="#">Reflector, 20x40mm, IP69K, detergent resistant</a>	23.99	EC002467	<a href="#">699564</a>	4549734893039			GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R6</a>	<a href="#">Reflektör, 52x40mm,</a>	11.14	EC002467	<a href="#">356168</a>	4547648923521			GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R7</a>	<a href="#">Reflektör, 84mm cap</a>	9.12	EC002467	<a href="#">356169</a>	4547648923538	#		GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R8</a>	<a href="#">Reflektör, 100x100mm</a>	16.84	EC002467	<a href="#">356170</a>	4547648923545	#		GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R9</a>	<a href="#">Reflektör, 35x42mm</a>	16.31	EC002467	<a href="#">154931</a>	4536854515200			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RP1</a>	<a href="#">Reflektör, polarize, 44mm x 64mm</a>	24.07	EC002467	<a href="#">235857</a>	4547648395526			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RS1</a>	<a href="#">Reflektör, 35mm x 10mm</a>	9.58	EC002467	<a href="#">131412</a>	4536854386329			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RS2</a>	<a href="#">Reflektör, 40 x 35 x 0.6mm</a>	15.84	EC002467	<a href="#">145484</a>	4536854386336			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RS2S-5M</a>	<a href="#">Reflektör, 25mm x 5m</a>	111.50	EC002467	<a href="#">356172</a>	4547648923569			GD	GDZ	DEU	9001.2000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E39-R53</a>	<a href="#">Reflektör, 70x80mm</a>	31.14	EC002467	<a href="#">131413</a>	4536854386343			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R550 1M</a>	<a href="#">Accessory photoelectric sensor, reflective tape, 50mm x 1m</a>	35.44	EC002467	<a href="#">357623</a>	4547648926843			GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R550 22.8M</a>	<a href="#">Accessory photoelectric sensor, reflective tape, 50mm x 22.8m</a>	550.50	EC002467	<a href="#">356173</a>	4547648923576			GD	GDZ	USA	9001.2000.00
<a href="#">E39-R550 5M</a>	<a href="#">Reflektör, 50mm x 5m</a>	228.90	EC002467	<a href="#">356174</a>	4547648923583			GD	GDZ	DEU	9001.2000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-L104</a>	<a href="#">Mounting bracket for E3Z sensor, standard, vertical mounting</a>	6.86	EC003015	<a href="#">131393</a>	4536853296643			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L117</a>	<a href="#">Mounting bracket for E3T-S* sensor, rear mounting</a>	8.63	EC003015	<a href="#">103300</a>	4536853296810			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L142</a>	<a href="#">Mounting Bracket, protective side wall (for E3Z)</a>	11.04	EC003015	<a href="#">155635</a>	4536854552557			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L144</a>	<a href="#">Sensor mounting Bracket, Protective bracket for E3Z pre-wired</a>	14.37	EC003015	<a href="#">354104</a>	4548583009004		50	GD	GDZ	CHN	8541.4900.00
<a href="#">E39-L150</a>	<a href="#">Sensor mounting Bracket for E3Z, 100mm high post</a>	55.10	EC003015	<a href="#">131426</a>	4536854806674			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L151</a>	<a href="#">Sensor mounting Bracket, for E3Z, 200mm high post</a>	28.25	EC003015	<a href="#">142623</a>	4536854806681			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L153</a>	<a href="#">Mounting bracket for E3Z sensor, L shape, for prewired</a>	6.34	EC003015	<a href="#">131427</a>	4536854817274			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L182</a>	<a href="#">E3FA/R flush mounting bracket</a>	7.50	EC003015	<a href="#">370092</a>	4548583328075			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L183</a>	<a href="#">M18 L-type mounting bracket, stainless steel (SUS304)</a>	7.50	EC003015	<a href="#">370093</a>	4548583328082			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L201</a>	<a href="#">Mounting bracket for E3AS sensor, L shaped</a>	7.20	EC003015	<a href="#">694038</a>	4549734513111			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L202</a>	<a href="#">Protective mounting bracket for E3AS, vertical mounting</a>	9.60	EC003015	<a href="#">694039</a>	4549734513128			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L203</a>	<a href="#">Mounting bracket for E3AS sensor, rear mounting</a>	7.20	EC003015	<a href="#">694040</a>	4549734513135			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L204</a>	<a href="#">Protective metal cover for E3AS, horizontal surface mounting</a>	11.00	EC003015	<a href="#">694041</a>	4549734513142			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L211</a>	<a href="#">Mounting bracket for E3AS sensor, L shaped</a>	7.32	EC003015	<a href="#">690767</a>	4549734513159		20	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L212</a>	<a href="#">Protective mounting bracket for E3AS, vertical mounting</a>	9.74	EC003015	<a href="#">690765</a>	4549734513166		28	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L214</a>	<a href="#">Protective metal cover for E3AS, horizontal surface mounting</a>	15.83	EC003015	<a href="#">690766</a>	4549734513173		20	GD	GDZ	CHN	8541.4900.00
<a href="#">E39-L221</a>	<a href="#">L-shaped mounting bracket</a>	10.14	EC003015	<a href="#">696039</a>	4549734663410			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L222</a>	<a href="#">Horizontal protective cover bracket</a>	13.49	EC003015	<a href="#">696051</a>	4549734663427			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L223</a>	<a href="#">Rear mounting bracket</a>	11.51	EC003015	<a href="#">696050</a>	4549734663434			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L224</a>	<a href="#">Robust mounting bracket</a>	14.31	EC003015	<a href="#">696049</a>	4549734663441			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L231</a>	<a href="#">L-shaped mounting bracket</a>	12.88	EC003015	<a href="#">696048</a>	4549734663458			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L232</a>	<a href="#">Horizontal protective cover bracket</a>	17.91	EC003015	<a href="#">696047</a>	4549734663465			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L234</a>	<a href="#">Robust mounting bracket</a>	18.51	EC003015	<a href="#">696046</a>	4549734663472			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L261</a>	<a href="#">Flexible mounting bracket</a>	47.58	EC003015	<a href="#">696045</a>	4549734663489			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L262</a>	<a href="#">50mm post for flexible mounting bracket E39-L261</a>	21.81	EC003015	<a href="#">696044</a>	4549734663496			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L263</a>	<a href="#">100mm post for flexible mounting bracket E39-L261</a>	26.95	EC003015	<a href="#">696043</a>	4549734663502			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L40</a>	<a href="#">Accessory photosensor E3JK, mounting bracket</a>	2.67	EC003015	<a href="#">348111</a>	4547648825344		#	GD	GDZ	CHN	8541.4900.00
<a href="#">E39-L43</a>	<a href="#">Mounting bracket for E3Z sensor, side mounting</a>	7.29	EC003015	<a href="#">131444</a>	4536853295721			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L44</a>	<a href="#">Mounting bracket for E3Z sensor, rear mounting</a>	6.52	EC003015	<a href="#">150902</a>	4536853295714			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L93FH</a>	<a href="#">Mounting bracket for E3Z, 3D telescope mounting</a>	34.00	EC003015	<a href="#">131429</a>	4536854907517			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L93V</a>	<a href="#">Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings</a>	33.50	EC003015	<a href="#">131431</a>	4536854907548			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L93XY</a>	<a href="#">2 positioning rods and horizontal mounting bracket for E3Z, E3S-A, E3S-R1, E39-R1, E39-R3</a>	25.40	EC003015	<a href="#">131432</a>	4536854907555			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L96</a>	<a href="#">Optional reflector bracket for photoelectric sensor</a>	14.50	EC003015	<a href="#">131397</a>	4536853296681			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L98</a>	<a href="#">Protective metal cover for E3S-A/E3Z vertical sensor</a>	18.70	EC003015	<a href="#">354103</a>	4548583008991			GD	GDZ	CHN	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-E11</a>	<a href="#">Mutual interference filters for the E3Z-TA models</a>	24.95	EC003015	<a href="#">143880</a>	4536854555923			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S63</a>	<a href="#">Slits for E3T-ST1* types, 0.5mm &amp; 1mm dia pairs supplied</a>	8.62	EC003015	<a href="#">156507</a>	4536853296834			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S64</a>	<a href="#">Slits for E3T-F1* types, 0.5mm &amp; 1mm dia pairs supplied</a>	8.63	EC003015	<a href="#">131404</a>	4536853296858			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65A</a>	<a href="#">Slit for E3Z-T, 0.5mm diameter</a>	8.45	EC003015	<a href="#">145485</a>	4536854499104			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65B</a>	<a href="#">Slit for E3Z-T, 1mm diameter</a>	9.30	EC003015	<a href="#">143240</a>	4536854499111			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65C</a>	<a href="#">Slit for E3Z-T, 2mm diameter</a>	10.89	EC003015	<a href="#">131420</a>	4536854499128		50	GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65D</a>	<a href="#">Slit for E3Z-T, 0.5x10mm diameter</a>	10.21	EC003015	<a href="#">131421</a>	4536854499135			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65E</a>	<a href="#">Slit for E3Z-T, 1x10mm diameter</a>	11.04	EC003015	<a href="#">131422</a>	4536854499142			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65F</a>	<a href="#">Slit for E3Z-T, 2x10mm diameter</a>	12.04	EC003015	<a href="#">131423</a>	4536854499159			GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-E16</a>	<a href="#">Air blow unit</a>	40.89	EC003015	<a href="#">696042</a>	4549734663519			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-F19</a>	<a href="#">Front protection cover for E3AS-HL</a>	33.29	EC003015	<a href="#">696041</a>	4549734663526			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-VA</a>	<a href="#">Sensor test unit, hand-held, battery-powered</a>	88.25	EC003015	<a href="#">131364</a>	4536853297497			GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-R12</a>	<a href="#">Reflector, E3C-L DA sensor, 23x23mm effective area</a>	42.35	EC002467	<a href="#">163867</a>	4536854958304			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R16</a>	<a href="#">Reflector, E3C-L DA, highest detergent resistance, SUS316L, 43x30x5mm</a>	177.70	EC002467	<a href="#">659474</a>	4548583750814			GD	GDZ	NLD	8541.9000.00
<a href="#">E39-R54</a>	<a href="#">Reflective tape, high precision microtripel, self adhesive, 195mm x 22mm</a>	139.70	EC002467	<a href="#">165090</a>	4536854958335		#	GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R55</a>	<a href="#">Reflective tape, high precision microtripel, self adhesive, 108mm x 46mm</a>	158.40	EC002467	<a href="#">165091</a>	4536854958342			GD	GDZ	JPN	8541.9000.00
<b>İndüktif Proximity Sensör E2EG</b>											
<a href="#">E2E-X10R1T30 2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, FNP NO, IO-Link COM3, 2 m cable</a>	49.70	EC002714	<a href="#">698907</a>	4549734480567			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X10R1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.70	EC002714	696110	4549734480741			GE	GEA	CHN	8536.5080.90
E2E-X10R1T130-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired	62.20	EC002714	700024	4549734481540			GE	GEA	CHN	8536.5080.90
E2E-X10R1T130-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	699275	4549734481632			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	688012	4549734469838			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.85	EC002714	687517	4549734470018			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	699525	4549734475594			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698861	4549734475778			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	688002	4549734470865			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687879	4549734470957			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700033	4549734476454			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	699983	4549734476546			GE	GEA	CHN	8536.5080.90
E2E-X10MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	53.85	EC002714	687893	4549734467599			GE	GEA	CHN	8536.5080.90
E2E-X10MC118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	699320	4549734473378			GE	GEA	CHN	8536.5080.90
E2E-X10MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	699989	4549734473552			GE	GEA	CHN	8536.5080.90
E2E-X10MC118-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	46.60	EC002714	699322	4549734474238			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire	57.30	EC002714	681829	4549734182393			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC 2-wire	59.90	EC002714	681763	4549734182416			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-T-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	61.65	EC002714	681799	4549734182577			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-MITG1.0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681863	4549734182492			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-MITG1.0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire	61.65	EC002714	681709	4549734182485			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-T-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	61.65	EC002714	681801	4549734182584			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-MITG1.0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681814	4549734182508			GE	GEA	CHN	8536.5080.90
E2E-X11D118-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	57.30	EC002714	681749	4549734182638			GE	GEA	CHN	8536.5080.90
E2E-X11D118-MITG1.0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire	61.65	EC002714	681827	4549734182713			GE	GEA	CHN	8536.5080.90
E2E-X11D118-MITG1.0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	61.65	EC002714	681715	4549734182812			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681767	4549734182737			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC 2-wire, no polarity	59.90	EC002714	681786	4549734182751			GE	GEA	CHN	8536.5080.90
E2E-X11D118-TR-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, robotic, DC 2-wire, no polarity	73.30	EC002714	681782	4549734182799			GE	GEA	CHN	8536.5080.90
E2E-X11D218-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire	59.90	EC002714	681718	4549734182669			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681659	4549734182744			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire, no polarity	59.90	EC002714	681726	4549734182768			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.85	EC002714	687511	4549734475242			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.85	EC002714	687510	4549734475426			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-MITJ1.0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	69.40	EC002714	687871	4549734475365		20	GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	687868	4549734476256		10	GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687866	4549734476348			GE	GEA	CHN	8536.5080.90
E2E-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	687858	4549734477451			GE	GEA	CHN	8536.5080.90
E2E-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	687854	4549734478045			GE	GEA	CHN	8536.5080.90
E2E-X12C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NO, M12 connector	53.85	EC002714	687874	4549734473200			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687509	4549734475457			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687507	4549734475570			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-MITJ1.0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687508	4549734475532			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-MITJR1.0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	90.10	EC002714	687870	4549734475556			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687865	4549734476379		10	GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687863	4549734476430			GE	GEA	CHN	8536.5080.90
E2E-X14B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	689616	4549734475587			GE	GEA	CHN	8536.5080.90
E2E-X14C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	687514	4549734473354			GE	GEA	CHN	8536.5080.90
E2E-X14C218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 2 m cable	59.05	EC002714	689615	4549734473248			GE	GEA	CHN	8536.5080.90
E2E-X14C218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 5 m cable	62.20	EC002714	690489	4549734473262			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.70	EC002714	687502	4549734480772			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	52.85	EC002714	696122	4549734480802			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.70	EC002714	687501	4549734480956			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-MITJ1.0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	65.25	EC002714	687901	4549734480895			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687977	4549734481663			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	65.25	EC002714	696119	4549734481694			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687975	4549734481755			GE	GEA	CHN	8536.5080.90
E2E-X15B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	49.70	EC002714	694058	4549734480789			GE	GEA	CHN	8536.5080.90
E2E-X15B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	49.70	EC002714	694057	4549734480963			GE	GEA	CHN	8536.5080.90
E2E-X15B3D30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	49.70	EC002714	694068	4549734482813			GE	GEA	CHN	8536.5080.90
E2E-X15B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	49.70	EC002714	687849	4549734482936			GE	GEA	CHN	8536.5080.90
E2E-X15B3D30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 5 m cable	63.20	EC002714	696226	4549734483407			GE	GEA	CHN	8536.5080.90
E2E-X15B3D30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	67.35	EC002714	695080	4549734483445			GE	GEA	CHN	8536.5080.90
E2E-X15C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, 2 m cable	49.70	EC002714	694853	4549734478670			GE	GEA	CHN	8536.5080.90
E2E-X15C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, M12 connector	49.70	EC002714	694852	4549734478854			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X16MBIT12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	688009	4549734470049			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687516	4549734470162			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT12-M1T1 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	74.60	EC002714	687887	4549734470124		10	GE	GEA	CHN	8536.5080.90
E2E-X16MBIT12-R-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	62.20	EC002714	688008	4549734470087			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	687505	4549734475808			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	696126	4549734475839			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687505	4549734475983			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-M1T1 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687869	4549734475921		10	GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-L-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	688000	4549734470988			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687878	4549734471046			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687878	4549734476577			GE	GEA	CHN	8536.5080.90
E2E-X16MBIT18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687989	4549734476669			GE	GEA	CHN	8536.5080.90
E2E-X16MB212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	688590	4549734470056			GE	GEA	CHN	8536.5080.90
E2E-X16MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	688613	4549734470179			GE	GEA	CHN	8536.5080.90
E2E-X16MB218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694060	4549734475815			GE	GEA	CHN	8536.5080.90
E2E-X16MB218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	694059	4549734475990			GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	694153	4549734477680			GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	687856	4549734477802		10	GE	GEA	CHN	8536.5080.90
E2E-X16MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	59.05	EC002714	687892	4549734467742		5	GE	GEA	CHN	8536.5080.90
E2E-X16MC118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 2 m cable	43.49	EC002714	694854	4549734473583			GE	GEA	CHN	8536.5080.90
E2E-X16MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	43.49	EC002714	687873	4549734473767		15	GE	GEA	CHN	8536.5080.90
E2E-X18MB1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.05	EC002714	699440	4549734481335			GE	GEA	CHN	8536.5080.90
E2E-X18MB1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	696323	4549734481519			GE	GEA	CHN	8536.5080.90
E2E-X18MB230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector	60.05	EC002714	699969	4549734481526			GE	GEA	CHN	8536.5080.90
E2E-X18MC130-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 2 m cable	60.05	EC002714	699505	4549734479233			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-2M	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	696140	4549734462549			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	39.35	EC002714	692263	4549734462662			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-M3	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	698867	4549734462686			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-M5	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	698869	4549734462709			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-2M	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	698877	4549734463980			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-M1	Proximity sensor, inductive, SUS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	698847	4549734464048			GE	GEA	CHN	8536.5080.90
E2E-X18SB1T8-M5	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	698870	4549734464093			GE	GEA	CHN	8536.5080.90
E2E-X18SB28-2M	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	698874	4549734462556			GE	GEA	CHN	8536.5080.90
E2E-X18SB28-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	698845	4549734462679			GE	GEA	CHN	8536.5080.90
E2E-X18SB28-M3	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	46.60	EC002714	699963	4549734462693			GE	GEA	CHN	8536.5080.90
E2E-X18SC18-2M	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 2 m cable	46.60	EC002714	698871	4549734460101			GE	GEA	CHN	8536.5080.90
E2E-X18SC18-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M12 connector	46.60	EC002714	699628	4549734460224			GE	GEA	CHN	8536.5080.90
E2E-X18SD1-N-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC 2-wire	43.39	EC002714	681795	4549734183918			GE	GEA	CHN	8536.5080.90
E2E-X20D130-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire	60.75	EC002714	681883	4549734183031			GE	GEA	CHN	8536.5080.90
E2E-X20D130-MITGT 0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	72.35	EC002714	681732	4549734183215			GE	GEA	CHN	8536.5080.90
E2E-X20D130-R-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, robotic, DC 2-wire	65.15	EC002714	681750	4549734183079			GE	GEA	CHN	8536.5080.90
E2E-X20D130-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	60.75	EC002714	681768	4549734183130			GE	GEA	CHN	8536.5080.90
E2E-X20D230-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire	60.75	EC002714	681692	4549734183048			GE	GEA	CHN	8536.5080.90
E2E-X20D230-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	60.75	EC002714	681874	4549734183147			GE	GEA	CHN	8536.5080.90
E2E-X20MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687985	4549734476874			GE	GEA	CHN	8536.5080.90
E2E-X20MB1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, 2 m cable	53.85	EC002714	699323	4549734474474			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire	59.05	EC002714	681879	4549734182836			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-MITGT 0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	63.35	EC002714	681677	4549734183017			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	59.05	EC002714	681784	4549734182935			GE	GEA	CHN	8536.5080.90
E2E-X20MD218-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire	59.05	EC002714	681714	4549734182843			GE	GEA	CHN	8536.5080.90
E2E-X20MD218-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	59.05	EC002714	681815	4549734182942			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.05	EC002714	687500	4549734480987			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	63.55	EC002714	700809	4549734481014			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	60.05	EC002714	687499	4549734481168			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1T1 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	82.85	EC002714	687853	4549734481106		10	GE	GEA	CHN	8536.5080.90
E2E-X22BT130-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.35	EC002714	687851	4549734481878		5	GE	GEA	CHN	8536.5080.90
E2E-X22B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	691086	4549734480994			GE	GEA	CHN	8536.5080.90
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	691085	4549734481175			GE	GEA	CHN	8536.5080.90
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	62.20	EC002714	687848	4549734483070			GE	GEA	CHN	8536.5080.90
E2E-X22C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, 2 m cable	60.05	EC002714	687504	4549734478885			GE	GEA	CHN	8536.5080.90
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, M12 connector	60.05	EC002714	687503	4549734479066			GE	GEA	CHN	8536.5080.90
E2E-X22C230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	67.35	EC002714	691124	4549734478892			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.35	EC002714	687498	4549734481199			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.35	EC002714	687497	4549734481311			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (DsSheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X23B1T30-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	88.05	EC002714	687852	4549734481274		15	GE	GEA	CHN	8536.5080.90
E2E-X23B1T1.30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	72.50	EC002714	687850	4549734481960	#	5	GE	GEA	CHN	8536.5080.90
E2E-X23B1T1.30-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	88.05	EC002714	687921	4549734481946			GE	GEA	CHN	8536.5080.90
E2E-X23B230.2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	67.35	EC002714	698657	4549734481205			GE	GEA	CHN	8536.5080.90
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	67.35	EC002714	698656	4549734481328			GE	GEA	CHN	8536.5080.90
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NO, M12 connector	67.35	EC002714	689261	4549734479219			GE	GEA	CHN	8536.5080.90
E2E-X2B1D8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	46.60	EC002714	694064	4549734465137			GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	698886	4549734468640			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8.2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698848	4549734468824			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8.2-M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687537	4549734462723			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8.5-M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696139	4549734462747			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687536	4549734462846			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M3	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	688108	4549734462860			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	687535	4549734462884		20	GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.2.2-M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700045	4549734470186			GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.2-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698851	4549734470278			GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.8-M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	688085	4549734464116			GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	687892	4549734464178			GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	688083	4549734464222			GE	GEA	CHN	8536.5080.90
E2E-X2B1T1.2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	698849	4549734468831			GE	GEA	CHN	8536.5080.90
E2E-X2B28.2-M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	693989	4549734462730			GE	GEA	CHN	8536.5080.90
E2E-X2B28.5-M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	49.70	EC002714	696138	4549734462754			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	693951	4549734462853			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	46.60	EC002714	694114	4549734462891			GE	GEA	CHN	8536.5080.90
E2E-X2B2L1.2.2-M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	700044	4549734470193			GE	GEA	CHN	8536.5080.90
E2E-X2B2L1.2-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	699993	4549734470285			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8.2-M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	51.80	EC002714	696217	4549734464123			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	51.80	EC002714	694115	4549734464185			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	51.80	EC002714	695866	4549734464239			GE	GEA	CHN	8536.5080.90
E2E-X2B3D1.8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector 4 pins	51.80	EC002714	695084	4549734465816			GE	GEA	CHN	8536.5080.90
E2E-X2C11.2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	43.49	EC002714	698881	4549734466226			GE	GEA	CHN	8536.5080.90
E2E-X2C11.2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	699998	4549734466400			GE	GEA	CHN	8536.5080.90
E2E-X2C1.8-M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	694862	4549734460286			GE	GEA	CHN	8536.5080.90
E2E-X2C1.8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	687496	4549734460408			GE	GEA	CHN	8536.5080.90
E2E-X2C1.8-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	46.60	EC002714	696145	4549734460446			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8.2-M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	51.80	EC002714	695086	4549734461672			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	51.80	EC002714	696228	4549734461788			GE	GEA	CHN	8536.5080.90
E2E-X2C28.2-M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NC, 2 m cable	46.60	EC002714	696231	4549734460293			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8.2-M	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	698876	4549734463263			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M1	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698846	4549734463386			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M5	Proximity sensor, inductive, short SUS body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	699524	4549734463423			GE	GEA	CHN	8536.5080.90
E2E-X2MB28-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	699991	4549734463393			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N.2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire	42.54	EC002714	681723	4549734182157			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N.2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire, no polarity	42.54	EC002714	681845	4549734184175			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N.2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire	46.86	EC002714	681808	4549734182164			GE	GEA	CHN	8536.5080.90
E2E-X30MB1D1.30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	60.05	EC002714	690007	4549734483773			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T1.8.2-M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687984	4549734476904			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T1.8-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687981	4549734477024		5	GE	GEA	CHN	8536.5080.90
E2E-X30MB1T1.8-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687970	4549734482103			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T1.30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687967	4549734482288			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L1.8.2-M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698683	4549734476911			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L1.8-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	698658	4549734477031			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L1.30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	696214	4549734482110			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L1.8-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	60.05	EC002714	696109	4549734482295			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L1.8.2-M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	59.05	EC002714	699318	4549734474689			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L1.8-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	698098	4549734474801			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L1.30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, NPN NO, M12 connector	62.20	EC002714	694850	4549734480185			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8.2-M	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688107	4549734462907			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	687534	4549734463027			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	57.00	EC002714	688104	4549734463041			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	687533	4549734463065			GE	GEA	CHN	8536.5080.90
E2E-X3B1T1.8.2-M	Proximity sensor, inductive, SUS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688082	4549734464246			GE	GEA	CHN	8536.5080.90
E2E-X3B1T1.8-M1	Proximity sensor, inductive, long brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688080	4549734464307			GE	GEA	CHN	8536.5080.90
E2E-X3B28.2-M	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	57.00	EC002714	691090	4549734462914			GE	GEA	CHN	8536.5080.90
E2E-X3B28-M1	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	57.00	EC002714	691089	4549734463034			GE	GEA	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X3B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	57,00	EC002714	698682	4549734463058			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-M2	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	57,00	EC002714	698676	4549734464253			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	57,00	EC002714	698674	4549734464338			GE	GEA	CHN	8536.5080.90
E2E-X3C18-M2	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, 2 m cable	57,00	EC002714	691139	4549734460460			GE	GEA	CHN	8536.5080.90
E2E-X3C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, M12 connector	57,00	EC002714	691138	4549734460583			GE	GEA	CHN	8536.5080.90
E2E-X3C28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NC, M12 connector	57,00	EC002714	691137	4549734460590			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M2	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	56,40	EC002714	681665	4549734181754			GE	GEA	CHN	8536.5080.90
E2E-X3D18-MITGJ 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire	60,75	EC002714	681676	4549734181839			GE	GEA	CHN	8536.5080.90
E2E-X3D18-MITGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	60,75	EC002714	681848	4549734181938			GE	GEA	CHN	8536.5080.90
E2E-X3D18-T2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	56,40	EC002714	681658	4549734181853			GE	GEA	CHN	8536.5080.90
E2E-X3D28-T2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	56,40	EC002714	681741	4549734181860			GE	GEA	CHN	8536.5080.90
E2E-X3D28-TR5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable, robotic, DC 2-wire, no polarity	63,35	EC002714	681652	4549734181921			GE	GEA	CHN	8536.5080.90
E2E-X40M8ITL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67,35	EC002714	687966	4549734482318			GE	GEA	CHN	8536.5080.90
E2E-X40M8ITL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67,35	EC002714	687963	4549734482493		10	GE	GEA	CHN	8536.5080.90
E2E-X40MD11-30-MITGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire	74,20	EC002714	681813	4549734183314			GE	GEA	CHN	8536.5080.90
E2E-X40MD11-30-MITGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	75,20	EC002714	681853	4549734183413			GE	GEA	CHN	8536.5080.90
E2E-X40MD11-30-R 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, robotic, DC 2-wire	66,00	EC002714	681660	4549734183277			GE	GEA	CHN	8536.5080.90
E2E-X40MD11-30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire, no polarity	62,55	EC002714	681841	4549734183338			GE	GEA	CHN	8536.5080.90
E2E-X40MD11-30-TR 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, robotic, DC 2-wire, no polarity	72,35	EC002714	681811	4549734183376			GE	GEA	CHN	8536.5080.90
E2E-X40MD2L30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire, no polarity	62,55	EC002714	681822	4549734183345			GE	GEA	CHN	8536.5080.90
E2E-X4B1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43,49	EC002714	690433	4549734471329			GE	GEA	CHN	8536.5080.90
E2E-X4B1D12-M2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43,49	EC002714	687525	4549734468855			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46,60	EC002714	695836	4549734468896			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43,49	EC002714	687524	4549734469036			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-MITJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59,05	EC002714	687891	4549734468978		10	GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-MITJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	74,60	EC002714	687890	4549734469005		5	GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M2	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62,20	EC002714	687532	4549734463089			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62,20	EC002714	687530	4549734463201			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-MITJ 0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	62,20	EC002714	687531	4549734463164			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62,20	EC002714	688102	4549734463225			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	62,20	EC002714	687529	4549734463249		20	GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M2	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46,60	EC002714	687896	4549734470308		5	GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49,70	EC002714	696131	4549734470339			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46,60	EC002714	688007	4549734470391			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-MITJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	62,20	EC002714	687885	4549734470360			GE	GEA	CHN	8536.5080.90
E2E-X4B1T18-M2	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62,20	EC002714	687896	4549734464369			GE	GEA	CHN	8536.5080.90
E2E-X4B1T18-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62,20	EC002714	687895	4549734464420			GE	GEA	CHN	8536.5080.90
E2E-X4B1T18-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62,20	EC002714	688076	4549734464444			GE	GEA	CHN	8536.5080.90
E2E-X4B1T18-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62,20	EC002714	688075	4549734464468			GE	GEA	CHN	8536.5080.90
E2E-X4B212-M2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	43,49	EC002714	694063	4549734468862			GE	GEA	CHN	8536.5080.90
E2E-X4B212-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	46,60	EC002714	696232	4549734468893			GE	GEA	CHN	8536.5080.90
E2E-X4B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	43,49	EC002714	694062	4549734469043			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M2	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	62,20	EC002714	693106	4549734463096			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	62,20	EC002714	698681	4549734463218			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62,20	EC002714	698680	4549734463232			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M2	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	46,60	EC002714	694117	4549734470315			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	46,60	EC002714	690432	4549734470407			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-MITJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	49,70	EC002714	691007	4549734470377			GE	GEA	CHN	8536.5080.90
E2E-X4B2L18-M2	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	62,20	EC002714	698272	4549734464376			GE	GEA	CHN	8536.5080.90
E2E-X4B2L18-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62,20	EC002714	698670	4549734464451			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43,49	EC002714	687877	4549734471213			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43,49	EC002714	694160	4549734471336			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	46,60	EC002714	695083	4549734472135			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46,60	EC002714	687875	4549734472197			GE	GEA	CHN	8536.5080.90
E2E-X4C112-M2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	43,49	EC002714	694859	4549734466431			GE	GEA	CHN	8536.5080.90
E2E-X4C112-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 5 m cable	46,60	EC002714	696135	4549734466462			GE	GEA	CHN	8536.5080.90
E2E-X4C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	43,49	EC002714	687527	4549734466615			GE	GEA	CHN	8536.5080.90
E2E-X4C18-M2	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	51,80	EC002714	690190	4549734460644			GE	GEA	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	62,20	EC002714	687538	4549734460767			GE	GEA	CHN	8536.5080.90
E2E-X4C1L12-M2	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	39,35	EC002714	695801	4549734467889			GE	GEA	CHN	8536.5080.90
E2E-X4C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	39,35	EC002714	695803	4549734467971			GE	GEA	CHN	8536.5080.90
E2E-X4C212-M2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	36,24	EC002714	695800	4549734466448			GE	GEA	CHN	8536.5080.90
E2E-X4C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	43,49	EC002714	694116	4549734466622			GE	GEA	CHN	8536.5080.90
E2E-X4M8IT8-M2	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46,60	EC002714	688101	4549734463447			GE	GEA	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X4M81T8-5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696136	4549734463461			GE	GEA	CHN	8536.5080.90
E2E-X4M81T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688098	4549734463560			GE	GEA	CHN	8536.5080.90
E2E-X4M81T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	688097	4549734463584			GE	GEA	CHN	8536.5080.90
E2E-X4M81T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	688096	4549734463607			GE	GEA	CHN	8536.5080.90
E2E-X4M81TL8-2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	688074	4549734464611			GE	GEA	CHN	8536.5080.90
E2E-X4M81TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	688072	4549734464673			GE	GEA	CHN	8536.5080.90
E2E-X4M81TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	688070	4549734464727			GE	GEA	CHN	8536.5080.90
E2E-X4M828-2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	694067	4549734463454			GE	GEA	CHN	8536.5080.90
E2E-X4M828-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	694066	4549734463577			GE	GEA	CHN	8536.5080.90
E2E-X4M82L8-2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	51.80	EC002714	696216	4549734464628			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	694861	4549734461009			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	694860	4549734461122			GE	GEA	CHN	8536.5080.90
E2E-X50M81TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	72.50	EC002714	687962	4549734482523			GE	GEA	CHN	8536.5080.90
E2E-X50M81TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable	72.50	EC002714	688653	4549734482530			GE	GEA	CHN	8536.5080.90
E2E-X50M81TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector	67.35	EC002714	689619	4549734482653			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	698902	4549734474825			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	688860	4549734475006			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700053	4549734476010			GE	GEA	CHN	8536.5080.90
E2E-X5B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688862	4549734476102			GE	GEA	CHN	8536.5080.90
E2E-X5B218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	700055	4549734474832			GE	GEA	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	700001	4549734475013			GE	GEA	CHN	8536.5080.90
E2E-X5C118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	699319	4549734472609			GE	GEA	CHN	8536.5080.90
E2E-X5C1L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	699321	4549734473798			GE	GEA	CHN	8536.5080.90
E2E-X5C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	43.49	EC002714	700006	4549734472791			GE	GEA	CHN	8536.5080.90
E2E-X5D1-M1TGT 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	57.90	EC002714	681785	4549734184410			GE	GEA	CHN	8536.5080.90
E2E-X5M81T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	689888	4549734469418			GE	GEA	CHN	8536.5080.90
E2E-X5M81T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698850	4549734469593			GE	GEA	CHN	8536.5080.90
E2E-X5M81T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688852	4549734470711			GE	GEA	CHN	8536.5080.90
E2E-X5M8212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	700008	4549734469609			GE	GEA	CHN	8536.5080.90
E2E-X5M83D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	688854	4549734471688			GE	GEA	CHN	8536.5080.90
E2E-X5MC112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	699626	4549734466998			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.85	EC002714	687523	4549734469067			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.85	EC002714	687522	4549734469241			GE	GEA	CHN	8536.5080.90
E2E-X6B1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	688006	4549734470421			GE	GEA	CHN	8536.5080.90
E2E-X6B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687883	4549734470513			GE	GEA	CHN	8536.5080.90
E2E-X6B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	53.85	EC002714	690781	4549734469258			GE	GEA	CHN	8536.5080.90
E2E-X6B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	53.85	EC002714	688666	4549734470520			GE	GEA	CHN	8536.5080.90
E2E-X6B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	687876	4549734471473		20	GE	GEA	CHN	8536.5080.90
E2E-X6C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, 2 m cable	53.85	EC002714	691133	4549734466646			GE	GEA	CHN	8536.5080.90
E2E-X6C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, M12 connector	53.85	EC002714	691131	4549734466820			GE	GEA	CHN	8536.5080.90
E2E-X6C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NC, M12 connector	53.85	EC002714	691130	4549734466837			GE	GEA	CHN	8536.5080.90
E2E-X6M81T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688092	4549734466374			GE	GEA	CHN	8536.5080.90
E2E-X6M81T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	57.00	EC002714	688091	4549734463768			GE	GEA	CHN	8536.5080.90
E2E-X6M81T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	688090	4549734463782			GE	GEA	CHN	8536.5080.90
E2E-X6M81TL8-2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688069	4549734464741			GE	GEA	CHN	8536.5080.90
E2E-X6M81TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688067	4549734464802			GE	GEA	CHN	8536.5080.90
E2E-X6M81TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	687994	4549734464840			GE	GEA	CHN	8536.5080.90
E2E-X6M828-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	57.00	EC002714	688701	4549734463751			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC 2-wire	60.75	EC002714	681672	4549734181976			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGT 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire	62.55	EC002714	681876	4549734182034			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGT 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	62.55	EC002714	681844	4549734182133			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-T2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC 2-wire, no polarity	58.20	EC002714	681798	4549734182058			GE	GEA	CHN	8536.5080.90
E2E-X7D112-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire	55.60	EC002714	681730	4549734182195			GE	GEA	CHN	8536.5080.90
E2E-X7D112-M1TGT 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire	59.90	EC002714	681887	4549734182270			GE	GEA	CHN	8536.5080.90
E2E-X7D112-T2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	59.90	EC002714	681693	4549734182379			GE	GEA	CHN	8536.5080.90
E2E-X7D112-T2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	55.60	EC002714	681843	4549734182294			GE	GEA	CHN	8536.5080.90
E2E-X7D212-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire	55.60	EC002714	681640	4549734182201			GE	GEA	CHN	8536.5080.90
E2E-X7D212-M1TGT 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire	59.90	EC002714	681873	4549734182287			GE	GEA	CHN	8536.5080.90
E2E-X7D212-M1TGT 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	59.90	EC002714	681846	4549734182386			GE	GEA	CHN	8536.5080.90
E2E-X7D212-T2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	55.60	EC002714	681780	4549734182300			GE	GEA	CHN	8536.5080.90
E2E-X8B1D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	694155	4549734477307			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	687513	4549734475037			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	39.35	EC002714	695739	4549734475068			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687512	4549734475211			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687872	4549734475150		20	GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8B1T1.18.2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687959	4549734476133			GE	GEA	CHN	8536.5080.90
E2E-X8B1T1.18.5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696124	4549734476164			GE	GEA	CHN	8536.5080.90
E2E-X8B1T1.18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687992	4549734476225			GE	GEA	CHN	8536.5080.90
E2E-X8B218.2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	693988	4549734475044			GE	GEA	CHN	8536.5080.90
E2E-X8B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	693987	4549734475228			GE	GEA	CHN	8536.5080.90
E2E-X8B2L18.2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	696125	4549734476140			GE	GEA	CHN	8536.5080.90
E2E-X8B2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	696120	4549734476232			GE	GEA	CHN	8536.5080.90
E2E-X8B3D18.2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	687862	4549734477192		5	GE	GEA	CHN	8536.5080.90
E2E-X8B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	687860	4549734477314		10	GE	GEA	CHN	8536.5080.90
E2E-X8B3D1.18.2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	46.60	EC002714	695082	4549734477901			GE	GEA	CHN	8536.5080.90
E2E-X8B3D1.18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.60	EC002714	687855	4549734477963			GE	GEA	CHN	8536.5080.90
E2E-X8C118.2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	43.49	EC002714	694855	4549734472814			GE	GEA	CHN	8536.5080.90
E2E-X8C118.5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 5 m cable	46.60	EC002714	696129	4549734472845			GE	GEA	CHN	8536.5080.90
E2E-X8C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	43.49	EC002714	687515	4549734472999			GE	GEA	CHN	8536.5080.90
E2E-X8C1L18.2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	46.60	EC002714	696128	4549734473910			GE	GEA	CHN	8536.5080.90
E2E-X8C1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	46.60	EC002714	696114	4549734474009			GE	GEA	CHN	8536.5080.90
E2E-X8C218.2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	696130	4549734472821			GE	GEA	CHN	8536.5080.90
E2E-X8C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	696118	4549734473002			GE	GEA	CHN	8536.5080.90
E2E-X8C2L18.2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	698896	4549734473927			GE	GEA	CHN	8536.5080.90
E2E-X8C2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	698857	4549734474016			GE	GEA	CHN	8536.5080.90
E2E-X8MBD12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.49	EC002714	690434	4549734471817			GE	GEA	CHN	8536.5080.90
E2E-X8MBD12.2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	688015	4549734469623			GE	GEA	CHN	8536.5080.90
E2E-X8MBT12.5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	696132	4549734469654			GE	GEA	CHN	8536.5080.90
E2E-X8MBT12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687518	4549734469807			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18.2M	Proximity sensor, inductive, short SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	688089	4549734463805			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687528	4549734463928			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18-M1TJ.0.3M	Proximity sensor, inductive, short SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	77.70	EC002714	687847	4549734463881			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18-M5	Proximity sensor, inductive, short SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688086	4549734463966	#		GE	GEA	CHN	8536.5080.90
E2E-X8MBT18.2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	688005	4549734470742			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18.2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696189	4549734470773			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18.2M-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688003	4549734470834			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18.2M	Proximity sensor, inductive, long SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	688024	4549734464864			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18-M1	Proximity sensor, inductive, long SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	688022	4549734464925			GE	GEA	CHN	8536.5080.90
E2E-X8MBT18-M5	Proximity sensor, inductive, long SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688020	4549734464963			GE	GEA	CHN	8536.5080.90
E2E-X8MB212.2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694061	4549734469630			GE	GEA	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	690431	4549734469814			GE	GEA	CHN	8536.5080.90
E2E-X8MB28-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	688698	4549734463935			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	695049	4549734470841			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L18-M1	Proximity sensor, inductive, long SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	698692	4549734464932			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12.2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	694158	4549734471701			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	51.80	EC002714	689263	4549734471824			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D1.12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	689262	4549734472470			GE	GEA	CHN	8536.5080.90
E2E-X8MC112.2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	43.49	EC002714	694858	4549734467209			GE	GEA	CHN	8536.5080.90
E2E-X8MC212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	43.49	EC002714	694857	4549734467384			GE	GEA	CHN	8536.5080.90
E2E-X8MC112.2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	46.60	EC002714	694856	4549734468329			GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	46.60	EC002714	693118	4549734468411			GE	GEA	CHN	8536.5080.90
E2E-X8MC118.2M	Proximity sensor, inductive, long SUS body, M8, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	62.20	EC002714	690628	4549734462426			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12.2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687521	4549734469272			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687519	4549734469395	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687520	4549734469357			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJR.0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	90.10	EC002714	687888	4549734469371		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1T12.2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687882	4549734470544		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687880	4549734470605		25	GE	GEA	CHN	8536.5080.90
E2E-X9B212.2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698668	4549734469289			GE	GEA	CHN	8536.5080.90
E2E-X9B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	48.66	EC002714	691054	4549734469401			GE	GEA	CHN	8536.5080.90
E2E-X9C112.2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, 2 m cable	48.66	EC002714	690191	4549734466851			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 connector	59.05	EC002714	687526	4549734466974			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	74.60	EC002714	687894	4549734466936		5	GE	GEA	CHN	8536.5080.90
E2E-X9C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	693664	4549734466981			GE	GEA	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2EG</b>											
E2EO-X11D118.2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	102.30	EC002714	681636	4549734183673			GE	GEA	CHN	8536.5080.90
E2EO-X11D118-MITG-T.0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	123.40	EC002714	681705	4549734183774			GE	GEA	CHN	8536.5080.90
E2EO-X11D118-T.2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	103.40	EC002714	681834	4549734183734			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EQ-X11D218-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	103.40	EC002714	681789	4549734183741			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-2M	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	101.40	EC002714	688364	4549734486163			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1G	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	101.40	EC002714	688343	4549734486255			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-MITGJ.0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire	163.20	EC002714	681743	4549734183833			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	144.10	EC002714	681807	4549734183857			GE	GEA	CHN	8536.5080.90
E2EQ-X20D230-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	144.10	EC002714	681787	4549734183864			GE	GEA	CHN	8536.5080.90
E2EQ-X22B1T30-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	133.40	EC002714	688365	4549734487214			GE	GEA	CHN	8536.5080.90
E2EQ-X218-T-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	85.40	EC002714	688361	4549734484381			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	90.40	EC002714	681648	4549734183437			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-MITGJT.0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	112.30	EC002714	681647	4549734183536			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	91.45	EC002714	681739	4549734183499			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	90.40	EC002714	681867	4549734183444			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	91.45	EC002714	681818	4549734183505			GE	GEA	CHN	8536.5080.90
E2EQ-X4B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	74.70	EC002714	688362	4549734485173			GE	GEA	CHN	8536.5080.90
E2EQ-X6B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	96.05	EC002714	688329	4549734485296			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-MITGJ-T.0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	105.40	EC002714	681821	4549734183659			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	89.05	EC002714	681881	4549734183611			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-MITGJ-T.0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	105.40	EC002714	681856	4549734183666			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	89.05	EC002714	681875	4549734183628			GE	GEA	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	80.05	EC002714	688363	4549734486132			GE	GEA	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
E2EF-X12D1-2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M30, Sn=12 mm, 2-wire, NO, 2 m cable	156.30	EC002714	674202	4548583354661			GE	GEC	JPN	8536.5080.90
E2E-X10D1-M1G	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, M12 konnektör	124.70	EC002714	238543	4547648407861			GE	GEC	CHN	8536.5080.90
E2E-X10D1-N.2M	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, 2m kablololu	88.15	EC002714	238467	4547648405942			GE	GEC	CHN	8536.5080.90
E2E-X10MY1.2M	Endüktif sensör, M18, çıkık kafa, 10mm, AC, 2 kablololu, NA, 2m kablololu	108.00	EC002714	238407	4547648404723			GE	GEC	CHN	8536.5080.90
E2E-X10MY2.2M	Endüktif sensör, M18, çıkık kafa, 10mm, AC, 2 kablololu, NK, 2m kablololu	101.20	EC002714	238408	4547648404730			GE	GEC	CHN	8536.5080.90
E2E-X14MD1.2M	Endüktif sensör, M18, çıkık kafa, 14mm, DC, 2 kablololu, NA, 2m kablololu	71.65	EC002714	238485	4547648406253			GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1G	Endüktif sensör, M18, çıkık kafa, 14mm, DC, 2 kablololu, NA, M12 konnektör	82.80	EC002714	238547	4547648407922			GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1GJ.0.3M	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, Pig tail connector, M12	86.20	EC002714	238555	4547648408080			GE	GEC	CHN	8536.5080.90
E2E-X14MD2.2M	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NC, cable 2 m	59.55	EC002714	238494	4547648406390			GE	GEC	CHN	8536.5080.90
E2E-X18MY1.2M	Endüktif sensör, M30, çıkık kafa, 18mm, AC, 2 kablololu, NA, 2m kablololu	112.30	EC002714	238411	4547648404761			GE	GEC	CHN	8536.5080.90
E2E-X20MD1.2M	Endüktif sensör, M30, çıkık kafa, 20mm, DC, 2 kablololu, NA, 2m kablololu	72.10	EC002714	238487	4547648406277			GE	GEC	CHN	8536.5080.90
E2E-X20MD1-M1J.0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector, M12	156.30	EC002714	241131	4547648407106			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M12 konnektör	90.00	EC002714	238529	4547648407649			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1GJ.0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	98.80	EC002714	238581	4547648408523			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1J.0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	138.40	EC002714	241193	4547648408578			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M8 konnektör	64.05	EC002714	238563	4547648408196			GE	GEC	CHN	8536.5080.90
E2E-X2D1-N.2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m kablololu	69.05	EC002714	238455	4547648405829			GE	GEC	CHN	8536.5080.90
E2E-X2D1-N.5M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 5m cable	77.95	EC002714	238456	4547648405836			GE	GEC	CHN	8536.5080.90
E2E-X2D1-R.2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m robotik kablololu	89.00	EC002714	238517	4547648406963			GE	GEC	CHN	8536.5080.90
E2E-X2D2-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, M8 4-pin konnektör	64.05	EC002714	238564	4547648408202			GE	GEC	CHN	8536.5080.90
E2E-X2D2-N.2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, 2m kablololu	69.05	EC002714	238457	4547648405843			GE	GEC	CHN	8536.5080.90
E2E-X2Y1.2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, 2m kablololu	98.05	EC002714	238413	4547648404785			GE	GEC	CHN	8536.5080.90
E2E-X2Y1-M1	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, M12 konnektör	96.20	EC002714	238432	4547648405256			GE	GEC	CHN	8536.5080.90
E2E-X2Y2.2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NK, 2m kablololu	98.05	EC002714	238414	4547648404792			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, M12 konnektör	90.00	EC002714	238539	4547648407809			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ.0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	122.70	EC002714	238533	4547648407687			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ-T.0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	125.90	EC002714	241132	4547648407113			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1J.0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	145.80	EC002714	257076	4547648407052			GE	GEC	CHN	8536.5080.90
E2E-X3D1-N.2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, 2m kablololu	60.95	EC002714	238459	4547648405867			GE	GEC	CHN	8536.5080.90
E2E-X3D1-N.5M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, 5m cable	69.90	EC002714	238460	4547648405874			GE	GEC	CHN	8536.5080.90
E2E-X3D2-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, M12 konnektör	92.25	EC002714	238540	4547648407823			GE	GEC	CHN	8536.5080.90
E2E-X3D2-N.2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, 2m kablololu	60.05	EC002714	238461	4547648405881			GE	GEC	CHN	8536.5080.90
E2E-X4MD1-M1G	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, Pig tail Connector	90.15	EC002714	238531	4547648407663			GE	GEC	CHN	8536.5080.90
E2E-X5MY1.2M	Endüktif sensör, M12, çıkık kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	98.05	EC002714	238415	4547648404808			GE	GEC	CHN	8536.5080.90
E2E-X5Y1.2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	90.60	EC002714	238389	4547648404266			GE	GEC	CHN	8536.5080.90
E2E-X5Y1-M1	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, M12 konnektör	89.65	EC002714	238434	4547648405270			GE	GEC	CHN	8536.5080.90
E2E-X5Y2.2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NK, 2m kablololu	105.00	EC002714	238390	4547648404273			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1G	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, pig-tail konnektör	100.70	EC002714	238541	4547648407830			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ.0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	79.75	EC002714	238534	4547648407694			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ-T.0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	114.10	EC002714	241133	4547648407120			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1J-T.0.3M	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NO	80.20	EC002714	238524	4547648407151			GE	GEC	CHN	8536.5080.90
E2E-X7D1-N.2M	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, 2m kablololu	64.90	EC002714	238463	4547648405904			GE	GEC	CHN	8536.5080.90
E2E-X7D1-N.5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable	70.80	EC002714	238464	4547648405911			GE	GEC	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2E-X7D2-M1G</a>	<a href="#">Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablolu, NK</a>	74.00	EC002714	<a href="#">238542</a>	4547648407854			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X7D2-N 2M</a>	<a href="#">Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablolu, NK, 2m kablolu</a>	71.20	EC002714	<a href="#">238465</a>	4547648405928			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X7D2-N 5M</a>	<a href="#">Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 5m cable</a>	69.90	EC002714	<a href="#">238466</a>	4547648405935			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X7T1 2M</a>	<a href="#">Endüktif sensör, pirinç-nikel, M18, düz kafa, 7mm, AC/DC, 2 kablolu, NA</a>	113.20	EC002714	<a href="#">238515</a>	4547648406925	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X8M01-M1G</a>	<a href="#">Endüktif sensör, M12, çikik kafa, 8mm, DC, 2 kablolu, NA, pig-tail konektör</a>	83.70	EC002714	<a href="#">238545</a>	4547648407892	#		GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X7B4-M1T-IL3 0.3M</a>	<a href="#">Endüktif sensör, M18, düz, 7mm, DC, 3-kablolu, PNP/NO/NC seçilebilir (fabrika ayarları: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick kablolu 0.3m</a>	60.95	EC002714	<a href="#">671245</a>	4548583786332			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-C03N02-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 3mm, çikik kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	103.10	EC002714	<a href="#">375544</a>	4548583405509			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C03S88-CJ-B1 0.3M</a>	<a href="#">Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO</a>	78.65	EC002714	<a href="#">375480</a>	4548583405462			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C03S88-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375541</a>	4548583405424			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C03S88-WC-C1 2M</a>	<a href="#">Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	66.35	EC002714	<a href="#">375542</a>	4548583405448			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04N03-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 4mm, çikik kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375561</a>	4548583405868			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04N03-WC-C1 2M</a>	<a href="#">Endüktif sensör, çap 4mm, çikik kafa, 3mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	66.35	EC002714	<a href="#">375562</a>	4548583405882			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-CJ-B1 0.3M</a>	<a href="#">Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO</a>	54.30	EC002714	<a href="#">375557</a>	4548583405783			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375554</a>	4548583405745	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-WC-B2 2M</a>	<a href="#">Endüktif sensör, çap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK</a>	42.35	EC002714	<a href="#">375497</a>	4548583405752			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-WC-C1 2M</a>	<a href="#">Endüktif sensör, çap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	42.35	EC002714	<a href="#">375555</a>	4548583405769			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C05S01-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	43.47	EC002714	<a href="#">659356</a>	4548583518780			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C05S01-WC-C1 2M</a>	<a href="#">Endüktif sensör, çap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	43.47	EC002714	<a href="#">659355</a>	4548583518742			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06N04-MC-B1</a>	<a href="#">Endüktif sensör, çap 6.5mm, çikik kafa, 4mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	73.10	EC002714	<a href="#">375537</a>	4548583406421			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06N04-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 6.5mm, çikik kafa, 4mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375580</a>	4548583406346			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06S02-MC-B1</a>	<a href="#">Endüktif sensör, çap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	48.25	EC002714	<a href="#">375578</a>	4548583406308			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06S02-WC-B1 2M</a>	<a href="#">Endüktif sensör, çap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375573</a>	4548583406223			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04N02-WC-B1 2M</a>	<a href="#">Endüktif sensör, M4, çikik kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	103.10	EC002714	<a href="#">375552</a>	4548583405660			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04S88-CJ-B1 0.3M</a>	<a href="#">Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO</a>	78.65	EC002714	<a href="#">375550</a>	4548583405622			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04S88-WC-B1 2M</a>	<a href="#">Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375546</a>	4548583405585	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04S88-WC-C1 2M</a>	<a href="#">Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	66.35	EC002714	<a href="#">375548</a>	4548583405608			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-CJ-B1 0.3M</a>	<a href="#">Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pig-Tail, PNP NO</a>	78.65	EC002714	<a href="#">375518</a>	4548583406148			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-MC-B1</a>	<a href="#">Endüktif sensör, M5, çikik kafa, 3mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	73.10	EC002714	<a href="#">375522</a>	4548583406186			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-WC-B1 2M</a>	<a href="#">Endüktif sensör, M5, çikik kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375571</a>	4548583406100			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-WC-C1 2M</a>	<a href="#">Endüktif sensör, M5, çikik kafa, 3mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	66.35	EC002714	<a href="#">375572</a>	4548583406124			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-CJ-B1 0.3M</a>	<a href="#">Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO</a>	54.30	EC002714	<a href="#">375567</a>	4548583406025			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-MC-B1</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	48.25	EC002714	<a href="#">375569</a>	4548583406063	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-MC-B2</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NK</a>	48.25	EC002714	<a href="#">375514</a>	4548583406070			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-MC-C1</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), NPN-NA</a>	48.25	EC002714	<a href="#">375570</a>	4548583406087	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-B1 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375563</a>	4548583405981	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-B1 5M</a>	<a href="#">Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO</a>	48.12	EC002714	<a href="#">382785</a>	4548583498112			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-B2 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK</a>	42.35	EC002714	<a href="#">375564</a>	4548583405998			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-C1 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NA</a>	42.35	EC002714	<a href="#">375565</a>	4548583406001	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-C2 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NK</a>	42.35	EC002714	<a href="#">375566</a>	4548583406018			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X2D1-M1TGU 0.3M</a>	<a href="#">Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 0.3 m pigtail PUR (increased oil-resistant) with Junction Connector M12</a>	97.20	EC002714	<a href="#">290022</a>	4547648624978			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X2D1-U 2M</a>	<a href="#">Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu PUR yağa dayanıklı</a>	86.50	EC002714	<a href="#">290127</a>	4547648408813			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2FO-X2E1</a>	<a href="#">Endüktif sensör, PTFE qövde, kısa, M12, düz kafa, 2mm, 3 kablolu, DC, PNP-NA, 2m kablolu</a>	191.60	EC002714	<a href="#">149293</a>	4536853263461			GE	GED	JPN	8536.5080.90
<a href="#">E2FO-X5E1</a>	<a href="#">Endüktif sensör, PTFE qövde, kısa, M18, düz kafa, 5mm, 3 kablolu, DC, PNP-NA, 2m kablolu</a>	177.20	EC002714	<a href="#">131818</a>	4536853263300			GE	GED	JPN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X10F1 2M</a>	<a href="#">Proximity sensor, plastic body, inductive, M30 shielded, 10mm, DC 3-wire, PNP-NO</a>	102.10	EC002714	<a href="#">235657</a>	4547648321235			GE	GED	CHN	8536.5080.90
<a href="#">E2E-X2F1 2M</a>	<a href="#">Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable</a>	99.55	EC002714	<a href="#">235694</a>	4547648321198			GE	GED	CHN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-X15ME1</a>	<a href="#">Kapasitif sensör, M30, çikik kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	148.70	EC002715	<a href="#">131727</a>	4536853264352			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X15MF1</a>	<a href="#">Kapasitif sensör, M30, çikik kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	148.70	EC002715	<a href="#">131788</a>	4536853264635	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X15MF2</a>	<a href="#">Kapasitif sensör, M30, çikik kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	148.70	EC002715	<a href="#">131790</a>	4536853264659			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X4ME1</a>	<a href="#">Kapasitif sensör, M12, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	126.60	EC002715	<a href="#">131724</a>	4536853264253			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X4MF1</a>	<a href="#">Kapasitif sensör, M12, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	126.60	EC002715	<a href="#">131783</a>	4536853264550			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X8ME1</a>	<a href="#">Kapasitif sensör, M18, çikik kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	143.40	EC002715	<a href="#">131775</a>	4536853264307			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X8MF1</a>	<a href="#">Kapasitif sensör, M18, çikik kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	143.40	EC002715	<a href="#">151474</a>	4536853264598			GE	GEE	JPN	8536.5080.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2K-X8ME2</a>	<a href="#">Kapasitif sensör,</a>	143.40	EC002715	<a href="#">157072</a>	4536853264611			GE	GEE	JPN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-C25ME1</a>	<a href="#">Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu</a>	184.80	EC002715	<a href="#">131841</a>	4536853263683			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C25ME2</a>	<a href="#">Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu</a>	188.50	EC002715	<a href="#">104692</a>	4536853263706			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C25ME1</a>	<a href="#">Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu</a>	184.80	EC002715	<a href="#">147129</a>	4536853263690	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C25ME1 10M</a>	<a href="#">Proximity sensor, capacitive, 34 mm diameter, non-shielded, 3-25 mm, 10-30 VDC, PNP, NO, 10 m cable</a>	191.00	EC002715	<a href="#">131847</a>	4536854532900	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C25ME2</a>	<a href="#">Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu</a>	184.80	EC002715	<a href="#">131842</a>	4536853263713	#		GE	GEE	JPN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-F10MC1</a>	<a href="#">Kapasitif sensör, yassı, çikik kafa, 10mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu</a>	90.20	EC002715	<a href="#">106106</a>	4536853264048	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-F10MC1-A 2M</a>	<a href="#">Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable</a>	121.00	EC002715	<a href="#">171939</a>	4547648085656			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-F10MC2</a>	<a href="#">Kapasitif sensör, yassı, çikik kafa, 10mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu</a>	90.20	EC002715	<a href="#">131854</a>	4536853264079			GE	GEE	JPN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-L13MC1 2M</a>	<a href="#">Capacitive, Liquid level sensing, 8 to 11mm tube, NPN, 2m cable</a>	222.90	EC002715	<a href="#">131855</a>	4536854711954			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-L26MC1 2M</a>	<a href="#">Capacitive, Liquid level sensing, 12 to 26mm tube, NPN</a>	153.60	EC002715	<a href="#">153644</a>	4536854711947	#		GE	GEE	JPN	8536.5080.90
<b>İndüktif Proximity Sensör TL-TL-T/W</b>											
<a href="#">TL-W185MB1</a>	<a href="#">Endüktif sensör, çikik kafa, 1.5mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu</a>	72.75	EC002714	<a href="#">110296</a>	4536854116407		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W185MC1</a>	<a href="#">Endüktif sensör, çikik kafa, 1.5mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu</a>	64.70	EC002714	<a href="#">110289</a>	4536854116315		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W185MC15 2M</a>	<a href="#">https://industrial.omron.com.tr/tr/products/tl-w</a>	66.90	EC002714	<a href="#">110290</a>	4536854116322		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W20ME1</a>	<a href="#">Endüktif sensör, çikik kafa, dikdörtgen, 20mm, 3 kablolulu, NPN, NA, 2m kablolulu</a>	109.50	EC002714	<a href="#">110302</a>	4536854116612			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MB1 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu</a>	57.90	EC002714	<a href="#">110294</a>	4536854116384	#	5	GE	GEG	CHN	8536.5080.90
<a href="#">TL-W3MB1 5M</a>	<a href="#">Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 5m cable</a>	65.95	EC002714	<a href="#">110307</a>	4536854116735		3	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MB1-R 2M</a>	<a href="#">Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic cable</a>	88.85	EC002714	<a href="#">110312</a>	4536854116995			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MB2</a>	<a href="#">Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu</a>	109.00	EC002714	<a href="#">110305</a>	4536854116698		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MC1 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu</a>	58.35	EC002714	<a href="#">110288</a>	4536854116292	#	5	GE	GEG	CHN	8536.5080.90
<a href="#">TL-W3MC2 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu</a>	59.25	EC002714	<a href="#">110292</a>	4536854116353		5	GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5F1</a>	<a href="#">Endüktif sensör, düz kafa, 5mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu</a>	101.20	EC002714	<a href="#">110282</a>	4536854116209	#		GE	GEG	JPN	8536.5080.90
<a href="#">TL-W5F1 5M</a>	<a href="#">Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 5m cable</a>	100.70	EC002714	<a href="#">110283</a>	4536854116216			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W5F2</a>	<a href="#">Endüktif sensör, düz kafa, 5mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu</a>	104.90	EC002714	<a href="#">103868</a>	4536854116247			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W5MB1 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu</a>	46.96	EC002714	<a href="#">110295</a>	4536854116391			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MB1 5M</a>	<a href="#">Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable</a>	51.30	EC002714	<a href="#">110313</a>	4536854117053			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MB2 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu</a>	47.84	EC002714	<a href="#">144995</a>	4536854647376			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MC1 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu</a>	46.03	EC002714	<a href="#">110287</a>	4536854116261	#		GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MC2 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu</a>	47.42	EC002714	<a href="#">104697</a>	4536854116438			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MD1 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 5mm, DC, 2 kablolulu, DC, NA, 2m kablolulu</a>	71.55	EC002714	<a href="#">110298</a>	4536854116537	#		GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MD2 2M</a>	<a href="#">Endüktif sensör, çikik kafa, 5mm, DC, 2 kablolulu, DC, NK, 2m kablolulu</a>	71.55	EC002714	<a href="#">110301</a>	4536854116575			GE	GEG	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2O</b>											
<a href="#">E2O6-N20E3-H</a>	<a href="#">Endüktif sensör, kare gövde, düz kafa, 20mm, NPN-NA/NK, M20 kablo kanalı</a>	94.25	EC002714	<a href="#">706923</a>	4549734708265			GE	GEH	VNM	8536.5080.90
<a href="#">E2O6-N20F3-H</a>	<a href="#">Endüktif sensör, kare gövde, düz kafa, 20mm, PNP-NA/NK, M20 kablo kanalı</a>	94.25	EC002714	<a href="#">706924</a>	4549734708258			GE	GEH	VNM	8536.5080.90
<a href="#">E2O6-N30MF3-H</a>	<a href="#">Endüktif sensör, kare gövde, çikik kafa, 30mm, NPN-NA/NK, M20 kablo kanalı</a>	98.10	EC002714	<a href="#">706925</a>	4549734708241			GE	GEH	VNM	8536.5080.90
<a href="#">E2O6-N30MF3-H</a>	<a href="#">Endüktif sensör, kare gövde, çikik kafa, 30mm, PNP-NA/NK, M20 kablo kanalı</a>	99.70	EC002714	<a href="#">706926</a>	4549734708234			GE	GEH	VNM	8536.5080.90
<b>İndüktif Proximity Sensör E2O</b>											
<a href="#">E2O5-N20F1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, NPN, NA</a>	67.05	EC002714	<a href="#">702603</a>	4549734724609			GE	GEH	VNM	8536.5080.90
<a href="#">E2O5-N20F1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA</a>	67.05	EC002714	<a href="#">702601</a>	4549734724623			GE	GEH	VNM	8536.5080.90
<a href="#">E2O5-N20F3-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA &amp; NK</a>	73.75	EC002714	<a href="#">702600</a>	4549734724630			GE	GEH	VNM	8536.5080.90
<a href="#">E2O5-N40MF1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, NPN, NA</a>	68.60	EC002714	<a href="#">702599</a>	4549734724647			GE	GEH	VNM	8536.5080.90
<a href="#">E2O5-N40MF3-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, NPN, NA &amp; NK</a>	76.00	EC002714	<a href="#">702598</a>	4549734724654			GE	GEH	VNM	8536.5080.90
<a href="#">E2O5-N40MF1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, PNP, NA</a>	69.45	EC002714	<a href="#">702597</a>	4549734724661	#		GE	GEH	VNM	8536.5080.90
<a href="#">E2O5-N40MF3-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, PNP, NA &amp; NK</a>	76.00	EC002714	<a href="#">702596</a>	4549734724678			GE	GEH	VNM	8536.5080.90
<b>İndüktif Proximity Sensör E2A</b>											
<a href="#">E2A-M12KN05-M1-B1-TP</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, for Tetra Pack</a>	70.55	EC002714	<a href="#">236982</a>	4547648424615			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12KN05-WP-B1-TP 5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, M12, unshielded, 5 mm, PNP-NO 5 m, for Tetra Pack</a>	42.32	EC002714	<a href="#">232411</a>	4547648340564			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12KS04-M1-R1-L4</a>	<a href="#">Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 plug-in, gold-plated pins</a>	62.75	EC002714	<a href="#">368983</a>	4548583333871			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12LN05-M1-B1-TP</a>	<a href="#">Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, M12 connector, including washer</a>	55.35	EC002714	<a href="#">656805</a>	4548583722873	#		GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12LN05-WP-B1-TP 5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, 5m prewired, including washer</a>	54.10	EC002714	<a href="#">232412</a>	4547648340571			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M18KS05-WP-B1-TP 6M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 6m prewired, including washer</a>	78.85	EC002714	<a href="#">236990</a>	4547648424684			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M18KS08-M5-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, M8 3-pin konektör</a>	73.25	EC002714	<a href="#">659164</a>	4548583722965			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-S08KN02-M1-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 2mm, DC, 3 kablolulu, PNP-NA, M12 4-pin konektör</a>	71.65	EC002714	<a href="#">659162</a>	4548583723535			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-S08KN04-M1-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolulu, PNP-NA, M12 konektör</a>	53.45	EC002714	<a href="#">183917</a>	4547648162456	#		GE	GEI	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F2A-S08KN04-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NK, M12 konektör	48,97	EC002714	<a href="#">401325</a>	4547648162463			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör	53,45	EC002714	<a href="#">239506</a>	4547648149266			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör	71,65	EC002714	<a href="#">659185</a>	4548583723542			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör	63,45	EC002714	<a href="#">183894</a>	4547648149273			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konektör	48,97	EC002714	<a href="#">401326</a>	4547648162487			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör	63,45	EC002714	<a href="#">183921</a>	4547648162968			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	42,32	EC002714	<a href="#">183895</a>	4547648149280			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	50,45	EC002714	<a href="#">401327</a>	4547648162500			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	48,97	EC002714	<a href="#">401328</a>	4547648162517			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	42,32	EC002714	<a href="#">183926</a>	4547648162531			GE	GEI	CHN	8536.5080.90
F2A-S08KN04-WP-D1 2M	Endüktif sensör, paslanmaz çelik, M8, çukuk kafa, 4mm, DC, 2 kablolu, 2m kablolu	51,45	EC002714	<a href="#">659196</a>	4548583723580			GE	GEI	CHN	8536.5080.90
F2A-S08KS01-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M12 konektör	50,75	EC002714	<a href="#">243369</a>	4547648525015			GE	GEI	CHN	8536.5080.90
F2A-S08KS01-M3-B1-TP	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	56,65	EC002714	<a href="#">237659</a>	4547648437226			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör	45,57	EC002714	<a href="#">183896</a>	4547648149297	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M12 konektör	45,57	EC002714	<a href="#">183930</a>	4547648162579			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M12 konektör	45,57	EC002714	<a href="#">183931</a>	4547648162586			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M1-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M12 connector	45,57	EC002714	<a href="#">406721</a>	4547648162593			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör (4-pin)	52,75	EC002714	<a href="#">242079</a>	4547648475044			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (4 pin)	53,60	EC002714	<a href="#">244370</a>	4547648525022			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M3-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 4-pin plug-in	52,80	EC002714	<a href="#">659227</a>	4548583723511			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör (3-pin)	52,75	EC002714	<a href="#">183933</a>	4547648162609	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konektör (3-pin)	50,75	EC002714	<a href="#">183934</a>	4547648162616	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konektör (3-pin)	52,75	EC002714	<a href="#">183897</a>	4547648149303			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-M5-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M8 connector (3 pin)	52,75	EC002714	<a href="#">232021</a>	4547648162623			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	35,81	EC002714	<a href="#">183936</a>	4547648162630	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	35,81	EC002714	<a href="#">183937</a>	4547648162647	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	35,81	EC002714	<a href="#">183938</a>	4547648162654	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-B2 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 5m prewired	50,45	EC002714	<a href="#">401329</a>	4547648162661			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-B2-C1 0.2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 200mm M8 cable end connector (3 pole)	113,40	EC002714	<a href="#">658912</a>	4548583723030			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	35,81	EC002714	<a href="#">183898</a>	4547648149327	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu	35,81	EC002714	<a href="#">183941</a>	4547648162685			GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-D1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu	51,45	EC002714	<a href="#">656810</a>	4548583722910	#		GE	GEI	CHN	8536.5080.90
F2A-S08KS02-WP-D2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolu, NK, 2m kablolu	59,15	EC002714	<a href="#">658911</a>	4548583722996			GE	GEI	CHN	8536.5080.90
F2A-S08L N04-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör	62,40	EC002714	<a href="#">183899</a>	4547648149334	#		GE	GEI	CHN	8536.5080.90
F2A-S08L N04-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4pin plug-in	89,65	EC002714	<a href="#">667839</a>	4548583724914			GE	GEI	CHN	8536.5080.90
F2A-S08L N04-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör (3-pin)	53,45	EC002714	<a href="#">183946</a>	4547648162739			GE	GEI	CHN	8536.5080.90
F2A-S08L N04-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör (3-pin)	53,45	EC002714	<a href="#">183900</a>	4547648149341			GE	GEI	CHN	8536.5080.90
F2A-S08L N04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	50,75	EC002714	<a href="#">183949</a>	4547648162760			GE	GEI	CHN	8536.5080.90
F2A-S08L N04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	50,75	EC002714	<a href="#">401324</a>	4547648149358			GE	GEI	CHN	8536.5080.90
F2A-S08L S01-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 1mm, DC, PNP NO, 3-wire, M12 plug-in connector	60,50	EC002714	<a href="#">659637</a>	4548583724099			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör	50,75	EC002714	<a href="#">183956</a>	4547648162838	#		GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M1-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M12 konektör	55,35	EC002714	<a href="#">232023</a>	4547648162845			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M1-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M12 konektör	50,75	EC002714	<a href="#">232019</a>	4547648149365	#		GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M3-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	43,77	EC002714	<a href="#">244371</a>	4547648525039			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M3-B3	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 4 kablolu, PNP-NA+NK, M8 4pin konektör	121,00	EC002714	<a href="#">659242</a>	4548583724907			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör (3-pin)	52,75	EC002714	<a href="#">183903</a>	4547648149372	#		GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M5-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konektör (3-pin)	51,45	EC002714	<a href="#">183959</a>	4547648162869			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konektör (3-pin)	52,75	EC002714	<a href="#">183960</a>	4547648162876			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	47,58	EC002714	<a href="#">183904</a>	4547648149389			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	50,45	EC002714	<a href="#">401330</a>	4547648162890			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	47,58	EC002714	<a href="#">243967</a>	4547648162906			GE	GEI	CHN	8536.5080.90
F2A-S08L S02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	47,58	EC002714	<a href="#">183965</a>	4547648162920			GE	GEI	CHN	8536.5080.90
F2A-S12KN08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	56,10	EC002714	<a href="#">411139</a>	4548583130456			GE	GEI	CHN	8536.5080.90
F2A-S12KN08-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, çukuk kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	62,40	EC002714	<a href="#">242075</a>	4547648475082			GE	GEI	CHN	8536.5080.90
F2A-S12KS04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	47,75	EC002714	<a href="#">351403</a>	4548583020894			GE	GEI	CHN	8536.5080.90
F2A-S12KS04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	47,75	EC002714	<a href="#">659200</a>	4548583723290			GE	GEI	CHN	8536.5080.90
F2A-S12KS04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör	86,30	EC002714	<a href="#">656802</a>	4548583722835			GE	GEI	CHN	8536.5080.90
F2A-S12KS04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	46,12	EC002714	<a href="#">341512</a>	4548583004917			GE	GEI	CHN	8536.5080.90
F2A-S12KS04-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	55,80	EC002714	<a href="#">659215</a>	4548583723047			GE	GEI	CHN	8536.5080.90
F2A-S12L S04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	62,50	EC002714	<a href="#">658903</a>	4548583722927			GE	GEI	CHN	8536.5080.90
F2A-S12L S04-M1-C1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, NPN-NO, M12 plug-in	62,35	EC002714	<a href="#">659218</a>	4548583723351			GE	GEI	CHN	8536.5080.90
F2A-S18KN16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	86,95	EC002714	<a href="#">168903</a>	4547648048613			GE	GEI	CHN	8536.5080.90
F2A-S18KS08-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	99,75	EC002714	<a href="#">168902</a>	4547648048606			GE	GEI	CHN	8536.5080.90
F2A-S18KS08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	71,65	EC002714	<a href="#">658904</a>	4548583722989			GE	GEI	CHN	8536.5080.90
F2A-S18KS08-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	81,60	EC002714	<a href="#">658906</a>	4548583722934			GE	GEI	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2A-S18LS08-M1-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	86.30	EC002714	658907	4548583722941			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-S30KS15-M1-B1</a>	<a href="#">Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 plug-in</a>	94.90	EC002714	168904	4547648048620			GE	GEI	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2B</b>											
<a href="#">E2B-M12KN05-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	9.77	EC002714	674364	4548583549517			GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN05-M1-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	10.04	EC002714	674426	4548583549531			GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN05-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	9.41	EC002714	674338	4548583549432			GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN05-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	9.41	EC002714	674369	4548583549470			GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	11.55	EC002714	674557	4548583549999	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-M1-B1-20</a>	<a href="#">Multi-pack E2B-M12KN08-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.</a>	218.10	EC002714	671224	4548583879317			GE	GEJ	CHN	8536.5080.90
<a href="#">E2B-M12KN08-M1-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	11.55	EC002714	674640	4548583550018	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	11.55	EC002714	674637	4548583550001	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-M1-C2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör</a>	11.55	EC002714	674370	4548583550025	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	11.55	EC002714	674521	4548583549913	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-WP-B1 5M</a>	<a href="#">Proximity sensor, IITE, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m cable</a>	13.68	EC002714	674559	4548583549920	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-WP-B2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	11.55	EC002714	674322	4548583549937	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	11.55	EC002714	674561	4548583549951	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KN08-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	11.55	EC002714	674356	4548583549975	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS02-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	9.93	EC002714	674680	4548583549272	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS02-M1-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	9.41	EC002714	674363	4548583549296	#	40	GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS02-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	9.41	EC002714	674327	4548583549197	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS02-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	9.41	EC002714	674380	4548583549234	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	11.55	EC002714	674633	4548583549753	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-M1-B1-20</a>	<a href="#">Endüktif sensör, Çoklu paket (E2B-M12KS04-M1-B1 OMS:den 20 adet)</a>	218.10	EC002714	392627	4548583552487	#		GE	GEJ	CHN	8536.5080.90
<a href="#">E2B-M12KS04-M1-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	11.55	EC002714	674624	4548583549777	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	11.55	EC002714	674524	4548583549760	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-M1-C2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, M12 konektör</a>	11.55	EC002714	674479	4548583549784	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	11.55	EC002714	674414	4548583549678	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-WP-B1 5M</a>	<a href="#">Proximity sensor, IITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m cable</a>	13.68	EC002714	674429	4548583549685	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-WP-B2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	11.55	EC002714	674573	4548583549692	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-WP-B2 5M</a>	<a href="#">Proximity sensor, IITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, 5m cable</a>	13.68	EC002714	674528	4548583549708	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	11.55	EC002714	674459	4548583549715	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12KS04-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	11.55	EC002714	674500	4548583549739	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN05-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	9.41	EC002714	674481	4548583549630	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN05-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	11.55	EC002714	674659	4548583550117	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-M1-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	11.55	EC002714	674480	4548583550131	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	11.55	EC002714	674474	4548583550124	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-M1-C2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör</a>	11.55	EC002714	674461	4548583550148	#	20	GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	11.55	EC002714	674533	4548583550032	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1 5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired</a>	13.68	EC002714	674439	4548583550049	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	11.55	EC002714	674523	4548583550056	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	11.55	EC002714	674522	4548583550070	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	11.55	EC002714	674400	4548583550094	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	9.41	EC002714	674622	4548583549395	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	9.41	EC002714	674505	4548583549319	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	11.55	EC002714	674527	4548583549876	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1-20</a>	<a href="#">Endüktif sensör, Çoklu paket (E2B-M12LN08-WP-B1 OMS:den 20 adet)</a>	218.10	EC002714	392628	4548583552494	#		GE	GEJ	CHN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	11.55	EC002714	674657	4548583549890	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	11.55	EC002714	674329	4548583549883	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-C2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, M12 konektör</a>	11.55	EC002714	674378	4548583549906	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	11.55	EC002714	674517	4548583549791	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B1 5M</a>	<a href="#">Proximity sensor, IITE, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m Prewired</a>	13.68	EC002714	674316	4548583549807	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-B2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	11.55	EC002714	674472	4548583549814	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	11.55	EC002714	674605	4548583549838	#	50	GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M12LN08-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	11.55	EC002714	674331	4548583549852	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN10-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	14.50	EC002714	674558	4548583551190	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN10-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 10mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	14.50	EC002714	674415	4548583551114	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN16-M1-B1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	16.92	EC002714	674469	4548583551671	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN16-M1-B1-20</a>	<a href="#">Multi-pack E2B-M18KN16-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.</a>	302.00	EC002714	671226	4548583879331	#		GE	GEJ	CHN	8536.5080.90
<a href="#">E2B-M18KN16-M1-B2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	16.92	EC002714	674359	4548583551695	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN16-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	16.92	EC002714	674368	4548583551688	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN16-WP-B1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	16.92	EC002714	674614	4548583551596	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN16-WP-B2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	16.92	EC002714	674342	4548583551619	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18KN16-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, NPN-NA, 2</a>										

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F2B-M18KS05-WP-B1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, 2m kablolu	14.50	EC002714	674572	4548583550155			GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	16.92	EC002714	674616	4548583551435	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-M1-B1-20	Endüktif sensör, Çoklu paket (F2B-M18KS08-M1-B1 OMS'den 20 adet)	302.00	EC002714	392629	4548583552500			GE	GEJ	CHN	8536.5080.90
F2B-M18KS08-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör	16.92	EC002714	674473	4548583551459	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör	16.92	EC002714	674656	4548583551442	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-M1-C2	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör	16.92	EC002714	674553	4548583551466	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-WP-B1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	16.92	EC002714	674516	4548583551350	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	19.32	EC002714	674410	4548583551367	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-WP-B2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu	16.92	EC002714	674314	4548583551374	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	16.92	EC002714	674575	4548583551398	#		GE	GEJ	IDN	8536.5080.90
F2B-M18KS08-WP-C2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu	16.92	EC002714	674406	4548583551411	#		GE	GEJ	IDN	8536.5080.90
F2B-M18L116-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çukuk kafa, 16mm, DC, 3 kablolu, PNP-NA, M12 konektör	16.92	EC002714	674430	4548583551794	#		GE	GEJ	IDN	8536.5080.90
F2B-M18L116-M1-B2	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çukuk kafa, 16mm, DC, 3 kablolu, PNP-NK, M12 konektör	16.92	EC002714	674542	4548583551817	#		GE	GEJ	IDN	8536.5080.90
F2B-M18L116-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çukuk kafa, 16mm, DC, 3 kablolu, NPN-NA, M12 konektör	16.92	EC002714	674383	4548583551800	#		GE	GEJ	IDN	8536.5080.90
F2B-M18L116-WP-B1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çukuk kafa, 16mm, DC, 3 kablolu, PNP-NA, 2m kablolu	16.92	EC002714	674613	4548583551718	#		GE	GEJ	IDN	8536.5080.90
F2B-M18L116-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çukuk kafa, 16mm, DC, 3 kablolu, NPN-NA, 2m kablolu	16.92	EC002714	674453	4548583551756	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S05-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör	14.50	EC002714	674458	4548583551077	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	16.92	EC002714	674628	4548583551558	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-M1-B2	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör	16.92	EC002714	674328	4548583551572	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör	16.92	EC002714	674445	4548583551565	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-M1-C2	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör	16.92	EC002714	674436	4548583551589	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-WP-B1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	16.92	EC002714	674562	4548583551473	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired	19.32	EC002714	674585	4548583551480	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-WP-B2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu	16.92	EC002714	674354	4548583551497	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	16.92	EC002714	674567	4548583551510	#		GE	GEJ	IDN	8536.5080.90
F2B-M18S08-WP-C2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu	16.92	EC002714	674584	4548583551534	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KN20-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 20mm, DC, 3 kablolu, PNP-NA, M12 konektör	19.94	EC002714	674397	4548583550438	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KN20-WP-B1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 20mm, DC, 3 kablolu, PNP-NA, 2m kablolu	19.94	EC002714	674673	4548583550353	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KN20-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 20mm, DC, 3 kablolu, NPN-NA, 2m kablolu	19.94	EC002714	674493	4548583550391	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS10-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konektör	19.94	EC002714	674341	4548583551916	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS10-WP-B1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, 2m kablolu	19.94	EC002714	674652	4548583551831	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konektör	22.61	EC002714	674318	4548583550674	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konektör	22.61	EC002714	674418	4548583550698	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, M12 konektör	22.61	EC002714	674394	4548583550681	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-WP-B1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	22.61	EC002714	674546	4548583550599	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 5m cable	25.35	EC002714	674447	4548583550605	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-WP-B2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	22.61	EC002714	674615	4548583550612	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	22.61	EC002714	674674	4548583550636	#		GE	GEJ	IDN	8536.5080.90
F2B-M30KS15-WP-C2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NK, 2m kablolu	22.61	EC002714	674385	4548583550650	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L N30-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 30mm, DC, 3 kablolu, PNP-NA, M12 konektör	22.61	EC002714	674536	4548583550919	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L N30-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 30mm, DC, 3 kablolu, PNP-NK, M12 konektör	22.61	EC002714	674470	4548583550933	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L N30-WP-B1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 30mm, DC, 3 kablolu, PNP-NA, 2m kablolu	22.61	EC002714	674393	4548583550834	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L N30-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çukuk kafa, 30mm, DC, 3 kablolu, NPN-NA, 2m kablolu	22.61	EC002714	674609	4548583550872	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konektör	22.61	EC002714	674512	4548583550797	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-M1-B2	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konektör	22.61	EC002714	674332	4548583550810	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, M12 konektör	22.61	EC002714	674541	4548583550803	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-WP-B1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	22.61	EC002714	674537	4548583550711	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-WP-B2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	22.61	EC002714	674574	4548583550735	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	22.61	EC002714	674555	4548583550759	#		GE	GEJ	IDN	8536.5080.90
F2B-M30L S15-WP-C2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NK, 2m kablolu	22.61	EC002714	674465	4548583550773	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN02-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör	11.55	EC002714	674678	4548583548558	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	11.55	EC002714	674518	4548583548473	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör	13.68	EC002714	674629	4548583549036	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konektör	13.68	EC002714	674494	4548583549050	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör	13.68	EC002714	674672	4548583549043	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	13.68	EC002714	674604	4548583548954	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	15.84	EC002714	674388	4548583548961	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	13.68	EC002714	674323	4548583548978	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çukuk kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	13.68	EC002714	674592	4548583548992	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KS01-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konektör	11.55	EC002714	674421	4548583548312	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KS01-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, 2m kablolu	11.55	EC002714	674365	4548583548237	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KS02-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör	13.68	EC002714	674396	4548583548794	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KS02-MC-B1-20	Endüktif sensör, Çoklu paket (F2B-S08KS02-MC-B1 OMS'den 20 adet)	272.10	EC002714	392626	4548583552470			GE	GEJ	CHN	8536.5080.90
F2B-S08KS02-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konektör	13.68	EC002714	674625	4548583548817	#		GE	GEJ	IDN	8536.5080.90
F2B-S08KS02-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konektör	13.68	EC002714	674606	454858354880						

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2B-S08KS02-WP-B1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674576</a>	4548583548718	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-B1 5M</a>	<a href="#">Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m cable</a>	15.84	EC002714	<a href="#">674438</a>	4548583548725	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-B2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674677</a>	4548583548732	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674454</a>	4548583548756	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-C2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674611</a>	4548583548770	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LN04-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör</a>	13.68	EC002714	<a href="#">674487</a>	4548583549159	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LN04-MC-B2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konektör</a>	13.68	EC002714	<a href="#">674373</a>	4548583549173	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LN04-MC-C1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör</a>	13.68	EC002714	<a href="#">674642</a>	4548583549166	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LN04-WP-B1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674367</a>	4548583549074	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LN04-WP-B2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674600</a>	4548583549098	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LN04-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674501</a>	4548583549111	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS01-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konektör</a>	11.55	EC002714	<a href="#">674552</a>	4548583548435	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör</a>	13.68	EC002714	<a href="#">674636</a>	4548583548916	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-MC-B2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konektör</a>	13.68	EC002714	<a href="#">674478</a>	4548583548930	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-MC-C1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konektör</a>	13.68	EC002714	<a href="#">674608</a>	4548583548923	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-MC-C2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, M8 konektör</a>	13.68	EC002714	<a href="#">674371</a>	4548583548947	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-WP-B1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674525</a>	4548583548831	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-WP-B1 5M</a>	<a href="#">Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m Prewired</a>	15.84	EC002714	<a href="#">674361</a>	4548583548848	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-WP-B2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674630</a>	4548583548855	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674590</a>	4548583548879	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08LS02-WP-C2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674390</a>	4548583548893	#		GE	GEJ	IDN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
<a href="#">E2E2-XS1M1 2M</a>	<a href="#">Proximity sensor, long body, M12, non shielded, 5 mm, NO, AC, 2-wire, 2 m cable</a>	77.85	EC002714	<a href="#">233063</a>	4547648310048			GE	GEX	CHN	8536.5080.90
<a href="#">E2E2-XS1 2M</a>	<a href="#">Endüktif sensör, uzun gövde, M18, düz kafa, 5mm, NA, AC, 2 kablolu, 2m kablolu</a>	92.35	EC002714	<a href="#">233072</a>	4547648310130			GE	GEX	CHN	8536.5080.90
<a href="#">E2EC-C3D1</a>	<a href="#">Endüktif sensör,</a>	207.60	EC002714	<a href="#">147698</a>	4536853257590			GE	GEX	JPN	8536.5080.90
<a href="#">E2EC-C3D1-M1J-1</a>	<a href="#">Proximity sensor, 8mm diameter, 3mm range, 2 wire DC, 2m cable</a>	296.20	EC002714	<a href="#">172225</a>	4536854887864			GE	GEX	JPN	8536.5080.90
<a href="#">E2EC-QC2D1-M1GJ-T 0.3M</a>	<a href="#">Proximity sensor, inductive, Dia 8mm, Shielded, 2 mm, DC, 2-wire, PW, NC, DC 2-wire (no polarity) (3)- (4) pin arrangement</a>	441.40	EC002714	<a href="#">231154</a>	4547648313100			GE	GEX	JPN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
<a href="#">E2EC-C1B5D1</a>	<a href="#">Endüktif sensör, çap 5,4mm, düz kafa, 1,5mm, DC, 2 kablolu, NA, 2m kablolu</a>	201.30	EC002714	<a href="#">144377</a>	4536853257514	#		GE	GEX	JPN	8536.5080.90
<a href="#">E2EC-C8B1</a>	<a href="#">Endüktif sensör, çap 3mm, düz kafa, 0,8mm, DC, 2 kablolu, NA, 2m kablolu</a>	211.30	EC002714	<a href="#">132394</a>	4536853257439	#		GE	GEX	JPN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
<a href="#">E2S-Q11 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1,6mm, 2 kablolu DC, NA, 1m kablolu</a>	45.87	EC002714	<a href="#">233106</a>	4536854841552			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q15 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1,6mm, PNP, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">233113</a>	4536854841651			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-O21 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2,5mm, 2 kablolu DC, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">231595</a>	4536854841682	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-O23 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2,5mm, NPN, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231599</a>	4536854841767			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-O25 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231602</a>	4536854841798	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-O25 2M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NA, 2m kablolu</a>	58.20	EC002714	<a href="#">231592</a>	4547648285933			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-O25B 1M</a>	<a href="#">Miniature rectangular inductive, end face sensing, unshielded, 2.5mm, PNP, NO, alternative frequency, 1M cable</a>	53.65	EC002714	<a href="#">231603</a>	4536854841804			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W11 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, 2 kablolu DC, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">233116</a>	4536854841835			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W13 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, NPN, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">233119</a>	4536854841873			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W15 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, PNP, NA, 1m kablolu</a>	69.35	EC002714	<a href="#">233123</a>	4536854841927	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W21 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, 2 kablolu DC, NA, 1m kablolu</a>	45.87	EC002714	<a href="#">231604</a>	4536854841958	#		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W22 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, 2 kablolu DC, NK, 1m kablolu</a>	48.80	EC002714	<a href="#">231606</a>	4536854842009	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W23 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, NPN, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231608</a>	4536854842054	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W25 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231610</a>	4536854842122	#	10	GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W26 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NK, 1m kablolu</a>	45.45	EC002714	<a href="#">231591</a>	4536854842146			GE	GEX	CHN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
<a href="#">TL-N10M1 2M</a>	<a href="#">Endüktif sensör, 10mm, çıkık kafa, NPN/NA 2m kablolu</a>	102.00	EC002714	<a href="#">110591</a>	4536854478543	#		GE	GEX	CHN	8536.5080.90
<a href="#">TL-N5ME15</a>	<a href="#">Inductive proximity sensor, 5 mm, unshielded, NPN/NO, different frequency, 2 m cable</a>	131.20	EC002714	<a href="#">151478</a>	4536854112539			GE	GEX	JPN	8536.5080.90
<a href="#">TL-N7MD2 2M</a>	<a href="#">Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NC, different frequency, 2 m cable</a>	138.70	EC002714	<a href="#">110583</a>	4536854113284			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q2MC1</a>	<a href="#">Endüktif sensör, çıkık kafa, 2mm, 3 kablolu, NPN, NA, 2m kablolu</a>	111.70	EC002714	<a href="#">153723</a>	4536854115035			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MB1 2M</a>	<a href="#">Endüktif sensör, 5mm, PNP, NA, 2m kablolu</a>	78.20	EC002714	<a href="#">110528</a>	4536854115127	#		GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MC1 2M</a>	<a href="#">Endüktif sensör, 5mm, NPN, NA</a>	67.65	EC002714	<a href="#">110518</a>	4536854114854	#		GE	GEX	CHN	8536.5080.90
<a href="#">TL-Q5MC1-2 2M</a>	<a href="#">Inductive proximity sensor, 5 mm, NPN, NO</a>	67.15	EC002714	<a href="#">110522</a>	4536854114915			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MC15</a>	<a href="#">Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable</a>	45.45	EC002714	<a href="#">110527</a>	4536854115110			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MC2 2M</a>	<a href="#">Endüktif sensör, 5mm, NPN, NK</a>	31.97	EC002714	<a href="#">110520</a>	4536854114885			GE	GEX	CHN	8536.5080.90
<a href="#">TL-Q5MD1 2M</a>	<a href="#">Endüktif sensör, 5mm, DC, 2 kablolu, NA</a>	68.40	EC002714	<a href="#">110526</a>	4536854114991			GE	GEX	CHN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
<a href="#">E2FM-X10B1 2M</a>	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2 m cable</a>	166.30	EC002714	<a href="#">232116</a>	4547648325851			GE	GEX	JPN	8536.5015.90
<a href="#">E2FM-X10B1-M1</a>	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	187.00	EC002714	<a href="#">224092</a>	4547648228428			GE	GEX	JPN	8536.5015.90



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2FM-X1R5B1 2M	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	147.40	EC002714	<a href="#">233312</a>	4547648348669			GE	GEX	JPN	8536.5015.90	
E2FM-X1R5B1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolu, PNP-NA, M12 konnektör</a>	138.30	EC002714	<a href="#">224089</a>	4547648228398			GE	GEX	JPN	8536.5015.90	
E2FM-X1R5C1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolu, NPN-NA, M12 konnektör</a>	174.30	EC002714	<a href="#">233317</a>	4547648348713			GE	GEX	JPN	8536.5015.90	
E2FM-X1R5D1 2M	<a href="#">Endüktif sensör</a>	158.70	EC002714	<a href="#">232110</a>	4547648325790			GE	GEX	JPN	8536.5015.90	
E2FM-X1R5D1-M1TGTJ 0.3M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M8, shielded, 1.5mm, DC, 2-wire, NO, M12 with 0.3m pigtail</a>	180.90	EC002714	<a href="#">355196</a>	4547648525176			GE	GEX	JPN	8536.5015.90	
E2FM-X2B1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konnektör</a>	104.10	EC002714	<a href="#">224090</a>	4547648228404			GE	GEX	JPN	8536.5015.90	
E2FM-X2D1 2M	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M12, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu</a>	142.30	EC002714	<a href="#">232111</a>	4547648325806			GE	GEX	JPN	8536.5015.90	
E2FM-X2D1-M1TGTJ 0.3M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail</a>	188.90	EC002714	<a href="#">355192</a>	4547648490818			GE	GEX	JPN	8536.5015.90	
E2FM-X2D1-M1TGTJ-T 0.3M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail (no polarity)</a>	174.00	EC002714	<a href="#">355193</a>	4547648490825			GE	GEX	JPN	8536.5015.90	
E2FM-X5B1 2M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2 m cable</a>	160.00	EC002714	<a href="#">232115</a>	4547648325844			GE	GEX	JPN	8536.5015.90	
E2FM-X5B1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konnektör</a>	117.40	EC002714	<a href="#">224091</a>	4547648228411			GE	GEX	JPN	8536.5015.90	
E2FM-X5D1 2M	<a href="#">Endüktif sensör, paslanmaz çelik algılayıcı yüzü &amp; gövde, uzun gövde, M18, düz kafa, 5mm, DC, 2 kablolu, NA, 2m kablolu</a>	160.00	EC002714	<a href="#">232112</a>	4547648325813			GE	GEX	JPN	8536.5015.90	
<b>Diğer Endüktif Proximity Sensörler</b>												
E2EH-X1ZB1 2M	<a href="#">Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılayıcı mesafesi, DC PNP, NA, 2m kablolu</a>	141.10	EC002714	<a href="#">290046</a>	4547648628662			GE	GEX	CHN	8536.5080.90	
E2EH-X1ZB1-M1	<a href="#">Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılayıcı mesafesi, DC PNP, NA, M12 konnektör</a>	207.00	EC002714	<a href="#">290047</a>	4547648628679			GE	GEX	CHN	8536.5080.90	
E2EH-X3B1 2M	<a href="#">Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılayıcı mesafesi, DC PNP, NA, 2m kablolu</a>	73.55	EC002714	<a href="#">290031</a>	4547648628495			GE	GEX	CHN	8536.5080.90	
E2EH-X3B1-M1	<a href="#">Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılayıcı mesafesi, DC PNP, NA, kablolu, M12 konnektör</a>	126.60	EC002714	<a href="#">290032</a>	4547648628501			GE	GEX	CHN	8536.5080.90	
E2EH-X3D1-M1G	<a href="#">Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılayıcı mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör</a>	106.60	EC002714	<a href="#">290041</a>	4547648628600			GE	GEX	CHN	8536.5080.90	
E2EH-X7B1 2M	<a href="#">Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılayıcı mesafesi, DC PNP, NA, 2m kablolu</a>	140.70	EC002714	<a href="#">290059</a>	4547648628815			GE	GEX	CHN	8536.5080.90	
E2EH-X7B1-M1	<a href="#">Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılayıcı mesafesi, DC PNP, NA, M12 konnektör</a>	142.90	EC002714	<a href="#">290061</a>	4547648628839			GE	GEX	CHN	8536.5080.90	
E2EH-X7D1-M1G	<a href="#">Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılayıcı mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör</a>	119.80	EC002714	<a href="#">290071</a>	4547648628945			GE	GEX	CHN	8536.5080.90	
<b>Diğer Endüktif Proximity Sensörler</b>												
E2EW-QX1ZB1T18-M1	<a href="#">Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	173.60	EC002714	<a href="#">702325</a>	4549734529969			GE	GEX	CHN	8536.5080.90	
E2EW-QX22B1T30-M1	<a href="#">Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	185.50	EC002714	<a href="#">702335</a>	4549734531245			GE	GEX	CHN	8536.5080.90	
E2EW-X10B1T30-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	133.00	EC002714	<a href="#">695145</a>	4549734526760			GE	GEX	CHN	8536.5080.90	
E2EW-X10B1T18-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	157.10	EC002714	<a href="#">695115</a>	4549734525879			GE	GEX	CHN	8536.5080.90	
E2EW-X1ZB1T18-M1	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	155.60	EC002714	<a href="#">702320</a>	4549734526128			GE	GEX	CHN	8536.5080.90	
E2EW-X1ZB1T18-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	163.20	EC002714	<a href="#">695135</a>	4549734526074			GE	GEX	CHN	8536.5080.90	
E2EW-X1ZC318-M1	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO-NC, M12 connector</a>	161.60	EC002714	<a href="#">702374</a>	4549734526647			GE	GEX	CHN	8536.5080.90	
E2EW-X20B1T30-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	169.20	EC002714	<a href="#">695151</a>	4549734527156			GE	GEX	CHN	8536.5080.90	
E2EW-X22B1T30-M1	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	167.50	EC002714	<a href="#">702380</a>	4549734527408			GE	GEX	CHN	8536.5080.90	
E2EW-X22B1T30-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	175.30	EC002714	<a href="#">695157</a>	4549734527354			GE	GEX	CHN	8536.5080.90	
E2EW-X2B1T12-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	114.80	EC002714	<a href="#">695120</a>	4549734524209			GE	GEX	CHN	8536.5080.90	
E2EW-X5B118-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 5 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	120.90	EC002714	<a href="#">695124</a>	4549734525480			GE	GEX	CHN	8536.5080.90	
<b>Diğer Endüktif Proximity Sensörler</b>												
E2V-X15B1-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, nickel-brass, M30, shielded, 15 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	165.80	EC002714	<a href="#">249441</a>	4547648456739			GE	GEX	JPN	8536.5080.90	
E2V-X8B1-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, all metal sensing, brass-nickel, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 0.3 m cable with M12 SmartClick connector</a>	179.90	EC002714	<a href="#">249420</a>	4547648456517			GE	GEX	JPN	8536.5080.90	
<b>Diğer Endüktif Proximity Sensörler</b>												
E2K-X15MY1	<a href="#">Kapasitif sensör, M30, çıkık kafa, 15mm, AC, 2 kablolu, NA, 2m kablolu</a>	76.30	EC002715	<a href="#">148233</a>	4536853264505			GE	GEX	JPN	8536.5080.90	
E2K-X15MY2	<a href="#">Proximity sensor, capacitive, M30, unshielded, 15mm, AC, 2-wire, NC, 2m cable</a>	80.00	EC002715	<a href="#">153714</a>	4536853264536			GE	GEX	JPN	8536.5080.90	
E2K-X8MY1	<a href="#">Kapasitif sensör, M18, çıkık kafa, 8mm, AC, 2 kablolu, NA, 2m kablolu</a>	70.15	EC002715	<a href="#">131781</a>	4536853264451			GE	GEX	JPN	8536.5080.90	
<b>Diğer Endüktif Proximity Sensörler</b>												
E2K-C25MY1	<a href="#">Kapasitif sensör, 34mm cap, çıkık kafa, 25mm, AC, 2 kablolu, NA, 2m kablolu</a>	160.00	EC002715	<a href="#">131840</a>	4536853263669			GE	GEX	JPN	8536.5080.90	
<b>Diğer Endüktif Proximity Sensörler</b>												
GLS-1	<a href="#">Magnetik endüktif sensör, sensör &amp; mıknatıs set</a>	22.54	EC002544	<a href="#">693661</a>	4549734511469		10	GE	GEX	JPN	9031.9000.00	
GLS-M1	<a href="#">Magnetik endüktif sensör, mıknatıs, GLS-1 için</a>	10.01	EC003015	<a href="#">693660</a>	4549734511452		#	20	GE	GEX	JPN	8536.5015.90
GLS-S1	<a href="#">Magnetik endüktif sensör, sensör, GLS-1 için</a>	16.02	EC002544	<a href="#">693659</a>	4549734511445		#	20	GE	GEX	JPN	9031.9000.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>												
XS2F-D421-D80-F	<a href="#">Cable M12.4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 2 m</a>	21.82	EC001855	<a href="#">107677</a>	4536854224805	#	5	GE	GEZ	JPN	8544.4290.90	
XS2F-D421-G80-F	<a href="#">Cable M12.4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 5 m</a>	35.79	EC001855	<a href="#">107678</a>	4536854224812	#	5	GE	GEZ	JPN	8544.4290.90	
XS2F-D421-J80-F	<a href="#">Sensor connector, M12 straight, 10m, Fire-retardant, vibration-proof</a>	57.10	EC001855	<a href="#">107680</a>	4536854224881	#		GE	GEZ	JPN	8544.4290.90	
XS2F-D422-D80-F	<a href="#">Cable M12.4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 2 m</a>	25.15	EC001855	<a href="#">355664</a>	4547648698047		5	GE	GEZ	JPN	8544.4290.90	
XS2F-D422-G80-F	<a href="#">Cable M12.4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 5 m</a>	40.31	EC001855	<a href="#">355663</a>	4547648622073		2	GE	GEZ	JPN	8544.4290.90	
XS2F-D422-J80-F	<a href="#">Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m</a>	51.50	EC001855	<a href="#">359239</a>	4547648623322			GE	GEZ	JPN	8544.4290.90	
XS2F-D521-GG0-A	<a href="#">Sensor connector, M12, 5 PIN, straight, 2m cable</a>	31.91	EC001855	<a href="#">107769</a>	4536854224522		5	GE	GEZ	JPN	8544.4290.90	
XS2F-D521-JG0-A	<a href="#">Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 10 m</a>	26.94	EC001855	<a href="#">695391</a>	4536854705168			GE	GEZ	JPN	8544.4290.90	
XS2F-F421-D80-E	<a href="#">Sensor connector, M12, straight 2m cable, Heat resistant</a>	41.53	EC001855	<a href="#">237191</a>	4547648395120		5	GE	GEZ	JPN	8544.4290.90	
XS2F-F422-D80-E	<a href="#">Sensor connector, M12, Angled 2m cable, Heat resistant</a>	41.53	EC001855	<a href="#">237193</a>	4547648395144		5	GE	GEZ	JPN	8544.4290.90	



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XS2F-E422-G80-E</a>	<a href="#">Sensor connector cable</a>	53.20	EC001855	<a href="#">237194</a>	4547648395168		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-LM12PVC3A10M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, açılı dişi konnektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361130</a>	4548583135260			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3A2M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, açılı dişi konnektör, PVC, 2m</a>	7.88	EC001855	<a href="#">358068</a>	4548583127135			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3A5M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, açılı dişi konnektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358069</a>	4548583127159			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3S10M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, düz dişi konnektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361131</a>	4548583135277			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3S5M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, düz dişi konnektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358071</a>	4548583127210	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4A10M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, açılı dişi konnektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361128</a>	4548583127258	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4A2M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, açılı dişi konnektör, PVC, 2m</a>	7.88	EC001855	<a href="#">358072</a>	4548583127227	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4A5M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, açılı dişi konnektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358073</a>	4548583127234	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4S10M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, düz dişi konnektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361129</a>	4548583127302	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4S2M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, düz dişi konnektör, PVC, 2m</a>	7.88	EC001855	<a href="#">358074</a>	4548583127272	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4S5M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, düz dişi konnektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358075</a>	4548583127289	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2E-M12PVC3A2M</a>	<a href="#">Sensor connector, M12 3-wire, Angled female connector, PVC, 2m</a>	13.30	EC001855	<a href="#">419178</a>	4548583435216			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2E-M12PVC3A5M</a>	<a href="#">Sensor connector, M12 3-wire, Angled female connector, PVC, 5m</a>	17.31	EC001855	<a href="#">419179</a>	4548583435223			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC3A5MPLD</a>	<a href="#">Sensor Connector, female, M12, PVC, 3 Pin, Angled, 5M, LED indicator (PNP)</a>	27.57	EC001855	<a href="#">378101</a>	4548583440395			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC3S2M</a>	<a href="#">Sensor connector, M12 3-wire, Straight female connector, PVC, 2m</a>	13.69	EC001855	<a href="#">419181</a>	4548583435247			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC3S5M</a>	<a href="#">Sensor connector, M12 3-wire, Straight female connector, PVC, 5m</a>	16.97	EC001855	<a href="#">419182</a>	4548583435254			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A10M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 10m</a>	23.41	EC001855	<a href="#">419183</a>	4548583435261	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A10MPLD</a>	<a href="#">Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M, LED indicator (PNP)</a>	35.02	EC001855	<a href="#">378105</a>	4548583440319			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC4A15M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 15m</a>	28.93	EC001855	<a href="#">419184</a>	4548583435278			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A20M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 20m</a>	26.16	EC001855	<a href="#">419185</a>	4548583435285			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A2M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 2m</a>	10.99	EC001855	<a href="#">419186</a>	4548583435292			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A2MPLD</a>	<a href="#">Sensör kablosu, dişi, M12, PVC, 4-pin, açılı, 2M, LED göstergeli (PNP)</a>	30.93	EC001855	<a href="#">378103</a>	4548583440296			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2E-M12PVC4A5M</a>	<a href="#">Sensör kablosu, M12, 4-pin, açılı dişi konnektör, PVC, 5m</a>	15.79	EC001855	<a href="#">419187</a>	4548583435308	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2E-M12PVC4A5MPLD</a>	<a href="#">Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, LED indicator (PNP)</a>	33.36	EC001855	<a href="#">378104</a>	4548583440302	#		GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC4S10M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 10m</a>	21.45	EC001855	<a href="#">419188</a>	4548583435315			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S15M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 15m</a>	25.63	EC001855	<a href="#">419189</a>	4548583435322			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S20M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 20m</a>	35.68	EC001855	<a href="#">419190</a>	4548583435339			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S2M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 2m</a>	11.73	EC001855	<a href="#">419191</a>	4548583435346			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S3M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 3m</a>	13.94	EC001855	<a href="#">419192</a>	4548583435353			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S5M</a>	<a href="#">Sensör kablosu, M12, 4-pin, düz dişi konnektör, PVC, 5m</a>	15.79	EC001855	<a href="#">419193</a>	4548583435360	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5A10M</a>	<a href="#">Sensor connector, M12 5-pin, Angled female connector, PVC, 10m</a>	18.73	EC001855	<a href="#">419194</a>	4548583435377			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5A2M</a>	<a href="#">Sensor connector, M12 5-pin, Angled female connector, PVC, 2m</a>	11.66	EC001855	<a href="#">419195</a>	4548583435384			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2E-M12PVC5A5M</a>	<a href="#">Sensor connector, M12 5-pin, Angled female connector, PVC, 5m</a>	16.83	EC001855	<a href="#">419196</a>	4548583435391	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2E-M12PVC5S10M</a>	<a href="#">Sensor connector, M12 5-pin, Straight female connector, PVC, 10m</a>	24.82	EC001855	<a href="#">419197</a>	4548583435407			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2E-M12PVC5S2M</a>	<a href="#">Sensor connector, M12 5-pin, Straight female connector, PVC, 2m</a>	13.70	EC001855	<a href="#">419199</a>	4548583435421			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5S5M</a>	<a href="#">Sensor connector, M12 5-pin, Straight female connector, PVC, 5m</a>	16.55	EC001855	<a href="#">419200</a>	4548583435438	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2W-D421-G81-F</a>	<a href="#">Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 1 m</a>	31.44	EC001855	<a href="#">149606</a>	4536854228056		8	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2W-D421-D81-F</a>	<a href="#">Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 2 m</a>	36.76	EC001855	<a href="#">107608</a>	4536854465024			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2W-D421-G81-F</a>	<a href="#">Sensor connector, M12, 4-wire, straight, female-male, PVC, 5m</a>	57.45	EC001855	<a href="#">107609</a>	4536854465031			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2W-D421-I81-F</a>	<a href="#">Sensor connector</a>	86.60	EC001855	<a href="#">146350</a>	4536854228063			GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-E421-405-A</a>	<a href="#">M8 4-pin, Straight female SUS-connector, IP69K, PVC, 5m</a>	32.37	EC001855	<a href="#">250788</a>	4547648386463			GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-LM8PVC3A2M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358076</a>	4548583127005	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC3A5M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358077</a>	4548583127012	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC3S2M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, düz dişi konnektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358078</a>	4548583127036	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC3S5M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, düz dişi konnektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358079</a>	4548583127043	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4A2M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, açılı dişi konnektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358080</a>	4548583127050	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4A5M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, açılı dişi konnektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358081</a>	4548583127067	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4S2M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, düz dişi konnektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358082</a>	4548583127081	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4S5M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, düz dişi konnektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358083</a>	4548583127098	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M321-302-B</a>	<a href="#">Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 2 m</a>	8.60	EC001855	<a href="#">372022</a>	4548583359482		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M321-305-B</a>	<a href="#">Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m</a>	11.15	EC001855	<a href="#">372023</a>	4548583359499		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M322-305-B</a>	<a href="#">Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m</a>	11.15	EC001855	<a href="#">372025</a>	4548583359512		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-402-A</a>	<a href="#">M8 4-pin, Straight female connector, IP67, standard cable 2m</a>	15.49	EC001855	<a href="#">107537</a>	4536854050812		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-402-B</a>	<a href="#">Sensor connector, M8 4-pin, Straight female connector, IP67, robot cable 2m</a>	16.98	EC001855	<a href="#">156301</a>	4536854228599		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-405-A</a>	<a href="#">M8 4-pin, Straight female connector, IP67, standard cable 5m</a>	19.34	EC001855	<a href="#">105016</a>	4536854050829		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-405-B</a>	<a href="#">M8 4-pin, Straight female connector, IP67, robot cable 5m</a>	16.13	EC001855	<a href="#">107621</a>	4536854228605		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-410-A</a>	<a href="#">M8 4-pin, Straight female connector, IP67, standard cable 10m</a>	20.61	EC001855	<a href="#">107539</a>	4536854537776		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M422-402-A</a>	<a href="#">M8 4-pin, 90° female connector, IP67, standard cable 2m</a>	15.49	EC001855	<a href="#">107538</a>	4536854505843		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M422-405-A</a>	<a href="#">M8 4-pin, 90° female connector, IP67, standard cable 5m</a>	19.34	EC001855	<a href="#">141967</a>	4536854505850	#	5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M8PVC3A10M</a>	<a href="#">Sensor connector, M8 3-wire, Angled female connector, PVC, 10m</a>	14.36	EC001855	<a href="#">419237</a>	4548583436800			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3A20M</a>	<a href="#">Sensor connector, M8 3-wire, Angled female connector, PVC, 20m</a>	34.48	EC001855	<a href="#">419239</a>	4548583436824	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3A2M</a>	<a href="#">Sensor connector, M8 3-wire, Angled female connector, PVC, 2m</a>	8.75	EC001855	<a href="#">419240</a>	4548583436831			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3A5M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 5m</a>	14.79	EC001855	<a href="#">419241</a>	4548583436848	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3S10M</a>	<a href="#">Sensor connector, M8 3-wire, Straight female connector, PVC, 10m</a>	22.38	EC001855	<a href="#">419242</a>	4548583436855			GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XSF-M8PVC3S2M	Sensor connector, M8 3-wire, Straight female connector, PVC, 2m	8.21	EC001855	<a href="#">419245</a>	4548583436886			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC3S5M	Sensor connector, M8 3-wire, Straight female connector, PVC, 5m	14.24	EC001855	<a href="#">419246</a>	4548583436893	#		GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4A10M	Sensor connector, M8 4-wire, Angled female connector, PVC, 10m	68.05	EC001855	<a href="#">419247</a>	4548583436923			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	12.03	EC001855	<a href="#">419250</a>	4548583436954			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4A5M	Sensor connector, M8 4-wire, Angled female connector, PVC, 5m	12.78	EC001855	<a href="#">419251</a>	4548583436961			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4S10M	Sensor connector, M8 4-wire, Straight female connector, PVC, 10m	22.38	EC001855	<a href="#">419252</a>	4548583436978			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4S15M	Sensor connector, M8 4-wire, Straight female connector, PVC, 15m	25.63	EC001855	<a href="#">419253</a>	4548583436985			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4S20M	Sensor connector, M8 4-wire, Straight female connector, PVC, 20m	31.76	EC001855	<a href="#">419254</a>	4548583436992			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4S2M	Sensor connector, M8 4-wire, Straight female connector, PVC, 2m	6.99	EC001855	<a href="#">419255</a>	4548583437005			GE	GEZ	CHN	8544.4290.90
XSF-M8PVC4S5M	Sensör konnektörü, M8 4 telli, Düz dişi konnektör, PVC, 5m	14.62	EC001855	<a href="#">419256</a>	4548583437012	#		GE	GEZ	CHN	8544.4290.90
XSSW-M321-302-B	Screw-mounting connector, M8, PVC vibration-proof robot cable, F straight/ M straight, 2 m	31.94	EC001855	<a href="#">387059</a>	4548583432284		5	GE	GEZ	JPN	8544.4290.90
XSSW-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick, M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	66.90	EC001855	<a href="#">674688</a>	4548583521858			GE	GEZ	JPN	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
XSSF-D421-D80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 2m	22.26	EC001855	<a href="#">237228</a>	4547648305099	#	5	GE	GEZ	JPN	8536.9010.00
XSSF-D421-D80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	17.04	EC001855	<a href="#">690507</a>	4549734197946			GE	GEZ	JPN	8544.4290.90
XSSF-D421-D80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	24.32	EC001855	<a href="#">690513</a>	4549734488280			GE	GEZ	JPN	8544.4290.90
XSSF-D421-G80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 5m	31.44	EC001855	<a href="#">237229</a>	4547648305112	#	5	GE	GEZ	JPN	8536.9010.00
XSSF-D421-G80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	20.68	EC001855	<a href="#">690508</a>	4549734197960			GE	GEZ	JPN	8544.4290.90
XSSF-D421-G80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	38.88	EC001855	<a href="#">690515</a>	4549734488303			GE	GEZ	JPN	8544.4290.90
XSSF-D421-I80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 10m	46.28	EC001855	<a href="#">237230</a>	4547648305129	#		GE	GEZ	JPN	8536.9010.00
XSSF-D421-I80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	26.75	EC001855	<a href="#">690505</a>	4549734197977			GE	GEZ	JPN	8544.4290.90
XSSF-D421-I80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	79.15	EC001855	<a href="#">690516</a>	4549734488310			GE	GEZ	JPN	8544.4290.90
XSSF-D421-L80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 20 m	85.05	EC001855	<a href="#">669139</a>	4548583081857			GE	GEZ	JPN	8536.9010.00
XSSF-D422-G80-F	Smartclick sensor connector, M12, angled, 5m robot cable	32.69	EC001855	<a href="#">269043</a>	4547648623049		5	GE	GEZ	JPN	8536.9010.00
XSSW-D421-C81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 1 m	30.39	EC001855	<a href="#">690511</a>	4549734197984			GE	GEZ	JPN	8544.4290.90
XSSW-D421-C81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	34.04	EC001855	<a href="#">690517</a>	4549734488327			GE	GEZ	JPN	8544.4290.90
XSSW-D421-D81-F	Cable, vibration proof 2m	30.72	EC001855	<a href="#">237236</a>	4547648305198			GE	GEZ	JPN	8536.9010.00
XSSW-D421-D81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	31.59	EC001855	<a href="#">690502</a>	4549734197991			GE	GEZ	JPN	8544.4290.90
XSSW-D421-D81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	38.88	EC001855	<a href="#">690518</a>	4549734488334			GE	GEZ	JPN	8544.4290.90
XSSW-D421-G81-F	Cable, vibration proof 5m	45.47	EC001855	<a href="#">237237</a>	4547648305211	#	5	GE	GEZ	JPN	8536.9010.00
XSSW-D421-G81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	35.26	EC001855	<a href="#">690506</a>	4549734198011			GE	GEZ	JPN	8544.4290.90
XSSW-D421-G81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	53.50	EC001855	<a href="#">690520</a>	4549734488358			GE	GEZ	JPN	8544.4290.90
XSSW-D421-I81-F	Cable, Vibration proof 10m	57.90	EC001855	<a href="#">237238</a>	4547648305228	#		GE	GEZ	JPN	8536.9010.00
XSSW-D421-L81-F	Cable, 4-pin, 2 connectors Smart-click, PVC, Vibration proof 20 m	87.05	EC001855	<a href="#">669140</a>	4547648617116			GE	GEZ	JPN	8536.9010.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
XSF-M12PUR3A5M	Sensor connector, M12 3-wire, Angled female connector, PUR, 5m	17.52	EC001855	<a href="#">419157</a>	4548583435001			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4A10M	Sensor connector, M12 4-wire, Angled female connector, PUR, 10m	26.66	EC001855	<a href="#">419161</a>	4548583435049			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4A10MPLEFD	Sensör kablosu, M12, PUR, 4-pin, açılı, dişi, 10M, LED göstergeli (PNP)	52.25	EC001855	<a href="#">378111</a>	4548583440371			GE	GEZ	JPN	8544.4290.90
XSF-M12PUR4A15M	Sensor connector, M12 4-wire, Angled female connector, PUR, 15m	25.86	EC001855	<a href="#">419162</a>	4548583435056			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4A20M	Sensor connector, M12 4-wire, Angled female connector, PUR, 20m	48.60	EC001855	<a href="#">419163</a>	4548583435063			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4A2M	Sensor connector, M12 4-wire, Angled female connector, PUR, 2m	13.14	EC001855	<a href="#">419164</a>	4548583435070			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4A2MPLEFD	Sensör kablosu, M12, PUR, 4-pin, açılı, dişi, 2M, LED göstergeli (PNP)	35.48	EC001855	<a href="#">378109</a>	4548583440357			GE	GEZ	JPN	8544.4290.90
XSF-M12PUR4A5M	Sensor connector, M12 4-wire, Angled female connector, PUR, 5m	16.79	EC001855	<a href="#">419165</a>	4548583435087	#		GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4ASMPLEFD	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M, LED indicator (PNP)	35.72	EC001855	<a href="#">378110</a>	4548583440364			GE	GEZ	JPN	8544.4290.90
XSF-M12PUR4S10M	Sensor connector, M12 4-wire, Straight female connector, PUR, 10m	26.88	EC001855	<a href="#">419166</a>	4548583435094			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4S20M	Sensor connector, M12 4-wire, Straight female connector, PUR, 20m	48.60	EC001855	<a href="#">419168</a>	4548583435117			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4S2M	Sensor connector, M12 4-wire, Straight female connector, PUR, 2m	13.16	EC001855	<a href="#">419169</a>	4548583435124			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4S5M	Sensor connector, M12 4-wire, Straight female connector, PUR, 5m	17.52	EC001855	<a href="#">419170</a>	4548583435131	#		GE	GEZ	CHN	8544.4290.90
XSF-M12PUR4S5M	Sensor connector, M12 5-wire, Angled female connector, PUR, 5m	21.32	EC001855	<a href="#">419172</a>	4548583435155			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR5S10M	Sensor connector, M12 5-wire, Straight female connector, PUR, 10m	18.03	EC001855	<a href="#">419173</a>	4548583435162			GE	GEZ	CHN	8544.4290.90
XSF-M12PUR5S5M	Sensor connector, M12 5-wire, Straight female connector, PUR, 5m	21.32	EC001855	<a href="#">419176</a>	4548583435193			GE	GEZ	CHN	8544.4290.90
XSF-M8PUR3A10M	Sensor connector, M8 3-wire, Angled female connector, PUR, 10m	25.84	EC001855	<a href="#">419217</a>	4548583436589			GE	GEZ	CHN	8544.4290.90
XSF-M8PUR3A2M	Sensor connector, M8 3-wire, Angled female connector, PUR, 2m	11.22	EC001855	<a href="#">419220</a>	4548583436619			GE	GEZ	CHN	8544.4290.90
XSF-M8PUR3A5M	Sensor connector, M8 3-wire, Angled female connector, PUR, 5m	16.62	EC001855	<a href="#">419221</a>	4548583436626			GE	GEZ	CHN	8544.4290.90
XSF-M8PUR3S10M	Sensor connector, M8 3-wire, Straight female connector, PUR, 10m	21.79	EC001855	<a href="#">419222</a>	4548583436633			GE	GEZ	CHN	8544.4290.90
XSF-M8PUR3S2M	Sensor connector, M8 3-wire, Straight female connector, PUR, 2m	7.95	EC001855	<a href="#">419225</a>	4548583436664	#		GE	GEZ	CHN	8544.4290.90
XSF-M8PUR3S5M	Sensor connector, M8 3-wire, Straight female connector, PUR, 5m	16.62	EC001855	<a href="#">419226</a>	4548583436671			GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XS3F-M8PUR4A10M</a>	<a href="#">Sensor connector, M8 4-wire, Angled female connector, PUR, 10m</a>	25.84	EC001855	<a href="#">419227</a>	4548583436701			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4A2M</a>	<a href="#">Sensor connector, M8 4-wire, Angled female connector, PUR, 2m</a>	7.95	EC001855	<a href="#">419230</a>	4548583436732			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4A5M</a>	<a href="#">Sensor connector, M8 4-wire, Angled female connector, PUR, 5m</a>	17.31	EC001855	<a href="#">419231</a>	4548583436749			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4S10M</a>	<a href="#">Sensor connector, M8 4-wire, Straight female connector, PUR, 10m</a>	25.84	EC001855	<a href="#">419232</a>	4548583436756			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4S2M</a>	<a href="#">Sensor connector, M8 4-wire, Straight female connector, PUR, 2m</a>	12.20	EC001855	<a href="#">419235</a>	4548583436787			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4S5M</a>	<a href="#">Sensor connector, M8 4-wire, Straight female connector, PUR, 5m</a>	16.50	EC001855	<a href="#">419236</a>	4548583436794			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3W-M421-401-PR</a>	<a href="#">Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m</a>	45.49	EC001855	<a href="#">693806</a>	4549734113007		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3W-M421-402-PR</a>	<a href="#">Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m</a>	50.05	EC001855	<a href="#">693800</a>	4548583585751		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3W-M422-402-PR</a>	<a href="#">Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m</a>	50.05	EC001855	<a href="#">693809</a>	4549734113021		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3W-M424-402-PR</a>	<a href="#">Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m</a>	50.05	EC001855	<a href="#">693807</a>	4549734113083		5	GE	GEZ	JPN	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">XS5F-D421-C80-F</a>	<a href="#">M12 4-pin, Straight female connector, IP69K, Robot cable, 1m</a>	19.34	EC001855	<a href="#">237197</a>	4547648305082		10	GE	GEZ	JPN	8536.9010.00
<a href="#">XS5F-D421-F80-F</a>	<a href="#">M12 4-pin, Straight female connector, IP69K, Robot cable, 3m</a>	27.57	EC001855	<a href="#">237198</a>	4547648305105		5	GE	GEZ	JPN	8536.9010.00
<a href="#">XS5H-D421-B80-F</a>	<a href="#">Sensor connector, M12, male, straight, Smart-click</a>	19.56	EC001855	<a href="#">377947</a>	4547648506595	#	10	GE	GEZ	JPN	8544.4290.90
<a href="#">XS5W-D421-C81-F</a>	<a href="#">Sensor connector</a>	29.13	EC001855	<a href="#">237220</a>	4547648305181			GE	GEZ	JPN	8536.9010.00
<a href="#">XS5W-D421-F81-F</a>	<a href="#">Smartclick sensor connector plug and socket, M12, straight, 3m robot cable</a>	34.33	EC001855	<a href="#">237221</a>	4547648305204		5	GE	GEZ	JPN	8536.9010.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">Y92E-M08PUR4S5M-L</a>	<a href="#">M8 4-pin, Straight female connector, PUR, 5m</a>	21.36	EC001855	<a href="#">206551</a>	4536853901103			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH806M-L</a>	<a href="#">Receiver M12 8-pin, shielded cable, male/female, for control box F39-TGR-W-IBOX, 0,6m</a>	45.43	EC001855	<a href="#">341554</a>	4547648887007			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH810M-L</a>	<a href="#">Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 10m</a>	92.20	EC001855	<a href="#">341557</a>	4547648887038			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH82M-L</a>	<a href="#">Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 2m</a>	49.83	EC001855	<a href="#">341555</a>	4547648887014			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH85M-L</a>	<a href="#">Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 5m</a>	67.10	EC001855	<a href="#">341556</a>	4547648887021			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PUR4S2M-L</a>	<a href="#">M12 4-pin, Straight female connector, PUR, 2m</a>	16.41	EC001855	<a href="#">206575</a>	4536853901332			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PUR4S5M-L</a>	<a href="#">M12 4-pin, Straight female connector, PUR, 5m</a>	20.02	EC001855	<a href="#">206553</a>	4536853901349			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S10M-L</a>	<a href="#">Emitter cable M12 4-pin, female connector, shielded cable 10m</a>	66.35	EC001855	<a href="#">341552</a>	4547648886987	#		GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S25M-L</a>	<a href="#">Emitter cable M12 4-pin, female connector, shielded cable 25m</a>	128.60	EC001855	<a href="#">341553</a>	4547648886994			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S2M-L</a>	<a href="#">Emitter cable M12 4-pin, female connector, shielded cable 2m</a>	34.26	EC001855	<a href="#">341550</a>	4547648886963			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S5M-L</a>	<a href="#">Emitter cable M12 4-pin, female connector, shielded cable 5m</a>	35.27	EC001855	<a href="#">341551</a>	4547648886970	#		GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S10M-L</a>	<a href="#">Receiver cable M12 8-pin, female connector, shielded cable 10m</a>	59.25	EC001855	<a href="#">341548</a>	4547648886949	#		GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S25M-L</a>	<a href="#">Receiver cable M12 8-pin, female connector, shielded cable 25m</a>	158.80	EC001855	<a href="#">341549</a>	4547648886956			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S2M-L</a>	<a href="#">Receiver cable M12 8-pin, female connector, shielded cable 2m</a>	38.86	EC001855	<a href="#">341546</a>	4547648886925			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S5M-L</a>	<a href="#">Receiver cable M12 8-pin, female connector, shielded cable 5m</a>	45.94	EC001855	<a href="#">341547</a>	4547648886932	#		GE	GEZ	CZE	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">Y92F-S08PP4A 5M</a>	<a href="#">Cable connector M8, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M</a>	33.54	EC001855	<a href="#">393705</a>	4547648986458			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S08PP4S 10M</a>	<a href="#">Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M</a>	44.13	EC001855	<a href="#">393706</a>	4547648986465			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S08PP4S 2M</a>	<a href="#">Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 2 M</a>	23.70	EC001855	<a href="#">393710</a>	4547648986502			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S08PP4S 5M</a>	<a href="#">Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M</a>	33.72	EC001855	<a href="#">393711</a>	4547648986519			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S12PP4A 10M</a>	<a href="#">Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 10 M</a>	31.78	EC001855	<a href="#">393712</a>	4547648986526			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S12PP4A 5M</a>	<a href="#">Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M</a>	26.44	EC001855	<a href="#">393717</a>	4547648986571			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S12PP4S 10M</a>	<a href="#">Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M</a>	31.78	EC001855	<a href="#">393718</a>	4547648986588			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92F-S12PP4S 5M</a>	<a href="#">Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M</a>	26.44	EC001855	<a href="#">393723</a>	4547648986632			GE	GEZ	CZE	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">Y92E-M08PVC4SConfL</a>	<a href="#">M8 3-pin, Straight female screw connector, for 3.5-5mm cable</a>	27.23	EC002635	<a href="#">206327</a>	4536853900519			GE	GEZ	DEU	8544.4290.90
<a href="#">Y92E-M08PVC4SConfL</a>	<a href="#">Sensör konektörü, M8, 4-pin, düz, dişi</a>	29.53	EC002635	<a href="#">206580</a>	4536853901219			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-M12PVC4AConfL</a>	<a href="#">Sensor connector, M12 4 pin</a>	12.94	EC002635	<a href="#">206333</a>	4536853900588			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-M12PVC4SConfL</a>	<a href="#">Sensor Connector, female, M12, PVC, 4 Pin, Straight</a>	13.69	EC002635	<a href="#">206334</a>	4536853900618			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-MM08PVC3SconfF</a>	<a href="#">Sensor Connector field assembly, male, M8, PVC, 3 pin, Straight</a>	24.62	EC002635	<a href="#">206581</a>	4536853900922			GE	GEZ	DEU	8544.4290.90
<a href="#">Y92E-MM08PVC4SconfF</a>	<a href="#">Sensor Connector field assembly, male, M8, PVC, 4 pin, Straight</a>	30.17	EC002635	<a href="#">206582</a>	4536853900939			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-MM12PVC4SconfF</a>	<a href="#">Sensor Connector field assembly, male, M12, PVC, 4 pin, Straight</a>	15.64	EC002635	<a href="#">206558</a>	4536853900953			GE	GEZ	HUN	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">XS2C-D421</a>	<a href="#">Sensor connector, M12, female, straight for DC type</a>	10.68	EC002635	<a href="#">107733</a>	4536854222320	#	50	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D423</a>	<a href="#">Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 4-5 mm</a>	11.84	EC002635	<a href="#">107735</a>	4536854222344		50	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D451</a>	<a href="#">M12 4-pin, straight female screw connector, for 5-6mm cable</a>	8.09	EC002635	<a href="#">155975</a>	4536854455919		30	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D452</a>	<a href="#">M12 4-pin, Angled female screw connector, for 7-8mm cable</a>	8.04	EC002635	<a href="#">147522</a>	4536854455926			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D551</a>	<a href="#">Plug (male) connector M12, 5 pin, screw fix, straight</a>	11.78	EC002635	<a href="#">374557</a>	4536854735523			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D557</a>	<a href="#">Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 7-8 mm</a>	12.38	EC002635	<a href="#">107743</a>	4536854735530			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D421</a>	<a href="#">Sensor connector, M12, male, straight for DC type</a>	12.14	EC002635	<a href="#">107630</a>	4536854225642		50	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D451</a>	<a href="#">M12 4-pin, straight male screw connector, for 5-6mm cable</a>	9.80	EC002635	<a href="#">107634</a>	4536854455971		30	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D551</a>	<a href="#">Plug (male) connector M12, 5 pin, screw fix, straight</a>	11.78	EC002635	<a href="#">374560</a>	4536854735516			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D557</a>	<a href="#">M12 5-pin, straight male screw connector, for 7-8mm cable</a>	12.38	EC002635	<a href="#">107639</a>	4536854735509			GE	GEZ	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XS2R-D426-1</a>	<a href="#">Y-Joint plug/socket M12 without cable</a>	50.60	EC002925	<a href="#">107661</a>	4536854226793		10	GE	GEZ	JPN	8544.4290.90
<a href="#">XSSC-D418</a>	<a href="#">Sensor Connector, female, M12, PVC, 4 Pin, Straight, ICD connection</a>	9.07	EC002635	<a href="#">372748</a>	4548583407824		50	GE	GEZ	JPN	8536.9010.00
<a href="#">XSSG-D418</a>	<a href="#">Sensor Connector, male, M12, PVC, 4 Pin, Straight, ICD connection</a>	9.07	EC002635	<a href="#">372749</a>	4548583407831		50	GE	GEZ	JPN	8536.9010.00
<a href="#">XSSG-D451</a>	<a href="#">Connector</a>	10.99	EC002635	<a href="#">269095</a>	4547648622387		20	GE	GEZ	JPN	8536.9010.00
<a href="#">XSSR-D426-1</a>	<a href="#">Y-Joint plug/socket M12 SmartClick without cable (4-4, 4-2)</a>	50.30	EC002925	<a href="#">237217</a>	4547648386449		10	GE	GEZ	JPN	8536.9010.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">XS2Z-22</a>	<a href="#">Water-resistive Covers for M12-male connector</a>	7.94	EC003015	<a href="#">143740</a>	4536854557408		20	GE	GEZ	JPN	8538.9099.99
<a href="#">Y92E-A34</a>	<a href="#">Mounting Bracket for E2K sensor</a>	6.78	EC003015	<a href="#">107409</a>	4536854247293		10	GE	GEZ	JPN	9031.9000.00
<a href="#">Y92E-B12</a>	<a href="#">Sensor mounting bracket, M12 size</a>	4.42	EC003015	<a href="#">681044</a>	4549734156547		50	GE	GEZ	THA	9031.9000.00
<a href="#">Y92E-B18</a>	<a href="#">Sensor mounting bracket, M18 size</a>	4.42	EC003015	<a href="#">681043</a>	4549734156554		50	GE	GEZ	THA	9031.9000.00
<a href="#">Y92E-B30</a>	<a href="#">Sensor mounting bracket, M30 size</a>	4.41	EC003015	<a href="#">144997</a>	4536854247286			GE	GEZ	JPN	9031.9000.00
<a href="#">Y92E-I18S30</a>	<a href="#">Mounting Sleeves e-jig for M18 Prox</a>	19.55	EC003015	<a href="#">681880</a>	4549734190787			GE	GEZ	CHN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
<a href="#">FO2-S35050F-08</a>	<a href="#">FO2 vision sensor, high resolution, color, PNP, standard view(50mm)</a>	5,100.00	EC003015	<a href="#">372121</a>	4548583322479			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S35050F-08M</a>	<a href="#">FO2 vision sensor, high resolution, mono, PNP, standard view(50mm)</a>	5,100.00	EC003015	<a href="#">372129</a>	4548583107687			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S35100F-08M</a>	<a href="#">FO2 vision sensor, high resolution, mono, PNP, wide view(240mm), long distance(970mm)</a>	5,640.00	EC003015	<a href="#">372130</a>	4548583107694			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S35100N-08</a>	<a href="#">FO2 vision sensor, high resolution, color, PNP, wide view(300mm), short distance(380mm)</a>	4,892.00	EC003015	<a href="#">372123</a>	4548583322493			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S35-13</a>	<a href="#">FO2 vision sensor, c-mount type, color, PNP</a>	3,765.00	EC003015	<a href="#">372133</a>	4548583107724			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S35-13M</a>	<a href="#">FO2 vision sensor, c-mount type, mono, PNP</a>	4,935.00	EC003015	<a href="#">372135</a>	4548583107748			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45050F</a>	<a href="#">FO2 vision sensor, ID + Inspection, color, PNP, standard view(50mm)</a>	4,557.00	EC003015	<a href="#">373120</a>	4548583361980			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100F-08</a>	<a href="#">FO2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view(240mm), long distance(970mm)</a>	5,600.00	EC003015	<a href="#">373137</a>	4548583362154			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100F-08M</a>	<a href="#">FO2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view(240mm), long distance(970mm)</a>	5,600.00	EC003015	<a href="#">373145</a>	4548583362239			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100F-M</a>	<a href="#">FO2 vision sensor, ID + Inspection, mono, PNP, wide view(240mm), long distance(970mm)</a>	4,441.00	EC003015	<a href="#">373129</a>	4548583362079			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100N</a>	<a href="#">FO2 vision sensor, ID + Inspection, color, PNP, wide view(300mm), short distance(380mm)</a>	3,613.00	EC003015	<a href="#">373122</a>	4548583362000	#		GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100N-08</a>	<a href="#">FO2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view(300mm), short distance(380mm)</a>	5,720.00	EC003015	<a href="#">373138</a>	4548583362161			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100N-08M</a>	<a href="#">FO2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view(300mm), short distance(380mm)</a>	5,600.00	EC003015	<a href="#">373146</a>	4548583362246			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45100N-M</a>	<a href="#">FO2 vision sensor, ID + Inspection, mono, PNP, wide view(300mm), short distance(380mm)</a>	3,830.00	EC003015	<a href="#">373130</a>	4548583362086			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S45-13</a>	<a href="#">FO2 vision sensor, c-mount type, ID + Inspection, color, PNP</a>	5,220.00	EC003015	<a href="#">373147</a>	4548583362260			GF	GFL	JPN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
<a href="#">FO2-S15010F</a>	<a href="#">FO2 görsel denetim sensörü, tekli denetim, PNP, dar görüş(13mm)</a>	1,417.00	EC003015	<a href="#">372150</a>	4548583322387			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S15050F</a>	<a href="#">FO2 görsel denetim sensörü, tekli denetim, PNP, standart görüş(50mm)</a>	1,396.00	EC003015	<a href="#">372151</a>	4548583322394			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S15100N</a>	<a href="#">FO2 görsel denetim sensörü, tekli denetim, PNP, geniş görüş(300mm), kısa mesafe(380mm)</a>	2,048.00	EC003015	<a href="#">372153</a>	4548583322417			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S25050F</a>	<a href="#">FO2 görsel denetim sensörü, standart, PNP, standart görüş(50mm)</a>	2,277.00	EC003015	<a href="#">372143</a>	4548583107601			GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S25100F</a>	<a href="#">FO2 görsel denetim sensörü, standart, PNP, geniş görüş(240mm), uzun mesafe(970mm)</a>	2,323.00	EC003015	<a href="#">372144</a>	4548583107618	#		GF	GFL	JPN	9031.9000.00
<a href="#">FO2-S25100N</a>	<a href="#">FO2 görsel denetim sensörü, standart, PNP, geniş görüş(300mm), kısa mesafe(380mm)</a>	3,208.00	EC003015	<a href="#">372145</a>	4548583107625	#		GF	GFL	JPN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
<a href="#">FO-WD002-E</a>	<a href="#">FO2 paralel I/O kablosu, 2m</a>	209.40	EC003015	<a href="#">678182</a>	4549734922951			GF	GFL	CZE	8544.4290.90
<a href="#">FO-WD003-E</a>	<a href="#">FO I/O kablosu, 3m</a>	139.00	EC003015	<a href="#">678183</a>	4549734922968	#		GF	GFL	CZE	8544.4290.90
<a href="#">FO-WD005</a>	<a href="#">FO I/O cable, 5m</a>	126.10	EC003015	<a href="#">409003</a>	4548583107465			GF	GFL	CHN	9031.9000.00
<a href="#">FO-WD005-E</a>	<a href="#">FO I/O kablosu, 5m</a>	170.40	EC003015	<a href="#">678184</a>	4549734922975	#		GF	GFL	CZE	8544.4290.90
<a href="#">FO-WD010-E</a>	<a href="#">FO I/O cable, 10m</a>	281.30	EC003015	<a href="#">678185</a>	4549734922982	#		GF	GFL	CZE	8544.4290.90
<a href="#">FO-WD020</a>	<a href="#">FO I/O cable, 20m</a>	808.50	EC003015	<a href="#">337296</a>	4547648830119			GF	GFL	CHN	8544.4290.90
<a href="#">FO-WN002</a>	<a href="#">FO Ethernet cable, 2m</a>	208.90	EC002599	<a href="#">337805</a>	4547648830065			GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN002-E</a>	<a href="#">FO Ethernet kablosu, 2m</a>	90.40	EC002599	<a href="#">360244</a>	4548583129269			GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN003-E</a>	<a href="#">FO Ethernet kablosu, 3m</a>	101.10	EC002599	<a href="#">360245</a>	4548583129276	#		GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN005</a>	<a href="#">FO Ethernet cable, bend resistant, 5 m</a>	258.50	EC002599	<a href="#">679127</a>	4548583056312			GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN005-E</a>	<a href="#">FO Ethernet kablosu, 5m</a>	121.00	EC002599	<a href="#">360246</a>	4548583129283	#		GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN010</a>	<a href="#">Cable robotizado Ethernet FO 10m</a>	322.90	EC002599	<a href="#">337806</a>	4547648830072			GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN010-E</a>	<a href="#">FO2 Ethernet kablosu, 10m</a>	169.00	EC002599	<a href="#">360241</a>	4548583129290	#		GF	GFL	JPN	8544.4290.90
<a href="#">FO-WN020</a>	<a href="#">FO Ethernet cable, 20m</a>	759.00	EC002599	<a href="#">337807</a>	4547648830089			GF	GFL	JPN	8544.4290.90
<a href="#">FO-WU002</a>	<a href="#">FO sensor data unit cable for FO-SDU*, 2m</a>	277.70	EC003015	<a href="#">372157</a>	4548583107472			GF	GFL	JPN	9031.9000.00
<a href="#">FO-WU010</a>	<a href="#">FO sensor data unit cable for FO-SDU*, 10m</a>	587.00	EC003015	<a href="#">372154</a>	4548583107496			GF	GFL	JPN	9031.9000.00
<a href="#">FO-WU020</a>	<a href="#">FO sensor data unit cable for FO-SDU*, 20m</a>	972.50	EC003015	<a href="#">372159</a>	4548583107502			GF	GFL	JPN	9031.9000.00
<a href="#">FO-XF1</a>	<a href="#">FO Polarizing Filter, (enclosed with sensor)</a>	383.00	EC003015	<a href="#">337800</a>	4547648830157			GF	GFL	JPN	9031.9000.00
<a href="#">FO-XL</a>	<a href="#">Accessory FO/FO2 Mounting Bracket, (enclosed with sensor)</a>	116.10	EC003015	<a href="#">337297</a>	4547648830126			GF	GFL	CHN	9031.9000.00
<a href="#">FO-XPm</a>	<a href="#">Accessory FO/FO2 Panel Mounting Adapter, for Touch Finder</a>	338.10	EC003015	<a href="#">337299</a>	4547648830140			GF	GFL	CHN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
<a href="#">FO2-D30</a>	<a href="#">FO2 avar konsolu, 3.5" dokunmatik renkli LCD ekran, SD card, 24VDC</a>	1,667.00	EC003015	<a href="#">372137</a>	4548583107755	#		GF	GFL	JPN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">FO-CR15010F-M</a>	<a href="#">Code reader, multi code, distance 38-60mm, view 7-13mm, PNP</a>	2,062.00	EC002999	<a href="#">371411</a>	4548583343337			GF	GFL	JPN	9031.8080.00
<a href="#">FO-CR15100F-M</a>	<a href="#">Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP</a>	2,156.00	EC002999	<a href="#">371415</a>	4548583343382			GF	GFL	JPN	9031.8080.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
<a href="#">FH-2050</a>	<a href="#">FH high-speed / high performance controller 2-core, NPN/PNP, 2 cameras</a>	11,950.00	EC003015	<a href="#">684330</a>	4549734133944	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-2050-10</a>	<a href="#">FH high-speed / high performance controller 2-core, NPN/PNP, 4 cameras</a>	15,270.00	EC003015	<a href="#">684331</a>	4549734133951			GF	GFR	JPN	9031.9000.00
<a href="#">FH-2050-20</a>	<a href="#">FH high-speed / high performance controller 2-core, NPN/PNP, 8 cameras</a>	17,010.00	EC003015	<a href="#">684332</a>	4549734133968	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-5050</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras</a>	18,020.00	EC003015	<a href="#">684333</a>	4549734133975			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5050-10</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras</a>	22,200.00	EC003015	<a href="#">684334</a>	4549734133982			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5050-20</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras</a>	24,470.00	EC003015	<a href="#">684335</a>	4549734133999			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5051</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, OS2</a>	18,020.00	EC003015	701438	4549734711968			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5051-10</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras, OS2</a>	22,200.00	EC003015	701439	4549734711975			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5051-20</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras, OS2</a>	24,470.00	EC003015	701440	4549734711982			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5550</a>	<a href="#">FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras</a>	18,650.00	EC003015	<a href="#">695758</a>	4549734145725			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5550-10</a>	<a href="#">FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras</a>	22,800.00	EC003015	<a href="#">695759</a>	4549734145732			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5550-20</a>	<a href="#">FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras</a>	25,060.00	EC003015	<a href="#">695760</a>	4549734145749			GF	GFR	JPN	9031.9000.00
<a href="#">FH-550</a>	<a href="#">FH Lite kontrolcü, standart, 2 kamera</a>	7,645.00	EC003015	<a href="#">670063</a>	4548583785779	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-550-10</a>	<a href="#">FH Lite kontrolcü, standart, 4 kamera</a>	8,985.00	EC003015	<a href="#">670064</a>	4548583785786			GF	GFR	JPN	9031.9000.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
<a href="#">FH-SC02</a>	<a href="#">FH kamera, yüksek çözünürlük 2M pixel, renkli</a>	4,944.00	EC003015	<a href="#">377455</a>	4548583385474	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SC04</a>	<a href="#">FH kamera, yüksek çözünürlük 4M pixel, renkli</a>	9,855.00	EC003015	<a href="#">377453</a>	4548583385450			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SC05R</a>	<a href="#">FH camera, high resolution 5M pixel, color, rolling shutter</a>	2,880.00	EC003015	<a href="#">670066</a>	4548583785809	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SC21R</a>	<a href="#">FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, color</a>	10,250.00	EC003015	<a href="#">684318</a>	4549734145671			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SCY</a>	<a href="#">FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, color</a>	1,953.00	EC003015	<a href="#">684314</a>	4549734145695	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SCX05</a>	<a href="#">FH Camera, high speed, 5 MPixel, c-Mount, global shutter, color</a>	6,355.00	EC003015	<a href="#">684313</a>	4549734145657	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SCX12</a>	<a href="#">FH Camera, high speed, 12 MPixel, C-Mount, global shutter, color</a>	10,950.00	EC003015	<a href="#">684447</a>	4549734145718			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM02</a>	<a href="#">FH kamera, yüksek çözünürlük 2M pixel, renksiz</a>	4,944.00	EC003015	<a href="#">377456</a>	4548583385481			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM04</a>	<a href="#">FH kamera, yüksek çözünürlük 4M pixel, renksiz</a>	9,855.00	EC003015	<a href="#">377454</a>	4548583385467			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM05R</a>	<a href="#">FH camera, high resolution 5M pixel, monochrome, rolling shutter</a>	2,880.00	EC003015	<a href="#">670065</a>	4548583785793			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM21R</a>	<a href="#">FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, monochrome</a>	10,250.00	EC003015	<a href="#">684315</a>	4549734145664			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SMX</a>	<a href="#">FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, monochrome</a>	1,953.00	EC003015	<a href="#">684317</a>	4549734145688	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SMX05</a>	<a href="#">FH Camera, high speed, 5 MPixel, c-Mount, global shutter, monochrome</a>	6,355.00	EC003015	<a href="#">684316</a>	4549734145640	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SMX12</a>	<a href="#">FH Camera, high speed, 12 MPixel, C-Mount, global shutter, monochrome</a>	10,950.00	EC003015	<a href="#">684445</a>	4549734145701			GF	GFR	JPN	9031.9000.00
<a href="#">FZ-S</a>	<a href="#">FZ kamera, standart çözünürlük, renksiz</a>	2,099.00	EC003015	<a href="#">372096</a>	4548583329508			GF	GFR	CHN	9031.9000.00
<a href="#">FZ-SC</a>	<a href="#">FZ kamera, standart çözünürlük, renkli</a>	2,099.00	EC003015	<a href="#">372097</a>	4548583329522	#		GF	GFR	CHN	9031.9000.00
<a href="#">FZ-SC2M</a>	<a href="#">FZ kamera, yüksek çözünürlük, 2M pixel, renkli</a>	6,615.00	EC003015	<a href="#">374930</a>	4548583368064			GF	GFR	CHN	9031.9000.00
<a href="#">FZ-SO050F</a>	<a href="#">FZ-SO intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm</a>	1,683.00	EC003015	<a href="#">351978</a>	4548583008809			GF	GFR	JPN	9031.9000.00
<a href="#">FZ-SO100F</a>	<a href="#">FZ-SO intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm</a>	1,749.00	EC003015	<a href="#">351979</a>	4548583008816	#		GF	GFR	JPN	9031.9000.00
<a href="#">FZ-SO100N</a>	<a href="#">FZ-SO intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm</a>	2,368.00	EC003015	<a href="#">351980</a>	4548583008823	#		GF	GFR	JPN	9031.9000.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
<a href="#">FH-VR 1.5M</a>	<a href="#">Encoder cable for line-driver, 1.5m, for FH series only</a>	237.30	EC003015	<a href="#">377547</a>	4548583413160			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 10M</a>	<a href="#">FJ Gig-E camera interface cable, 10m</a>	475.80	EC003015	<a href="#">355508</a>	4548583060937			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 20M</a>	<a href="#">FJ Gig-E camera interface cable, 20m</a>	713.50	EC003015	<a href="#">355509</a>	4548583060944			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 3M</a>	<a href="#">FJ Gig-E camera interface cable, 3m</a>	358.00	EC003015	<a href="#">355494</a>	4548583060913			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 5M</a>	<a href="#">FJ Gig-E camera interface cable, 5m</a>	328.60	EC003015	<a href="#">355507</a>	4548583060920			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSP2 10M</a>	<a href="#">FJ Gig-E power and I/O cable, 10 m</a>	379.70	EC003015	<a href="#">694956</a>	4549734597784			GF	GFR	JPN	8544.4290.90
<a href="#">FJ-VSP2 3M</a>	<a href="#">FJ Gig-E power and I/O cable, 3 m</a>	234.80	EC003015	<a href="#">694954</a>	4549734597760			GF	GFR	JPN	8544.4290.90
<a href="#">FJ-VSP2 5M</a>	<a href="#">FJ Gig-E power and I/O cable, 5 m</a>	273.50	EC003015	<a href="#">694955</a>	4549734597777			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VP 2M</a>	<a href="#">Paralel I/O kablosu, 2m</a>	215.30	EC003015	<a href="#">348112</a>	4548583002883			GF	GFR	CHN	9031.9000.00
<a href="#">FZ-VS3 10M</a>	<a href="#">Accessory vision, FH and FZ, standard camera cable, 10m</a>	744.50	EC003015	<a href="#">393354</a>	4548583533721	#		GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS3 2M</a>	<a href="#">FH ve FZ standart kamera kablosu, 2m</a>	427.40	EC003015	<a href="#">393351</a>	4548583533691	#		GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS3 3M</a>	<a href="#">Accessory vision, FH and FZ, standard camera cable, 3m</a>	483.10	EC003015	<a href="#">393352</a>	4548583533707			GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS3 5M</a>	<a href="#">FH ve FZ standart kamera kablosu, 5m</a>	605.50	EC003015	<a href="#">393353</a>	4548583533714	#		GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS4 15M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, long distance, 15m</a>	1,894.00	EC003015	<a href="#">393355</a>	4548583533738	#		GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VS83 10M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, bend resistant, 10m</a>	893.50	EC003015	<a href="#">682708</a>	4549734126922	#	3	GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS83 5M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, bend resistant, 5m</a>	756.00	EC003015	<a href="#">684803</a>	4549734126915			GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS1</a>	<a href="#">FZ Camera cable extension hub (max 3 cables 45m)</a>	1,734.00	EC003015	<a href="#">241486</a>	4547648445849	#		GF	GFR	JPN	9031.9000.00
<a href="#">FZ-VSL3 10M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10m</a>	980.00	EC003015	<a href="#">393359</a>	4548583533776			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VSL3 2M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, standard, right angled connector, 2m</a>	618.00	EC003015	<a href="#">393356</a>	4548583533745			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VSL3 5M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m</a>	757.00	EC003015	<a href="#">393358</a>	4548583533769			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VSLB3 5M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 5m</a>	462.90	EC003015	<a href="#">393367</a>	4548583533851			GF	GFR	JPN	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Xpectia Görüntü Sistemleri FZ OEM</b>											
<a href="#">FHJUMAIL</a>	<a href="#">AI filter installer for FH controller USB license key dongle</a>	9,155.00	EC003015	<a href="#">695761</a>	4549734594783			GF	GFR	JPN	9031.9000.00
<a href="#">FH-XDM-L</a>	<a href="#">FH-L DIN rail mounting bracket</a>	103.70	EC003015	<a href="#">620241</a>	4548583763722	#		GF	GFR	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
<a href="#">3Z4S-LE SV-03514V</a>	<a href="#">Lens 3.5mm</a>	387.90	EC003015	<a href="#">381493</a>	4548583496880			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-04514V</a>	<a href="#">Lens 4.5mm</a>	325.60	EC003015	<a href="#">381494</a>	4548583496897			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-0614H</a>	<a href="#">Accessory vision lens 6mm high resolution low distortion</a>	849.50	EC003015	<a href="#">373706</a>	4548583335479	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-0614V</a>	<a href="#">Lens 6mm</a>	537.50	EC003015	<a href="#">373699</a>	4548583335387	#		GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-0813V</a>	<a href="#">Lens 8mm</a>	443.20	EC003015	<a href="#">373700</a>	4548583335394	#		GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-0814H</a>	<a href="#">Accessory vision lens 8mm high resolution low distortion</a>	760.50	EC003015	<a href="#">373707</a>	4548583335486	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-1214H</a>	<a href="#">Accessory vision lens 12mm high resolution low distortion</a>	738.50	EC003015	<a href="#">373708</a>	4548583335493	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-1214V</a>	<a href="#">Lens 12mm</a>	313.30	EC003015	<a href="#">373701</a>	4548583335400			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-1614H</a>	<a href="#">Accessory vision lens 16mm high resolution low distortion</a>	710.50	EC003015	<a href="#">373709</a>	4548583335509	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-1614V</a>	<a href="#">Lens 16mm</a>	407.90	EC003015	<a href="#">373702</a>	4548583335417	#		GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-2514H</a>	<a href="#">Accessory vision lens 25mm high resolution low distortion</a>	447.60	EC003015	<a href="#">373710</a>	4548583335516	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-2514V</a>	<a href="#">Lens 25mm</a>	387.90	EC003015	<a href="#">373703</a>	4548583335424			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-3514H</a>	<a href="#">Accessory vision lens 35mm high resolution low distortion</a>	629.50	EC003015	<a href="#">373711</a>	4548583335523			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-3518V</a>	<a href="#">Lens 35mm</a>	443.20	EC003015	<a href="#">373704</a>	4548583335431			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-5014H</a>	<a href="#">Accessory vision lens 50mm high resolution low distortion</a>	641.50	EC003015	<a href="#">373712</a>	4548583335530	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-5018V</a>	<a href="#">Lens 50mm</a>	387.90	EC003015	<a href="#">373705</a>	4548583335448			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-7525H</a>	<a href="#">Accessory vision lens 75mm high resolution low distortion</a>	583.00	EC003015	<a href="#">687750</a>	4549734509497			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR</a>	<a href="#">Uzatma tüpleri (40_20_10_5_2_1,0,5mm)</a>	179.10	EC003015	<a href="#">373713</a>	4548583335547	#		GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR05</a>	<a href="#">Extension tube 0.5mm</a>	20.52	EC003015	<a href="#">373714</a>	4548583335554			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR1</a>	<a href="#">Extension tube 1mm</a>	19.77	EC003015	<a href="#">373718</a>	4548583335561			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR10</a>	<a href="#">Extension tube 10mm</a>	45.24	EC003015	<a href="#">373717</a>	4548583335592			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR2</a>	<a href="#">Extension tube 2mm</a>	22.31	EC003015	<a href="#">373715</a>	4548583335578			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR20</a>	<a href="#">Extension tube 20mm</a>	55.25	EC003015	<a href="#">373686</a>	4548583335615			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE SV-EXR5</a>	<a href="#">Extension tube 5mm</a>	38.79	EC003015	<a href="#">373716</a>	4548583335585			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE SV-PL270-SS</a>	<a href="#">Polarizing filter for lens M27.0 P0.5 with Anti-rotation mechanism</a>	106.50	EC003015	<a href="#">676066</a>	4548583722545			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE VS-0814H1</a>	<a href="#">Vision lens high resolution low distortion 8mm for 1-inch sensor size</a>	752.50	EC003015	<a href="#">386974</a>	4548583417854			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z4S-LE VS-1214H1</a>	<a href="#">Vision lens high resolution low distortion 12mm for 1-inch sensor size</a>	687.00	EC003015	<a href="#">682707</a>	4549734181426	#		GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE VS-1614H1N</a>	<a href="#">Vision lens high resolution low distortion 16 mm for 1-inch sensor size</a>	687.00	EC003015	<a href="#">682633</a>	4549734181433			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z4S-LE VS-2514H1</a>	<a href="#">Vision lens high resolution low distortion 25mm for 1-inch sensor size</a>	696.50	EC003015	<a href="#">683380</a>	4549734181440			GF	GFZ	CHN	9031.9000.00
<a href="#">FH-VMDA_2M</a>	<a href="#">Vision system accessory FH conversion cable monitor DVI-RGB_2m</a>	130.70	EC003015	<a href="#">410312</a>	4548583564480			GF	GFZ	JPN	9031.9000.00
<a href="#">FH-VMDA_5M</a>	<a href="#">Vision system accessory FH conversion cable monitor DVI-RGB_5m</a>	224.00	EC003015	<a href="#">410313</a>	4548583564497	#		GF	GFZ	JPN	9031.9000.00
<a href="#">FH-VIAR_2M</a>	<a href="#">Vision system accessory FH USB cable touch panel_2m</a>	65.40	EC001681	<a href="#">410315</a>	4548583564534			GF	GFZ	JPN	9031.9000.00
<a href="#">FH-VIAR_5M</a>	<a href="#">Vision system accessory FH USB cable touch panel_5m</a>	84.15	EC001681	<a href="#">410316</a>	4548583564541	#		GF	GFZ	JPN	9031.9000.00
<a href="#">FL-BR13120DF</a>	<a href="#">Bar light Diffusion plate_131x18x4mm</a>	75.80	EC003015	<a href="#">354152</a>	4548583032880			GF	GFZ	JPN	9032.9000.90
<a href="#">FL-BR13120W</a>	<a href="#">Bar ODR light_131x20mm wide area model white LED IP20 cable 0.3m</a>	1,250.00	EC003015	<a href="#">354125</a>	4548583032965			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-BR13120W-H</a>	<a href="#">Bar ODR light_131x20mm high brightness model white LED IP20 cable 0.3m</a>	1,572.00	EC003015	<a href="#">354126</a>	4548583032972			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-BR5020W</a>	<a href="#">Bar ODR light_50x20mm wide area model white LED IP20 cable 0.3m</a>	546.00	EC003015	<a href="#">354121</a>	4548583032927			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-BR5020W-H</a>	<a href="#">Bar ODR light_50x20mm high brightness model white LED IP20 cable 0.3m</a>	674.50	EC003015	<a href="#">354122</a>	4548583032934			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-BR9120DF</a>	<a href="#">Bar light Diffusion plate_91x18x4mm</a>	59.10	EC003015	<a href="#">354151</a>	4548583032873			GF	GFZ	JPN	9032.9000.90
<a href="#">FL-BR9120W</a>	<a href="#">Bar ODR light_91x20mm wide area model white LED IP20 cable 0.3m</a>	891.00	EC003015	<a href="#">354123</a>	4548583032941			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-BR9120W-H</a>	<a href="#">Bar ODR light_91x20mm high brightness model white LED IP20 cable 0.3m</a>	1,116.00	EC003015	<a href="#">354124</a>	4548583032958			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-DR32W</a>	<a href="#">Ring ODR light_32/10mm wide area model white LED IP20 cable 0.3m</a>	1,023.00	EC003015	<a href="#">354127</a>	4548583035690			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-DR32W-H</a>	<a href="#">Ring ODR light_32/10mm high brightness model white LED IP20 cable 0.3m</a>	1,307.00	EC003015	<a href="#">354128</a>	4548583035706			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-DR50W</a>	<a href="#">Ring ODR light_50/28mm wide area model white LED IP20 cable 0.3m</a>	1,139.00	EC003015	<a href="#">354129</a>	4548583035713			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-DR50W-H</a>	<a href="#">Ring ODR light_50/28mm high brightness model white LED IP20 cable 0.3m</a>	1,424.00	EC003015	<a href="#">354130</a>	4548583035720			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-DR90DF</a>	<a href="#">Ring light Diffusion plate_90/50x4mm</a>	88.40	EC003015	<a href="#">354156</a>	4548583035775			GF	GFZ	JPN	9032.9000.90
<a href="#">FL-DR90W</a>	<a href="#">Ring ODR light_90/50mm wide area model white LED IP20 cable 0.3m</a>	2,138.00	EC003015	<a href="#">354131</a>	4548583035737			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-DR90W-H</a>	<a href="#">Ring ODR light_90/50mm high brightness model white LED IP20 cable 0.3m</a>	2,711.00	EC003015	<a href="#">354132</a>	4548583035744			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-STC15</a>	<a href="#">Lighting controller_1-channel light adjustment 400 levels continuous light or triggered light or strobe light_24 VDC I/O interface D-SUB_PNP</a>	654.00	EC003015	<a href="#">354134</a>	4548583032996			GF	GFZ	JPN	9032.9000.90
<a href="#">FL-STC25</a>	<a href="#">Lighting controller_2-channel light adjustment 400 levels continuous light or triggered light or strobe light_24 VDC I/O interface D-SUB_PNP</a>	833.50	EC003015	<a href="#">354136</a>	4548583033016			GF	GFZ	JPN	9032.9000.90
<a href="#">FL-TC1</a>	<a href="#">Strobe controller for vision lighting_1-channel separate holder to be mounted on the FZ camera</a>	654.00	EC003015	<a href="#">355849</a>	4548583067011			GF	GFZ	JPN	9032.9000.90
<a href="#">FLV-ATC21024-C</a>	<a href="#">Analog lighting controller dimming 2ch_24</a>	481.80	EC003015	<a href="#">378517</a>	4548583426009			GF	GFZ	CHN	9032.9000.90
<a href="#">FLV-ATC41024-C</a>	<a href="#">Analog lighting controller dimming 4ch_24</a>	577.00	EC003015	<a href="#">378518</a>	4548583426016			GF	GFZ	CHN	9032.9000.90
<a href="#">FLV-BR11222W</a>	<a href="#">Bar Light 112 x 22mm white</a>	1,688.00	EC003015	<a href="#">378535</a>	4548583427297	#		GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-BR11624UV</a>	<a href="#">Accessory vision FLV bar light 116 x 24mm ultraviolet</a>	1,740.00	EC003015	<a href="#">393818</a>	4548583428591			GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-BR21230W</a>	<a href="#">Bar Light 212 x 30mm white</a>	1,687.00	EC003015	<a href="#">378532</a>	4548583427266			GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-BR38037W</a>	<a href="#">Bar Light 380 x 37mm white</a>	3,249.00	EC003015	<a href="#">378530</a>	4548583427242			GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-BR6022W</a>	<a href="#">Bar Light 60 x 22mm white</a>	711.50	EC003015	<a href="#">378537</a>	4548583427310			GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-BR8532W</a>	<a href="#">Bar Light 85 x 32mm white</a>	1,011.00	EC003015	<a href="#">378536</a>	4548583427303			GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-DB10181W</a>	<a href="#">Accessory vision back light direct_101 x 81mm white</a>	1,874.00	EC003015	<a href="#">392798</a>	4548583503069			GF	GFZ	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FLV-DB130130W	<a href="#">Accessory vision_back light_direct_130 x 130_white</a>	2,420.00	EC003015	392797	4548583503052			GF	GFZ	JPN	9031.9000.00
FLV-DB212152R	<a href="#">Accessory vision_back light_direct_212 x 152_red</a>	2,717.00	EC003015	392800	4548583503083			GF	GFZ	JPN	9031.9000.00
FLV-DL15060W	<a href="#">Accessory vision_ring light_low angle_150mm dia_60 deg_white</a>	1,957.00	EC003015	392827	4548583503557			GF	GFZ	JPN	9031.9000.00
FLV-DR12030W	<a href="#">Ring light_direct_120mm dia_30 deg_white</a>	1,764.00	EC003015	378521	4548583426962			GF	GFZ	CHN	9031.9000.00
FLV-DR9000W	<a href="#">Ring light_direct_90mm dia_white</a>	1,353.00	EC003015	378524	4548583426993	#		GF	GFZ	CHN	9031.9000.00
FLV-DR9030W	<a href="#">Ring light_direct_90mm dia_30 deg_white</a>	1,353.00	EC003015	378523	4548583426986	#		GF	GFZ	CHN	9031.9000.00
FLV-FX143W	<a href="#">Coaxial light_edge type_143mm_white</a>	2,166.00	EC003015	378548	4548583427860			GF	GFZ	CHN	9031.9000.00
<a href="#">FLV-TCC1</a>	<a href="#">standard camera-mount lighting controller 1ch for FLV</a>	338.00	EC003015	<a href="#">378512</a>	4548583425774	#		GF	GFZ	CHN	9032.9000.90
<a href="#">FLV-TCC4</a>	<a href="#">standard camera-mount lighting controller 4ch for FLV</a>	678.50	EC003015	<a href="#">378516</a>	4548583425781	#		GF	GFZ	CHN	9032.9000.90
FLV-XC5	<a href="#">Extension cable 5m for standard lighting</a>	60.80	EC003015	<a href="#">378515</a>	4548583429178	#		GF	GFZ	CHN	8544.4290.90
FL-XBK1	<a href="#">Bar light FL-mounting brackets</a>	61.55	EC003015	<a href="#">354153</a>	4548583032897			GF	GFZ	JPN	9032.9000.90
FL-XC10	<a href="#">Extension standard cable_10m</a>	309.90	EC003015	<a href="#">354141</a>	4548583032767			GF	GFZ	JPN	8544.4290.90
FL-XC2	<a href="#">Extension standard cable_2m</a>	96.00	EC003015	<a href="#">354138</a>	4548583032729			GF	GFZ	JPN	8544.4290.90
FL-XC3	<a href="#">Extension standard cable_3m</a>	118.70	EC003015	<a href="#">354139</a>	4548583032736			GF	GFZ	JPN	8544.4290.90
FL-XC5	<a href="#">Extension standard cable_5m</a>	166.80	EC003015	<a href="#">354140</a>	4548583032750			GF	GFZ	JPN	8544.4290.90
XW2Z-050EE	<a href="#">Parallel I/O cable for terminal block XW2R- 34G-T_0.5m</a>	209.30	EC000237	<a href="#">385122</a>	4548583484962			GF	GFZ	JPN	9031.9000.00
XW2Z-100EE	<a href="#">Parallel I/O cable for terminal block XW2R- 34G-T_1m</a>	137.20	EC000237	<a href="#">385123</a>	4548583484979			GF	GFZ	JPN	9031.9000.00
XW2Z-200EE	<a href="#">Parallel I/O cable for terminal block XW2R- 34G-T_2m</a>	122.00	EC000237	<a href="#">385125</a>	4548583484993			GF	GFZ	JPN	9031.9000.00
<a href="#">XW2Z-S013-2</a>	<a href="#">FH Parallel I/O kablosu_2m</a>	186.40	EC003015	<a href="#">377508</a>	4548583434455	#		GF	GFZ	JPN	9031.9000.00
<a href="#">XW2Z-S013-5</a>	<a href="#">FH Parallel I/O kablosu_5m</a>	310.40	EC003015	<a href="#">377509</a>	4548583434462			GF	GFZ	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
<a href="#">FH-MT12</a>	<a href="#">Vision system FH touch panel monitor 12"</a>	1,567.00	EC003015	<a href="#">410318</a>	4548583564473	#		GF	GFZ	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
<a href="#">3Z45-LE Y5-0618H1</a>	<a href="#">Vision lens_high resolution_low distortion 6mm for 1-inch sensor size</a>	925.00	EC003015	<a href="#">693930</a>	4549734552172			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z45-LE Y5-3514H1</a>	<a href="#">Vision lens_high resolution_low distortion 35mm for 1-inch sensor size</a>	687.00	EC003015	<a href="#">682441</a>	4549734181457			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z45-LE Y5-5018H1</a>	<a href="#">Vision lens_high resolution_low distortion 50mm for 1-inch sensor size</a>	670.00	EC003015	<a href="#">682440</a>	4549734181464			GF	GFZ	CHN	9031.9000.00
<a href="#">3Z45-LE Y5-LLD12.5</a>	<a href="#">Vision lens_ultra high resolution_low distortion 12.5 mm for 4/3-inch sensor size_C-Mount</a>	1,954.00	EC003015	684300	4549734193184			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z45-LE Y5-LLD18</a>	<a href="#">Vision lens_ultra high resolution_low distortion 18 mm for 4/3-inch sensor size_C-Mount</a>	1,252.00	EC003015	<a href="#">684299</a>	4549734193191			GF	GFZ	JPN	9031.9000.00
<a href="#">3Z45-LE Y5-LLD25</a>	<a href="#">Vision lens_ultra high resolution_low distortion 25 mm for 4/3-inch sensor size_C-Mount</a>	1,215.00	EC003015	<a href="#">684298</a>	4549734193207			GF	GFZ	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
<a href="#">FL-PS140W</a>	<a href="#">Photometric Stereo Light_inner Diameter 100 mm_outer Diameter 140 mm_white</a>	2,732.00	EC003015	<a href="#">684311</a>	4549734168922			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-PS90W</a>	<a href="#">Photometric Stereo Light_inner Diameter 50 mm_outer Diameter 90 mm_white</a>	1,989.00	EC003015	<a href="#">684312</a>	4549734168915			GF	GFZ	JPN	9031.9000.00
<a href="#">FL-TCC1PS</a>	<a href="#">Lighting Controller for Photometric Stereo Lights</a>	808.00	EC003015	<a href="#">684309</a>	4549734168946			GF	GFZ	JPN	9032.9000.90
<b>Makine Otomasyon KontrolörleriNJ5</b>											
<a href="#">NJ501-R300</a>	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 16 servo axes</a>	7,780.00	EC000236	<a href="#">695880</a>	4549734665704	#		HA	HAA	JPN	8471.5000.00
<a href="#">NJ501-R320</a>	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 16 servo axes, SQL client</a>	8,380.00	EC000236	<a href="#">699956</a>	4549734665735			HA	HAA	JPN	8471.5000.00
<a href="#">NJ501-R400</a>	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 32 servo axes</a>	8,975.00	EC000236	<a href="#">695879</a>	4549734665711			HA	HAA	JPN	8471.5000.00
<a href="#">NJ501-R420</a>	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 32 servo axes, SQL client</a>	9,575.00	EC000236	<a href="#">699957</a>	4549734665742			HA	HAA	JPN	8471.5000.00
<a href="#">NJ501-R500</a>	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 64 servo axes</a>	10,170.00	EC000236	<a href="#">695878</a>	4549734665728			HA	HAA	JPN	8471.5000.00
<a href="#">NJ501-R520</a>	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 64 servo axes, SQL client</a>	10,770.00	EC000236	<a href="#">699958</a>	4549734665759			HA	HAA	JPN	8471.5000.00
<b>Makine Otomasyon KontrolörleriNJ5</b>											
<a href="#">NJ501-1300</a>	<a href="#">Sysmac NJ5 CPU_20MB hafıza_dahili EtherCAT (16 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	4,038.00	EC000236	<a href="#">355309</a>	4548583020450	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ501-1320</a>	<a href="#">Sysmac NJ5 CPU_Database Bağlantısı_20MB hafıza_dahili EtherCAT (16 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	4,827.00	EC000236	<a href="#">375208</a>	4548583418028	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ501-1400</a>	<a href="#">Sysmac NJ5 CPU_20MB hafıza_dahili EtherCAT (32 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	4,387.00	EC000236	<a href="#">355310</a>	4548583020467	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ501-1420</a>	<a href="#">Sysmac NJ5 CPU_Database Bağlantısı_20MB hafıza_dahili EtherCAT (32 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,270.00	EC000236	<a href="#">375209</a>	4548583418035	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ501-1500</a>	<a href="#">Sysmac NJ5 CPU_20MB hafıza_dahili EtherCAT (64 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,270.00	EC000236	<a href="#">355311</a>	4548583020474	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ501-1520</a>	<a href="#">Sysmac NJ5 CPU_Database Bağlantısı_20MB hafıza_dahili EtherCAT (64 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,950.00	EC000236	<a href="#">375210</a>	4548583418042	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ501-4300</a>	<a href="#">Sysmac NJ5 CPU_Robot kinematik (max 4 robot)_20MB hafıza_dahili EtherCAT (16 servo eksen_toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,270.00	EC000236	<a href="#">368567</a>	4548583137745			HA	HAA	JPN	8471.4100.00
<b>Makine Otomasyon KontrolörleriNJ5</b>											
<a href="#">NJ301-1100</a>	<a href="#">Sysmac NJ3 CPU_5MB hafıza_dahili EtherCat (4 servo eksen_toplamda 192 Ethercat cihazı) ve Ethernet IP</a>	2,816.00	EC000236	<a href="#">363842</a>	4548583113121	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ301-1200</a>	<a href="#">Sysmac NJ3 CPU_5MB hafıza_dahili EtherCat (8 servo eksen_toplamda 192 Ethercat cihazı) ve Ethernet IP</a>	3,383.00	EC000236	<a href="#">363924</a>	4548583113138	#		HA	HAA	JPN	8471.4100.00
<b>Makine Otomasyon KontrolörleriNJ5</b>											
<a href="#">NJ101-1000</a>	<a href="#">Sysmac NJ1 CPU_3MB hafıza_dahili EtherCAT (2 servo eksen_toplam 64 EtherCAT nodu) ve Ethernet IP</a>	2,375.00	EC000236	<a href="#">413212</a>	4548583593749	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ101-1020</a>	<a href="#">Sysmac NJ1 CPU_Database Bağlantısı_3MB hafıza_dahili EtherCAT (2 servo eksen_toplamda 64 EtherCAT cihazı) ve EtherNet/IP</a>	2,976.00	EC000236	<a href="#">668370</a>	4548583758803	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ101-9000</a>	<a href="#">Sysmac NJ1 CPU_3MB hafıza_dahili EtherCAT (0 servo eksen_toplam 64 EtherCAT nodu) ve Ethernet IP</a>	2,083.00	EC000236	<a href="#">413218</a>	4548583593756	#		HA	HAA	JPN	8471.4100.00
<a href="#">NJ101-9020</a>	<a href="#">Sysmac NJ1 CPU_Database Bağlantısı_3MB hafıza_dahili EtherCAT (0 servo eksen_toplamda 64 EtherCAT cihazı) ve EtherNet/IP</a>	2,605.00	EC000236	<a href="#">668371</a>	4548583758810	#		HA	HAA	JPN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Makine Otomasyon KontrolörleriNJ5</b>											
NJ501-5300	Sysmac NJ5 CNC CPU, 20MB bellek, dahili EtherCAT (16 servo eksen, toplam 192 EtherCAT düğümü) ve EtherNet / IP	7,685.00	EC000236	679768	4549734145435	#		HA	HAA	JPN	8471.5000.00
NJ501-5300-1	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.	6,830.00	EC000236	702310	4549734711524			HA	HAA	JPN	8471.5000.00
<b>Makine Otomasyon KontrolörleriNX1</b>											
NX102-1000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,462.00	EC000236	682580	4549734205313	#		HA	HAB	CHN	8471.4100.00
NX102-1020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,899.00	EC000236	683383	4549734205351	#		HA	HAB	CHN	8471.4100.00
NX102-1100	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,074.00	EC000236	682581	4549734205320	#		HA	HAB	CHN	8471.4100.00
NX102-1120	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,458.00	EC000236	683381	4549734205368	#		HA	HAB	CHN	8471.4100.00
NX102-1200	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,178.00	EC000236	682578	4549734205337	#		HA	HAB	CHN	8471.4100.00
NX102-1220	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,459.00	EC000236	683384	4549734205375	#		HA	HAB	CHN	8471.4100.00
NX102-9000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	1,847.00	EC000236	682579	4549734205306	#		HA	HAB	CHN	8471.4100.00
NX102-9020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,345.00	EC000236	683382	4549734205344	#		HA	HAB	CHN	8471.4100.00
<b>Makine Otomasyon KontrolörleriNX1</b>											
NX-END02	Yedek parça - NX1P denetleyicisi için uc plakası	19.00	EC002584	680107	4548583866553			HA	HAB	CHN	8471.6070.00
<b>Hareket Kontrolörleri CK3E</b>											
CK3E-1210	Programmable Multi-Axis Controller uPower PMAC, 8 axes	3,844.00	EC000236	700996	4549734695275	#		HA	HAC	JPN	8471.4100.00
CK3E-1310	Programmable Multi-Axis Controller uPower PMAC, 16 axes	5,580.00	EC000236	700995	4549734695282			HA	HAC	JPN	8471.4100.00
CK3E-1410	Programmable Multi-Axis Controller uPower PMAC, 32 axes	8,830.00	EC000236	700994	4549734695299			HA	HAC	JPN	8471.4100.00
<b>Hareket Kontrolörleri CK3M</b>											
CK3W-AD2100	CK3W Analog IN, 4 points, +/-10 V, 16 bit (full scale)	1,428.00	EC001420	689322	4549734537902			HA	HAD	CHN	8471.6070.00
CK3W-AD3100	CK3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)	1,758.00	EC001420	689321	4549734537896			HA	HAD	CHN	8471.6070.00
CK3W-MD7120	CK3W Digital I/O, IN/OUT, 16/16, PNP	1,098.00	EC001419	689320	4549734537889			HA	HAD	CHN	8471.6070.00
CK3W-PD048	CK3W Power Supply Unit for CK3M-CPU1Q1, 5 VDC / 24 VDC, max current 8 A (5 VDC)	358.50	EC000599	684962	4549734278881			HA	HAD	JPN	8471.8000.00
<b>Makine Otomasyon KontrolörleriNX1P2</b>											
NX1P2-1040DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,312.00	EC000236	672500	4548583866454			HA	HAE	CHN	8471.4100.00
NX1P2-1040DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,312.00	EC000236	672504	4548583866461	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,908.00	EC000236	672510	4548583866478	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,908.00	EC000236	672501	4548583866485	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT	Sysmac NX1P CPU, 24 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	973.50	EC000236	672509	4548583866430			HA	HAE	CHN	8471.4100.00
NX1P2-9024DT1	Sysmac NX1P CPU, 24 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	982.00	EC000236	672498	4548583866447	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT	Sysmac NX1P CPU with 24 Dijital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	691.50	EC000236	689915	4549734556712			HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT1	Sysmac NX1P CPU with 24 Dijital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	691.50	EC000236	689914	4549734556729	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT	Sysmac NX1P CPU with 40 Dijital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	873.50	EC000236	689913	4549734556736			HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT1	Sysmac NX1P CPU with 40 Dijital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	873.50	EC000236	689912	4549734556743	#		HA	HAE	CHN	8471.4100.00
<b>NX1P seçenek kartları?</b>											
NX1W-ADB21	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog giriş, 0 to 10 V, çözünürlük 1/4000 veya 0 to 20 mA, çözünürlük 1/2000	120.00	EC001596	672499	4548583866522	#		HA	HAF	CHN	8471.6070.00
NX1W-CIF01	Sysmac NX1P RS-232C vidasz (15 m max.) opsiyonel seri haberleşme kartı	59.50	EC001604	672505	4548583866492	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF11	Sysmac NX1P RS422/485 vidasz (50 m max.) opsiyonel seri haberleşme kartı	59.50	EC001604	672502	4548583866508	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF12	Sysmac NX1P RS422/485 vidasz (zole 500 m max.) opsiyonel seri haberleşme kartı	119.10	EC001604	672503	4548583866515	#		HA	HAF	CHN	8471.8000.00
NX1W-DAB21V	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog çıkış, 0 to 10 V, çözünürlük 1/4000	131.50	EC001596	672506	4548583866539	#		HA	HAF	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NX1W-MAB221</a>	<a href="#">Sysmac NX1P Analog I/O vidasız opsiyon kartı, 2 x analog inputs 0 to 10 V, çözünürlük 1:4000 veya 0 to 20 mA, çözünürlük 1:2000, 2 x analog outputs 0 to 10 V, çözünürlük 1:4000</a>	250.30	EC001596	<a href="#">672507</a>	4548583866546	#		HA	HAF	CHN	8471.6070.00
<b>Makine Kontrolörleri NX701</b>											
<a href="#">NX701-1600</a>	<a href="#">Sysmac NX7 CPU, 80MB hafıza, dahili EtherCat (128 servo eksenli, toplamda 512 Ethercat cihaz) ve 2 Ethernet IP pveyatu</a>	6,225.00	EC000236	<a href="#">418668</a>	4548583593695			HA	HAG	JPN	8471.4100.00
<a href="#">NX701-1620</a>	<a href="#">Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP port</a>	9,365.00	EC000236	<a href="#">680732</a>	4549734193863			HA	HAG	JPN	8471.4100.00
<b>Aksesuarlar NJ/ler ve NX1</b>											
<a href="#">NJ-PA3001</a>	<a href="#">Sysmac NJ güç kaynağı, 100-240 VAC, 30 W, "RUN" çıkış rölesi</a>	301.50	EC000599	<a href="#">355312</a>	4548583020665	#		HA	HAZ	CHN	8504.4030.00
<a href="#">NJ-PD3001</a>	<a href="#">Sysmac NJ güç kaynağı, 24 VDC, 30 W, "RUN" çıkış rölesi</a>	308.90	EC000599	<a href="#">355313</a>	4548583020672	#		HA	HAZ	CHN	8504.4030.00
<a href="#">NX-PA9001</a>	<a href="#">Sysmac NX güç kaynağı, 100-240 VAC, 90 W, "RUN" çıkış rölesi</a>	720.00	EC000599	<a href="#">418671</a>	4548583593725	#		HA	HAZ	JPN	8504.4030.00
<a href="#">NX-PD7001</a>	<a href="#">Sysmac NX güç kaynağı, 24 VDC, 70 W, "RUN" çıkış rölesi</a>	589.00	EC000599	<a href="#">418672</a>	4548583593732	#		HA	HAZ	JPN	8504.4030.00
<b>Aksesuarlar NJ/ler ve NX1</b>											
<a href="#">HMC-SD292</a>	<a href="#">2 GB SD hafıza kartı</a>	263.70	EC000192	707330	4549734719780			HA	HAZ	JPN	8471.9000.00
<a href="#">HMC-SD492</a>	<a href="#">4 GB SD memory card</a>	396.00	EC000192	703610	4549734719797			HA	HAZ	JPN	8471.9000.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-ID3317</a>	<a href="#">4 Dijital Giriş, Standart Hız, NPN 24 VDC, 12 mm genişlik</a>	61.30	EC001599	<a href="#">375601</a>	4548583353008			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3343</a>	<a href="#">4 Dijital Giriş, Yüksek hız, NPN 24 VDC, 12 mm genişlik</a>	119.60	EC001599	<a href="#">375607</a>	4548583353060			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3344</a>	<a href="#">4 Dijital Giriş, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 12 mm genişlik</a>	211.00	EC001599	<a href="#">377554</a>	4548583353084			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3417</a>	<a href="#">4 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik</a>	61.30	EC001599	<a href="#">686025</a>	4549734450478			HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID3443</a>	<a href="#">4 Dijital Giriş, Yüksek hız, PNP 24 VDC, 12 mm genişlik</a>	119.60	EC001599	<a href="#">375661</a>	4548583368378	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3444</a>	<a href="#">4 Dijital giriş, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 12 mm genişlik</a>	211.00	EC001599	<a href="#">377555</a>	4548583353091	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID4342</a>	<a href="#">8 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik</a>	81.35	EC001599	<a href="#">686026</a>	4549734450485	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID4442</a>	<a href="#">8 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik</a>	81.35	EC001599	<a href="#">686027</a>	4549734450492	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID5142-1</a>	<a href="#">16 Dijital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide</a>	138.00	EC001599	<a href="#">645477</a>	4548583572881	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID5142-5</a>	<a href="#">16 Dijital Giriş, Standart Hız, NPN/PNP 24 VDC, 30 mm genişlik, MIL konektör (dahil değildir)</a>	151.10	EC001599	<a href="#">393625</a>	4548583552029			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID5342</a>	<a href="#">16 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik</a>	140.30	EC001599	<a href="#">686028</a>	4549734450508	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID5442</a>	<a href="#">16 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik</a>	140.30	EC001599	<a href="#">686029</a>	4549734450515	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID6142-5</a>	<a href="#">32 Dijital giriş, Standart hız, NPN/PNP 24 VDC, 30 mm genişlik, MIL konektör (dahil değil)</a>	255.60	EC001599	<a href="#">393626</a>	4548583552036	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID6142-6</a>	<a href="#">32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide</a>	255.60	EC001599	<a href="#">646854</a>	4548583572898	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-OC2633</a>	<a href="#">2 Dijital çıkış, Standart NA röle, 2 A, 250 VAC, 12 mm genişlik</a>	76.75	EC001599	<a href="#">686030</a>	4549734450522			HB	HBA	NLD	8471.6070.00
<a href="#">NX-OC2733</a>	<a href="#">2 Dijital Çıkış, NA+NK röle, 2 A, 250 VAC, 12 mm genişlik</a>	80.50	EC001599	<a href="#">686031</a>	4549734450539			HB	HBA	NLD	8471.6070.00
<a href="#">NX-OC4633</a>	<a href="#">8 Dijital Çıkış, NA Röle, 2A, 250VAC, 24mm genişlik</a>	200.80	EC001599	<a href="#">672508</a>	4548583863569	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD2154</a>	<a href="#">2 Dijital Çıkış, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 0.5 A/point, 1 A/NX ünitesi, 12 mm genişlik</a>	155.20	EC001599	<a href="#">377556</a>	4548583407596	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD2258</a>	<a href="#">2 Dijital çıkış, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 0.5 A/point, 1 A/NX Ünite, 12 mm genişlik</a>	155.20	EC001599	<a href="#">377557</a>	4548583407602	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3121</a>	<a href="#">4 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik</a>	69.70	EC001599	<a href="#">375608</a>	4548583353114			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3153</a>	<a href="#">4 Dijital Çıkış, Yüksek hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik</a>	133.10	EC001599	<a href="#">375614</a>	4548583353176			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3256</a>	<a href="#">4 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik</a>	65.95	EC001599	<a href="#">686032</a>	4549734450546			HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD3257</a>	<a href="#">4 Dijital çıkış, Yüksek hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik</a>	127.10	EC001599	<a href="#">375615</a>	4548583353183			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3268</a>	<a href="#">4 Dijital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX unit, screwless push-in connector, 12 mm wide</a>	90.00	EC001599	<a href="#">646461</a>	4548583572928	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD4121</a>	<a href="#">8 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 12 mm genişlik</a>	91.50	EC001599	<a href="#">375610</a>	4548583353138	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD4256</a>	<a href="#">8 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik</a>	96.50	EC001599	<a href="#">686033</a>	4549734450553	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD5121</a>	<a href="#">16 Dijital çıkış, Standart hız, NPN 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik</a>	150.80	EC001599	<a href="#">686034</a>	4549734450560	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD5121-5</a>	<a href="#">16 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konektör (dahil değil)</a>	161.70	EC001599	<a href="#">393627</a>	4548583552043			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD5256</a>	<a href="#">16 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik</a>	150.80	EC001599	<a href="#">686035</a>	4549734450577	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD5256-1</a>	<a href="#">16 Dijital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide</a>	195.60	EC001599	<a href="#">645603</a>	4548583572935			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD5256-5</a>	<a href="#">16 Dijital Çıkış, Standart Hız, PNP 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konektör (dahil değil)</a>	166.20	EC001599	<a href="#">393629</a>	4548583552067			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD6121-5</a>	<a href="#">32 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konektör (dahil değil)</a>	274.50	EC001599	<a href="#">393628</a>	4548583552050			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD6121-6</a>	<a href="#">32 Dijital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide</a>	274.50	EC001599	<a href="#">645602</a>	4548583572911	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD6256-5</a>	<a href="#">32 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 30 mm genişlik, MIL konektör (dahil değil)</a>	274.50	EC001599	<a href="#">393630</a>	4548583552074	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-MD6121-5</a>	<a href="#">16 Dijital Giriş + 16 Dijital NPN Çıkış, Standart Hız, 24 VDC, 30 mm genişlik, MIL konektör (dahil değil)</a>	265.30	EC001599	<a href="#">393631</a>	4548583552081			HB	HBA	CHN	8471.6070.00
<a href="#">NX-MD6121-6</a>	<a href="#">16 Dijital Inputs + 16 Dijital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide</a>	265.30	EC001599	<a href="#">646462</a>	4548583572942			HB	HBA	CHN	8471.6070.00
<a href="#">NX-MD6256-5</a>	<a href="#">16 Dijital Giriş + 16 Dijital PNP Çıkış, Standart Hız, 24 VDC, 30 mm genişlik, MIL konektör (dahil değil)</a>	265.30	EC001599	<a href="#">393632</a>	4548583552098			HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-AD2203</a>	<a href="#">2 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	241.30	EC001596	<a href="#">686016</a>	4549734450386	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-AD2204</a>	<a href="#">2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	241.30	EC001596	<a href="#">375627</a>	4548583353336			HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD2208</a>	<a href="#">2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	310.10	EC001596	<a href="#">375628</a>	4548583353343	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD2603</a>	<a href="#">2 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	241.30	EC001596	<a href="#">686017</a>	4549734450393	#		HB	HBA	NLD	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-AD2604	2 Analog Giriş +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241.30	EC001596	375618	4548583353244	#		HB	HBA	CHN	8471.6070.00
NX-AD2608	2 Analog Giriş +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	310.10	EC001596	375619	4548583353251	#		HB	HBA	CHN	8471.6070.00
NX-AD3203	4 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	686018	4549734450409	#		HB	HBA	NLD	8471.6070.00
NX-AD3204	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	686019	4549734450416	#		HB	HBA	NLD	8471.6070.00
NX-AD3208	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	428.10	EC001596	375631	4548583353374	#		HB	HBA	CHN	8471.6070.00
NX-AD3603	4 Analog Giriş +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	375620	4548583353268	#		HB	HBA	CHN	8471.6070.00
NX-AD3604	4 Analog Giriş +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	375621	4548583353275	#		HB	HBA	CHN	8471.6070.00
NX-AD3608	4 Analog Giriş +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	428.10	EC001596	375622	4548583353282	#		HB	HBA	CHN	8471.6070.00
NX-AD4203	8 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	686020	4549734450423	#		HB	HBA	NLD	8471.6070.00
NX-AD4204	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	686021	4549734450430	#		HB	HBA	NLD	8471.6070.00
NX-AD4208	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	549.50	EC001596	375634	4548583353404	#		HB	HBA	CHN	8471.6070.00
NX-AD4603	8 Analog Giriş +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	375623	4548583353299	#		HB	HBA	CHN	8471.6070.00
NX-AD4604	8 Analog Giriş +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	375624	4548583353305	#		HB	HBA	CHN	8471.6070.00
NX-AD4608	8 Analog Giriş +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	549.50	EC001596	375625	4548583353312	#		HB	HBA	CHN	8471.6070.00
NX-HAD402	4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5 V, 0 to 20 mA, 4 to 20 mA, differential, resolution 16 bit, 5 µs/ch, screwless push-in connector, 24 mm wide, PNP	1,252.00	EC001596	682695	4549734209663			HB	HBA	CHN	8471.6070.00
NX-HB3101	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 NPN Çıkış, vidasız push-in bağlantı, 12 mm genişlik	472.40	EC001597	670521	4548583801981			HB	HBA	CHN	8471.6070.00
NX-HB3201	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 PNP Çıkış, vidasız push-in bağlantı, 12 mm genişlik	472.40	EC001597	670522	4548583801998	#		HB	HBA	CHN	8471.6070.00
NX-RS1201	1 x Load Cell Giriş, -5.0 to 5.0 mV/V, 24 bit, 125 µs, vidasız push-in bağlantı, 12 mm genişlik	572.00	EC001596	670275	4548583799158	#		HB	HBA	JPN	8471.6070.00
NX-RS1201-K	1 x Load Cell input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide	821.50	EC001596	674186	4549734110235			HB	HBA	JPN	8471.6070.00
NX-TS2101	2 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WRe5-26, Pt100, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik	281.60	EC001596	377373	4548583353497	#		HB	HBA	CHN	8471.6070.00
NX-TS2102	2 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WRe5-26, Pt100, çözünürlük 0.01°C, 10 ms/ünitesi, 12 mm genişlik	453.40	EC001596	380149	4548583353503			HB	HBA	CHN	8471.6070.00
NX-TS2201	2 Sıcaklık Sensörü Giriş, RTD Pt100 (3-kablolu), Pt1000, çözünürlük 0.1 °C, 250 ms/Ünite, 12 mm genişlik	281.60	EC001596	375643	4548583353558	#		HB	HBA	CHN	8471.6070.00
NX-TS2202	2 Sıcaklık Sensörü Giriş, Pt100 (3-kablolu), çözünürlük 0.01°C, 10 ms/ünitesi, 12 mm genişlik	453.40	EC001596	380136	4548583353565			HB	HBA	CHN	8471.6070.00
NX-TS2204	2 Sıcaklık Sensörü Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünitesi, 12 mm genişlik	453.40	EC001596	380137	4548583353572	#		HB	HBA	CHN	8471.6070.00
NX-TS3101	4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WRe5-26, Pt100, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik	358.90	EC001596	377374	4548583353527	#		HB	HBA	CHN	8471.6070.00
NX-TS3102	4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WRe5-26, Pt100, çözünürlük 0.01°C, 10 ms/ünitesi, 24 mm genişlik	579.00	EC001596	380135	4548583353534			HB	HBA	CHN	8471.6070.00
NX-TS3104	4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WRe5-26, Pt100, çözünürlük 0.001°C, 60 ms/ünitesi, 24 mm genişlik	579.00	EC001596	380150	4548583353541			HB	HBA	CHN	8471.6070.00
NX-TS3201	4 Sıcaklık Sensörü Giriş, RTD Pt100 (3-kablolu), Pt1000, çözünürlük 0.1 °C, 250 ms/Ünite, 24 mm genişlik	358.90	EC001596	375644	4548583353589	#		HB	HBA	CHN	8471.6070.00
NX-TS3202	4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	579.00	EC001596	380138	4548583353596			HB	HBA	CHN	8471.6070.00
NX-TS3204	4 Sıcaklık Sensörü Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünitesi, 24 mm genişlik	579.00	EC001596	380139	4548583353602			HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
NX-DA2203	2 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	264.00	EC001596	375639	4548583353459	#		HB	HBA	CHN	8471.6070.00
NX-DA2205	2 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	321.10	EC001596	375640	4548583353466			HB	HBA	CHN	8471.6070.00
NX-DA2603	2 Analog Çıkış +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	264.00	EC001596	686022	4549734450447	#		HB	HBA	NLD	8471.6070.00
NX-DA2605	2 Analog Çıkış +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	332.10	EC001596	375636	4548583353428			HB	HBA	CHN	8471.6070.00
NX-DA3203	4 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	302.40	EC001596	686023	4549734450454	#		HB	HBA	NLD	8471.6070.00
NX-DA3205	4 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	448.70	EC001596	375642	4548583353480			HB	HBA	CHN	8471.6070.00
NX-DA3603	4 Analog Çıkış +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	302.40	EC001596	686024	4549734450461	#		HB	HBA	NLD	8471.6070.00
NX-DA3605	4 Analog Çıkış +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	448.70	EC001596	375638	4548583353442	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
NX-EC0112	1 Incremental Encoder NPN Giriş, Faz A ve B; Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	287.70	EC001601	392633	4548583552104			HB	HBA	CHN	8471.6070.00
NX-EC0122	1 Incremental Encoder PNP Giriş, Faz A ve B; Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	268.80	EC001601	375645	4548583353619	#		HB	HBA	CHN	8471.6070.00
NX-EC0132	1 Incremental Encoder Line driver Giriş, Faz A ve B; Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, NPN, 24 mm genişlik	448.70	EC001601	392635	4548583552128			HB	HBA	CHN	8471.6070.00
NX-EC0142	1 Incremental Encoder Line driver Giriş, Faz A ve B; Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, PNP, 24 mm genişlik	416.40	EC001601	375647	4548583353633	#		HB	HBA	CHN	8471.6070.00
NX-EC0212	2 Incremental Encoder NPN Giriş, Faz A ve B; Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	321.20	EC001601	392634	4548583552111	#		HB	HBA	CHN	8471.6070.00
NX-EC0222	2 Incremental Encoder PNP Giriş, Faz A ve B; Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	299.40	EC001601	375646	4548583353626	#		HB	HBA	CHN	8471.6070.00
NX-ECS112	1 SSI Encoder Giriş, EIA Standart RS-422-A, 32 bits max veri uzunluğu, 12 mm genişlik	378.40	EC001601	375648	4548583353640			HB	HBA	CHN	8471.6070.00
NX-ECS212	2 SSI Encoder Giriş, EIA Standart RS-422-A, 32 bits max veri uzunluğu, 12mm genişlik	448.70	EC001601	375649	4548583353657			HB	HBA	CHN	8471.6070.00
NX-PG0112	1 Puls Çıkış ileri/geri yön puls Çıkış veya puls + yön Çıkış, NPN, 12 mm genişlik	339.60	EC001601	392636	4548583552135			HB	HBA	CHN	8471.6070.00
NX-PG0122	1 Puls Çıkış ileri/geri yön puls Çıkış veya puls + yön Çıkış, PNP, 12 mm genişlik	316.70	EC001601	375650	4548583353664	#		HB	HBA	CHN	8471.6070.00
NX-PG0232-5	2 x Line Driver Puls Çıkış, NPN, 4 Mpps, 1 x MLL connector, 12 mm genişlik	755.50	EC001601	670274	4548583783461			HB	HBA	JPN	8471.6070.00
NX-PG0242-5	2 x Line Driver Puls Çıkış, PNP, 4 Mpps, 1 x MLL connector, 12 mm genişlik	755.50	EC001601	670276	4548583783478			HB	HBA	JPN	8471.6070.00
NX-PG0332-5	4 x Line Driver Puls Çıkış, NPN, 4 Mpps, 2 x MLL connectors, 24 mm genişlik	1,078.00	EC001601	670273	4548583783447			HB	HBA	JPN	8471.6070.00
NX-PG0342-5	4 x Line Driver Puls Çıkış, PNP, 4 Mpps, 2 x MLL connectors, 24 mm genişlik	1,078.00	EC001601	670272	4548583783454			HB	HBA	JPN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
NX-CIF101	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-232C, bastrmal terminal, 12 mm genişlik	440.60	EC001604	656498	4548583588653	#		HB	HBA	JPN	8471.8000.00
NX-CIF105	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-422/485C, bastrmal terminal, 12 mm genişlik	440.60	EC001604	656497	4548583588660	#		HB	HBA	JPN	8471.8000.00
NX-CIF210	Seri Haberleşme Arayüzü Ünitesi, 2 x RS-232C, 9-pin D-sub, 30 mm genişlik	518.50	EC001604	656499	4548583588677			HB	HBA	JPN	8471.8000.00
<b>NX Serisi Uzak G/C</b>											
NX-TC2405	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs, 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	455.30	EC001597	680545	4549734191388	#		HB	HBA	CHN	8471.6070.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NX-TC2406</a>	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs, 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	417,30	EC001597	<a href="#">680937</a>	4549734191395	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC2407</a>	2 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs, 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	429,00	EC001597	<a href="#">680542</a>	4549734191401	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC2408</a>	2 loops, Thermocouple/Pt100 input, 2 Analog Outputs, 4-20 mA, resolution 1:10000, Heat or Cool control, Push-in Plus terminals	487,50	EC001597	<a href="#">680541</a>	4549734191418	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC3405</a>	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs, 24 VDC, 21 mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	579,50	EC001597	<a href="#">680543</a>	4549734191425	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC3406</a>	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs, 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	521,50	EC001597	<a href="#">680544</a>	4549734191432	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC3407</a>	4 loops, Thermocouple/Pt100 input, PNP 8 Digital Outputs, 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	533,00	EC001597	<a href="#">680935</a>	4549734191449	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-EC203</a>	Uzak I/O, NX, 2 port EtherCAT Coupler, 125 µs döngü süresi, max I/O akımı 10 A, sonlandırıcı ile birlikte teslim edilir.	252,40	EC001603	<a href="#">419154</a>	4548583561939	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-EC202</a>	Uzak I/O, NX, EtherNet/IP Coupler, 63 I/O ünitesi, bağımsız güvenlik kontrolcüsünü destekler, 10A max	402,00	EC001603	<a href="#">399449</a>	4548583523333	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ILM400</a>	NX serisi IO-Link master IP20, 4 kanal	271,90	EC001599	<a href="#">671127</a>	4548583819139	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-PC0010</a>	NX G/C güç bağlantı ünitesi, IOG, 5-24 V DC Giriş, 16 terminal	52,80	EC001600	<a href="#">686036</a>	4549734450584	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PC0020</a>	NX G/C güç bağlantı ünitesi, IOV, 5-24 V DC Giriş, 16 terminal	52,80	EC001600	<a href="#">686037</a>	4549734450591	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PC0030</a>	NX G/C güç bağlantı ünitesi, IOV+IOG, 5-24 V DC Giriş, 8 + 8 terminal	52,80	EC001600	<a href="#">686038</a>	4549734450607	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PDI000</a>	NX bus ve G/C güç besleme, 24 V DC Giriş, non-isolated, 12 mm genişlik	95,65	EC001600	<a href="#">686039</a>	4549734450614	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PF0630</a>	NX G/C güç besleme ünitesi, 5-24 V DC Giriş, 8 terminal	66,15	EC001600	<a href="#">686040</a>	4549734450621	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PF0730</a>	Uzak I/O, NX, güç besleme ünitesi, 10A	59,00	EC001600	<a href="#">686041</a>	4549734450638	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PNC202</a>	NX-series PROFINET Coupler, 2 ports, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	553,00	EC001603	<a href="#">701999</a>	4549734710978	#		HB	HBA	CHN	8471.8000.00
<a href="#">NX-TBX01</a>	Ground bağlama terminali, 14 terminal	50,55	EC001600	<a href="#">375656</a>	4548583353725	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-AUX01</a>	NX-serisi aksesuar, DIN ray montajı ayrıncı, 1 sette 3 adet	24,26	EC002584	<a href="#">375659</a>	4548583364561	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-AUX02</a>	Terminal blok kodlama pinleri veya 10x NX I/O ünitesini (Terminal Blok: 30 pin, ünitesi: 30 pin)	12,20	EC002584	<a href="#">375660</a>	4548583365148	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-END01</a>	NX I/O serisi için sonlandırma kapağı (vedek amaçlı)	11,94	EC002584	<a href="#">375657</a>	4548583353732	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TBA082</a>	Replacement screwless push-in connector with 8 wiring terminals (marked A+B)	13,36	EC002584	<a href="#">380141</a>	4548583476516	#		HB	HBA	CHN	8536.9010.00
<a href="#">NX-TBA162</a>	Replacement screwless push-in connector with 16 wiring terminals (marked A+B)	11,95	EC002584	<a href="#">380143</a>	4548583476530	#		HB	HBA	CHN	8536.9010.00
<a href="#">NX-TBA162</a>	Replacement screwless push-in connector with 16 wiring terminals (marked C+D)	11,42	EC002584	<a href="#">380145</a>	4548583476554	#		HB	HBA	CHN	8536.9010.00
<a href="#">NX-TBC162</a>	Replacement screwless push-in connector with 16 wiring terminals (marked A+B+FG)	11,42	EC002584	<a href="#">380147</a>	4548583476578	#		HB	HBA	CHN	8536.9010.00
<b>NXR Serisi</b>											
<a href="#">NXR-ILM08C-FIT</a>	NXR Series IO-Link Master Unit IP67, 8 ports, EtherNet/IP	769,50	EC001599	<a href="#">695380</a>	4549734605632	#		HB	HBB	JPN	8471.6070.00
<b>NXR Serisi</b>											
<a href="#">NXR-ID166C-IL2</a>	NXR Series IO-Hub IP67, 16 input, 8x M12 connectors	376,40	EC001599	<a href="#">695388</a>	4549734605656	#		HB	HBB	JPN	8471.6070.00
<b>NXR Serisi</b>											
<a href="#">NXR-CD166C-IL2</a>	NXR Series IO-Hub IP67, 16 input/output, 8x M12 connectors	464,60	EC001599	<a href="#">695389</a>	4549734605649	#		HB	HBB	JPN	8471.6070.00
<b>NX Emniyet Ürünleri</b>											
<a href="#">NX-SL3300</a>	Güvenlik Kontrolörü, NX, 32 güvenli master bağlantı, 256 güvenli I/O ya kadar	359,80	EC000236	<a href="#">393736</a>	4548583556058	#		HC	HCA	CHN	8471.6070.00
<a href="#">NX-SL3500</a>	NX-serisi I/O, NX Güvenlik kontrolör, 1024 güvenli I/O ya kadar ve 2Mb hafıza kapasitesi	809,00	EC000236	<a href="#">393737</a>	4548583556065	#		HC	HCA	CHN	8471.6070.00
<a href="#">NX-SL5500</a>	Safety controller, CIP-S and EtherCAT, 128 safety master connections, up to 1024 safety I/O, 2 MB memory capacity, SD Backup/Restore supported	988,50	EC000236	<a href="#">684733</a>	4549734205702	#		HC	HCA	CHN	8471.6070.00
<a href="#">NX-SL5700</a>	Safety controller, CIP-S and EtherCAT, 254 safety master connections, up to 2032 safety I/O, 4 MB memory capacity, SD Backup/Restore supported	1,349,00	EC000236	<a href="#">684734</a>	4549734205696	#		HC	HCA	CHN	8471.6070.00
<b>NX Emniyet Ürünleri</b>											
<a href="#">NX-SID800</a>	8 Dijital Güvenlik Girişi, PNP, 24 VDC, 12 mm genişlik	446,60	EC001599	<a href="#">701996</a>	4549734450027	#		HC	HCA	NLD	8471.6070.00
<a href="#">NX-SIH400</a>	4 Dijital Güvenlik Girişi, PNP, 24 VDC, yüksek bağlanılabilirlik ünite, 12 mm genişlik	346,20	EC001599	<a href="#">702008</a>	4549734450058	#		HC	HCA	NLD	8471.6070.00
<b>NX Emniyet Ürünleri</b>											
<a href="#">NX-SOD400</a>	4 Dijital Güvenlik Çıkışı, PNP, 24 VDC, 0,5 A/nokta, 2,0 A/NX Ünite, 12 mm genişlik	383,00	EC001599	<a href="#">701995</a>	4549734450010	#		HC	HCA	NLD	8471.6070.00
<a href="#">NX-SOH200</a>	2 Dijital Güvenlik Çıkışı, PNP, 24 VDC, 2,0 A/nokta, 4,0 A/NX Ünite, 12 mm genişlik	333,30	EC001599	<a href="#">701997</a>	4549734450034	#		HC	HCA	NLD	8471.6070.00
<b>NX Emniyet Ürünleri</b>											
<a href="#">NX-CSG320</a>	Safety Gateway for CIP-Safety, SD-Card slot, iBus connection up to 10 A, Interface 1: Ethernet/IP port, Interface 2: CIP-Safety switching ports	1,280,00	EC001604	<a href="#">684732</a>	4549734205719	#		HC	HCA	CHN	8471.8000.00
<b>OAT Scara</b>											
<a href="#">I7010-16000</a>	SCARA Robot eCobra 600 Lite, 5,5 kg taşıma kapasitesi, 600 mm erişim, IP20	18,150,00	EC003245	<a href="#">684692</a>	4549734445207	#		IB	IBA	JPN	8479.5000.00
<a href="#">I7211-16000</a>	SCARA Robot eCobra 600 Pro, 5,5 kg taşıma kapasitesi, 600 mm erişim, IP20	23,590,00	EC003245	<a href="#">684694</a>	4549734445221	#		IB	IBA	JPN	8479.5000.00
<a href="#">I7211-18000</a>	SCARA Robot eCobra 800 Pro, 5,5 kg taşıma kapasitesi, 800 mm erişim, IP20	27,610,00	EC003245	<a href="#">684910</a>	4549734445252	#		IB	IBA	JPN	8479.5000.00
<a href="#">I7211-18400</a>	SCARA Robot eCobra 800 Inverted Pro, 5,5 kg taşıma kapasitesi, 800 mm erişim, IP20	30,530,00	EC003245	<a href="#">688769</a>	4549734676441	#		IB	IBA	USA	8479.5000.00
<a href="#">I7213-18000</a>	SCARA Robot eCobra 800 Pro (Add on), 5,5 kg taşıma kapasitesi, 800 mm erişim, IP20	27,610,00	EC003245	<a href="#">684912</a>	4549734445290	#		IB	IBA	JPN	8479.5000.00
<a href="#">RI-4-1166000</a>	eCobra 600 Standard, 5,5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	20,300,00	EC003245	<a href="#">695944</a>	4549734671156	#		IB	IBA	JPN	8479.5000.00
<a href="#">RI-4-1166010</a>	eCobra 600 Standard, 5,5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	23,040,00	EC003245	<a href="#">695943</a>	4549734671163	#		IB	IBA	JPN	8479.5000.00
<a href="#">RI-4-1168000</a>	eCobra 800 Standard, 5,5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	25,140,00	EC003245	<a href="#">695940</a>	4549734671194	#		IB	IBA	JPN	8479.5000.00
<a href="#">RI-4-1168010</a>	eCobra 800 Standard, 5,5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	27,910,00	EC003245	<a href="#">695939</a>	4549734671200	#		IB	IBA	JPN	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RI4-1168030	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	30,450.00	EC003245	695938	4549734671217			IB	IBA	JPN	8479.5000.00
RI4-2166000	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	25,070.00	EC003245	695942	4549734671170			IB	IBA	JPN	8479.5000.00
RI4-2166010	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	27,860.00	EC003245	695941	4549734671187			IB	IBA	JPN	8479.5000.00
RI4-2168000	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	29,340.00	EC003245	695937	4549734671224			IB	IBA	JPN	8479.5000.00
RI4-2168010	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	32,190.00	EC003245	695936	4549734671231			IB	IBA	JPN	8479.5000.00
RI4-2168030	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	34,720.00	EC003245	695935	4549734671248			IB	IBA	JPN	8479.5000.00
RS4-2053002	I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-FNET	11,140.00	EC003245	699544	4549734693011			IB	IBA	CHN	8479.5000.00
RS4-2054002	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-FNET	12,380.00	EC003245	699543	4549734693028	#		IB	IBA	CHN	8479.5000.00
RS4-2054102	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, iCS-FNET	12,380.00	EC003245	699541	4549734693066			IB	IBA	CHN	8479.5000.00
RS4-2055002	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-FNET	13,610.00	EC003245	699538	4549734693035	#		IB	IBA	CHN	8479.5000.00
RS4-2055004	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, iCS-FNET	14,840.00	EC003245	699537	4549734693042	#		IB	IBA	CHN	8479.5000.00
RS4-2055102	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, iCS-FNET	13,610.00	EC003245	699536	4549734693073			IB	IBA	CHN	8479.5000.00
RS4-2055104	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, iCS-FNET	14,690.00	EC003245	699535	4549734693080			IB	IBA	CHN	8479.5000.00
RS4-2056502	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FNET	26,890.00	EC003245	707758	4549734759557			IB	IBA	NLD	8479.5000.00
RS4-2056504	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FNET	28,060.00	EC003245	707761	4549734759588			IB	IBA	NLD	8479.5000.00
RS4-2056542	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FNET	36,410.00	EC003245	707760	4549734759571			IB	IBA	NLD	8479.5000.00
RS4-2056544	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FNET	37,560.00	EC003245	707763	4549734759601			IB	IBA	NLD	8479.5000.00
RS4-2056553	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FNET	29,580.00	EC003245	707759	4549734759564			IB	IBA	NLD	8479.5000.00
RS4-2056555	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FNET	30,720.00	EC003245	707762	4549734759595			IB	IBA	NLD	8479.5000.00
RS4-2056702	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FNET	26,890.00	EC003245	707764	4549734759618			IB	IBA	NLD	8479.5000.00
RS4-2056704	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FNET	28,060.00	EC003245	707767	4549734759649			IB	IBA	NLD	8479.5000.00
RS4-2056742	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1, Grease, iCS-FNET	36,410.00	EC003245	707766	4549734759632			IB	IBA	NLD	8479.5000.00
RS4-2056744	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1, Grease, iCS-FNET	37,560.00	EC003245	707769	4549734759663			IB	IBA	NLD	8479.5000.00
RS4-2056753	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1, Grease, iCS-FNET	29,580.00	EC003245	707765	4549734759625			IB	IBA	NLD	8479.5000.00
RS4-2056755	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1, Grease, iCS-FNET	30,720.00	EC003245	707768	4549734759656			IB	IBA	NLD	8479.5000.00
RS4-2057502	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FNET	28,060.00	EC003245	707770	4549734759670			IB	IBA	NLD	8479.5000.00
RS4-2057504	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FNET	29,240.00	EC003245	707773	4549734759700			IB	IBA	NLD	8479.5000.00
RS4-2057542	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FNET	37,560.00	EC003245	707772	4549734759694			IB	IBA	NLD	8479.5000.00
RS4-2057544	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FNET	38,690.00	EC003245	707775	4549734759724			IB	IBA	NLD	8479.5000.00
RS4-2057553	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FNET	30,720.00	EC003245	707771	4549734759687			IB	IBA	NLD	8479.5000.00
RS4-2057555	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FNET	31,850.00	EC003245	707774	4549734759717			IB	IBA	NLD	8479.5000.00
RS4-2057702	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FNET	28,060.00	EC003245	707776	4549734759731			IB	IBA	NLD	8479.5000.00
RS4-2057704	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FNET	29,240.00	EC003245	707779	4549734759762			IB	IBA	NLD	8479.5000.00
RS4-2057742	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1, Grease, iCS-FNET	37,560.00	EC003245	707778	4549734759755			IB	IBA	NLD	8479.5000.00
RS4-2057744	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1, Grease, iCS-FNET	38,690.00	EC003245	707781	4549734759786			IB	IBA	NLD	8479.5000.00
RS4-2057753	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1, Grease, iCS-FNET	30,720.00	EC003245	707777	4549734759748			IB	IBA	NLD	8479.5000.00
RS4-2057755	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1, Grease, iCS-FNET	31,850.00	EC003245	707780	4549734759779			IB	IBA	NLD	8479.5000.00
RS4-2058502	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FNET	29,240.00	EC003245	707782	4549734759793			IB	IBA	NLD	8479.5000.00
RS4-2058504	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FNET	30,410.00	EC003245	707785	4549734759823			IB	IBA	NLD	8479.5000.00
RS4-2058542	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FNET	38,690.00	EC003245	707786	4549734759816			IB	IBA	NLD	8479.5000.00
RS4-2058544	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FNET	39,840.00	EC003245	707783	4549734759847			IB	IBA	NLD	8479.5000.00
RS4-2058553	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FNET	31,850.00	EC003245	707787	4549734759809			IB	IBA	NLD	8479.5000.00
RS4-2058555	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FNET	33,000.00	EC003245	707784	4549734759830			IB	IBA	NLD	8479.5000.00
RS4-2058702	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FNET	29,240.00	EC003245	707788	4549734759854			IB	IBA	NLD	8479.5000.00
RS4-2058704	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FNET	30,410.00	EC003245	707791	4549734759885			IB	IBA	NLD	8479.5000.00
RS4-2058742	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1, Grease, iCS-FNET	38,690.00	EC003245	707790	4549734759878			IB	IBA	NLD	8479.5000.00
RS4-2058744	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1, Grease, iCS-FNET	39,840.00	EC003245	707793	4549734759908			IB	IBA	NLD	8479.5000.00
RS4-2058753	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1, Grease, iCS-FNET	31,850.00	EC003245	707789	4549734759861			IB	IBA	NLD	8479.5000.00
RS4-2058755	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1, Grease, iCS-FNET	33,000.00	EC003245	707792	4549734759892			IB	IBA	NLD	8479.5000.00
RS4-2063002	I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-FCAT	11,140.00	EC003245	708115	4549734766623			IB	IBA	CHN	8479.5000.00
RS4-2063102	I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, iCS-FCAT	11,140.00	EC003245	708111	4549734766661			IB	IBA	CHN	8479.5000.00
RS4-2064002	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-FCAT	12,380.00	EC003245	708114	4549734766630			IB	IBA	CHN	8479.5000.00
RS4-2064102	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, iCS-FCAT	12,380.00	EC003245	708110	4549734766678			IB	IBA	CHN	8479.5000.00
RS4-2065002	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-FCAT	13,610.00	EC003245	708113	4549734766647			IB	IBA	CHN	8479.5000.00
RS4-2065004	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, iCS-FCAT	14,840.00	EC003245	708112	4549734766654			IB	IBA	CHN	8479.5000.00
RS4-2065102	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, iCS-FCAT	13,610.00	EC003245	708109	4549734766685			IB	IBA	CHN	8479.5000.00
RS4-2065104	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, iCS-FCAT	14,840.00	EC003245	708108	4549734766692			IB	IBA	CHN	8479.5000.00
RS4-2066502	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FCAT	26,890.00	EC003245	708104	4549734704359			IB	IBA	NLD	8479.5000.00
RS4-2066504	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FCAT	28,060.00	EC003245	708103	4549734704366			IB	IBA	NLD	8479.5000.00
RS4-2066542	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FCAT	36,410.00	EC003245	703592	4549734738712			IB	IBA	NLD	8479.5000.00
RS4-2066544	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1, Grease, iCS-FCAT	37,560.00	EC003245	703591	4549734738729			IB	IBA	NLD	8479.5000.00
RS4-2066553	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FCAT	29,580.00	EC003245	703580	4549734738835			IB	IBA	NLD	8479.5000.00
RS4-2066555	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1, Grease, iCS-FCAT	30,720.00	EC003245	703579	4549734738842			IB	IBA	NLD	8479.5000.00
RS4-2066702	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FCAT	26,890.00	EC003245	708102	4549734704373			IB	IBA	NLD	8479.5000.00
RS4-2066704	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FCAT	28,060.00	EC003245	708101	4549734704380			IB	IBA	NLD	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tarif Code
RS4-2066742	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FCAT</a>	36,410.00	EC003245	<a href="#">703598</a>	4549734738651			IB	IBA	NLD	8479.5000.00
RS4-2066744	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FCAT</a>	37,560.00	EC003245	<a href="#">703597</a>	4549734738668			IB	IBA	NLD	8479.5000.00
RS4-2066753	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FCAT</a>	29,580.00	EC003245	<a href="#">703586</a>	4549734738774			IB	IBA	NLD	8479.5000.00
RS4-2066755	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FCAT</a>	30,720.00	EC003245	<a href="#">703585</a>	4549734738781			IB	IBA	NLD	8479.5000.00
RS4-2067502	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FCAT</a>	28,060.00	EC003245	<a href="#">708100</a>	4549734704397			IB	IBA	NLD	8479.5000.00
RS4-2067504	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FCAT</a>	29,240.00	EC003245	<a href="#">708099</a>	4549734704403			IB	IBA	NLD	8479.5000.00
RS4-2067542	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT</a>	37,560.00	EC003245	<a href="#">703590</a>	4549734738736			IB	IBA	NLD	8479.5000.00
RS4-2067544	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT</a>	38,690.00	EC003245	<a href="#">703589</a>	4549734738743			IB	IBA	NLD	8479.5000.00
RS4-2067553	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FCAT</a>	30,720.00	EC003245	<a href="#">703578</a>	4549734738859			IB	IBA	NLD	8479.5000.00
RS4-2067555	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FCAT</a>	31,850.00	EC003245	<a href="#">703577</a>	4549734738866			IB	IBA	NLD	8479.5000.00
RS4-2067702	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FCAT</a>	28,060.00	EC003245	<a href="#">708098</a>	4549734704410			IB	IBA	NLD	8479.5000.00
RS4-2067704	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FCAT</a>	29,240.00	EC003245	<a href="#">708097</a>	4549734704427			IB	IBA	NLD	8479.5000.00
RS4-2067742	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FCAT</a>	37,560.00	EC003245	<a href="#">703596</a>	4549734738675			IB	IBA	NLD	8479.5000.00
RS4-2067744	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FCAT</a>	38,690.00	EC003245	<a href="#">703595</a>	4549734738682			IB	IBA	NLD	8479.5000.00
RS4-2067753	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FCAT</a>	30,720.00	EC003245	<a href="#">703584</a>	4549734738798			IB	IBA	NLD	8479.5000.00
RS4-2067755	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FCAT</a>	31,850.00	EC003245	<a href="#">703583</a>	4549734738804			IB	IBA	NLD	8479.5000.00
RS4-2068502	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FCAT</a>	29,240.00	EC003245	<a href="#">708096</a>	4549734704434			IB	IBA	NLD	8479.5000.00
RS4-2068504	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FCAT</a>	30,410.00	EC003245	<a href="#">708095</a>	4549734704441			IB	IBA	NLD	8479.5000.00
RS4-2068542	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT</a>	38,690.00	EC003245	<a href="#">703588</a>	4549734738750			IB	IBA	NLD	8479.5000.00
RS4-2068544	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT</a>	39,840.00	EC003245	<a href="#">703587</a>	4549734738767			IB	IBA	NLD	8479.5000.00
RS4-2068553	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FCAT</a>	31,850.00	EC003245	<a href="#">703576</a>	4549734738873			IB	IBA	NLD	8479.5000.00
RS4-2068555	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FCAT</a>	33,000.00	EC003245	<a href="#">703575</a>	4549734738880			IB	IBA	NLD	8479.5000.00
RS4-2068702	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FCAT</a>	29,240.00	EC003245	<a href="#">708094</a>	4549734704458			IB	IBA	NLD	8479.5000.00
RS4-2068704	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FCAT</a>	30,410.00	EC003245	<a href="#">708093</a>	4549734704465	#		IB	IBA	NLD	8479.5000.00
RS4-2068742	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FCAT</a>	38,690.00	EC003245	<a href="#">703594</a>	4549734738699			IB	IBA	NLD	8479.5000.00
RS4-2068744	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FCAT</a>	39,840.00	EC003245	<a href="#">703593</a>	4549734738705			IB	IBA	NLD	8479.5000.00
RS4-2068753	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FCAT</a>	31,850.00	EC003245	<a href="#">703582</a>	4549734738811			IB	IBA	NLD	8479.5000.00
RS4-2068755	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FCAT</a>	33,000.00	EC003245	<a href="#">703581</a>	4549734738828			IB	IBA	NLD	8479.5000.00
<b>OAT Delta</b>											
17203-45604	<a href="#">Homet 565, Add-On, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC</a>	32,790.00	EC003245	<a href="#">683062</a>	4549734263740			IB	IBB	NLD	8479.5000.00
17214-26001	<a href="#">Parallel Robot Quattro ePLC650H P31, 46.25° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling</a>	46,070.00	EC003245	<a href="#">683109</a>	4549734263771			IB	IBB	NLD	8479.5000.00
17214-26004	<a href="#">Parallel Robot Quattro ePLC650H P34, 185° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling</a>	46,070.00	EC003245	<a href="#">683111</a>	4549734263795			IB	IBB	NLD	8479.5000.00
RX3-2065600	<a href="#">IX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP20, ICS-FCAT</a>	29,780.00	EC003245	<a href="#">700740</a>	4549734704472			IB	IBB	NLD	8479.5000.00
RX3-2065604	<a href="#">IX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP20, ICS-FCAT</a>	34,730.00	EC003245	<a href="#">700742</a>	4549734704496			IB	IBB	NLD	8479.5000.00
RX3-2065610	<a href="#">IX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP65, ICS-FCAT</a>	31,010.00	EC003245	<a href="#">700741</a>	4549734704489			IB	IBB	NLD	8479.5000.00
RX3-2065614	<a href="#">IX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP65, ICS-FCAT</a>	35,960.00	EC003245	<a href="#">700743</a>	4549734704502			IB	IBB	NLD	8479.5000.00
RX4-2166000	<a href="#">IX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	45,880.00	EC003245	<a href="#">700744</a>	4549734704519			IB	IBB	NLD	8479.5000.00
RX4-2166001	<a href="#">IX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	45,880.00	EC003245	<a href="#">700747</a>	4549734704540			IB	IBB	NLD	8479.5000.00
RX4-2166002	<a href="#">IX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	45,880.00	EC003245	<a href="#">700750</a>	4549734704571			IB	IBB	NLD	8479.5000.00
RX4-2166004	<a href="#">IX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	45,880.00	EC003245	<a href="#">700753</a>	4549734704601			IB	IBB	NLD	8479.5000.00
RX4-2166010	<a href="#">IX4-650H5, 8 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700745</a>	4549734704526			IB	IBB	NLD	8479.5000.00
RX4-2166011	<a href="#">IX4-650H5, 3 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700748</a>	4549734704557			IB	IBB	NLD	8479.5000.00
RX4-2166012	<a href="#">IX4-650H5, 3 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700751</a>	4549734704588			IB	IBB	NLD	8479.5000.00
RX4-2166014	<a href="#">IX4-650H5, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700754</a>	4549734704618			IB	IBB	NLD	8479.5000.00
RX4-2166020	<a href="#">IX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	47,110.00	EC003245	<a href="#">700746</a>	4549734704533			IB	IBB	NLD	8479.5000.00
RX4-2166021	<a href="#">IX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	47,110.00	EC003245	<a href="#">700749</a>	4549734704564			IB	IBB	NLD	8479.5000.00
RX4-2166022	<a href="#">IX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	47,110.00	EC003245	<a href="#">700752</a>	4549734704595			IB	IBB	NLD	8479.5000.00
RX4-2166024	<a href="#">IX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	47,110.00	EC003245	<a href="#">700755</a>	4549734704625			IB	IBB	NLD	8479.5000.00
RX4-2166300	<a href="#">IX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	52,100.00	EC003245	<a href="#">700756</a>	4549734704632			IB	IBB	NLD	8479.5000.00
RX4-2166301	<a href="#">IX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	52,100.00	EC003245	<a href="#">700759</a>	4549734704663			IB	IBB	NLD	8479.5000.00
RX4-2166302	<a href="#">IX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	52,100.00	EC003245	<a href="#">700762</a>	4549734704694			IB	IBB	NLD	8479.5000.00
RX4-2166304	<a href="#">IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-FCAT</a>	52,100.00	EC003245	<a href="#">700765</a>	4549734704724			IB	IBB	NLD	8479.5000.00
RX4-2166310	<a href="#">IX4-800H5, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	59,650.00	EC003245	<a href="#">700757</a>	4549734704649			IB	IBB	NLD	8479.5000.00
RX4-2166311	<a href="#">IX4-800H5, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	59,650.00	EC003245	<a href="#">700760</a>	4549734704670			IB	IBB	NLD	8479.5000.00
RX4-2166312	<a href="#">IX4-800H5, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	59,650.00	EC003245	<a href="#">700763</a>	4549734704700			IB	IBB	NLD	8479.5000.00
RX4-2166314	<a href="#">IX4-800H5, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-FCAT</a>	59,650.00	EC003245	<a href="#">700766</a>	4549734704731			IB	IBB	NLD	8479.5000.00
RX4-2166320	<a href="#">IX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700758</a>	4549734704656			IB	IBB	NLD	8479.5000.00
RX4-2166321	<a href="#">IX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700761</a>	4549734704687			IB	IBB	NLD	8479.5000.00
RX4-2166322	<a href="#">IX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700764</a>	4549734704717			IB	IBB	NLD	8479.5000.00
RX4-2166324	<a href="#">IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-FCAT</a>	53,350.00	EC003245	<a href="#">700767</a>	4549734704748			IB	IBB	NLD	8479.5000.00
<b>OAT Eklemli</b>											
17201-36000	<a href="#">Articulated Robot Viper ePLC650, 5 kg taşıma kapasitesi, 653 mm erişim, IP40</a>	33,130.00	EC003245	<a href="#">687015</a>	4548583805330			IB	IBC		

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R16-2066000</a>	<a href="#">Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP40, EtherCAT</a>	37,610.00	EC003245	<a href="#">699099</a>	4549734685795			IB	IBC	JPN	8479.5000.00
<a href="#">R16-2066010</a>	<a href="#">Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP65, EtherCAT</a>	42,290.00	EC003245	<a href="#">699098</a>	4549734685801			IB	IBC	JPN	8479.5000.00
<a href="#">R16-2066020</a>	<a href="#">Viper 650, 5 kg payload, 653 mm reach, 6 axis, Cleanroom, EtherCAT</a>	46,130.00	EC003245	<a href="#">699097</a>	4549734685818			IB	IBC	JPN	8479.5000.00
<a href="#">R16-2068000</a>	<a href="#">Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP40, EtherCAT</a>	39,120.00	EC003245	<a href="#">699096</a>	4549734685825			IB	IBC	JPN	8479.5000.00
<a href="#">R16-2068010</a>	<a href="#">Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP65, EtherCAT</a>	46,260.00	EC003245	<a href="#">699095</a>	4549734685832			IB	IBC	JPN	8479.5000.00
<a href="#">R16-2068020</a>	<a href="#">Viper 850, 5 kg payload, 855 mm reach, 6 axis, Cleanroom, EtherCAT</a>	50,500.00	EC003245	<a href="#">699094</a>	4549734685849			IB	IBC	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
<a href="#">37032-00000</a>	<a href="#">Mobile Robot, LD-60, without Battery, with OS32C LIDAR</a>	32,020.00	EC000000	<a href="#">687561</a>	4549734491303			IB	IBD	JPN	8479.5000.00
<a href="#">37032-00002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-60, Charger, without Battery, with OS32C LIDAR</a>	34,690.00	EC000000	<a href="#">687599</a>	4549734491310			IB	IBD	JPN	8479.5000.00
<a href="#">37032-10004</a>	<a href="#">Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR</a>	36,380.00	EC000000	<a href="#">687560</a>	4549734491327	#		IB	IBD	JPN	8479.5000.00
<a href="#">37032-20000</a>	<a href="#">Mobile Robot, LD-60, FSD, without Battery, with OS32C LIDAR</a>	37,830.00	EC000000	<a href="#">687554</a>	4549734491396			IB	IBD	JPN	8479.5000.00
<a href="#">37032-20002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-60, FSD, Charger, without Battery, with OS32C LIDAR</a>	40,500.00	EC000000	<a href="#">687553</a>	4549734491402			IB	IBD	JPN	8479.5000.00
<a href="#">37032-20004</a>	<a href="#">Mobile Robot Starter Kit, LD-60, FSD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR</a>	42,190.00	EC000000	<a href="#">687552</a>	4549734491419			IB	IBD	JPN	8479.5000.00
<a href="#">37042-00000</a>	<a href="#">Mobile Robot, LD-90, without Battery, with OS32C LIDAR</a>	32,020.00	EC000000	<a href="#">687559</a>	4549734491334			IB	IBD	JPN	8479.5000.00
<a href="#">37042-00002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-90, Charger, without Battery, with OS32C LIDAR</a>	34,690.00	EC000000	<a href="#">687600</a>	4549734491341	#		IB	IBD	JPN	8479.5000.00
<a href="#">37042-10004</a>	<a href="#">Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR</a>	36,380.00	EC000000	<a href="#">687558</a>	4549734491358			IB	IBD	JPN	8479.5000.00
<a href="#">37042-20000</a>	<a href="#">Mobile Robot, LD-90, FSD, without Battery, with OS32C LIDAR</a>	37,830.00	EC000000	<a href="#">687551</a>	4549734491426			IB	IBD	JPN	8479.5000.00
<a href="#">37042-20002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-90, FSD, Charger, without Battery, with OS32C LIDAR</a>	40,500.00	EC000000	<a href="#">687550</a>	4549734491433			IB	IBD	JPN	8479.5000.00
<a href="#">37042-20004</a>	<a href="#">Mobile Robot Starter Kit, LD-90, FSD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR</a>	42,190.00	EC000000	<a href="#">687549</a>	4549734491440			IB	IBD	JPN	8479.5000.00
<a href="#">37222-00000</a>	<a href="#">Mobile Robot, LD-250, with OS32C LIDAR, without Battery</a>	43,640.00	EC000000	<a href="#">690743</a>	4549734578646			IB	IBD	JPN	8479.5000.00
<a href="#">37222-00002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-250, with Charger, OS32C LIDAR, without Battery</a>	46,320.00	EC000000	<a href="#">690744</a>	4549734578653	#		IB	IBD	JPN	8479.5000.00
<a href="#">37222-10004</a>	<a href="#">Mobile Robot Starter Kit, LD-250, with Charger, Joystick, Top Plate, OS32C LIDAR, without Battery</a>	48,020.00	EC000000	<a href="#">690745</a>	4549734578660			IB	IBD	JPN	8479.5000.00
<a href="#">37222-20000</a>	<a href="#">Mobile Robot, LD-250, FSD, without Battery</a>	51,550.00	EC000000	<a href="#">699234</a>	4549734670982			IB	IBD	JPN	8479.5000.00
<a href="#">37222-20002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-250, FSD, with Charger, without Battery</a>	54,200.00	EC000000	<a href="#">699233</a>	4549734670999			IB	IBD	JPN	8479.5000.00
<a href="#">37222-20004</a>	<a href="#">Mobile Robot Starter Kit, LD-250, FSD, with Charger, Joystick, Top Plate, without Battery</a>	55,900.00	EC000000	<a href="#">699232</a>	4549734671002			IB	IBD	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
<a href="#">37142-00010</a>	<a href="#">Mobile Robot, LD-105CT, without Battery, with OS32C LIDAR</a>	77,150.00	EC000000	<a href="#">688848</a>	4549734549707			IB	IBD	JPN	8479.5000.00
<a href="#">37142-00012</a>	<a href="#">Mobile Robot Docking Station Kit, LD-105CT, with Charger, without Battery, with OS32C LIDAR</a>	80,300.00	EC000000	<a href="#">688849</a>	4549734549714			IB	IBD	JPN	8479.5000.00
<a href="#">37142-01014</a>	<a href="#">Mobile Robot Starter Kit, LD-105CT, with Charger, without battery, Joystick, Acuity, Cart, with OS32C LIDAR</a>	89,700.00	EC000000	<a href="#">688850</a>	4549734549721			IB	IBD	JPN	8479.5000.00
<a href="#">37162-00010</a>	<a href="#">Mobile Robot, LD-130CT, without Battery, with OS32C LIDAR</a>	77,150.00	EC000000	<a href="#">688851</a>	4549734549738			IB	IBD	JPN	8479.5000.00
<a href="#">37162-00012</a>	<a href="#">Mobile Robot Docking Station, LD-130CT, with Charger, without Battery, with OS32C LIDAR</a>	80,300.00	EC000000	<a href="#">688852</a>	4549734549745			IB	IBD	JPN	8479.5000.00
<a href="#">37162-01014</a>	<a href="#">Mobile Robot Starter Kit, LD-130CT, with Charger, without battery, Joystick, Acuity, Cart, with OS32C LIDAR</a>	89,700.00	EC000000	<a href="#">688853</a>	4549734549752			IB	IBD	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
<a href="#">20452-000</a>	<a href="#">Mobile Robot Battery for all LD</a>	4,681.00	EC000000	<a href="#">690742</a>	4549734580120			IB	IBD	USA	8507.6000.90
<b>OAT İşbirlikçi Robotlar</b>											
<a href="#">R16-0007001</a>	<a href="#">Bundle, Cobot, TMS-700, HW3.2</a>	28,730.00	EC003245	<a href="#">701888</a>	4549734596527			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0007002</a>	<a href="#">Bundle, Cobot, TMS-700, 12 m cable, HW3.2</a>	29,930.00	EC003245	<a href="#">701889</a>	4549734596534			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0007021</a>	<a href="#">Bundle, Cobot, TMS-700, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701923</a>	4549734671354			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0007022</a>	<a href="#">Bundle, Cobot, TMS-700, 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	31,130.00	EC003245	<a href="#">701924</a>	4549734671361			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0007031</a>	<a href="#">Bundle, Cobot, TMS-700, HW3.2, Food Grade Grease</a>	31,610.00	EC003245	<a href="#">707032</a>	4549734751728			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0007041</a>	<a href="#">Bundle, Cobot, TMS-700, HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	32,930.00	EC003245	<a href="#">707024</a>	4549734751803			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0009001</a>	<a href="#">Bundle, Cobot, TMS-900, HW3.2</a>	28,730.00	EC003245	<a href="#">701895</a>	4549734596596	#		IB	IBE	TWN	8479.5000.00
<a href="#">R16-0009002</a>	<a href="#">Bundle, Cobot, TMS-900, 12 m cable, HW3.2</a>	29,930.00	EC003245	<a href="#">701896</a>	4549734596602			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0009021</a>	<a href="#">Bundle, Cobot, TMS-900, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701929</a>	4549734671415			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0009022</a>	<a href="#">Bundle, Cobot, TMS-900, 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	31,130.00	EC003245	<a href="#">701930</a>	4549734671422			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0009031</a>	<a href="#">Bundle, Cobot, TMS-900, HW3.2, Food Grade Grease</a>	31,610.00	EC003245	<a href="#">707031</a>	4549734751735			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0009041</a>	<a href="#">Bundle, Cobot, TMS-900, HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	32,930.00	EC003245	<a href="#">707023</a>	4549734751810			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0017001</a>	<a href="#">Bundle, Cobot, TMSX-700 (model without camera), HW3.2</a>	27,530.00	EC003245	<a href="#">701890</a>	4549734596541			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0017002</a>	<a href="#">Bundle, Cobot, TMSX-700 (model without camera), 12 m cable, HW3.2</a>	28,730.00	EC003245	<a href="#">701891</a>	4549734596558			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0017021</a>	<a href="#">Bundle, Cobot, TMSX-700 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP</a>	28,740.00	EC003245	<a href="#">701925</a>	4549734671378			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0017022</a>	<a href="#">Bundle, Cobot, TMSX-700 (model without camera), 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701926</a>	4549734671385			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0017031</a>	<a href="#">Bundle, Cobot, TMSX-700 (model without camera), HW3.2, Food Grade Grease</a>	30,290.00	EC003245	<a href="#">707030</a>	4549734751742			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0017041</a>	<a href="#">Bundle, Cobot, TMSX-700 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	31,620.00	EC003245	<a href="#">707022</a>	4549734751827			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0019001</a>	<a href="#">Bundle, Cobot, TMSX-900 (model without camera), HW3.2</a>	27,530.00	EC003245	<a href="#">701898</a>	4549734596626			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0019002</a>	<a href="#">Bundle, Cobot, TMSX-900 (model without camera), 12 m cable, HW3.2</a>	28,730.00	EC003245	<a href="#">701899</a>	4549734596633			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0019021</a>	<a href="#">Bundle, Cobot, TMSX-900 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP</a>	28,740.00	EC003245	<a href="#">701932</a>	4549734671446			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0019022</a>	<a href="#">Bundle, Cobot, TMSX-900 (model without camera), 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701933</a>	4549734671453			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0019031</a>	<a href="#">Bundle, Cobot, TMSX-900 (model without camera), HW3.2, Food Grade Grease</a>	30,290.00	EC003245	<a href="#">707029</a>	4549734751759			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0019041</a>	<a href="#">Bundle, Cobot, TMSX-900 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	31,620.00	EC003245	<a href="#">707021</a>	4549734751834			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0107001</a>	<a href="#">Bundle, Cobot, TMSM-700, HW3.2</a>	32,320.00	EC003245	<a href="#">701892</a>	4549734596565			IB	IBE	TWN	8479.5000.00
<a href="#">R16-0107011</a>	<a href="#">Bundle, Cobot, TMSM-700, Semi, HW3.2</a>	35,900.00	EC003245	<a href="#">701893</a>	4549734596572			IB	IBE	TWN	8479.5000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tarif Code
RT6-0107021	<a href="#">Bundle_Cobot_TM5M-700_HW3.2_PROFINET &amp; EtherNet/IP</a>	33,530.00	EC003245	<a href="#">701927</a>	4549734671392			IB	IBE	TWN	8479.5000.00
RT6-0109001	<a href="#">Bundle_Cobot_TM5M-900_HW3.2</a>	32,320.00	EC003245	<a href="#">701897</a>	4549734596619			IB	IBE	TWN	8479.5000.00
RT6-0109011	<a href="#">Bundle_Cobot_TM5M-900_Semi_HW3.2</a>	35,900.00	EC003245	<a href="#">701900</a>	4549734596640			IB	IBE	TWN	8479.5000.00
RT6-0109021	<a href="#">Bundle_Cobot_TM5M-900_HW3.2_PROFINET &amp; EtherNet/IP</a>	33,530.00	EC003245	<a href="#">701931</a>	4549734671439			IB	IBE	TWN	8479.5000.00
RT6-0117001	<a href="#">Bundle_Cobot_TM5MX-700(model without camera)_HW3.2</a>	31,120.00	EC003245	<a href="#">701894</a>	4549734596589			IB	IBE	TWN	8479.5000.00
RT6-0117021	<a href="#">Bundle_Cobot_TM5MX-700(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	32,330.00	EC003245	<a href="#">701928</a>	4549734671408			IB	IBE	TWN	8479.5000.00
RT6-0119001	<a href="#">Bundle_Cobot_TM5MX-900(model without camera)_HW3.2</a>	31,120.00	EC003245	<a href="#">701901</a>	4549734596657			IB	IBE	TWN	8479.5000.00
RT6-0119021	<a href="#">Bundle_Cobot_TM5MX-900(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	32,330.00	EC003245	<a href="#">701934</a>	4549734671460			IB	IBE	TWN	8479.5000.00
RT6-1001301	<a href="#">Bundle_Cobot_TM12_HW3.2</a>	39,500.00	EC003245	<a href="#">701902</a>	4549734596664	#		IB	IBE	TWN	8479.5000.00
RT6-1001302	<a href="#">Bundle_Cobot_TM12_12 m cable_HW3.2</a>	40,700.00	EC003245	<a href="#">701903</a>	4549734596671			IB	IBE	TWN	8479.5000.00
RT6-1001321	<a href="#">Bundle_Cobot_TM12_HW3.2_PROFINET &amp; EtherNet/IP</a>	40,720.00	EC003245	<a href="#">701935</a>	4549734671477			IB	IBE	TWN	8479.5000.00
RT6-1001322	<a href="#">Bundle_Cobot_TM12_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	41,910.00	EC003245	<a href="#">701936</a>	4549734671484			IB	IBE	TWN	8479.5000.00
RT6-1001331	<a href="#">Bundle_Cobot_TM12_HW3.2_Food Grade Grease</a>	43,440.00	EC003245	<a href="#">707028</a>	4549734751766			IB	IBE	TWN	8479.5000.00
RT6-1001341	<a href="#">Bundle_Cobot_TM12_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	44,790.00	EC003245	<a href="#">707020</a>	4549734751841			IB	IBE	TWN	8479.5000.00
RT6-1011301	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2</a>	38,300.00	EC003245	<a href="#">701904</a>	4549734596688			IB	IBE	TWN	8479.5000.00
RT6-1011302	<a href="#">Bundle_Cobot_TM12X(model without camera)_12 m cable_HW3.2</a>	39,500.00	EC003245	<a href="#">701905</a>	4549734596695			IB	IBE	TWN	8479.5000.00
RT6-1011321	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	39,520.00	EC003245	<a href="#">701937</a>	4549734671491	#		IB	IBE	TWN	8479.5000.00
RT6-1011322	<a href="#">Bundle_Cobot_TM12X(model without camera)_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	40,720.00	EC003245	<a href="#">701938</a>	4549734671507			IB	IBE	TWN	8479.5000.00
RT6-1011331	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2_Food Grade Grease</a>	42,140.00	EC003245	<a href="#">707026</a>	4549734751780			IB	IBE	TWN	8479.5000.00
RT6-1011341	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	43,470.00	EC003245	<a href="#">707018</a>	4549734751865			IB	IBE	TWN	8479.5000.00
RT6-1101301	<a href="#">Bundle_Cobot_TM12M_HW3.2</a>	43,100.00	EC003245	<a href="#">701906</a>	4549734596701			IB	IBE	TWN	8479.5000.00
RT6-1101311	<a href="#">Bundle_Cobot_TM12M_Semi_HW3.2</a>	47,880.00	EC003245	<a href="#">701907</a>	4549734596718			IB	IBE	TWN	8479.5000.00
RT6-1101321	<a href="#">Bundle_Cobot_TM12M_HW3.2_PROFINET &amp; EtherNet/IP</a>	44,310.00	EC003245	<a href="#">701939</a>	4549734671514			IB	IBE	TWN	8479.5000.00
RT6-1101331	<a href="#">Bundle_Cobot_TM12MX(model without camera)_HW3.2</a>	41,900.00	EC003245	<a href="#">701908</a>	4549734596725			IB	IBE	TWN	8479.5000.00
RT6-1101341	<a href="#">Bundle_Cobot_TM12MX(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,110.00	EC003245	<a href="#">701940</a>	4549734671521			IB	IBE	TWN	8479.5000.00
RT6-2001101	<a href="#">Bundle_Cobot_TM14_HW3.2</a>	41,900.00	EC003245	<a href="#">701909</a>	4549734596732			IB	IBE	TWN	8479.5000.00
RT6-2001102	<a href="#">Bundle_Cobot_TM14_12 m cable_HW3.2</a>	43,100.00	EC003245	<a href="#">701910</a>	4549734596749			IB	IBE	TWN	8479.5000.00
RT6-2001121	<a href="#">Bundle_Cobot_TM14_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,110.00	EC003245	<a href="#">701941</a>	4549734671538			IB	IBE	TWN	8479.5000.00
RT6-2001122	<a href="#">Bundle_Cobot_TM14_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	44,310.00	EC003245	<a href="#">701942</a>	4549734671545			IB	IBE	TWN	8479.5000.00
RT6-2001131	<a href="#">Bundle_Cobot_TM14_HW3.2_Food Grade Grease</a>	46,090.00	EC003245	<a href="#">707027</a>	4549734751773			IB	IBE	TWN	8479.5000.00
RT6-2001141	<a href="#">Bundle_Cobot_TM14_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	47,420.00	EC003245	<a href="#">707019</a>	4549734751858			IB	IBE	TWN	8479.5000.00
RT6-2011101	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2</a>	40,700.00	EC003245	<a href="#">701911</a>	4549734596756			IB	IBE	TWN	8479.5000.00
RT6-2011102	<a href="#">Bundle_Cobot_TM14X(model without camera)_12 m cable_HW3.2</a>	41,900.00	EC003245	<a href="#">701912</a>	4549734596763			IB	IBE	TWN	8479.5000.00
RT6-2011121	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	41,910.00	EC003245	<a href="#">701943</a>	4549734671552			IB	IBE	TWN	8479.5000.00
RT6-2011122	<a href="#">Bundle_Cobot_TM14X(model without camera)_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,110.00	EC003245	<a href="#">701944</a>	4549734671569			IB	IBE	TWN	8479.5000.00
RT6-2011131	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2_Food Grade Grease</a>	44,770.00	EC003245	<a href="#">707025</a>	4549734751797			IB	IBE	TWN	8479.5000.00
RT6-2011141	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	46,100.00	EC003245	<a href="#">707017</a>	4549734751872			IB	IBE	TWN	8479.5000.00
RT6-2101101	<a href="#">Bundle_Cobot_TM14M_HW3.2</a>	45,490.00	EC003245	<a href="#">701913</a>	4549734596770			IB	IBE	TWN	8479.5000.00
RT6-2101111	<a href="#">Bundle_Cobot_TM14M_Semi_HW3.2</a>	50,300.00	EC003245	<a href="#">701914</a>	4549734596787			IB	IBE	TWN	8479.5000.00
RT6-2101121	<a href="#">Bundle_Cobot_TM14M_HW3.2_PROFINET &amp; EtherNet/IP</a>	46,690.00	EC003245	<a href="#">701945</a>	4549734671576			IB	IBE	TWN	8479.5000.00
RT6-2111101	<a href="#">Bundle_Cobot_TM14MX(model without camera)_HW3.2</a>	44,300.00	EC003245	<a href="#">701915</a>	4549734596794			IB	IBE	TWN	8479.5000.00
RT6-2111121	<a href="#">Bundle_Cobot_TM14MX(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	45,510.00	EC003245	<a href="#">701887</a>	4549734671583			IB	IBE	TWN	8479.5000.00
RT6-3009001	<a href="#">Bundle_Cobot_TM16_HW3.2</a>	45,540.00	EC003245	<a href="#">708136</a>	4549734766531			IB	IBE	TWN	8479.5000.00
RT6-3009021	<a href="#">Bundle_Cobot_TM16_HW3.2_PROFINET &amp; EtherNet/IP</a>	46,730.00	EC003245	<a href="#">708131</a>	4549734766586			IB	IBE	TWN	8479.5000.00
RT6-3019001	<a href="#">Bundle_Cobot_TM16X(model without camera)_HW3.2</a>	42,290.00	EC003245	<a href="#">708135</a>	4549734766548			IB	IBE	TWN	8479.5000.00
RT6-3019021	<a href="#">Bundle_Cobot_TM16X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,470.00	EC003245	<a href="#">708130</a>	4549734766593			IB	IBE	TWN	8479.5000.00
RT6-3109001	<a href="#">Bundle_Cobot_TM16M_HW3.2</a>	48,790.00	EC003245	<a href="#">708134</a>	4549734766555			IB	IBE	TWN	8479.5000.00
RT6-3109011	<a href="#">Bundle_Cobot_TM16M_Semi_HW3.2</a>	53,150.00	EC003245	<a href="#">708132</a>	4549734766579			IB	IBE	TWN	8479.5000.00
RT6-3109021	<a href="#">Bundle_Cobot_TM16M_HW3.2_PROFINET &amp; EtherNet/IP</a>	49,980.00	EC003245	<a href="#">708129</a>	4549734766609			IB	IBE	TWN	8479.5000.00
RT6-3119001	<a href="#">Bundle_Cobot_TM16MX(model without camera)_HW3.2</a>	46,620.00	EC003245	<a href="#">708133</a>	4549734766562			IB	IBE	TWN	8479.5000.00
RT6-3119021	<a href="#">Bundle_Cobot_TM16MX(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	47,820.00	EC003245	<a href="#">708128</a>	4549734766616			IB	IBE	TWN	8479.5000.00
<b>Robot Mobil Agir Hizmet</b>											
37480-00000	<a href="#">Mobile Robot_HD-1500_without Battery</a>	101,200.00	EC000000	<a href="#">695895</a>	4549734670388			IB	IBH	USA	8479.5000.00
37480-00002	<a href="#">Mobile Robot Docking Station Kit_HD-1500_Charger_No Battery</a>	116,100.00	EC000000	<a href="#">695903</a>	4549734670302			IB	IBH	USA	8479.5000.00
37480-00010	<a href="#">Mobile Robot_HD-1500_Side Lasers_without Battery</a>	106,500.00	EC000000	<a href="#">695892</a>	4549734670418			IB	IBH	USA	8479.5000.00
37480-00100	<a href="#">Mobile Robot_HD-1500_Single HAPS_without Battery</a>	103,400.00	EC000000	<a href="#">695894</a>	4549734670395			IB	IBH	USA	8479.5000.00
37480-00110	<a href="#">Mobile Robot_HD-1500_Single HAPS_Side Lasers_without Battery</a>	108,700.00	EC000000	<a href="#">695891</a>	4549734670449			IB	IBH	USA	8479.5000.00
37480-00200	<a href="#">Mobile Robot_HD-1500_Double HAPS_without Battery</a>	105,500.00	EC000000	<a href="#">695893</a>	4549734670401			IB	IBH	USA	8479.5000.00
37480-00210	<a href="#">Mobile Robot_HD-1500_Double HAPS_Side Lasers_without Battery</a>	110,800.00	EC000000	<a href="#">695890</a>	4549734670456			IB	IBH	USA	8479.5000.00
37480-10004	<a href="#">Mobile Robot Starter Kit_HD-1500_Charger_Pendant_Top Plate_without Battery</a>	119,300.00	EC000000	<a href="#">695889</a>	4549734670494			IB	IBH	USA	8479.5000.00
37480-10104	<a href="#">Mobile Robot Starter Kit_HD-1500_Single HAPS_Charger_Pendant_Top Plate_without Battery</a>	121,500.00	EC000000	<a href="#">695888</a>	4549734670500			IB	IBH	USA	8479.5000.00
37480-10114	<a href="#">Mobile Robot Starter Kit_HD-1500_Single HAPS_Side Lasers_Charger_Pendant_Top Plate_without Battery</a>	126,800.00	EC000000	<a href="#">695886</a>	4549734670524			IB	IBH	USA	8479.5000.00
37480-10204	<a href="#">Mobile Robot Starter Kit_HD-1500_Double HAPS_Charger_Pendant_Top Plate_without Battery</a>	123,600.00	EC000000	<a href="#">695887</a>	4549734670517			IB	IBH	USA	8479.5000.00
37480-10214	<a href="#">Mobile Robot Starter Kit_HD-1500_Double HAPS_Side Lasers_Charger_Pendant_Top Plate_without Battery</a>	128,900.00	EC000000	<a href="#">695885</a>	4549734670531			IB	IBH	USA	8479.5000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tarif Code
<b>Robot Mobil Agir Hizmet</b>											
68310-000	Mobile Robot Charging Station - Power Supply (For HD-1500)	11,830.00	EC000000	695897	4549734670623			IB	IBH	USA	8479.9070.99
68330-000	Mobile Robot Battery for HD-1500	18,540.00	EC000000	695899	4549734670609			IB	IBH	USA	8507.6000.90
68910-000	Mobile Robot Charging Station - Docking Target (For HD-1500)	3,408.00	EC000000	695896	4549734670630			IB	IBH	USA	8479.9070.99
68910-010	Mobile Robot Charging Station - Charging Bundle (Power Supply and Docking Target) (For HD-1500)	15,130.00	EC000000	695902	4549734670579			IB	IBH	USA	8479.9070.99
68925-010	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Single Sensor, Magnetic tape, 50 m roll	4,239.00	EC000000	707921	4549734764117			IB	IBH	USA	8479.9070.99
68925-020	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Double Sensor, Magnetic tape, 50 m roll	5,135.00	EC000000	707922	4549734764124			IB	IBH	USA	8479.9070.99
68940-000L	Pendant (for HD-1500)	1,598.00	EC000000	695900	4549734670593			IB	IBH	USA	8479.9070.99
68945-010	Side Lasers Kit (includes mounting kit and metal enclosures) - For HD-1500	5,860.00	EC000000	695901	4549734670586			IB	IBH	USA	8479.9070.99
68950-000	Top Plate for HD-1500	1,811.00	EC000000	695898	4549734670616			IB	IBH	USA	8479.9070.99
68955-000	Wireless Antenna Extension Kit - For HD-1500	100.00	EC000000	707823	4549734764131			IB	IBH	TWN	8479.9070.99
<b>OAT Diğer Robotlar</b>											
2FG7-GRIPPER	2EG7 Gripper OnRobot	4,166.00	EC003554	699513	4549734892759			IB	IBS	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3EG15-3-FINGER-GRIPPER OnRobot	4,801.00	EC003554	699475	4549734892506			IB	IBS	DNK	8479.9070.99
ACC-SPLIT-M12-2:1	Robotiq Gripper - Kit Dual - Cable Splitter	189.30	EC003554	688232	4549734970679			IB	IBS	CAN	8479.9070.99
AGC-API-159-002	Robotiq Gripper - Kit Dual - Adapter plate with a "Y" shape to install 2 grippers at the wrist	519.00	EC003554	688233	4549734970686			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	4,698.00	EC003554	687100	4549734967860			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	4,546.00	EC003554	687101	4549734967877	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	4,546.00	EC003554	691034	4549734985215			IB	IBS	CAN	8479.9070.99
DUAL-QUICK-CHANGER	Dual Quick Changer OnRobot	2,659.00	EC003554	696375	4549734889704			IB	IBS	DNK	8479.9070.99
DUAL-QUICK-CHANGER-DEMO	Dual Quick Changer OnRobot Demo	2,097.00	EC003554	696420	4549734889971			IB	IBS	DNK	8479.9070.99
FIS-300-S-OMRON-KIT	Force Sensor Robotiq FT-300 kit	4,802.00	EC003554	702920	4549734796330			IB	IBS	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	880.50	EC003554	696381	4549734889766			IB	IBS	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	880.50	EC003554	696380	4549734889759			IB	IBS	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	880.50	EC003554	696379	4549734889742			IB	IBS	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE-A	OnRobot HEX-E w/ EtherCAT Converter & Flange A	5,330.00	EC003554	699516	4549734892780			IB	IBS	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-E kit	3,783.00	EC003554	687099	4549734967853			IB	IBS	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-E kit with Wrist Connect Kit	3,783.00	EC003554	691033	4549734985208			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	793.50	EC003554	691042	4549734985291			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	384.50	EC003554	691043	4549734985307			IB	IBS	CAN	8479.9070.99
LIFT-100-ONROBOT	Lift100 for Omron TM Cobot	13,460.00	EC003554	707693	4549734836173			IB	IBS	DNK	8479.9070.99
MG10	MG10-Gripper OnRobot	2,513.00	EC003554	702226	4549734792417			IB	IBS	DNK	8479.9070.99
OMRON-TM-ROBOT-KIT	OnRobot Omron TM Robot Kit	898.50	EC003554	699469	4549734892445			IB	IBS	DNK	9031.8080.00
ONROBOTSANDER	OnRobot Sander	3,126.00	EC003554	699527	4549734892865			IB	IBS	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1,211.00	EC003554	699528	4549734892872			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1,247.00	EC003554	696376	4549734889711			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	898.50	EC003554	696419	4549734889964			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-DEMO	Quick Changer Robot Side OnRobot Demo	448.90	EC003554	696417	4549734889940			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-NEW	Quick Changer Robot Side OnRobot	594.00	EC003554	707692	4549734836166			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	563.00	EC003554	696377	4549734889728			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	448.90	EC003554	696418	4549734889957			IB	IBS	DNK	8479.9070.99
RAIL-M3	OnRobot Rail M3	302.40	EC003554	708034	4549734837019			IB	IBS	JPN	8479.9070.99
RAIL-M4	OnRobot Rail M4	299.30	EC003554	699514	4549734892766			IB	IBS	JPN	8479.9070.99
RG2-FIT	RG2-FIT Gripper OnRobot	10,230.00	EC003554	699477	4549734892520			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	5,090.00	EC003554	696374	4549734889698			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	3,963.00	EC003554	696414	4549734889919			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	6,100.00	EC003554	696383	4549734889780			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	4,752.00	EC003554	696415	4549734889926			IB	IBS	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	8,115.00	EC003554	699495	4549734892629			IB	IBS	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1,377.00	EC003554	699512	4549734892742			IB	IBS	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	2,335.00	EC003554	699515	4549734892773			IB	IBS	DNK	8479.9070.99
SG-A-H	Soft Gripper SG-A-H OnRobot	1,066.00	EC003554	699473	4549734892483			IB	IBS	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	1,066.00	EC003554	699472	4549734892476			IB	IBS	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	4,310.00	EC003554	699474	4549734892490			IB	IBS	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	1,066.00	EC003554	699471	4549734892469			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	5,725.00	EC003554	696382	4549734889773			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	4,130.00	EC003554	696416	4549734889933			IB	IBS	DNK	8479.9070.99
VGC10	VGC10-Gripper OnRobot	3,401.00	EC003554	699476	4549734892513			IB	IBS	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender Only for Cobots with camera - OnRobot	142.30	EC003554	702227	4549734792424			IB	IBS	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	5,770.00	EC003554	702228	4549734792431			IB	IBS	DNK	8479.9070.99
<b>OAT İşbirlikçi Aksesuarlar</b>											
RT6-A000002	Accessory, TM, Kit, Calibration Set with Additional Pin	419.00	EC003554	701917	4549734488877			IB	IBV	TWN	8479.5000.00
RT6-A000004	Accessory, TM, USB DONGLE	171.70	EC003554	707285	4549734488884			IB	IBV	TWN	8471.8000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">RT6-A000008</a>	<a href="#">Accessory_TM_TM.LAND.MARK</a>	8.40	EC003554	<a href="#">701918</a>	4549734488891			IB	IBV	TWN	8479.5000.00
<a href="#">RT6-A000009</a>	<a href="#">Accessory_TM_ROBOT.STAND</a>	3,580.00	EC003554	<a href="#">701919</a>	4549734488907			IB	IBV	TWN	8479.5000.00
<a href="#">RT6-A000012</a>	<a href="#">Accessory_TM_Kit_SSD.with.Cable</a>	311.20	EC003554	<a href="#">701921</a>	4549734488921			IB	IBV	CHN	8479.5000.00
<a href="#">RT6-A000020</a>	<a href="#">Omron_TM_Cobot_Teach_Pendant</a>	2,833.00	EC003554	701368	4549734717885			IB	IBV	TWN	8479.9070.99
<a href="#">RT6-A000021</a>	<a href="#">Accessory_OMRON.LAND.MARK</a>	8.30	EC003554	702012	4549734715713			IB	IBV	TWN	8479.5000.00
<b>OAT İşbirlikçi Aksesuarlar</b>											
<a href="#">RT6-S100000</a>	<a href="#">License_Software_TM.Identify&amp;Measure</a>	2,598.00	EC003554	<a href="#">703481</a>	4549734488969			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100002</a>	<a href="#">License_Software_TM.External.Vision</a>	1,066.00	EC003554	<a href="#">703480</a>	4549734488976			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100003</a>	<a href="#">License_Software_TM.QCR</a>	731.00	EC003554	<a href="#">703479</a>	4549734488983			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100005</a>	<a href="#">License_Software_TM.Flow.Editor-Offline.AOI</a>	635.50	EC003554	<a href="#">703478</a>	4549734488990			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100006</a>	<a href="#">License_Software_Omron_TM.Operator.Suite</a>	1,885.00	EC003554	701372	4549734711449			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100009</a>	<a href="#">License_Software_Omron_TM.Runtime&amp;Palletizing.Wizard</a>	426.60	EC003554	701369	4549734711470			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S200001</a>	<a href="#">License_TM.Flow.Editor</a>	635.50	EC003554	<a href="#">703482</a>	4549734488945			IB	IBV	TWN	8523.5190.00
<b>OAT Mobil Aksesuarlar</b>											
<a href="#">20271-900</a>	<a href="#">Primary.Fleet.Manager_EM2100.Base.package_120.Day.Temporary.FLOW.Core.License</a>	10,280.00	EC000000	<a href="#">701985</a>	4549734511315	#		IB	IBW	USA	8479.9070.99
<a href="#">20271-901</a>	<a href="#">Secondary.Fleet.Manager_EM2100.Base.package_120.Day.Temporary.FLOW.Core.License</a>	10,280.00	EC000000	<a href="#">701986</a>	4549734511322			IB	IBW	USA	8479.9070.99
<a href="#">20271-903</a>	<a href="#">Bundle.Fleet.Simulator_EM2100.appliance.and.Perpetual.Fleet.Simulator.License</a>	18,020.00	EC000000	<a href="#">701988</a>	4549734511346			IB	IBW	USA	8479.9070.99
<b>OAT Mobil Aksesuarlar</b>											
<a href="#">12477-000</a>	<a href="#">Mobile.Robot.Charging.Station.(For.LD-60/90/250)</a>	7,045.00	EC000000	<a href="#">680095</a>	4549734189873			IB	IBW	JPN	8479.9070.99
<a href="#">12477-050</a>	<a href="#">Mobile.Robot.Charging.Station-Extended.Wall.mount.(For.Cart.Transporters)</a>	7,045.00	EC000000	<a href="#">680090</a>	4549734189880			IB	IBW	JPN	8479.9070.99
<a href="#">12944-000</a>	<a href="#">Top.Plates.Assembly.for.LD-60/90</a>	1,327.00	EC000000	<a href="#">691058</a>	4549734578356			IB	IBW	JPN	8479.9070.99
<a href="#">13456-000</a>	<a href="#">Side.Lasers.Bundle(2.Lasers.one.cable.and.2.brackets)-For.LD-60/90/250</a>	6,120.00	EC000000	<a href="#">703215</a>	4549734123013			IB	IBW	MYS	8479.9070.99
<a href="#">13456-100</a>	<a href="#">Side.Lasers.Kit.(2.lasers,2.painted.metal.covers,one.cable.and.2.brackets)-For.LD-60/90/250</a>	6,655.00	EC000000	<a href="#">703214</a>	4549734133852			IB	IBW	MYS	8479.9070.99
<a href="#">13558-000</a>	<a href="#">Joystick.(for.all.LD)</a>	1,224.00	EC000000	<a href="#">679605</a>	4549734123655	#		IB	IBW	USA	8537.1098.99
<a href="#">13605-000</a>	<a href="#">HMI.(7" touchscreen, cables, power supply, mounting gasket)</a>	4,167.00	EC000000	<a href="#">679611</a>	4549734123211	#		IB	IBW	GBR	8479.9070.99
<a href="#">13660-000</a>	<a href="#">Mobile.Robot.HAPS.(High.Accuracy.Positioning.System)option.LD-60/90/CT-Double.Sensor,Magnetic.tape,50.m.roll</a>	4,364.00	EC000000	<a href="#">703096</a>	4549734737814			IB	IBW	USA	8479.9070.99
<a href="#">13660-100</a>	<a href="#">Mobile.Robot.HAPS.(High.Accuracy.Positioning.System)option.LD-60/90/CT-Single.Sensor,Magnetic.tape,50.m.roll</a>	3,866.00	EC000000	<a href="#">703097</a>	4549734737807			IB	IBW	USA	8479.9070.99
<a href="#">13700-000</a>	<a href="#">Mobile.Robot.Acuity.Option.with.leveling.kit</a>	8,540.00	EC000000	<a href="#">679598</a>	4549734133821			IB	IBW	DEU	8479.9070.99
<a href="#">13700-100</a>	<a href="#">Mobile.Robot.Acuity.Option.without.leveling.kit</a>	7,540.00	EC000000	<a href="#">679602</a>	4549734133838			IB	IBW	DEU	8479.9070.99
<a href="#">14165-000</a>	<a href="#">DB44HD.Breakout.cable</a>	480.90	EC000000	<a href="#">679615</a>	4549734133845	#		IB	IBW	USA	8544.4290.90
<a href="#">14925-000</a>	<a href="#">Magnetic.Tape,25.mm.wide.for.Track.Following.Sensor,50.m.Length-For.all.LD</a>	513.50	EC000000	<a href="#">702960</a>	4549734694742			IB	IBW	JPN	8479.9070.99
<a href="#">20458-002</a>	<a href="#">Top.Plates.Assembly.for.LD-250</a>	1,151.00	EC000000	<a href="#">695379</a>	4549734664516			IB	IBW	JPN	8479.9070.99
<a href="#">21374-000</a>	<a href="#">Mobile.Robot.HAPS.(High.Accuracy.Positioning.System)option.LD-250-Double.Sensor,Magnetic.tape,50.m.roll</a>	5,395.00	EC000000	<a href="#">703098</a>	4549734737791			IB	IBW	USA	8479.9070.99
<a href="#">21374-100</a>	<a href="#">Mobile.Robot.HAPS.(High.Accuracy.Positioning.System)option.LD-250-Single.Sensor,Magnetic.tape,50.m.roll</a>	4,451.00	EC000000	<a href="#">703099</a>	4549734737784			IB	IBW	USA	8479.9070.99
<b>OAT Aksesuarlar</b>											
<a href="#">02853-000</a>	<a href="#">ADEPT.Cobra.600/800.All.Spare.Part.Valve.Kit,24VDC</a>	974.50	EC003554	<a href="#">698719</a>	4549734680714			IB	IBZ	USA	8479.9070.99
<a href="#">10051-003</a>	<a href="#">ADEPT.Cobra.600/800.All.Spare.Part.T20.Pendant.Adapter.Cable</a>	543.50	EC003554	<a href="#">698722</a>	4549734680370			IB	IBZ	CHN	8544.4290.90
<a href="#">18823-100</a>	<a href="#">Cable,USER.to.Wire.Lead,1.5m</a>	313.20	EC003554	708308	4549734770163			IB	IBZ	MYS	8544.4290.90
<a href="#">18908-000</a>	<a href="#">Bracket,Camera,Mount,i4H.SCARA</a>	740.00	EC003554	708312	4549734770125			IB	IBZ	USA	8479.9070.99
<a href="#">19106-100</a>	<a href="#">Tool.Flange,i4H,Legacy.Mount</a>	334.80	EC003554	708313	4549734770118			IB	IBZ	NLD	8479.9070.99
<a href="#">19140-100</a>	<a href="#">Cable,TIO.to.Wire.Lead,1.5m</a>	270.00	EC003554	708307	4549734770170			IB	IBZ	MYS	8544.4290.90
<a href="#">19165-000</a>	<a href="#">Solenoid.Valve.Kit,i4H</a>	902.00	EC003554	708310	4549734770149			IB	IBZ	JPN	8479.9070.99
<a href="#">19464-003F</a>	<a href="#">Kit,Bellows.Add-on,210mm,i4H</a>	3,564.00	EC003554	708302	4549734767910			IB	IBZ	NLD	8479.9070.99
<a href="#">19464-004F</a>	<a href="#">Kit,Bellows.Add-on,410mm,i4H</a>	4,817.00	EC003554	708303	4549734767927			IB	IBZ	NLD	8479.9070.99
<a href="#">20089-000</a>	<a href="#">Bracket,Wall.Mount,i4H</a>	1,210.00	EC003554	708309	4549734770156			IB	IBZ	TWN	8479.9070.99
<a href="#">21636-000</a>	<a href="#">i4H.Adapter.Plates.(available.to.mount.the.robot.to.a.mounting.surface.designed.for.an.eCobra.600/800.robot.type)</a>	266.70	EC003554	702734	4549734723008			IB	IBZ	USA	8479.9070.99
<a href="#">22295-000</a>	<a href="#">Adapter,Camera,Mount,i4H-SCARA</a>	189.00	EC003554	708311	4549734770132			IB	IBZ	USA	8479.9070.99
<a href="#">22839-000</a>	<a href="#">Kit,Bellows,i4L,180mm.Quill</a>	2,279.00	EC003554	708316	4549734763936			IB	IBZ	JPN	8479.9070.99
<a href="#">22868-000</a>	<a href="#">Kit,Bellows,i4L,350mm.Quill</a>	3,095.00	EC003554	708317	4549734763929			IB	IBZ	JPN	8479.9070.99
<a href="#">22871-000</a>	<a href="#">Kit,i4L.Camera.Mount</a>	161.00	EC003554	708319	4549734763905			IB	IBZ	USA	8479.9070.99
<a href="#">22872-000</a>	<a href="#">Kit,Solenoid.Valve,i4L</a>	837.00	EC003554	708318	4549734763912			IB	IBZ	JPN	8479.9070.99
<a href="#">23912-000</a>	<a href="#">Kit,24V.DC.Supply,240W,5.Meter,Fixed.Accessories</a>	243.00	EC003554	708315	4549734763943			IB	IBZ	IDN	8504.4030.00
<a href="#">23913-000</a>	<a href="#">Kit,48V.DC.Supply,960W,5.Meter,Fix.Accessories</a>	875.00	EC003554	708314	4549734763950			IB	IBZ	IDN	8504.4030.00
<b>OAT Aksesuarlar</b>											
<a href="#">14161-200</a>	<a href="#">Kit,Intelligent.Force.Sensing,Viper.650/850</a>	13,710.00	EC003554	<a href="#">698735</a>	4549734677295			IB	IBZ	USA	8479.9070.99
<b>OAT Aksesuarlar</b>											
<a href="#">14161-300</a>	<a href="#">Kit,Intelligent.Force.Sensing,Hornet.and.Quattro</a>	13,270.00	EC003554	<a href="#">673729</a>	4548583989931			IB	IBZ	USA	8479.9070.99
<a href="#">14161-300</a>	<a href="#">Kit,Intelligent.Force.Sensing,Hornet.and.Quattro</a>	13,270.00	EC003554	<a href="#">698734</a>	4549734677301			IB	IBZ	USA	8479.9070.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>OAT Aksesuarlar</b>											
05284-101	<a href="#">Anyfeeder Surface, POM, Flat, White, SX240</a>	449.30	EC000000	682872	4549734264648			IB	IBZ	CHE	8479.9070.99
05284-208	<a href="#">Anyfeeder Backlight -IR 875 nm, SX240</a>	4,732.00		682875	4549734264716			IB	IBZ	CHE	8479.9070.99
09725-301	<a href="#">Anyfeeder Surface, POM, Flat, White, SXM140</a>	351.00	EC000000	682842	4549734264785			IB	IBZ	CHE	8479.9070.99
12480-501	<a href="#">Anyfeeder SX240, No Feed Surface, integrated Backlight (IR)</a>	37,910.00		687078	4549734491525			IB	IBZ	CHE	8479.9070.99
14269-003	<a href="#">Anyfeeder Surface, POM, Flat, White, SX340</a>	856.50	EC000000	682882	4549734264860			IB	IBZ	CHE	8479.9070.99
14269-500	<a href="#">Anyfeeder SX-340 without Feed Surface</a>	40,880.00		682851	4549734264907			IB	IBZ	CHE	8479.9070.99
14269-501	<a href="#">Anyfeeder SX340, No Feed Surface, integrated Backlight (IR)</a>	47,770.00		687076	4549734491549			IB	IBZ	CHE	8479.9070.99
18819-500	<a href="#">Anyfeeder SXM-140 without Feed Surface</a>	30,080.00		682854	4549734264938			IB	IBZ	CHE	8479.9070.99
<b>OAT Aksesuarlar</b>											
01056-030	<a href="#">ACE Adept Sight 3.0 Vision Software</a>	5,355.00	EC003554	698752	4549734676960			IB	IBZ	USA	8479.9070.99
04677-030	<a href="#">IO Blox uzatma kablosu, 3.0M (IO Blox'u robot'a bağlar)</a>	226.50	EC003554	698748	4549734677028			IB	IBZ	USA	8544.4290.90
04679-003	<a href="#">IO Blox uzatma kablosu, 30M (IO Blox'u IO Blox'a bağlar)</a>	226.50	EC003554	698750	4549734677004			IB	IBZ	USA	8544.4290.90
09187-000	<a href="#">ACE PackXpert License</a>	3,180.00	EC003554	698753	4549734676946			IB	IBZ	USA	8479.9070.99
09187-010	<a href="#">ACE PackXpert ve ACE adeptSight Vision</a>	7,740.00	EC003554	698751	4549734676991			IB	IBZ	USA	8479.9070.99
09438-000	<a href="#">Breakout Terminal Block, DB50 Male, DIN Rail Mount</a>	416.40	EC003554	698747	4549734677035			IB	IBZ	USA	8536.9010.00
09443-000	<a href="#">Kablo, Konveyör enkoderi, M12 Dişi, Y-Adapter, 2-enkoder desteği, 3 Metre</a>	220.30	EC003554	698745	4549734677172	#		IB	IBZ	USA	8544.4290.90
09446-050	<a href="#">enkoder uzatma kablosu, M12 Erkek, M12 Dişi, 8pin, 5 Metre</a>	327.40	EC003554	698744	4549734677189	#		IB	IBZ	USA	8544.4290.90
09742-000	<a href="#">Adept TR-1 Conveyor Encoder Kit</a>	1,644.00	EC003554	698717	4549734680783			IB	IBZ	USA	8479.9070.99
09742-001	<a href="#">Adept TR-1 Konveyör enkoder Kit IP65</a>	1,090.00	EC003554	698718	4549734680738			IB	IBZ	USA	8479.9070.99
10046-010	<a href="#">T20 Pendant, 10m Kablo</a>	2,610.00	EC003554	698737	4549734677271			IB	IBZ	USA	8537.1098.99
10048-000	<a href="#">T20 Pendant-Jumper Plug</a>	113.10	EC003554	698728	4549734678261			IB	IBZ	USA	8536.9010.00
11585-000	<a href="#">Kablo, eAIR XSYS Kablosu, 4 m</a>	172.00	EC003554	687054	4549734492089			IB	IBZ	USA	8479.9070.99
13323-000	<a href="#">Kablo montaj, XSYSTEM Adapter, jamber ile birlikte</a>	172.00	EC003554	687053	4549734492096			IB	IBZ	USA	8479.9070.99
13463-000	<a href="#">XBELTIO Kablosu</a>	349.90	EC003554	687052	4549734492102	#		IB	IBZ	USA	8479.9070.99
14161-100	<a href="#">Kit, Intelligent Force Sensing, eCobra, 600/800 (Std/Pro)</a>	13,270.00	EC003554	698736	4549734677288			IB	IBZ	USA	8479.9070.99
19300-000	<a href="#">SmartController EX</a>	4,747.00	EC003554	698746	4549734677066			IB	IBZ	USA	8479.9070.99
20410-000	<a href="#">ACE Sight Software License (4x)</a>	5,765.00	EC003554	688613	4549734524070	#		IB	IBZ	USA	8523.5190.00
20433-000	<a href="#">PackXpert + ACE Sight Software License (4x)</a>	8,340.00	EC003554	688614	4549734524087	#		IB	IBZ	USA	8523.5190.00
21857-100	<a href="#">Kit, Small Scanner + 3D Pick Manager License</a>	23,700.00	EC003554	702136	4549734605465			IB	IBZ	SVK	8479.9070.99
21857-200	<a href="#">Kit, Medium Scanner + 3D Pick Manager License</a>	29,630.00	EC003554	702135	4549734605472			IB	IBZ	SVK	8479.9070.99
21857-300	<a href="#">Kit, Large Scanner + 3D Pick Manager License</a>	35,500.00	EC003554	702134	4549734605489			IB	IBZ	SVK	8479.9070.99
21857-900	<a href="#">Calibration Kit, 3D Pick Manager</a>	142.30	EC003554	703000	4549734605496			IB	IBZ	SVK	8479.9070.99
24114-250	<a href="#">Kit, Kamera, GigE PoE, 1600 x 1200, 60 fps, B/W, ACE, 1/1.8" CMOS</a>	1,400.00	EC003554	687063	4549734491990	#		IB	IBZ	DEU	8479.9070.99
24114-300	<a href="#">Kit, Kamera, GigE PoE, 2048 x 2048, 25 fps, B/W, ACE, 1" CMOS</a>	3,915.00	EC003554	687061	4549734492010	#		IB	IBZ	DEU	8479.9070.99
27400-29006	<a href="#">Lamp, Filmt, W2x4.6D.6V.1.2</a>	14.13	EC003554	698733	4549734677585			IB	IBZ	USA	8539.2998.90
90330-01080	<a href="#">Digital I/O Cable, 5m</a>	786.00	EC003554	698721	4549734680417			IB	IBZ	USA	8544.4290.90
90356-30100	<a href="#">IO Blox 8/P-8/OP to (genişleme - bir önceki IO Blox'a bağlar)</a>	559.50	EC003554	698724	4549734679800			IB	IBZ	USA	8536.9010.00
90356-30200	<a href="#">IO Blox 8/P-8/OP (1st IO Blox - robot'a bağlar)</a>	559.50	EC003554	698723	4549734679930			IB	IBZ	USA	8536.9010.00
90356-40100	<a href="#">XIO Termination Block, 12/P-8/OP</a>	559.50	EC003554	698725	4549734679572			IB	IBZ	USA	8536.9010.00
90565-010	<a href="#">AC Power Cable Kit</a>	786.00	EC003554	698742	4549734677202			IB	IBZ	USA	8544.4290.90
AC1-152000	<a href="#">IPC Robots, Application Controller</a>	4,749.00	EC003554	688611	4549734524056	#		IB	IBZ	NLD	8471.5000.00
<b>Servo Sürcüçüler 1S-Serisi</b>											
R88D-1SN01H-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 100W, 1~ 230VAC</a>	904.00	EC002572	670725	4548583789166	#		MB	MBA	JPN	8501.4020.80
R88D-1SN02H-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 200W, 1~ 230VAC</a>	1,114.00	EC002572	670719	4548583789173	#		MB	MBA	JPN	8501.4020.80
R88D-1SN04H-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 400W, 1~ 230VAC</a>	1,185.00	EC002572	670727	4548583789180	#		MB	MBA	JPN	8501.4020.80
R88D-1SN06F-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 600W, 3~ 400VAC</a>	1,217.00	EC002572	670720	4548583789241	#		MB	MBA	JPN	8501.4020.80
R88D-1SN08H-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 800W, 1~ 230VAC</a>	1,209.00	EC002572	670726	4548583789197	#		MB	MBA	JPN	8501.4020.80
R88D-1SN10F-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 1 kW, 3~ 400VAC</a>	1,301.00	EC002572	670723	4548583789258	#		MB	MBA	JPN	8501.4020.80
R88D-1SN150F-ECT	<a href="#">1S servo drive, EtherCAT type, 1.5 kW, 3~ 400VAC</a>	7,480.00	EC002572	689222	4549734210041			MB	MBA	JPN	9032.8900.90
R88D-1SN15F-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 1.5 kW, 3~ 400VAC</a>	1,353.00	EC002572	670721	4548583789265	#		MB	MBA	JPN	8501.4020.80
R88D-1SN15H-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 1.5 kW, 1~ 230VAC</a>	1,761.00	EC002572	670724	4548583789210	#		MB	MBA	JPN	8501.4020.80
R88D-1SN20F-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 2 kW, 3~ 400VAC</a>	1,641.00	EC002572	670728	4548583789272	#		MB	MBA	JPN	8501.4020.80
R88D-1SN30F-ECT	<a href="#">1S servo sürcüçü, EtherCAT, 3 kW, 3~ 400VAC</a>	1,792.00	EC002572	670727	4548583789289	#		MB	MBA	JPN	8501.4020.80
R88D-1SN55F-ECT	<a href="#">1S servo drive, EtherCAT type, 5.5 kW, 3~ 400VAC</a>	2,725.00	EC002572	689220	4549734210027	#		MB	MBA	PHL	9032.8900.90
R88D-1SN75F-ECT	<a href="#">1S servo drive, EtherCAT type, 7.5 kW, 3~ 400VAC</a>	4,859.00	EC002572	689221	4549734210034	#		MB	MBA	PHL	9032.8900.90
<b>Servo Sürcüçüler 1S-Serisi</b>											
R88D-1SAN02H-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 200W, 1~ 230VAC</a>	1,359.00	EC002572	693630	4549734219419			MB	MBA	CHN	8501.4020.80
R88D-1SAN04H-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 400W, 1~ 230VAC</a>	1,447.00	EC002572	693631	4549734219426	#		MB	MBA	CHN	8501.4020.80
R88D-1SAN08H-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 800W, 1~ 230VAC</a>	1,476.00	EC002572	693632	4549734219433			MB	MBA	CHN	8501.4020.80
R88D-1SAN10F-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 1 kW, 3~ 400VAC</a>	1,588.00	EC002572	695499	4549734219488			MB	MBA	CHN	9032.8900.90
R88D-1SAN15F-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 1.5 kW, 3~ 400VAC</a>	1,650.00	EC002572	695498	4549734219495			MB	MBA	CHN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88D-1SAN15H-ECT</a>	<a href="#">15A servo drive with safety, EtherCAT type, 1.5 kW, 1~ 230 VAC</a>	2,148.00	EC002572	<a href="#">695500</a>	4549734219457			MB	MBA	CHN	9032.8900.90
<a href="#">R88D-1SAN20F-ECT</a>	<a href="#">15A servo drive with safety, EtherCAT type, 2 kW, 3~ 400 VAC</a>	2,003.00	EC002572	<a href="#">695497</a>	4549734219501	#		MB	MBA	CHN	9032.8900.90
<a href="#">R88D-1SAN30F-ECT</a>	<a href="#">15A servo drive with safety, EtherCAT type, 3 kW, 3~ 400 VAC</a>	2,187.00	EC002572	<a href="#">695496</a>	4549734219518			MB	MBA	CHN	9032.8900.90
<b>Servo Motorlar 1S-Seri</b>											
<a href="#">R88M-1L1K030C-B52</a>	<a href="#">15 AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli</a>	2,109.00	EC001851	<a href="#">672247</a>	4548583789890	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030C-S2</a>	<a href="#">15 AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder</a>	1,798.00	EC001851	<a href="#">672248</a>	4548583789739	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030H-B52</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake</a>	2,412.00	EC001851	<a href="#">681567</a>	4549734172479	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030H-S2</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder</a>	1,997.00	EC001851	<a href="#">681573</a>	4549734172462	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030T-B52</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli</a>	2,116.00	EC001851	<a href="#">672245</a>	4548583789845	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030T-S2</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder</a>	1,751.00	EC001851	<a href="#">672254</a>	4548583789685	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530C-B52</a>	<a href="#">15 AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli</a>	2,292.00	EC001851	<a href="#">672249</a>	4548583789906	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530C-S2</a>	<a href="#">15 AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder</a>	1,840.00	EC001851	<a href="#">672250</a>	4548583789746	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530H-B52</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake</a>	2,778.00	EC001851	<a href="#">681574</a>	4549734172493	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530H-S2</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder</a>	2,264.00	EC001851	<a href="#">681568</a>	4549734172486	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530T-B52</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli</a>	2,439.00	EC001851	<a href="#">672246</a>	4548583789852	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530T-S2</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder</a>	1,987.00	EC001851	<a href="#">672255</a>	4548583789692	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L2K030C-B52</a>	<a href="#">15 AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, frenli</a>	2,729.00	EC001851	<a href="#">672244</a>	4548583789913	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L2K030C-S2</a>	<a href="#">15 AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder</a>	2,267.00	EC001851	<a href="#">672257</a>	4548583789753	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L2K030C-B52</a>	<a href="#">15 AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, frenli</a>	3,055.00	EC001851	<a href="#">672251</a>	4548583789920	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L3K030C-S2</a>	<a href="#">15 AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder</a>	2,597.00	EC001851	<a href="#">672252</a>	4548583789760	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L4K030C-B52</a>	<a href="#">15 AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder, with brake</a>	3,840.00	EC001851	<a href="#">689224</a>	4549734210669	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L4K030C-S2</a>	<a href="#">15 AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder</a>	3,197.00	EC001851	<a href="#">689223</a>	4549734210645	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L5K030C-B52</a>	<a href="#">15 AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with brake</a>	4,731.00	EC001851	<a href="#">689226</a>	4549734210744	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L5K030C-S2</a>	<a href="#">15 AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder</a>	4,080.00	EC001851	<a href="#">689225</a>	4549734210720	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L75030C-B52</a>	<a href="#">15 AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli</a>	2,090.00	EC001851	<a href="#">672253</a>	4548583789883	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1L75030C-S2</a>	<a href="#">15 AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder</a>	1,711.00	EC001851	<a href="#">672246</a>	4548583789722	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1M10030H-B52</a>	<a href="#">15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake</a>	1,003.00	EC001851	<a href="#">681576</a>	4549734172394	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M10030H-S2</a>	<a href="#">15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder</a>	728.50	EC001851	<a href="#">681572</a>	4549734172387	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M10030T-B52</a>	<a href="#">15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, frenli</a>	1,253.00	EC001851	<a href="#">670732</a>	4548583789807	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M10030T-S2</a>	<a href="#">15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder</a>	909.50	EC001851	<a href="#">670742</a>	4548583789647	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030H-B52</a>	<a href="#">15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake</a>	1,067.00	EC001851	<a href="#">681570</a>	4549734172417	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030H-S2</a>	<a href="#">15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder</a>	781.50	EC001851	<a href="#">681565</a>	4549734172400	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030T-B52</a>	<a href="#">15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, frenli</a>	1,336.00	EC001851	<a href="#">670746</a>	4548583789814	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030T-S2</a>	<a href="#">15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder</a>	976.50	EC001851	<a href="#">670733</a>	4548583789654	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030H-B52</a>	<a href="#">15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake</a>	1,230.00	EC001851	<a href="#">681566</a>	4549734172431	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030H-S2</a>	<a href="#">15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder</a>	915.00	EC001851	<a href="#">681571</a>	4549734172424	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030T-B52</a>	<a href="#">15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, frenli</a>	1,535.00	EC001851	<a href="#">670749</a>	4548583789821	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030T-S2</a>	<a href="#">15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder</a>	1,142.00	EC001851	<a href="#">670755</a>	4548583789661	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030H-B52</a>	<a href="#">15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake</a>	1,419.00	EC001851	<a href="#">681563</a>	4549734172455	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030H-S2</a>	<a href="#">15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder</a>	1,066.00	EC001851	<a href="#">681561</a>	4549734172448	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030T-B52</a>	<a href="#">15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli</a>	1,768.00	EC001851	<a href="#">670759</a>	4548583789838	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030T-S2</a>	<a href="#">15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder</a>	1,334.00	EC001851	<a href="#">670744</a>	4548583789678	#		MB	MBB	PHL	8501.5100.90
<b>Servo Motorlar 1S-Seri</b>											
<a href="#">R88M-1M11K015C-B52</a>	<a href="#">15 AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake</a>	6,775.00	EC001851	<a href="#">689234</a>	4549734211062	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M11K015C-S2</a>	<a href="#">15 AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder</a>	5,600.00	EC001851	<a href="#">689233</a>	4549734211048	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M15K015C-B52</a>	<a href="#">15 AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake</a>	8,250.00	EC001851	<a href="#">689236</a>	4549734211147	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M15K015C-S2</a>	<a href="#">15 AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder</a>	7,075.00	EC001851	<a href="#">689235</a>	4549734211123	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M1K020C-B52</a>	<a href="#">15 AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli</a>	1,760.00	EC001851	<a href="#">679973</a>	4549734165204	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020C-S2</a>	<a href="#">15 AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder</a>	1,251.00	EC001851	<a href="#">679958</a>	4549734165105	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020H-B52</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake</a>	2,073.00	EC001851	<a href="#">681569</a>	4549734172516	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020H-S2</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder</a>	1,643.00	EC001851	<a href="#">681575</a>	4549734172509	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020T-B52</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli</a>	1,818.00	EC001851	<a href="#">680427</a>	4549734165143	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020T-S2</a>	<a href="#">15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder</a>	1,442.00	EC001851	<a href="#">679974</a>	4549734165044	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520C-B52</a>	<a href="#">15 AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli</a>	1,872.00	EC001851	<a href="#">679985</a>	4549734165211	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520C-S2</a>	<a href="#">15 AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder</a>	1,584.00	EC001851	<a href="#">679978</a>	4549734165112	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520H-B52</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake</a>	2,149.00	EC001851	<a href="#">681564</a>	4549734172530	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520H-S2</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder</a>	1,780.00	EC001851	<a href="#">681577</a>	4549734172523	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520T-B52</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli</a>	1,888.00	EC001851	<a href="#">679957</a>	4549734165150	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520T-S2</a>	<a href="#">15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder</a>	1,563.00	EC001851	<a href="#">679979</a>	4549734165051	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M2K020C-B52</a>	<a href="#">15 AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder, frenli</a>	2,079.00	EC001851	<a href="#">679953</a>	4549734165228	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M2K020C-S2</a>	<a href="#">15 AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder</a>	1,704.00	EC001851	<a href="#">679952</a>	4549734165129	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K020C-B52</a>	<a href="#">15 AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder, frenli</a>	2,570.00	EC001851	<a href="#">679972</a>	4549734165235	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K020C-S2</a>	<a href="#">15 AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder</a>	2,019.00	EC001851	<a href="#">679984</a>	4549734165136	#		MB	MBB	PHL	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88M-1M40020C-B52</a>	15 AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, frenli	1,623.00	EC001851	<a href="#">681595</a>	4549734165181	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40020C-S2</a>	15 AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder	1,161.00	EC001851	<a href="#">681597</a>	4549734165082	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M4K015C-B52</a>	15 AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake	3,018.00	EC001851	<a href="#">689228</a>	4549734210829	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M4K015C-S2</a>	15 AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder	2,369.00	EC001851	<a href="#">689227</a>	4549734210805	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M5K15C-B52</a>	15 AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake	3,314.00	EC001851	<a href="#">689230</a>	4549734210904	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M5K15C-S2</a>	15 AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	2,665.00	EC001851	<a href="#">689229</a>	4549734210881	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M60020C-B52</a>	15 AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, frenli	1,687.00	EC001851	<a href="#">681596</a>	4549734165198	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M60020C-S2</a>	15 AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder	1,215.00	EC001851	<a href="#">681594</a>	4549734165099	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M7K515C-B52</a>	15 AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake	5,450.00	EC001851	<a href="#">689232</a>	4549734210980	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M7K515C-S2</a>	15 AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder	4,798.00	EC001851	<a href="#">689231</a>	4549734210966	#		MB	MBB	PHL	8501.5220.89
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1M2K010C-B52</a>	15 AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder, frenli	3,060.00	EC001851	<a href="#">680412</a>	4549734165860	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M2K010C-S2</a>	15 AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder	2,492.00	EC001851	<a href="#">680268</a>	4549734165808	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K010C-B52</a>	15 AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder, frenli	3,645.00	EC001851	<a href="#">679950</a>	4549734165877	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K010C-S2</a>	15 AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder	3,124.00	EC001851	<a href="#">679925</a>	4549734165815	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010C-B52</a>	15 AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	1,987.00	EC001851	<a href="#">679926</a>	4549734165853	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010C-S2</a>	15 AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,641.00	EC001851	<a href="#">679980</a>	4549734165792	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010T-B52</a>	15 AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	2,073.00	EC001851	<a href="#">679951</a>	4549734165822	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010T-S2</a>	15 AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,633.00	EC001851	<a href="#">679967</a>	4549734165761	#		MB	MBB	PHL	8501.5220.89
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1A11K030C-B52</a>	15A AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,571.00	EC001851	<a href="#">695577</a>	4549734220378	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K030C-S2</a>	15A AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,193.00	EC001851	<a href="#">695578</a>	4549734220354	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K030T-B52</a>	15A AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,582.00	EC001851	<a href="#">695579</a>	4549734219815	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K030T-S2</a>	15A AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,137.00	EC001851	<a href="#">695580</a>	4549734219792	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530C-B52</a>	15A AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2,798.00	EC001851	<a href="#">695581</a>	4549734220453	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530C-S2</a>	15A AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,244.00	EC001851	<a href="#">695582</a>	4549734220439	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530T-B52</a>	15A AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2,976.00	EC001851	<a href="#">695583</a>	4549734219891	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530T-S2</a>	15A AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,422.00	EC001851	<a href="#">695584</a>	4549734219877	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A12K030C-B52</a>	15A AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	3,327.00	EC001851	<a href="#">695585</a>	4549734220538	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A12K030C-S2</a>	15A AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2,766.00	EC001851	<a href="#">695586</a>	4549734220514	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A13K030C-B52</a>	15A AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	3,725.00	EC001851	<a href="#">695587</a>	4549734220613	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A13K030C-S2</a>	15A AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	3,169.00	EC001851	<a href="#">695588</a>	4549734220590	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A13K030T-B52</a>	15A AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,550.00	EC001851	<a href="#">695589</a>	4549734220293	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1A13K030T-S2</a>	15A AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	2,086.00	EC001851	<a href="#">695590</a>	4549734220279	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1AM20030T-B52</a>	15A AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1,630.00	EC001851	<a href="#">695595</a>	4549734219570	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM20030T-S2</a>	15A AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	1,192.00	EC001851	<a href="#">695596</a>	4549734219556	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM40030T-B52</a>	15A AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	1,872.00	EC001851	<a href="#">695599</a>	4549734219655	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM40030T-S2</a>	15A AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,394.00	EC001851	<a href="#">695600</a>	4549734219631	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM75030T-B52</a>	15A AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,157.00	EC001851	<a href="#">695601</a>	4549734219730	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM75030T-S2</a>	15A AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,626.00	EC001851	<a href="#">695602</a>	4549734219716	#		MB	MBB	PHL	8501.5100.90
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1AM1K515C-B52</a>	15A AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,285.00	EC001851	<a href="#">695591</a>	4549734220699	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM1K515C-S2</a>	15A AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1,932.00	EC001851	<a href="#">695592</a>	4549734220675	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM1K515T-B52</a>	15A AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,303.00	EC001851	<a href="#">695593</a>	4549734220132	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM1K515T-S2</a>	15A AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1,906.00	EC001851	<a href="#">695594</a>	4549734220118	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM3K015C-B52</a>	15A AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake	3,135.00	EC001851	<a href="#">695597</a>	4549734220774	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM3K015C-S2</a>	15A AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder	2,463.00	EC001851	<a href="#">695598</a>	4549734220750	#		MB	MBB	PHL	8501.5220.89
<b>Servo Aksesuarları-2</b>											
<a href="#">R88A-CR1A001-5CF-E</a>	1S serisi servo enkoder kablosu, 1.5m, 230V, 50-750W	118.80	EC002615	<a href="#">670619</a>	4548583972438	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A003CF-E</a>	1S serisi servo enkoder kablosu, 3m, 230V, 50-750W	124.80	EC002615	<a href="#">670612</a>	4548583972360	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A005CF-E</a>	1S serisi servo enkoder kablosu, 5m, 230V, 50-750W	133.40	EC002615	<a href="#">670623</a>	4548583972476	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A010CF-E</a>	1S serisi servo enkoder kablosu, 10m, 230V, 50-750W	154.90	EC002615	<a href="#">670620</a>	4548583972445	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A015CF-E</a>	1S serisi servo enkoder kablosu, 15m, 230V, 50-750W	181.20	EC002615	<a href="#">670624</a>	4548583972483	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A020CF-E</a>	1S serisi servo enkoder kablosu, 20m, 230V, 50-750W	222.00	EC002615	<a href="#">670613</a>	4548583972377	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A030CF-E</a>	1S serisi servo enkoder kablosu, 30m, 230V, 50-750W	295.90	EC002615	<a href="#">670615</a>	4548583972391	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B001-5NF-E</a>	1S serisi servo enkoder kablosu, 1.5m, 230V, 900W-1.5kW, 400V, 400W-15kW	144.30	EC002615	<a href="#">670621</a>	4548583972452	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B003NF-E</a>	1S serisi servo enkoder kablosu, 3m, 230V, 900W-1.5kW, 400V, 400W-15kW	148.00	EC002615	<a href="#">670616</a>	4548583972407	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B005NF-E</a>	1S serisi servo enkoder kablosu, 5m, 230V, 900W-1.5kW, 400V, 400W-15kW	155.10	EC002615	<a href="#">670618</a>	4548583972421	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B010NF-E</a>	1S serisi servo enkoder kablosu, 10m, 230V, 900W-1.5kW, 400V, 400W-15kW	184.90	EC002615	<a href="#">670622</a>	4548583972469	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B015NF-E</a>	1S serisi servo enkoder kablosu, 15m, 230V, 900W-1.5kW, 400V, 400W-15kW	210.90	EC002615	<a href="#">670625</a>	4548583972490	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B020NF-E</a>	1S serisi servo enkoder kablosu, 20m, 230V, 900W-1.5kW, 400V, 400W-15kW	258.70	EC002615	<a href="#">670626</a>	4548583972506	#		MB	MBZ	ITA	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88A-CR1R030NF-E</a>	<a href="#">15 serisi servo enkoder kablosu, 30m, 230V, 900W-1.5kW, 400V, 400W-1.5kW</a>	343.60	EC002615	<a href="#">670629</a>	4548583972537	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1R040NF-E</a>	<a href="#">15 serisi servo enkoder kablosu, 40m, 230V, 900W-1.5kW, 400V, 400W-1.5kW</a>	432.40	EC002615	<a href="#">670628</a>	4548583972520	#		MB	MBZ	ITA	8544.4290.90
<b>Servo Aksesuarları-2</b>											
<a href="#">R88A-CA1A001-5BF-E</a>	<a href="#">15 serisi servo fren kablosu, 1.5m, 230V, 100-750W</a>	111.00	EC002615	<a href="#">670638</a>	4548583972629	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A001-5SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 1.5m, 230V, 100-750W</a>	170.00	EC002615	<a href="#">670658</a>	4548583972827	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A003BF-E</a>	<a href="#">15 serisi servo fren kablosu, 3m, 230V, 100-750W</a>	118.30	EC002615	<a href="#">670632</a>	4548583972568	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A003BFR</a>	<a href="#">15 series servo flexible brake cable, 3 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	65.65	EC002615	685019	4549734196208	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A003SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 3m, 230V, 100-750W</a>	174.00	EC002615	<a href="#">670671</a>	4548583972957	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A003SFR</a>	<a href="#">15 series servo motor flexible power cable, 3 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	110.70	EC002615	685015	4549734196154	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A005BF-E</a>	<a href="#">15 serisi servo fren kablosu, 5m, 230V, 100-750W</a>	122.10	EC002615	<a href="#">670637</a>	4548583972612	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A005SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 5m, 230V, 100-750W</a>	181.20	EC002615	<a href="#">670672</a>	4548583972964	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A010BF-E</a>	<a href="#">15 serisi servo fren kablosu, 10m, 230V, 100-750W</a>	140.60	EC002615	<a href="#">670634</a>	4548583972582	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A010BFR</a>	<a href="#">15 series servo flexible brake cable, 10 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	149.30	EC002615	685020	4549734196222	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A010SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 10m, 230V, 100-750W</a>	207.30	EC002615	<a href="#">670676</a>	4548583973008	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A010SFR</a>	<a href="#">15 series servo motor flexible power cable, 10 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	224.70	EC002615	685016	4549734196178	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A015BF-E</a>	<a href="#">15 serisi servo fren kablosu, 15m, 230V, 100-750W</a>	160.90	EC002615	<a href="#">670633</a>	4548583972575	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A015BFR</a>	<a href="#">15 series servo flexible brake cable, 15 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	506.00	EC002615	685021	4549734196239	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A015SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 15m, 230V, 100-750W</a>	258.70	EC002615	<a href="#">670643</a>	4548583972674	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A015SFR</a>	<a href="#">15 series servo motor flexible power cable, 15 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	325.90	EC002615	685017	4549734196185	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A020BF-E</a>	<a href="#">15 serisi servo fren kablosu, 20m, 230V, 100-750W</a>	177.40	EC002615	<a href="#">670635</a>	4548583972599	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A020BFR</a>	<a href="#">15 series servo flexible brake cable, 20 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	741.50	EC002615	685022	4549734196246	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A020SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 20m, 230V, 100-750W</a>	292.00	EC002615	<a href="#">670653</a>	4548583972773	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A020SFR</a>	<a href="#">15 series servo motor flexible power cable, 20 m, 230 V, 50 to 750 W, reverse/non-load mounting</a>	863.00	EC002615	707320	4549734722537	#		MB	MBZ	CHN	8544.4290.90
<a href="#">R88A-CA1A030BF-E</a>	<a href="#">15 serisi servo fren kablosu, 30m, 230V, 100-750W</a>	214.60	EC002615	<a href="#">670631</a>	4548583972551	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A030SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 30m, 230V, 100-750W</a>	354.50	EC002615	<a href="#">670655</a>	4548583972797	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C001-5SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 1.5m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	170.00	EC002615	<a href="#">670664</a>	4548583972889	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C003BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 3m, frenli, 230V, 900W-1.5kW</a>	247.60	EC002615	<a href="#">670650</a>	4548583972742	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C003SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 3m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	177.40	EC002615	<a href="#">670683</a>	4548583973077	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C005BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 5m, frenli, 230V, 900W-1.5kW</a>	273.70	EC002615	<a href="#">670645</a>	4548583972698	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C005SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 5m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	196.00	EC002615	<a href="#">670640</a>	4548583972643	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C007SF-E</a>	<a href="#">15 serisi servo motor power cable, 7 m, non braked, 230 V, 900 V to 1.5 kW, 400 V, 400 W to 1.5 kW &amp; 2 kW (2000 &amp; 3000 rpm)</a>	252.70	EC002615	680413	4549734938822	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C010BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 10m, frenli, 230V, 900W-1.5kW</a>	332.60	EC002615	<a href="#">670668</a>	4548583972926	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C010SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 10m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	232.90	EC002615	<a href="#">670659</a>	4548583972834	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C015BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 15m, frenli, 230V, 900W-1.5kW</a>	399.20	EC002615	<a href="#">670663</a>	4548583972872	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C015SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 15m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	277.20	EC002615	<a href="#">670679</a>	4548583973039	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C020SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 20m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	421.10	EC002615	<a href="#">670641</a>	4548583972650	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C030SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 30m, frensiz, 230V, 900W-1.5kW, 400V, 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	541.50	EC002615	<a href="#">670669</a>	4548583972933	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E001-5SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 1.5m, frensiz, 400V, 2kW(1000rpm) &amp; 3kW</a>	199.70	EC002615	<a href="#">670670</a>	4548583972940	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E003BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 3m, frenli, 400V, 400W-3kW</a>	288.60	EC002615	<a href="#">670639</a>	4548583972636	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E003SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 3m, frensiz, 400V, 2kW(1000rpm) &amp; 3kW</a>	214.60	EC002615	<a href="#">670648</a>	4548583972728	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E005BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 5m, frenli, 400V, 400W-3kW</a>	321.50	EC002615	<a href="#">670660</a>	4548583972841	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E005SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 5m, frensiz, 400V, 2kW(1000rpm) &amp; 3kW</a>	232.90	EC002615	<a href="#">670674</a>	4548583972988	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E010BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 10m, frenli, 400V, 400W-3kW</a>	399.20	EC002615	<a href="#">670678</a>	4548583973022	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E010SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 10m, frensiz, 400V, 2kW(1000rpm) &amp; 3kW</a>	299.50	EC002615	<a href="#">670642</a>	4548583972667	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E015BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 15m, frenli, 400V, 400W-3kW</a>	494.80	EC002615	<a href="#">670666</a>	4548583972902	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E015SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 15m, frensiz, 400V, 2kW(1000rpm) &amp; 3kW</a>	369.50	EC002615	<a href="#">670644</a>	4548583972681	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E020BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 20m, frenli, 400V, 400W-3kW</a>	577.00	EC002615	<a href="#">670662</a>	4548583972865	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E020SF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 20m, frensiz, 400V, 2kW(1000rpm) &amp; 3kW</a>	468.70	EC002615	<a href="#">670680</a>	4548583973046	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E030BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 30m, frenli, 400V, 400W-3kW</a>	772.50	EC002615	<a href="#">670682</a>	4548583973060	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E040BF-E</a>	<a href="#">15 serisi servo motor güç kablosu, 40m, frenli, 400V, 400W-3kW</a>	994.50	EC002615	<a href="#">670649</a>	4548583972735	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1G003BF</a>	<a href="#">15 series servo motor power cable, 3 m, with brake, 400 V, 4 kW to 5.5 kW</a>	303.30	EC002615	<a href="#">689535</a>	4549734209755	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G003SF</a>	<a href="#">15 series servo motor power cable, 3 m, non braked, 400 V, 4 kW to 5.5 kW</a>	262.70	EC002615	<a href="#">689536</a>	4549734209670	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G005BF</a>	<a href="#">15 series servo motor power cable, 5 m, with brake, 400 V, 4 kW to 5.5 kW</a>	336.30	EC002615	<a href="#">689537</a>	4549734209762	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G005SF</a>	<a href="#">15 series servo motor power cable, 5 m, non braked, 400 V, 4 kW to 5.5 kW</a>	292.20	EC002615	<a href="#">689538</a>	4549734209687	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G010BF</a>	<a href="#">15 series servo motor power cable, 10 m, with brake, 400 V, 4 kW to 5.5 kW</a>	441.70	EC002615	<a href="#">689539</a>	4549734209779	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G010SF</a>	<a href="#">15 series servo motor power cable, 10 m, non braked, 400 V, 4 kW to 5.5 kW</a>	376.80	EC002615	<a href="#">689540</a>	4549734209694	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G015BF</a>	<a href="#">15 series servo motor power cable, 15 m, with brake, 400 V, 4 kW to 5.5 kW</a>	557.50	EC002615	<a href="#">689541</a>	4549734209786	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G015SF</a>	<a href="#">15 series servo motor power cable, 15 m, non braked, 400 V, 4 kW to 5.5 kW</a>	456.30	EC002615	<a href="#">689542</a>	4549734209700	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G020BF</a>	<a href="#">15 series servo motor power cable, 20 m, with brake, 400 V, 4 kW to 5.5 kW</a>	666.50	EC002615	<a href="#">689543</a>	4549734209793	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G020SF</a>	<a href="#">15 series servo motor power cable, 20 m, non braked, 400 V, 4 kW to 5.5 kW</a>	543.00	EC002615	<a href="#">689544</a>	4549734209717	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H003BF</a>	<a href="#">15 series servo motor power cable, 3 m, with brake, 400 V, 7.5 kW</a>	376.80	EC002615	<a href="#">689547</a>	4549734451338	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H003SF</a>	<a href="#">15 series servo motor power cable, 3 m, non braked, 400 V, 7.5 kW</a>	347.40	EC002615	<a href="#">689548</a>	4549734451284	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H005BF</a>	<a href="#">15 series servo motor power cable, 5 m, with brake, 400 V, 7.5 kW</a>	479.80	EC002615	<a href="#">689549</a>	4549734451345	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H005SF</a>	<a href="#">15 series servo motor power cable, 5 m, non braked, 400 V, 7.5 kW</a>	424.50	EC002615	<a href="#">689550</a>	4549734451291	#		MB	MBZ	POL	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88A-CA1H0108F</a>	1S series servo motor power cable, 10 m, with brake, 400 V, 7.5 kW	632.00	EC002615	<a href="#">689551</a>	4549734451352	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H0105F</a>	1S series servo motor power cable, 10 m, non braked, 400 V, 7.5 kW	604.50	EC002615	<a href="#">689552</a>	4549734451307	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H0158F</a>	1S series servo motor power cable, 15 m, with brake, 400 V, 7.5 kW	799.00	EC002615	<a href="#">689553</a>	4549734451369	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H0155F</a>	1S series servo motor power cable, 15 m, non braked, 400 V, 7.5 kW	794.00	EC002615	<a href="#">689554</a>	4549734451314	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J0205F</a>	1S series servo motor power cable, 20 m, non braked, 400 V, 7.5 kW	975.50	EC002615	<a href="#">689556</a>	4549734451321	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J0055F</a>	1S series servo motor power cable, 5 m, non braked, 400 V, 11 kW & 15 kW	545.00	EC002615	<a href="#">689866</a>	4549734209847	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J0105F</a>	1S series servo motor power cable, 10 m, non braked, 400 V, 11 kW & 15 kW	811.00	EC002615	<a href="#">689868</a>	4549734209854	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J0155F</a>	1S series servo motor power cable, 15 m, non braked, 400 V, 11 kW & 15 kW	1,049.00	EC002615	<a href="#">689870</a>	4549734209861	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J0208F</a>	1S series servo motor power cable, 20 m, with brake, 400 V, 11 kW & 15 kW	1,289.00	EC002615	<a href="#">689871</a>	4549734209953	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J0205F</a>	1S series servo motor power cable, 20 m, non braked, 400 V, 11 kW & 15 kW	1,285.00	EC002615	<a href="#">689872</a>	4549734209878	#		MB	MBZ	POL	8544.4290.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-F1S103-5E</a>	1S Servo RFI filtre: 230 VAC tek-faz, 100 and 200 W drives	79.10	EC002564	<a href="#">670528</a>	4548583971677	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S105-5E</a>	1S Servo RFI filtre: 230 VAC tek-faz, 400 W sürücü	84.75	EC002564	<a href="#">670529</a>	4548583971684	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S108-5E</a>	1S Servo RFI filtre: 230 VAC tek-faz, 800 W sürücü	90.35	EC002564	<a href="#">670527</a>	4548583971660	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S116-5E</a>	1S Servo RFI filtre: 230 VAC tek-faz, 1.5 kW sürücü	114.90	EC002564	<a href="#">670531</a>	4548583971707	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S309-5E</a>	1S Servo RFI filtre: 400 VAC, 600 W - 3 kW sürücü	120.70	EC002564	<a href="#">670530</a>	4548583971691	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S330-5E</a>	1S Servo RFI filtre: 400 VAC, for 5.5 kW to 7.5 kW drives	234.10	EC002564	<a href="#">689239</a>	4549734976558	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S350-5E</a>	1S Servo RFI filtre: 400 VAC, for 15 kW drives	354.10	EC002564	<a href="#">689240</a>	4549734976565	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S1A108-5E</a>	1SA Servo RFI filtre: 230 VAC single-phase, for 200 W to 800 W drives	109.70	EC002564	<a href="#">690847</a>	4549734984287	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S1A116-5E</a>	1SA Servo RFI filtre: 230 VAC single-phase, for 1.5 kW drives	143.00	EC002564	<a href="#">690848</a>	4549734984294	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F1S1A309-5E</a>	1SA Servo RFI filtre: 400 VAC, for 1 kW to 3 kW drives	145.50	EC002564	<a href="#">690849</a>	4549734984300	#		MB	MBZ	THA	8529.9097.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-CX1A0038F</a>	1SA series servo hybrid cable, 3 m, with brake, 230V, 200-750W	449.80	EC002615	<a href="#">693618</a>	4549734218931	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0035F</a>	1SA series servo hybrid cable, 3 m, non braked, 230V, 200-750W	348.10	EC002615	<a href="#">693623</a>	4549734219013	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0058F</a>	1SA series servo hybrid cable, 5 m, with brake, 230V, 200-750W	507.50	EC002615	<a href="#">693619</a>	4549734218948	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0055F</a>	1SA series servo hybrid cable, 5 m, non braked, 230V, 200-750W	406.10	EC002615	<a href="#">693624</a>	4549734219020	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0108F</a>	1SA series servo hybrid cable, 10 m, with brake, 230V, 200-750W	595.50	EC002615	<a href="#">693620</a>	4549734218955	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0105F</a>	1SA series servo hybrid cable, 10 m, non braked, 230V, 200-750W	493.10	EC002615	<a href="#">693625</a>	4549734219037	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0158F</a>	1SA series servo hybrid cable, 15 m, with brake, 230V, 200-750W	711.50	EC002615	<a href="#">693621</a>	4549734218962	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0155F</a>	1SA series servo hybrid cable, 15 m, non braked, 230V, 200-750W	610.00	EC002615	<a href="#">693626</a>	4549734219044	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0208F</a>	1SA series servo hybrid cable, 20 m, with brake, 230V, 200-750W	856.50	EC002615	<a href="#">693622</a>	4549734218979	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A0205F</a>	1SA series servo hybrid cable, 20 m, non braked, 230V, 200-750W	755.00	EC002615	<a href="#">693627</a>	4549734219051	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1R108F</a>	1SA series servo EXTENSION hybrid cable, 10 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	653.00	EC002615	<a href="#">695502</a>	4549734451840	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1R108F</a>	1SA series servo EXTENSION hybrid cable, 20 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	929.00	EC002615	<a href="#">695501</a>	4549734451857	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0038F</a>	1SA series servo hybrid cable, 3 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	493.10	EC002615	<a href="#">695507</a>	4549734451659	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0035F</a>	1SA series servo hybrid cable, 3 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	391.70	EC002615	<a href="#">695512</a>	4549734451604	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0058F</a>	1SA series servo hybrid cable, 5 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	551.50	EC002615	<a href="#">695506</a>	4549734451666	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0055F</a>	1SA series servo hybrid cable, 5 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	449.80	EC002615	<a href="#">695511</a>	4549734451611	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0108F</a>	1SA series servo hybrid cable, 10 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	639.00	EC002615	<a href="#">695505</a>	4549734451673	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0105F</a>	1SA series servo hybrid cable, 10 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	537.00	EC002615	<a href="#">695510</a>	4549734451628	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0158F</a>	1SA series servo hybrid cable, 15 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	755.00	EC002615	<a href="#">695504</a>	4549734451680	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0155F</a>	1SA series servo hybrid cable, 15 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	653.00	EC002615	<a href="#">695509</a>	4549734451635	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0208F</a>	1SA series servo hybrid cable, 20 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	900.00	EC002615	<a href="#">695503</a>	4549734451697	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C0205F</a>	1SA series servo hybrid cable, 20 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	799.00	EC002615	<a href="#">695508</a>	4549734451642	#		MB	MBZ	POL	8544.4290.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-CN101A</a>	1S motor connector (CNC) for 230 V, 0.1 to 1 kW	108.40	EC002584	<a href="#">674155</a>	4548583859623	#		MB	MBZ	JPN	8536.9010.00
<a href="#">R88A-CN101R</a>	1S connector for encoder cable (drive side)	73.00	EC002584	<a href="#">673346</a>	4548583789098	#	50	MB	MBZ	CHN	8536.9010.00
<a href="#">R88A-CN102A</a>	1S motor connector (CNC) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	127.20	EC002584	<a href="#">674154</a>	4548583863064	#		MB	MBZ	JPN	8536.9010.00
<a href="#">R88A-CN102P</a>	1S main circuit connector (CNA) for 230 V, 0.1 to 1 kW	152.20	EC002584	<a href="#">674151</a>	4548583859593	#		MB	MBZ	JPN	8536.9010.00
<a href="#">R88A-CN104R</a>	1S connector for encoder cable (motor side), for 400 V and from 900 W, 230 V motors	91.70	EC002584	<a href="#">673345</a>	4548583789104	#	60	MB	MBZ	CHN	8536.9010.00
<a href="#">R88A-CN111A</a>	1S connector for power cable (motor side), for 100-750 W, 230 V motors	83.05	EC002584	<a href="#">673344</a>	4548583789111	#		MB	MBZ	CHN	8536.9010.00
<a href="#">R88A-CN111B</a>	1S connector for brake cable (motor side)	63.00	EC002584	<a href="#">673343</a>	4548583789128	#		MB	MBZ	CHN	8536.9010.00
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-RR12025</a>	External regeneration resistor, capacity: 24 W, 25 Ohm	93.75	EC002615	<a href="#">673209</a>	4548583786905	#		MB	MBZ	JPN	8533.4090.00
<a href="#">R88A-RR30020</a>	External regeneration resistor, 60 W, 20 Ohm	274.60	EC002615	<a href="#">672007</a>	4548583786950	#		MB	MBZ	JPN	8533.4090.00
<a href="#">R88A-RR30025</a>	External regeneration resistor, capacity: 60 W, 25 Ohm	274.60	EC002615	<a href="#">673204</a>	4548583786967	#		MB	MBZ	JPN	8533.4090.00
<a href="#">R88A-RR30033</a>	External regeneration resistor, capacity: 60 W, 33 Ohm	274.60	EC002615	<a href="#">673207</a>	4548583786974	#		MB	MBZ	JPN	8533.4090.00
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-SC0115-E</a>	1S series cable clamp A. Used in 230 V drives up to 750 W	10.95	EC002584	<a href="#">675088</a>	4548583996397	#		MB	MBZ	ITA	8504.5000.90
<a href="#">R88A-SC0215-E</a>	1S series cable clamp B. Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	12.15	EC002584	<a href="#">675089</a>	4548583996403	#		MB	MBZ	ITA	8504.5000.90

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-SC10CA	<a href="#">15 series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)</a>	52,00	EC002584	693647	4549734540001			MB	MBZ	JPN	8504.5000.90
R88A-SC10CX-PE	<a href="#">15A series cable shield clamp S. Used in 230V and 400 V drives</a>	47,86	EC002584	701015	4549734896702			MB	MBZ	POL	7326.9098.90
<b>Endüstriyel PC.NY</b>											
<a href="#">NY81C-31001</a>	<a href="#">Industrial Box PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232</a>	3,934.00	EC001413	<a href="#">686603</a>	4549734142977			NA	NAA	NLD	8471.4100.00
<a href="#">NY81E-514P6</a>	<a href="#">Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB, SSD 3D TLC, WIN 10 IoT Ent., 2019 LTSC (64-bit), PCIe slot, NY Monitor Link</a>	9,815.00	EC001413	<a href="#">707245</a>	4549734755399			NA	NAA	NLD	8471.4100.00
<a href="#">NY81E-524P6</a>	<a href="#">Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB, SSD 3D TLC, WIN 10 IoT Ent., 2019 LTSC (64-bit), PCIe slot +HW RAID1, NY Monitor Link</a>	11,020.00	EC001413	<a href="#">707244</a>	4549734755405			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-30460</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,400.00	EC001413	<a href="#">700137</a>	4549734687881			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-30466</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	5,710.00	EC001413	<a href="#">700136</a>	4549734687898			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-30470</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,740.00	EC001413	<a href="#">700131</a>	4549734687942			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-30476</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,050.00	EC001413	<a href="#">700130</a>	4549734687959			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,875.00	EC001413	<a href="#">700152</a>	4549734687737			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,875.00	EC001413	<a href="#">700151</a>	4549734687744			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,145.00	EC001413	<a href="#">700150</a>	4549734687751			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,055.00	EC001413	<a href="#">700161</a>	4549734687379			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,055.00	EC001413	<a href="#">700162</a>	4549734687386			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,330.00	EC001413	<a href="#">700163</a>	4549734687393			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,340.00	EC001413	<a href="#">700170</a>	4549734687461			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,340.00	EC001413	<a href="#">700171</a>	4549734687478			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,615.00	EC001413	<a href="#">700172</a>	4549734687485			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,925.00	EC001413	<a href="#">700179</a>	4549734687553			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,925.00	EC001413	<a href="#">700180</a>	4549734687560			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,195.00	EC001413	<a href="#">700181</a>	4549734687577			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB, SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,595.00	EC001413	<a href="#">700187</a>	4549734687645			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB, SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,595.00	EC001413	<a href="#">700188</a>	4549734687652			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-314P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB, SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,860.00	EC001413	<a href="#">700189</a>	4549734687669			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,100.00	EC001413	<a href="#">703271</a>	4549734730518			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,100.00	EC001413	<a href="#">703272</a>	4549734730525			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,065.00	EC001413	<a href="#">707175</a>	4549734730532			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324D9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,100.00	EC001413	<a href="#">703273</a>	4549734730549			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,245.00	EC001413	<a href="#">703281</a>	4549734730631			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,245.00	EC001413	<a href="#">703282</a>	4549734730648			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,525.00	EC001413	<a href="#">703283</a>	4549734730655			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324E9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,245.00	EC001413	<a href="#">703284</a>	4549734730662			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,285.00	EC001413	<a href="#">703236</a>	4549734730037			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,285.00	EC001413	<a href="#">703237</a>	4549734730044			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,560.00	EC001413	<a href="#">703238</a>	4549734730051			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324K9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,280.00	EC001413	<a href="#">703239</a>	4549734730068			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,570.00	EC001413	<a href="#">703248</a>	4549734730150			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,570.00	EC001413	<a href="#">703249</a>	4549734730167			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,280.00	EC001413	<a href="#">703195</a>	4549734730174			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324L9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,595.00	EC001413	<a href="#">703250</a>	4549734730181			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	7,825.00	EC001413	<a href="#">703354</a>	4549734730273			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	7,825.00	EC001413	<a href="#">703355</a>	4549734730280			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	8,060.00	EC001413	<a href="#">703356</a>	4549734730297			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324M9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	7,860.00	EC001413	<a href="#">703357</a>	4549734730303			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB27-324P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,825.00	EC001413	<a href="#">703259</a>	4549734730396			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,825.00	EC001413	<a href="#">703260</a>	4549734730402			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,085.00	EC001413	<a href="#">703261</a>	4549734730419			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,820.00	EC001413	<a href="#">703262</a>	4549734730426			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40460</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,525.00	EC001413	<a href="#">700135</a>	4549734687904			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40466</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	5,840.00	EC001413	<a href="#">700134</a>	4549734687911			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40470</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,865.00	EC001413	<a href="#">700129</a>	4549734687966			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40476</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,185.00	EC001413	<a href="#">700128</a>	4549734687973			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,005.00	EC001413	<a href="#">700149</a>	4549734687768			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,005.00	EC001413	<a href="#">700148</a>	4549734687775			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414D9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,275.00	EC001413	<a href="#">700147</a>	4549734687782			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,185.00	EC001413	<a href="#">700164</a>	4549734687409			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,185.00	EC001413	<a href="#">700165</a>	4549734687416			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,455.00	EC001413	<a href="#">700166</a>	4549734687423			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,465.00	EC001413	<a href="#">700173</a>	4549734687492			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,465.00	EC001413	<a href="#">700174</a>	4549734687508			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,745.00	EC001413	<a href="#">700175</a>	4549734687515			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,575.00	EC001413	<a href="#">700119</a>	4549734687584			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	7,055.00	EC001413	<a href="#">700182</a>	4549734687591			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,315.00	EC001413	<a href="#">700183</a>	4549734687607			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,715.00	EC001413	<a href="#">700190</a>	4549734687676			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,715.00	EC001413	<a href="#">700191</a>	4549734687683			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,990.00	EC001413	<a href="#">700125</a>	4549734687690			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, GioE LAN</a>	7,520.00	EC001413	<a href="#">702394</a>	4549734758567			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,235.00	EC001413	<a href="#">703274</a>	4549734730556			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,235.00	EC001413	<a href="#">703275</a>	4549734730563			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,505.00	EC001413	<a href="#">703276</a>	4549734730570			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,225.00	EC001413	<a href="#">703277</a>	4549734730587			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,380.00	EC001413	<a href="#">703285</a>	4549734730679			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,380.00	EC001413	<a href="#">703286</a>	4549734730686			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,655.00	EC001413	<a href="#">703287</a>	4549734730693			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,375.00	EC001413	<a href="#">703288</a>	4549734730709			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,410.00	EC001413	<a href="#">703240</a>	4549734730075			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,410.00	EC001413	<a href="#">703241</a>	4549734730082			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,685.00	EC001413	<a href="#">703242</a>	4549734730099			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,410.00	EC001413	<a href="#">703243</a>	4549734730105			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,695.00	EC001413	<a href="#">703251</a>	4549734730198			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,695.00	EC001413	<a href="#">703252</a>	4549734730204			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,965.00	EC001413	<a href="#">703253</a>	4549734730211			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,695.00	EC001413	<a href="#">703254</a>	4549734730228			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	8,065.00	EC001413	<a href="#">703358</a>	4549734730310			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	8,065.00	EC001413	<a href="#">703359</a>	4549734730327			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	8,300.00	EC001413	<a href="#">703360</a>	4549734730334			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	8,100.00	EC001413	<a href="#">703361</a>	4549734730341			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB27-424P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,945.00	EC001413	<a href="#">703263</a>	4549734730433			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,945.00	EC001413	<a href="#">703264</a>	4549734730440			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,220.00	EC001413	<a href="#">703265</a>	4549734730457			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,945.00	EC001413	<a href="#">703266</a>	4549734730464			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50460</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,820.00	EC001413	<a href="#">700133</a>	4549734687928			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50466</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,135.00	EC001413	<a href="#">700132</a>	4549734687935			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50470</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	6,175.00	EC001413	<a href="#">700127</a>	4549734687980			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50476</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,485.00	EC001413	<a href="#">700126</a>	4549734687997			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,310.00	EC001413	<a href="#">700146</a>	4549734687799			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,310.00	EC001413	<a href="#">700145</a>	4549734687805			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,570.00	EC001413	<a href="#">700144</a>	4549734687812			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,485.00	EC001413	<a href="#">700167</a>	4549734687430			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,485.00	EC001413	<a href="#">700168</a>	4549734687447			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,755.00	EC001413	<a href="#">700169</a>	4549734687454			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,765.00	EC001413	<a href="#">700176</a>	4549734687522			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,765.00	EC001413	<a href="#">700177</a>	4549734687539			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,040.00	EC001413	<a href="#">700178</a>	4549734687546			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	7,345.00	EC001413	<a href="#">700184</a>	4549734687614			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	7,345.00	EC001413	<a href="#">700185</a>	4549734687621			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,615.00	EC001413	<a href="#">700186</a>	4549734687638			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	7,020.00	EC001413	<a href="#">700155</a>	4549734687706			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	7,020.00	EC001413	<a href="#">700154</a>	4549734687713			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,295.00	EC001413	<a href="#">700153</a>	4549734687720			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,530.00	EC001413	<a href="#">703222</a>	4549734730594			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,530.00	EC001413	<a href="#">703278</a>	4549734730600			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,800.00	EC001413	<a href="#">703279</a>	4549734730617			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,525.00	EC001413	<a href="#">703280</a>	4549734730624			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,685.00	EC001413	<a href="#">703289</a>	4549734730716			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,685.00	EC001413	<a href="#">703290</a>	4549734730723			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,960.00	EC001413	<a href="#">703291</a>	4549734730730			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524E9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,685.00	EC001413	<a href="#">703223</a>	4549734730747			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,705.00	EC001413	<a href="#">703244</a>	4549734730112			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,705.00	EC001413	<a href="#">703245</a>	4549734730129			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,980.00	EC001413	<a href="#">703246</a>	4549734730136			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,705.00	EC001413	<a href="#">703247</a>	4549734730143			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,990.00	EC001413	<a href="#">703255</a>	4549734730235			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,990.00	EC001413	<a href="#">703256</a>	4549734730242			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,265.00	EC001413	<a href="#">703257</a>	4549734730259			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,990.00	EC001413	<a href="#">703258</a>	4549734730266			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	8,305.00	EC001413	<a href="#">703362</a>	4549734730358			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	8,305.00	EC001413	<a href="#">703363</a>	4549734730365			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	8,535.00	EC001413	<a href="#">703364</a>	4549734730372			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	8,345.00	EC001413	<a href="#">703365</a>	4549734730389			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB27-524P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	7,245.00	EC001413	<a href="#">703267</a>	4549734730471			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	7,245.00	EC001413	<a href="#">703268</a>	4549734730488			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,520.00	EC001413	<a href="#">703269</a>	4549734730495			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	7,245.00	EC001413	<a href="#">703270</a>	4549734730501			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20450</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,265.00	EC001413	<a href="#">688960</a>	4549734532761			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20456</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,608.00	EC001413	<a href="#">688961</a>	4549734532778			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20460</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,402.00	EC001413	<a href="#">688962</a>	4549734532785			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20466</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,746.00	EC001413	<a href="#">688963</a>	4549734532792			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20470</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,692.00	EC001413	<a href="#">688964</a>	4549734532808			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20476</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,037.00	EC001413	<a href="#">688965</a>	4549734532815			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30450</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,348.00	EC001413	<a href="#">688968</a>	4549734532846			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30456</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,692.00	EC001413	<a href="#">688969</a>	4549734532853			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30460</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,487.00	EC001413	<a href="#">688970</a>	4549734532860			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30466</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,828.00	EC001413	<a href="#">688971</a>	4549734532877			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30470</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,777.00	EC001413	<a href="#">688972</a>	4549734532884			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30476</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,120.00	EC001413	<a href="#">688973</a>	4549734532891			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20450</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,478.00	EC001413	<a href="#">707558</a>	4549734754712			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20456</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,833.00	EC001413	<a href="#">707559</a>	4549734754729			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20460</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,627.00	EC001413	<a href="#">707557</a>	4549734719674			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20466</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,982.00	EC001413	<a href="#">707560</a>	4549734754736			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20470</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,935.00	EC001413	<a href="#">707561</a>	4549734754743			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20476</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,290.00	EC001413	<a href="#">707562</a>	4549734754750			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-21491</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,220.00	EC001413	<a href="#">707563</a>	4549734754767			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-21492</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,220.00	EC001413	<a href="#">707564</a>	4549734754774			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-21496</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,725.00	EC001413	<a href="#">707565</a>	4549734754781			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214C1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	3,884.00	EC001413	<a href="#">707566</a>	4549734754798			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214C2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	3,884.00	EC001413	<a href="#">707567</a>	4549734754804			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214C6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,386.00	EC001413	<a href="#">707568</a>	4549734754811			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214K1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,160.00	EC001413	<a href="#">707569</a>	4549734754828			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214K2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,160.00	EC001413	<a href="#">707570</a>	4549734754835			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214K6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,665.00	EC001413	<a href="#">707571</a>	4549734754842			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30450</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,660.00	EC001413	<a href="#">707572</a>	4549734754859			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30456</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,014.00	EC001413	<a href="#">707573</a>	4549734754866			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30460</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port</a>	3,075.00	EC001413	<a href="#">702006</a>	4549734719681			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30470</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port</a>	3,474.00	EC001413	<a href="#">702007</a>	4549734719698			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30476</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,474.00	EC001413	<a href="#">707574</a>	4549734754873			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-31491</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,335.00	EC001413	<a href="#">707575</a>	4549734754880			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-31492</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,335.00	EC001413	<a href="#">707576</a>	4549734754897			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-31496</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,845.00	EC001413	<a href="#">707577</a>	4549734754903			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314C1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	3,996.00	EC001413	<a href="#">707578</a>	4549734754910			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314C2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	3,996.00	EC001413	<a href="#">707579</a>	4549734754927			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314C6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,500.00	EC001413	<a href="#">707580</a>	4549734754934			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314K1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,273.00	EC001413	<a href="#">707581</a>	4549734754941			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314K2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,273.00	EC001413	<a href="#">707582</a>	4549734754958			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314K6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,778.00	EC001413	<a href="#">707583</a>	4549734754965			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-40460</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,593.00	EC001413	<a href="#">707584</a>	4549734754972			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-21491</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,910.00	EC001413	<a href="#">707609</a>	4549734754989			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-21492</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,910.00	EC001413	<a href="#">707610</a>	4549734754996			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-21496</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,415.00	EC001413	<a href="#">707611</a>	4549734755009			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214C1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,563.00	EC001413	<a href="#">707612</a>	4549734755016			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214C2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,563.00	EC001413	<a href="#">707613</a>	4549734755023			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214C6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,070.00	EC001413	<a href="#">707614</a>	4549734755030			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,840.00	EC001413	<a href="#">707615</a>	4549734755047			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,840.00	EC001413	<a href="#">707616</a>	4549734755054			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,345.00	EC001413	<a href="#">707617</a>	4549734755061			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,704.00	EC001413	<a href="#">703391</a>	4549734729499			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,704.00	EC001413	<a href="#">703392</a>	4549734729505			NA			

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB35-224L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,060.00	EC001413	<a href="#">703394</a>	4549734729529			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,060.00	EC001413	<a href="#">703395</a>	4549734729536			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,300.00	EC001413	<a href="#">703396</a>	4549734729543			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30370</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Fnt. (64-bit), no PCIe slot, no option port</a>	3,719.00	EC001413	<a href="#">683638</a>	4549734262552			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30450</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	3,836.00	EC001413	<a href="#">702618</a>	4549734755078			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30456</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,192.00	EC001413	<a href="#">707619</a>	4549734755085			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30460</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	3,984.00	EC001413	<a href="#">707620</a>	4549734755092			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30466</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,338.00	EC001413	<a href="#">707621</a>	4549734755108			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30470</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,842.00	EC001413	<a href="#">703221</a>	4549734737449			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30476</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	5,245.00	EC001413	<a href="#">707622</a>	4549734755115			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-31491</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,030.00	EC001413	<a href="#">707623</a>	4549734755122			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-31492</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,030.00	EC001413	<a href="#">707624</a>	4549734755139			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-31496</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,530.00	EC001413	<a href="#">707625</a>	4549734755146			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314C1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,678.00	EC001413	<a href="#">707626</a>	4549734755153			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314C2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,678.00	EC001413	<a href="#">707627</a>	4549734755160			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314C6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,185.00	EC001413	<a href="#">707628</a>	4549734755177			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,954.00	EC001413	<a href="#">707629</a>	4549734755184			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,954.00	EC001413	<a href="#">707630</a>	4549734755191			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,460.00	EC001413	<a href="#">707631</a>	4549734755207			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,549.00	EC001413	<a href="#">703397</a>	4549734729550			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,549.00	EC001413	<a href="#">703398</a>	4549734729567			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	4,820.00	EC001413	<a href="#">703399</a>	4549734729574			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,694.00	EC001413	<a href="#">703400</a>	4549734729581			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,694.00	EC001413	<a href="#">703401</a>	4549734729598			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	4,969.00	EC001413	<a href="#">703402</a>	4549734729604			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,839.00	EC001413	<a href="#">703403</a>	4549734729611			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,839.00	EC001413	<a href="#">703404</a>	4549734729628			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,105.00	EC001413	<a href="#">703405</a>	4549734729635			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,195.00	EC001413	<a href="#">703406</a>	4549734729642			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,195.00	EC001413	<a href="#">703407</a>	4549734729659			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,430.00	EC001413	<a href="#">703408</a>	4549734729666			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,485.00	EC001413	<a href="#">703409</a>	4549734729673			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,485.00	EC001413	<a href="#">703410</a>	4549734729680			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,710.00	EC001413	<a href="#">703411</a>	4549734729697			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,430.00	EC001413	<a href="#">703412</a>	4549734729703			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,430.00	EC001413	<a href="#">703413</a>	4549734729710			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,690.00	EC001413	<a href="#">703414</a>	4549734729727			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40450</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,172.00	EC001413	<a href="#">707632</a>	4549734755214			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40456</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,529.00	EC001413	<a href="#">707633</a>	4549734755221			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40460</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,320.00	EC001413	<a href="#">707634</a>	4549734755238			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40466</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,676.00	EC001413	<a href="#">707635</a>	4549734755245			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40470</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,628.00	EC001413	<a href="#">707636</a>	4549734755252			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40476</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,982.00	EC001413	<a href="#">707637</a>	4549734755269			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,632.00	EC001413	<a href="#">707638</a>	4549734755276			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,627.00	EC001413	<a href="#">707639</a>	4549734755283			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,915.00	EC001413	<a href="#">707640</a>	4549734755290			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,715.00	EC001413	<a href="#">707641</a>	4549734755306			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,715.00	EC001413	<a href="#">707642</a>	4549734755313			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,998.00	EC001413	<a href="#">707643</a>	4549734755320			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB35-414K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 LTSC, 1 PCIe + 2 drive slots, RS-232C</a>	5,310.00	EC001413	<a href="#">707158</a>	4549734752671			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,825.00	EC001413	<a href="#">707644</a>	4549734755337			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,110.00	EC001413	<a href="#">707645</a>	4549734755344			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,130.00	EC001413	<a href="#">707646</a>	4549734755351			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,165.00	EC001413	<a href="#">707647</a>	4549734755368			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,430.00	EC001413	<a href="#">707648</a>	4549734755375			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,712.00	EC001413	<a href="#">703415</a>	4549734729734			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,712.00	EC001413	<a href="#">703416</a>	4549734729741			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	4,980.00	EC001413	<a href="#">703417</a>	4549734729758			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,859.00	EC001413	<a href="#">703418</a>	4549734729765			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,859.00	EC001413	<a href="#">703419</a>	4549734729772			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,135.00	EC001413	<a href="#">703420</a>	4549734729789			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,993.00	EC001413	<a href="#">703421</a>	4549734729796			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,993.00	EC001413	<a href="#">703422</a>	4549734729802			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,260.00	EC001413	<a href="#">703423</a>	4549734729819			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,345.00	EC001413	<a href="#">703424</a>	4549734729826			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,345.00	EC001413	<a href="#">703425</a>	4549734729833			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,615.00	EC001413	<a href="#">703426</a>	4549734729840			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,715.00	EC001413	<a href="#">703427</a>	4549734729857			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,715.00	EC001413	<a href="#">703428</a>	4549734729864			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,950.00	EC001413	<a href="#">703429</a>	4549734729871			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,580.00	EC001413	<a href="#">703379</a>	4549734729888			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,580.00	EC001413	<a href="#">703380</a>	4549734729895			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,845.00	EC001413	<a href="#">703382</a>	4549734729901			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-50460</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,553.00	EC001413	<a href="#">707649</a>	4549734755382			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-50469</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, 4 Ethernet Ports</a>	6,730.00	EC001413	<a href="#">708443</a>	4549734772501			NA	NAA	NLD	8471.4100.00

## Endüstriyel PC NY

<a href="#">NYP27-30000-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,630.00	EC001414	<a href="#">700263</a>	4549734688000			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,545.00	EC001414	<a href="#">700264</a>	4549734688017			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,690.00	EC001414	<a href="#">700265</a>	4549734688062			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,400.00	EC001414	<a href="#">700270</a>	4549734688079			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,425.00	EC001414	<a href="#">700275</a>	4549734688123			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,730.00	EC001414	<a href="#">700276</a>	4549734688130			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40000-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,470.00	EC001414	<a href="#">700266</a>	4549734688026			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,675.00	EC001414	<a href="#">700266</a>	4549734688051			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,200.00	EC001414	<a href="#">700271</a>	4549734688086			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,525.00	EC001414	<a href="#">700272</a>	4549734688093			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,545.00	EC001414	<a href="#">700277</a>	4549734688147			NA	NAA	NLD	8471.4100.00

Fiyatlarımızda herhang bir ihbara gerek duymaksızın de  
yapma hakkımız mahfuzdur.

İçeride görülen resim ve teknik değerler genel bilgi ama  
Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birli  
işletme talimatını esas alınız.

Ürünlerimiz, prospektüslerinde belirtilen şartlar altında  
kullandığınızda, imalat hatalarına karşı bir yıl garantidir.



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ET
<a href="#">NYP27-40476-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display, with capacitive touchscreen, build-in type</a>	7,855.00	EC
<a href="#">NYP27-50000-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,650.00	EC
<a href="#">NYP27-50006-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414
<a href="#">NYP27-50460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,500.00	EC001414
<a href="#">NYP27-50466-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,820.00	EC001414
<a href="#">NYP27-50470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,840.00	EC001414
<a href="#">NYP27-50476-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,155.00	EC001414
<a href="#">NYP2A-20450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	3,691.00	EC001414
<a href="#">NYP2A-20460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	3,815.00	EC001414
<a href="#">NYP2C-20360-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen</a>	3,388.00	EC001414
<a href="#">NYP2C-20450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	4,155.00	EC001414
<a href="#">NYP2C-20460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	4,304.00	EC001414
<a href="#">NYP2C-20470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	4,613.00	EC001414
<a href="#">NYP2C-21491-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,625.00	EC001414
<a href="#">NYP2C-21492-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,625.00	EC001414
<a href="#">NYP2C-21495-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,180.00	EC001414
<a href="#">NYP2C-214C1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,150.00	EC001414
<a href="#">NYP2C-214C2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,150.00	EC001414
<a href="#">NYP2C-214C6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,710.00	EC001414
<a href="#">NYP2C-214K1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,460.00	EC001414
<a href="#">NYP2C-214K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,460.00	EC001414
<a href="#">NYP2C-214K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,015.00	EC001414
<a href="#">NYP2C-30450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	4,336.00	EC001414
<a href="#">NYP2C-30460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	4,485.00	EC001414
<a href="#">NYP2C-30470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	4,792.00	EC001414
<a href="#">NYP2C-31491-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,740.00	EC001414
<a href="#">NYP2C-31492-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,740.00	EC001414
<a href="#">NYP2C-31496-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,300.00	EC001414
<a href="#">NYP2C-314C1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,280.00	EC001414
<a href="#">NYP2C-314C6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,280.00	EC001414
<a href="#">NYP2C-314K1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,840.00	EC001414
<a href="#">NYP2C-314K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,585.00	EC001414

ışıklık

ıdır.

te verilen

ksi halde



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP2C-314K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,585.00	EC001414	<a href="#">708027</a>	4549734755955			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,150.00	EC001414	<a href="#">707923</a>	4549734755979			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-21491-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,300.00	EC001414	<a href="#">707863</a>	4549734755993			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-21492-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,300.00	EC001414	<a href="#">707861</a>	4549734756013			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-21496-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,850.00	EC001414	<a href="#">707859</a>	4549734756037			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-214C1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">707857</a>	4549734756051			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-214C2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">707855</a>	4549734756075			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-214C6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,395.00	EC001414	<a href="#">707853</a>	4549734756099			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-214K1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,150.00	EC001414	<a href="#">707851</a>	4549734756112			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-214K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,150.00	EC001414	<a href="#">707849</a>	4549734756136			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-214K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,695.00	EC001414	<a href="#">707847</a>	4549734756150			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-30450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	5,520.00	EC001414	<a href="#">708183</a>	4549734756174			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-30460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	5,660.00	EC001414	<a href="#">708227</a>	4549734756211			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-31491-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,430.00	EC001414	<a href="#">707845</a>	4549734756297			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-31492-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,430.00	EC001414	<a href="#">707843</a>	4549734756310			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-31496-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,980.00	EC001414	<a href="#">707841</a>	4549734756334			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-314C1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,960.00	EC001414	<a href="#">707839</a>	4549734756358			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-314C2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,960.00	EC001414	<a href="#">707837</a>	4549734756372			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-314C6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,520.00	EC001414	<a href="#">707835</a>	4549734756396			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-314K1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,275.00	EC001414	<a href="#">707877</a>	4549734756419			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-314K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,275.00	EC001414	<a href="#">707879</a>	4549734756433			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-314K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,820.00	EC001414	<a href="#">707881</a>	4549734756457			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-40450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	5,855.00	EC001414	<a href="#">708235</a>	4549734756471			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-40460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,005.00	EC001414	<a href="#">708239</a>	4549734756518			NA	NAA	NLD	8471.4100.00
<a href="#">NYP3S-40470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,315.00	EC001414	<a href="#">708243</a>	4549734756556			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYP27-30000-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,475.00	EC001414	<a href="#">700281</a>	4549734688185			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,795.00	EC001414	<a href="#">700282</a>	4549734688192			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820FO, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,335.00	EC001414	<a href="#">700287</a>	4549734688246			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820FO, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,645.00	EC001414	<a href="#">700288</a>	4549734688253			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820FO, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,670.00	EC001414	<a href="#">700293</a>	4549734688307			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,975.00	EC001414	<a href="#">700294</a>	4549734688314			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP27-40000-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,610.00	EC001414	<a href="#">700283</a>	4549734688208			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,915.00	EC001414	<a href="#">700284</a>	4549734688215			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,460.00	EC001414	<a href="#">700289</a>	4549734688260			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,770.00	EC001414	<a href="#">700290</a>	4549734688277			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,795.00	EC001414	<a href="#">700295</a>	4549734688321			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40476-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,100.00	EC001414	<a href="#">700296</a>	4549734688338			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50000-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,900.00	EC001414	<a href="#">700285</a>	4549734688222			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50006-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,200.00	EC001414	<a href="#">700286</a>	4549734688239			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,745.00	EC001414	<a href="#">700291</a>	4549734688284			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50466-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,060.00	EC001414	<a href="#">700292</a>	4549734688291			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,085.00	EC001414	<a href="#">700297</a>	4549734688345			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50476-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,390.00	EC001414	<a href="#">700298</a>	4549734688352			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2A-20450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	3,913.00	EC001414	<a href="#">688985</a>	4549734533010			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2A-20460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,035.00	EC001414	<a href="#">688986</a>	4549734533027			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20350-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen</a>	3,525.00	EC001414	<a href="#">683650</a>	4549734262682			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,473.00	EC001414	<a href="#">707925</a>	4549734755429			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,476.00	EC001414	<a href="#">707928</a>	4549734755467			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,928.00	EC001414	<a href="#">707944</a>	4549734755504			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-21491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,660.00	EC001414	<a href="#">707950</a>	4549734755542			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-21492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,660.00	EC001414	<a href="#">707954</a>	4549734755566			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-21496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,205.00	EC001414	<a href="#">707958</a>	4549734755580			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,200.00	EC001414	<a href="#">707962</a>	4549734755603			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,200.00	EC001414	<a href="#">707966</a>	4549734755627			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,760.00	EC001414	<a href="#">707970</a>	4549734755641			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,515.00	EC001414	<a href="#">707973</a>	4549734755665			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,515.00	EC001414	<a href="#">707976</a>	4549734755689			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,060.00	EC001414	<a href="#">707980</a>	4549734755702			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30360-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen</a>	3,782.00	EC001414	<a href="#">683658</a>	4549734262767	#		NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,656.00	EC001414	<a href="#">707984</a>	4549734755726			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,801.00	EC001414	<a href="#">707990</a>	4549734755764			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	5,110.00	EC001414	<a href="#">707997</a>	4549734755801			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-31491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,785.00	EC001414	<a href="#">708001</a>	4549734755825			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP2C-31492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,785.00	EC001414	<a href="#">708005</a>	4549734755849			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-31496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,330.00	EC001414	<a href="#">708009</a>	4549734755863			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,325.00	EC001414	<a href="#">708013</a>	4549734755887			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,325.00	EC001414	<a href="#">708017</a>	4549734755900			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">708021</a>	4549734755924			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,635.00	EC001414	<a href="#">708025</a>	4549734755948			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,635.00	EC001414	<a href="#">708029</a>	4549734755962			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">707934</a>	4549734755986			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,330.00	EC001414	<a href="#">707862</a>	4549734756006			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,330.00	EC001414	<a href="#">707860</a>	4549734756020			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,840.00	EC001414	<a href="#">707858</a>	4549734756044			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,840.00	EC001414	<a href="#">707856</a>	4549734756068			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">707854</a>	4549734756082			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,425.00	EC001414	<a href="#">707852</a>	4549734756105			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">707850</a>	4549734756129			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">707848</a>	4549734756143			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,725.00	EC001414	<a href="#">707846</a>	4549734756167			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	5,820.00	EC001414	<a href="#">708224</a>	4549734756181			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	5,970.00	EC001414	<a href="#">708228</a>	4549734756228			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,280.00	EC001414	<a href="#">708231</a>	4549734756259			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-15WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, Ni plating</a>	6,635.00	EC001414	<a href="#">708232</a>	4549734756266			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,450.00	EC001414	<a href="#">707844</a>	4549734756303			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,450.00	EC001414	<a href="#">707842</a>	4549734756327			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,990.00	EC001414	<a href="#">707840</a>	4549734756341			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">707838</a>	4549734756365			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">707836</a>	4549734756389			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,555.00	EC001414	<a href="#">707834</a>	4549734756402			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,305.00	EC001414	<a href="#">707878</a>	4549734756426			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,305.00	EC001414	<a href="#">707880</a>	4549734756440			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,850.00	EC001414	<a href="#">707882</a>	4549734756464			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,155.00	EC001414	<a href="#">708236</a>	4549734756488			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300UJ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,305.00	EC001414	<a href="#">708240</a>	4549734756525			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP35-40470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,625.00	EC001414	<a href="#">700244</a>	4549734756563			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC.NY</b>											
<a href="#">NYP27-30000-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">700299</a>	4549734688369			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,455.00	EC001414	<a href="#">700335</a>	4549734688543			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,490.00	EC001414	<a href="#">700300</a>	4549734688376			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,755.00	EC001414	<a href="#">700334</a>	4549734688550			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,040.00	EC001414	<a href="#">700347</a>	4549734688420			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,305.00	EC001414	<a href="#">700329</a>	4549734688604			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,340.00	EC001414	<a href="#">700346</a>	4549734688437			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,610.00	EC001414	<a href="#">700328</a>	4549734688611			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,375.00	EC001414	<a href="#">700341</a>	4549734688482			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,635.00	EC001414	<a href="#">700323</a>	4549734688666			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,680.00	EC001414	<a href="#">700340</a>	4549734688499			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,945.00	EC001414	<a href="#">700305</a>	4549734688673			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40000-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,305.00	EC001414	<a href="#">700301</a>	4549734688383			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,575.00	EC001414	<a href="#">700333</a>	4549734688567			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,615.00	EC001414	<a href="#">700302</a>	4549734688390			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,885.00	EC001414	<a href="#">700332</a>	4549734688574			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,160.00	EC001414	<a href="#">700345</a>	4549734688444			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,430.00	EC001414	<a href="#">700327</a>	4549734688628			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,465.00	EC001414	<a href="#">700344</a>	4549734688451			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,735.00	EC001414	<a href="#">700326</a>	4549734688635			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,495.00	EC001414	<a href="#">700339</a>	4549734688505			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,760.00	EC001414	<a href="#">700306</a>	4549734688680			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40476-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,810.00	EC001414	<a href="#">700338</a>	4549734688512			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40476-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,070.00	EC001414	<a href="#">700307</a>	4549734688697			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50000-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,600.00	EC001414	<a href="#">700303</a>	4549734688406			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,860.00	EC001414	<a href="#">700331</a>	4549734688581			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50006-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,910.00	EC001414	<a href="#">700304</a>	4549734688413			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50006-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,180.00	EC001414	<a href="#">700330</a>	4549734688598			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,450.00	EC001414	<a href="#">700343</a>	4549734688468			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EO, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,715.00	EC001414	<a href="#">700325</a>	4549734688642			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP27-50466-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,760.00	EC001414	<a href="#">700342</a>	4549734688475			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50466-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,030.00	EC001414	<a href="#">700324</a>	4549734688659			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,790.00	EC001414	<a href="#">700337</a>	4549734688529			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,055.00	EC001414	<a href="#">700308</a>	4549734688703			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50476-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	9,100.00	EC001414	<a href="#">700336</a>	4549734688536			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50476-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820E0, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,365.00	EC001414	<a href="#">700309</a>	4549734688710			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2A-20460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	4,650.00	EC001414	<a href="#">689015</a>	4549734539555			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,160.00	EC001414	<a href="#">707926</a>	4549734755436			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,530.00	EC001414	<a href="#">708217</a>	4549734755443			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,290.00	EC001414	<a href="#">707929</a>	4549734755474			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,665.00	EC001414	<a href="#">708218</a>	4549734755481			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,575.00	EC001414	<a href="#">707946</a>	4549734755511			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	6,020.00	EC001414	<a href="#">708219</a>	4549734755528			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30370-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,680.00	EC001414	<a href="#">688869</a>	4549734538886			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,265.00	EC001414	<a href="#">707986</a>	4549734755733			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,660.00	EC001414	<a href="#">708220</a>	4549734755740			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,400.00	EC001414	<a href="#">707992</a>	4549734755771			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,660.00	EC001414	<a href="#">707994</a>	4549734755788			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,680.00	EC001414	<a href="#">708036</a>	4549734717847			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30470-19WC1002</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TFMP LATE</a>	5,260.00	EC001414	<a href="#">708035</a>	4549734717854			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30370-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">688876</a>	4549734539036			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30370-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,295.00	EC001414	<a href="#">695744</a>	4549734539111			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,565.00	EC001414	<a href="#">708225</a>	4549734756198			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	6,885.00	EC001414	<a href="#">708226</a>	4549734756204			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,730.00	EC001414	<a href="#">708229</a>	4549734756235			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,015.00	EC001414	<a href="#">708230</a>	4549734756242			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">708233</a>	4549734756273			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,295.00	EC001414	<a href="#">708234</a>	4549734756280			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	6,590.00	EC001414	<a href="#">708181</a>	4549734539067			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,800.00	EC001414	<a href="#">708237</a>	4549734756495			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,125.00	EC001414	<a href="#">708238</a>	4549734756501			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,925.00	EC001414	<a href="#">708241</a>	4549734756532			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP35-40460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,255.00	EC001414	<a href="#">708242</a>	4549734756549			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,215.00	EC001414	<a href="#">708245</a>	4549734756570			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,615.00	EC001414	<a href="#">708246</a>	4549734756587			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYS12-1300-0XX44576X</a>	<a href="#">Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 256 GB CFast MLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port</a>	8,510.00	EC001413	<a href="#">701559</a>	4549734598712			NA	NAA	NLD	8471.4100.00
<a href="#">NYS12-1300-1XX443P1X</a>	<a href="#">Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non-ECC), 1 TB SSD 3D TLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, RS-232C</a>	8,375.00	EC001413	<a href="#">701598</a>	4549734598323			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYS32-1500-012443660</a>	<a href="#">Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non-ECC), 128 GB CFast MLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port, 15.4" display with capacitive touchscreen</a>	11,170.00	EC001414	<a href="#">701524</a>	4549734599061			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYS12-7300-1XX445T1X</a>	<a href="#">AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232</a>	16,080.00	EC001413	<a href="#">703559</a>	4549734695558			NA	NAA	NLD	8471.4100.00
<a href="#">NYS12-7400-1XX445T1X</a>	<a href="#">AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232</a>	16,620.00	EC001413	<a href="#">703560</a>	4549734695565			NA	NAA	NLD	8471.4100.00
<a href="#">NYS12-7500-1XX445T1X</a>	<a href="#">AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232</a>	17,440.00	EC001413	<a href="#">703561</a>	4549734695572			NA	NAA	NLD	8471.4100.00
<a href="#">NYS32-7300-112445T10</a>	<a href="#">AI Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen</a>	17,180.00	EC001414	<a href="#">703565</a>	4549734695619			NA	NAA	NLD	8471.4100.00
<a href="#">NYS32-7400-112445T10</a>	<a href="#">AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen</a>	17,730.00	EC001414	<a href="#">703566</a>	4549734695626			NA	NAA	NLD	8471.4100.00
<a href="#">NYS32-7500-112445T10</a>	<a href="#">AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen</a>	18,520.00	EC001414	<a href="#">703567</a>	4549734695633			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYM12W-C1060</a>	<a href="#">Endüstriyel Monitör, kapasitif dokunmatik ekranlı 12.1" ekran, Yerleşik montaj, NYML bağlantı noktası</a>	2,367.00	EC001428	<a href="#">686605</a>	4549734158268			NA	NAA	NLD	8528.5291.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYM15W-C1000</a>	<a href="#">Endüstriyel Monitör, 15.4", kapasitif multitouch ekran, DVI-D</a>	2,122.00	EC001428	<a href="#">686606</a>	4548583813038			NA	NAA	NLD	8528.5291.00
<a href="#">NYM15W-C1060</a>	<a href="#">Endüstriyel Monitör, kapasitif dokunmatik ekranlı 15.4" ekran, Yerleşik montaj, NYML bağlantı noktası</a>	2,495.00	EC001428	<a href="#">686604</a>	4549734158275			NA	NAA	NLD	8528.5291.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYM19W-C1000</a>	<a href="#">Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port</a>	2,761.00	EC001428	<a href="#">688734</a>	4549734279239			NA	NAA	NLD	8528.5291.00
<b>Endüstriyel PC NY</b>											
<a href="#">NY000-AC00 2M</a>	<a href="#">DVI kablosu 2 m</a>	97.15	EC002584	<a href="#">686292</a>	4548583873391			NA	NAA	NLD	8544.4290.90
<b>Endüstriyel PC NY</b>											
<a href="#">NY000-AB00</a>	<a href="#">Box PC için duvar tipi montaj aparatı</a>	70.45	EC002584	<a href="#">686299</a>	4548583873308			NA	NAA	NLD	8471.8000.00
<a href="#">NY000-AB01</a>	<a href="#">Box PC için kitap tipi montaj aparatı</a>	63.80	EC002584	<a href="#">686298</a>	4548583873315			NA	NAA	NLD	8471.8000.00
<b>Yazılım HMI</b>											
<a href="#">NA-RTL001</a>	<a href="#">Soft-NA, for Windows 10 Pro 64 bit, 1 x USB Dongle License</a>	1,793.00	EC001435	<a href="#">694867</a>	4549734592536	#		OA	OAB	NLD	8523.5190.00
<b>Scada Yazılımı</b>											
<a href="#">RTC4</a>	<a href="#">MOVICON NEXT V4 Run Time Client</a>	1,826.00	EC001435	696452	4549734890243			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-20K</a>	<a href="#">Movicon Pro Runtime Scada 20,000 Tags</a>	7,300.00	EC001435	696456	4549734890281			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-20K-1W</a>	<a href="#">Movicon Next Pro RunTime Client Server 20,000 tags 1x Web Client Option</a>	8,270.00	EC001435	696444	4549734890175			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-40K</a>	<a href="#">Movicon Pro Runtime Scada 40,000 Tags</a>	8,395.00	EC001435	696455	4549734890274			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K</a>	<a href="#">Movicon Pro Runtime Scada 5,000 Tags</a>	5,350.00	EC001435	696454	4549734890267			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-1W</a>	<a href="#">Movicon Pro SCADA, Client/Server 5000 tag + 1 Web client</a>	6,210.00	EC001435	696453	4549734890250			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-1W-O</a>	<a href="#">Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client + OPC-UA Server Option</a>	7,180.00	EC001435	700418	4549734894593			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-5W-A</a>	<a href="#">Movicon Next Pro RunTime Client Server 5000 tags 5x Web Client Option + Alarm Dispatcher</a>	10,580.00	EC001435	696443	4549734890168			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-5W-O-A5-3D</a>	<a href="#">Movicon Pro SCADA, Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization</a>	12,420.00	EC001435	696438	4549734890113			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-A</a>	<a href="#">Movicon Next Pro RunTime Client Server 5000 tags + Alarm Dispatcher</a>	6,235.00	EC001435	696457	4549734890298			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-M</a>	<a href="#">Movicon Next Pro RunTime Client Server 5000 tags + MultiDriver (32) option</a>	6,235.00	EC001435	696458	4549734890304			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-O</a>	<a href="#">Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option</a>	6,330.00	EC001435	700707	4549734895019			OB	OBA	ITA	8523.5190.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Scada Yazılımı (OEM ve aksesua)</b>											
DEV4	Movicon Next V4 SCADA Editor, 1 License	2,311.00	EC001435	696211	4549734999595			OB	OBZ	ITA	8523.5190.00
DEV403L	Movicon 4 SCADA_Editor 3 Licenses package	3,232.00	EC001435	696292	4549734889230			OB	OBZ	ITA	8523.5190.00
DEV410L	Movicon 4 SCADA_Editor 10 Licenses package	6,470.00	EC001435	696291	4549734889223			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM	1,826.00	EC001435	696262	4549734999922			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option	2,031.00	EC001435	696263	4549734999939			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option	2,432.00	EC001435	696264	4549734999946			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data logger+3D Option	2,639.00	EC001435	696265	4549734999953			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	2,128.00	EC001435	696266	4549734999960			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option with 1 webclient option	2,735.00	EC001435	696267	4549734999977			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data logger+3D Option	2,941.00	EC001435	696268	4549734999984			OB	OBZ	ITA	8523.5190.00
RTH4-2K-5W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data logger	3,948.00	EC001435	696269	4549734889001			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM	2,386.00	EC001435	696270	4549734889018			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2,592.00	EC001435	696271	4549734889025			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option	2,993.00	EC001435	696272	4549734889032			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data logger+3D Option	3,199.00	EC001435	696274	4549734889056			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	2,692.00	EC001435	696276	4549734889070			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclients option	3,298.00	EC001435	696277	4549734889087			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H	Movicon OEM Runtime Client-Server 4.000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option	3,603.00	EC001435	700822	4549734895620			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H-1DRV	Movicon OEM Runtime Client-Server 4.000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver	3,807.00	EC001435	699036	4549734891479			OB	OBZ	ITA	8523.5190.00
RTH4-4K-5W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	3,847.00	EC001435	696278	4549734889094			OB	OBZ	ITA	8523.5190.00
<b>Filo Yönetim Yazılım Lisansı</b>											
20271-701	License, 1 Yr. FLOW IQ	1,000.00	EC000000	707321	4549734750929			OC	OCA	USA	8479.5000.00
20271-800	License, 1 Yr. Fleet Operations Workspace Core, Primary	1,000.00	EC000000	690680	4549734511254			OC	OCA	USA	8479.5000.00
20271-802	License, 1 Yr. Fleet Operations Workspace Core, Secondary	1,000.00	EC000000	690668	4549734511278			OC	OCA	USA	8479.5000.00
20271-806	License, 5 Yr. Fleet Operations Workspace Core, Primary	6,250.00	EC000000	690670	4549734547475			OC	OCA	USA	8479.5000.00
20271-807	License, 5 Yr. Fleet Operations Workspace Core, Secondary	6,250.00	EC000000	690671	4549734547482			OC	OCA	USA	8479.5000.00
<b>Mobil Diğer Lisanslar</b>											
20271-804	License, Fleet Simulator, Perpetual Fleet Simulator License for existing EM2100 devices	9,345.00	EC000000	694788	4549734511292			OC	OCB	USA	8479.5000.00
20271-805	License, One-Shot, Cell Alignment Positioning System (CAPS)	2,515.00	EC000000	690669	4549734511308			OC	OCB	USA	8479.5000.00
<b>İzleme Ürünü K6</b>											
K6CM-C12MA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1,467.00	EC002613	695077	4549734605182			RA	RAA	JPN	9030.3370.00
K6CM-C12MD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1,467.00	EC002613	695076	4549734605199			RA	RAA	JPN	9030.3370.00
K6CM-J1MA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,098.00	EC002613	680571	4549734178716			RA	RAA	JPN	9030.3370.00
K6CM-J1MD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,098.00	EC002613	680572	4549734178723			RA	RAA	JPN	9030.3370.00
K6CM-VBMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,087.00	EC002613	680567	4549734178679			RA	RAA	JPN	9030.8900.00
K6CM-VBMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,087.00	EC002613	680562	4549734178686			RA	RAA	JPN	9030.8900.00
<b>İzleme Ürünü K6</b>											
K6PM-THMD-EIP	Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP	1,292.00	EC000601	690911	4549734500920			RA	RAA	JPN	9031.8080.00
<b>İzleme Ürünü K6</b>											
K7GE-MGMA	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,246.00	EC002498	700665	4549734673921			RA	RAA	JPN	9030.3370.00
K7GE-MGMD	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,246.00	EC002498	700664	4549734673938			RA	RAA	JPN	9030.3370.00
<b>K7T Condition Monitoring Controller</b>											
K7TM-A2WA	Heater resistance monitoring device, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,296.00	EC002498	707588	4549734725385			RA	RAB	JPN	9030.3370.00
K7TM-A2MD	Heater resistance monitoring device, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,296.00	EC002498	707587	4549734725392			RA	RAB	JPN	9030.3370.00
<b>İzleme Ürünü Aksesuar K6</b>											
K6CM-CICB005	CT sensor for Current analysis model K6CM-CIM, 5A rated primary-side current	130.40	EC002048	680570	4549734178747			RA	RAZ	JPN	9030.3370.00
K6CM-CICB025	CT sensor for Current analysis model K6CM-CIM, 25A rated primary-side current	142.30	EC002048	680563	4549734178754			RA	RAZ	JPN	9030.3370.00
K6CM-CICB100	CT sensor for Current analysis model K6CM-CIM, 100A rated primary-side current	154.20	EC002048	680568	4549734178761			RA	RAZ	JPN	9030.3370.00
K6CM-CICB200	CT sensor for Current analysis model K6CM-CIM, 200A rated primary-side current	177.80	EC002048	680564	4549734178778			RA	RAZ	JPN	9030.3370.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">K6CM-CICB400</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM_400A rated primary-side current</a>	213.30	EC002048	<a href="#">680561</a>	4549734178785			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-CICB600</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM_600A rated primary-side current</a>	237.00	EC002048	<a href="#">680566</a>	4549734178792			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-ISZB52</a>	<a href="#">ZCT sensor for Insulation Resistance model K6CM-ISM_200 to 480 VAC_52mm dia_Through hole</a>	889.00	EC002615	<a href="#">680569</a>	4549734178808			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-VBS1</a>	<a href="#">Sensor head &amp; Pre-amplifier for Vibration &amp; temperature model K6CM-VBS1_M6 screw attachment part also included</a>	759.00	EC002615	<a href="#">680565</a>	4549734178730			RA	RAZ	JPN	9030.8900.00
<a href="#">K6CM-VBSA11</a>	<a href="#">Adhesive attachment for the vibration and temperature sensor K6CM-VBS1</a>	49.77	EC002615	<a href="#">700456</a>	4549734489058			RA	RAZ	JPN	9030.8900.00
<b>İzleme Ürünü Aksesoru K6</b>											
<a href="#">K6PM-THS3232</a>	<a href="#">Infrared thermal sensor for K6PM-THMD-FIP_24 VDC_0°C - 200°C_1,024 pixels_FOV 90° x 90°</a>	901.00	EC001195	<a href="#">620012</a>	4549734500937			RA	RAZ	JPN	9031.8080.00
<b>İzleme Ürünü Aksesoru K6</b>											
<a href="#">K7GE-MG1</a>	<a href="#">Probe unit for Insulation Resistance Monitoring Device K7GE-MGM</a>	296.30	EC002498	<a href="#">700663</a>	4549734673945			RA	RAZ	JPN	9030.3370.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-HD213DV</a>	<a href="#">Area Scan Camera (cased type)_DVI over HDMI_Full HD 1080p_Color_CMOS Sony IMX291_1/2.8" 2.8 µm 60 fps_Rolling Shutter_C Mount_cased</a>	630.00	EC003015	<a href="#">696468</a>	4549734667029			SA	SAA	JPN	9031.9000.00
<a href="#">STC-HD213DV-CS</a>	<a href="#">Area Scan Camera (cased type)_DVI over HDMI_Full HD 1080p_Color_CMOS Sony IMX291_1/2.8" 2.8 µm 60 fps_Rolling Shutter_CS Mount_cased</a>	630.00	EC003015	<a href="#">696466</a>	4549734667043			SA	SAA	JPN	9031.9000.00
<a href="#">STC-HD213SDI</a>	<a href="#">HD SDI_Area Scan Camera_Full HD 1080p_Color_CMOS Sony IMX291_1/2.8" 2.8 µm 60 fps_Rolling Shutter_C Mount_Cased</a>	731.50	EC003015	<a href="#">696467</a>	4549734667036			SA	SAA	JPN	9031.9000.00
<a href="#">STC-HD213SDI-CS</a>	<a href="#">HD SDI_Area Scan Camera_Full HD 1080p_Color_CMOS Sony IMX291_1/2.8" 2.8 µm 60 fps_Rolling Shutter_CS Mount_Cased</a>	731.50	EC003015	<a href="#">696465</a>	4549734667050			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
31940-010-E	<a href="#">Kit_camera_GigE_POE_720 x 540_1/2.9" 282.2 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,055.00	EC003015	699014	4549734891349			SA	SAA	JPN	9031.9000.00
31940-011-E	<a href="#">Kit_camera_GigE_POE_720 x 540_1/2.9" 282.2 fps_color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,055.00	EC003015	699012	4549734891332			SA	SAA	JPN	9031.9000.00
31940-100-E	<a href="#">Kit_camera_GigE_POE_3856 x 2764_1/2.3" 10.3 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,098.00	EC003015	698990	4549734891226			SA	SAA	JPN	9031.9000.00
31940-120-E	<a href="#">Kit_camera_GigE_POE_4000 x 3000_1/1.7" 9.2 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,167.00	EC003015	698988	4549734891219			SA	SAA	JPN	9031.9000.00
31940-121-E	<a href="#">Kit_camera_GigE_POE_4000 x 3000_1/1.7" 9.2 fps_Color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,167.00	EC003015	698986	4549734891202			SA	SAA	JPN	9031.9000.00
31940-130-E	<a href="#">Kit_camera_GigE_POE_1280 x 1024_1/1.8" 61 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,077.00	EC003015	699010	4549734891325			SA	SAA	JPN	9031.9000.00
31940-131-E	<a href="#">Kit_camera_GigE_POE_1280 x 1024_1/1.8" 61 fps_color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,077.00	EC003015	699008	4549734891318			SA	SAA	JPN	9031.9000.00
31940-160-E	<a href="#">Kit_camera_GigE_POE_1440 x 1088_1/2.9" 70.7 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,092.00	EC003015	699006	4549734891301			SA	SAA	JPN	9031.9000.00
31940-161-E	<a href="#">Kit_camera_GigE_POE_1440 x 1088_1/2.9" 70.7 fps_color_M Series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,092.00	EC003015	699004	4549734891295			SA	SAA	JPN	9031.9000.00
31940-200-E	<a href="#">Kit_camera_GigE_POE_1624 x 1240_1/1.7" 54.6 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,182.00	EC003015	699002	4549734891288			SA	SAA	JPN	9031.9000.00
31940-201-E	<a href="#">Kit_camera_GigE_POE_1624 x 1240_1/1.7" 54.6 fps_color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,182.00	EC003015	699000	4549734891271			SA	SAA	JPN	9031.9000.00
31940-240-E	<a href="#">Kit_camera_GigE_POE_5472 x 3648_1" 5.5 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,227.00	EC003015	698984	4549734891196			SA	SAA	JPN	9031.9000.00
31940-241-E	<a href="#">Kit_camera_GigE_POE_5472 x 3648_1" 5.5 fps_Color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,227.00	EC003015	698982	4549734891189			SA	SAA	JPN	9031.9000.00
31940-320-E	<a href="#">Kit_camera_GigE_3.2M_POE_2048 x 1536 Pixels_1/1.8" 34.9 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,242.00	EC003015	698998	4549734891264			SA	SAA	JPN	9031.9000.00
31940-321-E	<a href="#">Kit_camera_GigE_3.2M_POE_2048 x 1536 Pixels_1/1.8" 34.9 fps_color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,242.00	EC003015	698996	4549734891257			SA	SAA	JPN	9031.9000.00
31940-500-E	<a href="#">Kit_camera_GigE_POE_2448 x 2048_2/3" 21.9 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,376.00	EC003015	698980	4549734891172			SA	SAA	JPN	9031.9000.00
31940-501-E	<a href="#">Kit_camera_GigE_POE_2448 x 2048_2/3" 21.9 fps_color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,376.00	EC003015	698978	4549734891165			SA	SAA	JPN	9031.9000.00
31940-530-E	<a href="#">Kit_camera_GigE_POE_2592 x 1944_1/2.5" 14 fps_B/W_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,038.00	EC003015	698994	4549734891240			SA	SAA	JPN	9031.9000.00
31940-531-E	<a href="#">Kit_camera_GigE_POE_2592 x 1944_1/2.5" 14 fps_color_M series_10 m GigE cable_10 m IO/power cable_camera tripod mount</a>	1,038.00	EC003015	698992	4549734891233			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBA1002POE</a>	<a href="#">GigE Vision Area Scan Camera_10.0 MP_Monochrome_CMOS MT9J003_1/2.3" 1.67 µm_10.3 fps_Rolling Shutter_C Mount_Cased_POE</a>	659.50	EC003015	<a href="#">695958</a>	4549734594929			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBA503POE</a>	<a href="#">GigE Vision Area Scan Camera_5.0 MP_Monochrome_CMOS MT9P031_1/2.5" 2.2 µm_14 fps_Rolling Shutter_C Mount_Cased_POE</a>	549.50	EC003015	<a href="#">695913</a>	4549734594882			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBE132POE</a>	<a href="#">GigE Vision Area Scan Camera_1.3 MP_Monochrome_CMOS EV76C560_1/1.8" 5.3 µm_61 fps_Global Shutter_C Mount_Cased_POE</a>	512.50	EC003015	<a href="#">695960</a>	4549734594844			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS1242POE</a>	<a href="#">GigE Vision Area Scan Camera_12.0 MP_Monochrome_CMOS Sony IMX226_1/1.7" 1.85 µm_8.7 fps_Rolling Shutter_C Mount_Cased_POE</a>	1,116.00	EC003015	<a href="#">690610</a>	4549734548496			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS163POE</a>	<a href="#">GigE Vision Area Scan Camera_1.6 MP_Monochrome_CMOS Sony IMX273_1/2.9" 3.45 µm_69 fps_Global Shutter_C Mount_Cased_POE</a>	541.00	EC003015	<a href="#">690602</a>	4549734548410			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS202POE</a>	<a href="#">GigE Vision Area Scan Camera_2.0 MP_Monochrome_CMOS Sony IMX430_1/1.7" 4.5 µm_54.4 fps_Global Shutter_C Mount_Cased_POE</a>	751.00	EC003015	<a href="#">690604</a>	4549734548434			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS2041POE</a>	<a href="#">GigE Vision Area Scan Camera_20.0 MP_Monochrome_CMOS Sony IMX183_1" 2.4 µm_5.6 fps_Rolling Shutter_C Mount_Cased_POE</a>	1,141.00	EC003015	<a href="#">690612</a>	4549734548519			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS231POE</a>	<a href="#">GigE Vision Area Scan Camera_2.3 MP_Monochrome_CMOS Sony IMX249_1/1.2" 5.86 µm_41.6 fps_Global Shutter_C Mount_Cased_POE</a>	757.50	EC003015	<a href="#">695907</a>	4549734664325			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS312POE</a>	<a href="#">GigE Vision Area Scan Camera_3.2 MP_Monochrome_CMOS Sony IMX265_1/1.8" 2048 x 1536 Pixels_3.45 µm_33.4 fps_Global Shutter_C Mount_Cased_POE</a>	998.00	EC003015	<a href="#">690605</a>	4549734548458			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS43POE</a>	<a href="#">GigE Vision Area Scan Camera_0.4 MP_Monochrome_CMOS Sony IMX287_1/2.9" 6.9 µm_265 fps_Global Shutter_C Mount_Cased_POE</a>	494.30	EC003015	<a href="#">690600</a>	4549734548397			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS500POE</a>	<a href="#">GigE Vision Area Scan Camera_5.0 MP_Monochrome_CMOS Sony IMX264_2/3" 3.45 µm_21 fps_Global Shutter_C Mount_Cased_POE</a>	1,126.00	EC003015	<a href="#">690608</a>	4549734548472			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS52POE</a>	<a href="#">GigE Vision Area Scan Camera_0.5 MP_Monochrome_CMOS Sony IMX433_1/1.7" 9.0 µm_166.5 fps_Global Shutter_C Mount_Cased_POE</a>	512.50	EC003015	<a href="#">695915</a>	4549734594868			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS642POE</a>	<a href="#">GigE Vision Area Scan Camera_6.4 MP_Monochrome_CMOS Sony IMX178_1/1.8" 2.4 µm_17.4 fps_Global Shutter_C Mount_Cased_POE</a>	586.50	EC003015	<a href="#">695911</a>	4549734594905			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS881POE</a>	<a href="#">GigE Vision Area Scan Camera_8.8 MP_Monochrome_CMOS Sony IMX267_1" 3.45 µm_12.4 fps_Global Shutter_C Mount_Cased_POE</a>	2,197.00	EC003015	<a href="#">695909</a>	4549734594936			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCAS03POE</a>	<a href="#">GigE Vision Area Scan Camera_5.0 MP_Color_CMOS MT9P031_1/2.5" 2.2 µm_14 fps_Rolling Shutter_C Mount_Cased_POE</a>	549.50	EC003015	<a href="#">695912</a>	4549734594899			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCE132POE</a>	<a href="#">GigE Vision Area Scan Camera_1.3 MP_Color_CMOS EV76C560_1/1.8" 5.3 µm_61 fps_Global Shutter_C Mount_Cased_POE</a>	512.50	EC003015	<a href="#">695959</a>	4549734594851			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS1228POE</a>	<a href="#">GigE Vision Area Scan Camera_12.0 MP_Color_CMOS Sony IMX304_1.1" 3.45 µm_8.9 fps_Global Shutter_C Mount_Cased_POE</a>	2,931.00	EC003015	<a href="#">694006</a>	4549734594967			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS1242POE</a>	<a href="#">GigE Vision Area Scan Camera_12.0 MP_Color_CMOS Sony IMX267_1/1.7" 1.85 µm_8.7 fps_Rolling Shutter_C Mount_Cased_POE</a>	1,116.00	EC003015	<a href="#">690611</a>	4549734548502			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS163POE</a>	<a href="#">GigE Vision Area Scan Camera_1.6 MP_Color_CMOS Sony IMX273_1/2.9" 3.45 µm_69 fps_Global Shutter_C Mount_Cased_POE</a>	541.00	EC003015	<a href="#">690603</a>	4549734548427			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS202POE</a>	<a href="#">GigE Vision Area Scan Camera_2.0 MP_Color_CMOS Sony IMX430_1/1.7" 4.5 µm_54.4 fps_Global Shutter_C Mount_Cased_POE</a>	751.00	EC003015	<a href="#">690605</a>	4549734548441			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS2041POE</a>	<a href="#">GigE Vision Area Scan Camera_20.0 MP_Color_CMOS Sony IMX183_1" 2.4 µm_5.6 fps_Rolling Shutter_C Mount_Cased_POE</a>	1,141.00	EC003015	<a href="#">690613</a>	454973458526			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS231POE</a>	<a href="#">GigE Vision Area Scan Camera_2.3 MP_Color_CMOS Sony IMX249_1/1.2" 5.86 µm_41.6 fps_Global Shutter_C Mount_Cased_POE</a>	757.50	EC003015	<a href="#">695906</a>	4549734664332			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS312POE</a>	<a href="#">GigE Vision Area Scan Camera_3.2 MP_Color_CMOS Sony IMX265_1/1.8" 2048 x 1536 Pixels_3.45 µm_33.4 fps_Global Shutter_C Mount_Cased_POE</a>	998.00	EC003015	<a href="#">690607</a>	4549734548465			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS43POE</a>	<a href="#">GigE Vision Area Scan Camera_0.4 MP_Color_CMOS Sony IMX287_1/2.9" 6.9 µm_265 fps_Global Shutter_C Mount_Cased_POE</a>	494.30	EC003015	<a href="#">690601</a>	4549734548403			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS500POE</a>	<a href="#">GigE Vision Area Scan Camera_5.0 MP_Color_CMOS Sony IMX264_2/3" 3.45 µm_21 fps_Global Shutter_C Mount_Cased_POE</a>	1,126.00	EC003015	<a href="#">690609</a>	4549734548489			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS52POE</a>	<a href="#">GigE Vision Area Scan Camera_0.5 MP_Color_CMOS Sony IMX433_1/1.7" 9.0 µm_166.5 fps_Global Shutter_C Mount_Cased_POE</a>	512.50	EC003015	<a href="#">695914</a>	4549734594875			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS642POE</a>	<a href="#">GigE Vision Area Scan Camera_6.4 MP_Color_CMOS Sony IMX178_1/1.8" 2.4 µm_17.4 fps_Global Shutter_C Mount_Cased_POE</a>	586.50	EC003015	<a href="#">695910</a>	4549734594912			SA	SAA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">STC-MCS881POE</a>	<a href="#">GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE</a>	2,197.00	EC003015	<a href="#">695908</a>	4549734594943			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-MBS70BU3V</a>	<a href="#">USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased</a>	2,380.00	EC003015	<a href="#">696370</a>	4549734609814			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS70BU3V</a>	<a href="#">USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased</a>	2,380.00	EC003015	<a href="#">696369</a>	4549734609920			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-CMB120AOPQ</a>	<a href="#">Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698800</a>	4549734609937			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMB120AOPQ-F</a>	<a href="#">Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698799</a>	4549734609944			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMB120AOPT-F</a>	<a href="#">Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,</a>	6,315.00	EC003015	<a href="#">698807</a>	4549734199544			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMC120AOPQ</a>	<a href="#">Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698798</a>	4549734609951			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMC120AOPQ-F</a>	<a href="#">Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698797</a>	4549734609968			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMC120AOPT-F</a>	<a href="#">Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,</a>	6,315.00	EC003015	<a href="#">698808</a>	4549734199551			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-OSB250CL</a>	<a href="#">Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased</a>	6,005.00	EC003015	<a href="#">698579</a>	4549734609890			SA	SAA	JPN	9031.9000.00
<a href="#">STC-OSB250CL-F</a>	<a href="#">Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, F Mount, Cased</a>	6,005.00	EC003015	<a href="#">698578</a>	4549734609906			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPB202PCL</a>	<a href="#">Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL</a>	818.50	EC003015	<a href="#">698325</a>	4549734609999			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPB52PCL</a>	<a href="#">Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL</a>	562.00	EC003015	<a href="#">698327</a>	4549734609975			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPC202PCL</a>	<a href="#">Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL</a>	818.50	EC003015	<a href="#">698324</a>	4549734610001			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPC52PCL</a>	<a href="#">Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL</a>	563.00	EC003015	<a href="#">698326</a>	4549734609982			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">FS-B2KU7DGE5-C</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, C-Mount, POE</a>	1,740.00	EC003015	<a href="#">699136</a>	4549734667142			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B2KU7DGE5-F</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, F-Mount, POE</a>	1,786.00	EC003015	<a href="#">699135</a>	4549734667159			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B2KU7DGE5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, M42-Mount, POE</a>	1,764.00	EC003015	<a href="#">699134</a>	4549734667166			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B2KU7DGE5-C</a>	<a href="#">GigE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K-7, 7.0 µm, 51 kHz, C-Mount, POE</a>	1,531.00	EC003015	<a href="#">696087</a>	4549734609807			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B4KU7DGE5-F</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, F-Mount, POE</a>	2,153.00	EC003015	<a href="#">699138</a>	4549734667128			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B4KU7DGE5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, M42-Mount, POE</a>	2,117.00	EC003015	<a href="#">699137</a>	4549734667135			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C2KU7DGE5-C</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, C-Mount, POE</a>	1,740.00	EC003015	<a href="#">699131</a>	4549734669900			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C2KU7DGE5-F</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, F-Mount, POE</a>	1,786.00	EC003015	<a href="#">699130</a>	4549734669917			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C2KU7DGE5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, M42-Mount, POE</a>	1,764.00	EC003015	<a href="#">699129</a>	4549734669924			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C4KU7DGE5-F</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE</a>	2,153.00	EC003015	<a href="#">699133</a>	4549734669887			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C4KU7DGE5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE</a>	2,153.00	EC003015	<a href="#">699132</a>	4549734669894			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar için Aksesuar</b>											
<a href="#">CAB-USB3-02</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m</a>	42.71	EC003015	<a href="#">698597</a>	4549734667180			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-02-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m</a>	100.20	EC003015	<a href="#">698601</a>	4549734667234			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-03</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m</a>	51.25	EC003015	<a href="#">698596</a>	4549734667197			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-03-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m</a>	124.70	EC003015	<a href="#">698600</a>	4549734667241			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-05</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m</a>	59.85	EC003015	<a href="#">698595</a>	4549734667203			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-05-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m</a>	183.10	EC003015	<a href="#">698599</a>	4549734667258			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-07</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m</a>	128.40	EC003015	<a href="#">698594</a>	4549734667210			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-07-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m</a>	305.10	EC003015	<a href="#">698598</a>	4549734667265			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-10</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m</a>	231.80	EC003015	<a href="#">698593</a>	4549734667227			SA	SAB	PHL	8544.4290.90
<b>Endüstriyel Kameralar için Aksesuar</b>											
<a href="#">CAB-KWA-IEA</a>	<a href="#">Converter, 6-pin connector to S-Series pin assignment</a>	67.15	EC003015	<a href="#">696471</a>	4549734667173			SA	SAB	JPN	9031.9000.00
<a href="#">RC-HD133</a>	<a href="#">Remote Control Unit for all DVI/SDI camera models</a>	152.70	EC003015	<a href="#">688176</a>	4549734200035			SA	SAB	JPN	9031.9000.00
<a href="#">TP-JOA</a>	<a href="#">Tripod Mount for Cube Camera</a>	36.61	EC003015	<a href="#">696469</a>	4549734667487			SA	SAB	CHN	9031.9000.00
<a href="#">TP-KWA2</a>	<a href="#">Tripod Mount for M-Series Camera</a>	36.61	EC003015	<a href="#">696470</a>	4549734667470			SA	SAB	CHN	9031.9000.00
<b>Barkod Okuyucular / Kamera Ürünleri</b>											
<a href="#">FIS-0003-0001G</a>	<a href="#">MS-3 Barcode Reader, Single Line, Low Density</a>	1,477.00	EC002999	<a href="#">700200</a>	4549734216517			SB	SBA	JPN	8471.6070.00
<a href="#">FIS-0003-0003G</a>	<a href="#">MS-3 Barcode Reader, Raster, Low Density</a>	1,557.00	EC002999	<a href="#">700198</a>	4549734216531			SB	SBA	JPN	8471.6070.00
<a href="#">FIS-0830-1003G</a>	<a href="#">OX-830 Scanner, Single Line, HD, Serial &amp; Ethernet</a>	2,818.00	EC002999	<a href="#">703324</a>	4549734733113			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0830-1004G</a>	<a href="#">OX-830 Industrial barcode reader, raster line, low density, serial+ethernet</a>	2,818.00	EC002999	<a href="#">703328</a>	4549734733120			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0830-1005G</a>	<a href="#">OX-830 Scanner, Raster Line, MD, Serial &amp; Ethernet</a>	2,818.00	EC002999	<a href="#">703373</a>	4549734733137			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0870-1004G</a>	<a href="#">OX-870 Industrial barcode reader, low density, sweeping raster, serial+Ethernet</a>	4,391.00	EC002999	<a href="#">703504</a>	4549734733205			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0870-1005G</a>	<a href="#">OX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial+Ethernet</a>	4,391.00	EC002999	<a href="#">707033</a>	4549734733212			SB	SBA	USA	8471.6070.00





Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F000M50C-NNP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698158	4549734576314			SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698159	4549734576321			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC002999	698160	4549734576338			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,747.00	EC002999	691772	4549734576345			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC002999	698173	4549734576475			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC002999	698174	4549734576482			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC002999	691671	4549734576611			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC002999	698183	4549734576628			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698175	4549734576499			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	691560	4549734576505			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698176	4549734576512			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	698177	4549734576529			SB	SBA	JPN	9031.9000.00
V430-F000W03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC002999	698135	4549734576031			SB	SBA	MYS	9031.9000.00
V430-F000W03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,503.00	EC002999	698136	4549734576048			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698137	4549734576055			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,318.00	EC002999	696573	4549734576062	#		SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698138	4549734576079			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698139	4549734576086			SB	SBA	MYS	9031.9000.00
V430-F000W12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC002999	698145	4549734576154			SB	SBA	JPN	9031.9000.00
V430-F000W12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC002999	698146	4549734576161			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698147	4549734576178			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,685.00	EC002999	691755	4549734576185	#		SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698148	4549734576192			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	698149	4549734576208			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698155	4549734576277			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698156	4549734576284			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SRP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC002999	698157	4549734576291			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,747.00	EC002999	691586	4549734576307			SB	SBA	JPN	9031.9000.00
V440-FXXY50M-NNX	V440-F, no optics, 5 MP, mono, C-Mount, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET	2,589.00	EC002999	703468	4549734702874			SB	SBA	JPN	9031.9000.00
<b>Barkod Okuyucular / Kamera Ürünleri</b>											
V410-HDS4608HC	V410-H HC Handheld Reader, white, wired	467.50	EC002999	699313	4549734570930			SB	SBA	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black, grey, wired	412.50	EC002999	699314	4549734570923	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black, grey, wired, with X-Mode	687.50	EC002999	699312	4549734570947			SB	SBA	MEX	8471.6070.00
<b>Barkod Doğrulama Ürünleri</b>											
9510-5-3-0	LVS-9510 Verifier, 3" FoV	9,235.00	EC000000	682219	4549734217255			SB	SBB	USA	9031.9000.00
9510-5-4-0	LVS-9510 Verifier, 4" FoV	9,235.00	EC000000	682257	4549734217262			SB	SBB	USA	9031.9000.00
9510-5-4-5	LVS-9510 Verifier, 4.5" FoV	9,235.00	EC000000	682236	4549734217279	#		SB	SBB	USA	9031.9000.00
9510-5-6-250	LVS-9510 Verifier, 6.25" FoV	9,235.00	EC000000	682286	4549734217286			SB	SBB	USA	9031.9000.00
9570-C-5	LVS-9570 Roller, 1D & 2D Codes	7,020.00	EC000000	682075	4549734223928			SB	SBB	USA	9031.9000.00
9580-2D-3	LVS-9580 Handheld, 2D Barcode Verification	6,750.00	EC000000	682636	4549734223942			SB	SBB	USA	9031.9000.00
9580-C-3	LVS-9580 Handheld, 1D & 2D Barcode Verification	8,700.00	EC000000	682403	4549734217293			SB	SBB	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting	10,840.00	EC000000	682389	4549734217323	#		SB	SBB	USA	9031.9000.00
<b>Barkod Okuyucular</b>											
F420-F000L12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	697140	4549734565073			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNX	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	697139	4549734565066			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	697141	4549734565080			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SBA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697143	4549734565103			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SBS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697142	4549734565097			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SBV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697144	4549734565110			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697146	4549734565134			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697145	4549734565127			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,296.00	EC003015	696557	4549734565141			SB	SBC	JPN	9031.9000.00
F420-F000M03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,503.00	EC003015	697079	4549734564410			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNX	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,528.00	EC003015	697078	4549734564403			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,112.00	EC003015	697080	4549734564427			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SBA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697082	4549734564441			SB	SBC	MYS	9031.9000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000M03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	697081	4549734564434			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	697083	4549734564458			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697085	4549734564472			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	697084	4549734564465			SB	SBC	MYS	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	697095	4549734564595			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	697094	4549734564588			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	697096	4549734564601			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697098	4549734564625			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697097	4549734564618			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697099	4549734564632			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697101	4549734564656			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697100	4549734564649			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697108	4549734564748			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	697107	4549734564731			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	697109	4549734564755			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SRA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,747.00	EC003015	697111	4549734564779			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SRS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,772.00	EC003015	697110	4549734564762			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SRV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,051.00	EC003015	696556	4549734564786			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	697131	4549734564984			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	697130	4549734564977			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	697132	4549734564991			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697134	4549734565011			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697133	4549734565004			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697135	4549734565028			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697137	4549734565042			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697136	4549734565035			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697138	4549734565059			SB	SBC	JPN	9031.9000.00
F420-F000W03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,503.00	EC003015	697071	4549734564328			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,528.00	EC003015	697070	4549734564311			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,112.00	EC003015	697072	4549734564335			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697074	4549734564359			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	697073	4549734564342			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	697075	4549734564366			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697077	4549734564380			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	697076	4549734564373			SB	SBC	MYS	9031.9000.00
F420-F000W12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	697087	4549734564502			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	697086	4549734564496			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	697088	4549734564519			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697090	4549734564533			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697089	4549734564526			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697091	4549734564540			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697093	4549734564564			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697092	4549734564557			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,296.00	EC003015	696553	4549734564571			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697103	4549734564687			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	697102	4549734564670			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNV	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	697104	4549734564694			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SRA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,747.00	EC003015	697106	4549734564717			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SRS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,772.00	EC003015	697105	4549734564700			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	697443	4549734568319			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	697442	4549734568302			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F00012M-NNV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,845.00	EC003015	<a href="#">697444</a>	4549734568326			SB	SBC	JPN	9031.9000.00
F430-F00012M-SBA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">697446</a>	4549734568340			SB	SBC	JPN	9031.9000.00
F430-F00012M-SBS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,381.00	EC003015	<a href="#">697445</a>	4549734568333			SB	SBC	JPN	9031.9000.00
F430-F00012M-SRV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697447</a>	4549734568357			SB	SBC	JPN	9031.9000.00
F430-F00012M-SWA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">692453</a>	4549734568371			SB	SBC	JPN	9031.9000.00
F430-F00012M-SWV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,661.00	EC003015	<a href="#">696571</a>	4549734568388			SB	SBC	JPN	9031.9000.00
F430-F000M03M-NNA	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,869.00	EC003015	<a href="#">697395</a>	4549734567657			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNS	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	1,893.00	EC003015	<a href="#">697394</a>	4549734567640			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNV	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,478.00	EC003015	<a href="#">697396</a>	4549734567664			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SBA	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697398</a>	4549734567688			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SBS	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,015.00	EC003015	<a href="#">697397</a>	4549734567671			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRV	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,600.00	EC003015	<a href="#">697399</a>	4549734567695			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWA	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">692332</a>	4549734567718			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWS	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	1,709.00	EC003015	<a href="#">696560</a>	4549734567701			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWV	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,296.00	EC003015	<a href="#">696561</a>	4549734567725			SB	SBC	MYS	9031.9000.00
F430-F000M12M-NNA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,234.00	EC003015	<a href="#">697406</a>	4549734567831			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,259.00	EC003015	<a href="#">697405</a>	4549734567824			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,845.00	EC003015	<a href="#">697407</a>	4549734567848			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RBA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697449</a>	4549734568401			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RBS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697448</a>	4549734568395			SB	SBC	JPN	9031.9000.00
F430-F000M12M-BRV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	4,576.00	EC003015	<a href="#">697450</a>	4549734568418			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">692345</a>	4549734568432			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697451</a>	4549734568425			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	4,271.00	EC003015	<a href="#">696572</a>	4549734568449			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SBA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">692388</a>	4549734567862			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SBS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,381.00	EC003015	<a href="#">697408</a>	4549734567855			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697409</a>	4549734567879			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">692331</a>	4549734567893			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,075.00	EC003015	<a href="#">696564</a>	4549734567886			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,661.00	EC003015	<a href="#">696565</a>	4549734567909			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNA	<a href="#">F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697414</a>	4549734567985			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNS	<a href="#">F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,015.00	EC003015	<a href="#">697413</a>	4549734567978			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNV	<a href="#">F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,600.00	EC003015	<a href="#">697415</a>	4549734567992			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWA	<a href="#">F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,112.00	EC003015	<a href="#">692442</a>	4549734568012			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWS	<a href="#">F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,137.00	EC003015	<a href="#">696568</a>	4549734568005			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWV	<a href="#">F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,723.00	EC003015	<a href="#">696569</a>	4549734568029			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,234.00	EC003015	<a href="#">697435</a>	4549734568227			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNS	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,259.00	EC003015	<a href="#">697434</a>	4549734568210			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNV	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,845.00	EC003015	<a href="#">697436</a>	4549734568234			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RBA	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697453</a>	4549734568463			SB	SBC	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F430-F000N12M-RRS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697452</a>	4549734568456			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-RRV</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	4,576.00	EC003015	<a href="#">697454</a>	4549734568470			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-RWA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">692231</a>	4549734568494			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-RWS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697455</a>	4549734568487			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-RVW</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	4,576.00	EC003015	<a href="#">697456</a>	4549734568500			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-SRA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">697438</a>	4549734568258			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-SRS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,381.00	EC003015	<a href="#">697437</a>	4549734568241			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-SRV</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697439</a>	4549734568265			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-SWA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">692283</a>	4549734568289			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-SWS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,381.00	EC003015	<a href="#">697440</a>	4549734568272			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000N12M-SWV</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697441</a>	4549734568296			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W03M-NNA</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,869.00	EC003015	<a href="#">697388</a>	4549734567565			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-NNS</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	1,893.00	EC003015	<a href="#">697387</a>	4549734567558			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-NNV</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,478.00	EC003015	<a href="#">697389</a>	4549734567572			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-SRA</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697391</a>	4549734567596			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-SRB</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,015.00	EC003015	<a href="#">697390</a>	4549734567589			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-SRV</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,600.00	EC003015	<a href="#">697392</a>	4549734567602			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-SWA</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697393</a>	4549734567626			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-SWS</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	1,709.00	EC003015	<a href="#">696558</a>	4549734567619			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W03M-SWV</a>	<a href="#">F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,296.00	EC003015	<a href="#">696559</a>	4549734567633			SB	SBC	MYS	9031.9000.00
<a href="#">F430-F000W12M-NNA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,234.00	EC003015	<a href="#">697401</a>	4549734567749			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-NNS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,259.00	EC003015	<a href="#">697400</a>	4549734567732			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-NNV</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,845.00	EC003015	<a href="#">697402</a>	4549734567756			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-SRA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">692218</a>	4549734567770			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-SRS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,381.00	EC003015	<a href="#">697403</a>	4549734567763			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-SRV</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,967.00	EC003015	<a href="#">697404</a>	4549734567787			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-SWA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,356.00	EC003015	<a href="#">692160</a>	4549734567800			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-SWS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,075.00	EC003015	<a href="#">696562</a>	4549734567794			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W12M-SWV</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,661.00	EC003015	<a href="#">696563</a>	4549734567817			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W50C-NNA</a>	<a href="#">F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,990.00	EC003015	<a href="#">697411</a>	4549734567923			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W50C-NNS</a>	<a href="#">F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,015.00	EC003015	<a href="#">697410</a>	4549734567916			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W50C-NNV</a>	<a href="#">F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,600.00	EC003015	<a href="#">697412</a>	4549734567930			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W50C-SWA</a>	<a href="#">F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,112.00	EC003015	<a href="#">692217</a>	4549734567954			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W50C-SWS</a>	<a href="#">F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,137.00	EC003015	<a href="#">696566</a>	4549734567947			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000W50C-SWV</a>	<a href="#">F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,723.00	EC003015	<a href="#">696567</a>	4549734567961			SB	SBC	JPN	9031.9000.00
<b>Lazer isaretleyci</b>											
<a href="#">MX-Z2000H-V1</a>	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 90x90 mm, Marking Resolution 2µm, Working distance 170±10 mm, 200 to 240 VAC, 50/60 Hz	50,050.00	EC000000	692759	4549734523868			SB	SBU	JPN	8456.1190.00
<a href="#">MX-Z2050H-V1</a>	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 160x160 mm, Marking Resolution 4µm, Working distance 210±10 mm, 200 to 240 VAC, 50/60 Hz	50,050.00	EC000000	692758	4549734523875			SB	SBU	JPN	8456.1190.00
<b>Kamera Aksesuarları</b>											
<a href="#">98-9000181-01</a>	Kit, Power supply for cradle / charger, HDS-3678, A/C Power Cord Required	50.00	EC003015	684545	4549734958202			SB	SBZ	CHN	9031.9000.00
<a href="#">V410-ASO</a>	Presentation stand, hands free operation, V410-H	72.05	EC003015	699311	4549734570961	#		SB	SBZ	MEX	9031.9000.00
<a href="#">V410-WR-2M</a>	Cable, RS-232, DB9F, TXD-2, 2 m	51.25	EC001681	699315	4549734570985			SB	SBZ	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V410-WUB-2M	Cable, style 3 USB, Mod plug, 2 m	51.25	EC001681	699316	4549734570978	#		SB	SBZ	CHN	8544.4210.00
<b>Kamera Aksesuarları</b>											
61-900043-01	Cable, DB15 to Bus Power USB, MicroHAWK-30	106.00	EC003015	682392	4549734217705			SB	SBZ	USA	8544.4210.00
98-900051-01	Kit, Window, MicroHAWK-30/40	57.85	EC003015	682085	4549734238052			SB	SBZ	USA	9031.9000.00
V330-AF1	V/F 3x0-F Diffuser Kit, Peel and Stick Accessory, Exterior to unit	36.61	EC003015	697628	4549734583268			SB	SBZ	USA	9031.9000.00
V330-AF2	V/F 3x0-F Polarizer Kit, Peel and Stick Accessory, Exterior to unit	36.61	EC003015	697629	4549734583275			SB	SBZ	USA	9031.9000.00
V420-AC0	V/F 420-F Kit; RS-232 Breakout (DB-15) Cable plus Power Supply	140.60	EC003015	697909	4549734555708			SB	SBZ	USA	9031.9000.00
V420-AC1	V/F 420-F Kit; USB Breakout Cable plus Power Supply	140.60	EC003015	697910	4549734555715			SB	SBZ	USA	9031.9000.00
V420-AC2	V/F 420-F Kit; USB, IO, and Power Breakout Cable plus Power Supply	213.70	EC003015	697911	4549734555722			SB	SBZ	USA	9031.9000.00
V420-WRU8X-1M	V/F 420-F Cable, RS-232, USB, IO, and Power Breakout, 1 m	213.70	EC003015	697908	4549734555692			SB	SBZ	USA	8544.4290.90
V420-WRX-1M	V/F 420-F Cable, RS-232 Breakout (DB-15) and External Power Input, 1 m	246.70	EC003015	697906	4549734555678			SB	SBZ	USA	8544.4290.90
V420-WUBX-1M	V/F 420-F Cable, USB, IO, and Power Breakout, 1 m	195.30	EC003015	697907	4549734555685			SB	SBZ	USA	8544.4290.90
V420-WUB-1M	V/F 420-F Cable, USB Breakout, 1 m	82.10	EC003015	697904	4549734555654			SB	SBZ	USA	8544.4290.90
V420-WUX-1M	V/F 420-F Cable, USB Breakout with External Power Input, 1 m	100.80	EC003015	697905	4549734555661			SB	SBZ	USA	8544.4290.90
V430-AFOR	V/F 430-F Ringlight Front Window Installation Kit	100.80	EC003015	698201	4549734555852	#		SB	SBZ	USA	9031.9000.00
V430-AF11	Diffuser Installation Kit for V/F4X0-FXXXXXX-XXX	67.15	EC003015	693830	4549734600996			SB	SBZ	USA	9031.9000.00
V430-AF12	Polarizer Installation Kit for V/F4X0-FXXXXXX-XXX	102.50	EC003015	693829	4549734601009			SB	SBZ	USA	9031.9000.00
V430-AF1R	V/F 4x0-F Ringlight Diffuser Installation Kit	222.20	EC003015	698202	4549734555869	#		SB	SBZ	USA	9031.9000.00
V430-AF2	V/F 4x0-F Standard Polarizer Installation Kit	100.80	EC003015	683098	4549734191968	#		SB	SBZ	USA	9031.9000.00
V430-AF2R	V/F 4x0-F Ringlight Polarizer Installation Kit	222.20	EC003015	698203	4549734555876			SB	SBZ	USA	9031.9000.00
V430-AF4	Kit, YAG Filter, F/V43XX	314.10	EC003015	702585	4549734555814			SB	SBZ	USA	9031.9000.00
V430-AF5	Kit, ESD Window, F/V4XX	102.50	EC003015	702586	4549734555821			SB	SBZ	USA	9031.9000.00
V430-AF6	V/F 4x0-F Standard Red power filter Installation Kit	100.80	EC003015	698199	4549734555838			SB	SBZ	USA	9031.9000.00
V430-AF7	V/F 4x0-F Standard Blue power filter Installation Kit	100.80	EC003015	698200	4549734555845			SB	SBZ	USA	9031.9000.00
V430-ALB	V/F 4x0-F Blue Standard Light Installation Kit	167.30	EC003015	698194	4549734555760			SB	SBZ	USA	9031.9000.00
V430-ALBR	V/F 430-F Blue Ring Light Installation Kit	247.90	EC003015	698198	4549734555807	#		SB	SBZ	USA	9031.9000.00
V430-ALI	V/F 4x0-F IR Standard Light Installation Kit	167.30	EC003015	698193	4549734555753			SB	SBZ	USA	9031.9000.00
V430-ALIR	V/F 430-F IR Ring Light Installation Kit	247.90	EC003015	698197	4549734555791	#		SB	SBZ	USA	9031.9000.00
V430-ALR	V/F 4x0-F Red Standard Light Installation Kit	167.30	EC003015	698191	4549734555739			SB	SBZ	USA	9031.9000.00
V430-ALRR	V/F 430-F Red Ring Light Installation Kit	247.90	EC003015	698195	4549734555777	#		SB	SBZ	USA	9031.9000.00
V430-ALW	V/F 4x0-F White Standard Light Installation Kit	167.30	EC003015	698192	4549734555746			SB	SBZ	USA	9031.9000.00
V430-ALWR	V/F 430-F White Ring Light Installation Kit	247.90	EC003015	698196	4549734555784	#		SB	SBZ	USA	9031.9000.00
V430-AM0	V/F 4x0-F L Bracket Adjustable Angle Mounting Kit	54.95	EC003015	683100	4549734191982	#		SB	SBZ	USA	9031.9000.00
V430-AM1	V/F 4x0-F 1/4-20 Camera Mounting Block Kit	54.95	EC003015	683101	4549734191999			SB	SBZ	USA	9031.9000.00
V430-AM2	V/F 4x0-F 4" (102 mm) Ram Mount Stand	111.20	EC003015	698204	4549734555883			SB	SBZ	USA	9031.9000.00
V430-AM3	V/F 4x0-F APG Pan and Tilt Camera Mount	138.10	EC003015	698205	4549734555890			SB	SBZ	USA	9031.9000.00
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	41.49	EC003015	696575	4549734555906			SB	SBZ	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 / MINI to V/F4XX-F Adapter Plate	127.10	EC003015	696576	4549734555913			SB	SBZ	USA	9031.9000.00
V430-AM6	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	103.80	EC003015	696577	4549734555920			SB	SBZ	USA	9031.9000.00
V430-AM7	V/F 4x0-F QX / Vision HAWK to V/F4XX-F Adapter Plate	139.30	EC003015	696574	4549734555937			SB	SBZ	USA	9031.9000.00
V430-W8-10M-E	V/F 430-F M12 to Flying Leads Cable, 10 m	189.90	EC003015	707102	4549734833103			SB	SBZ	ITA	8544.4290.90
V430-W8-15M-E	V/F 430-F M12 to flying leads cable, 15 m	218.60	EC003015	707110	4549734833189			SB	SBZ	ITA	8544.4290.90
V430-W8-20M-E	V/F 430-F M12 to Flying Leads Cable, 20 m	235.90	EC003015	707103	4549734833110			SB	SBZ	ITA	8544.4290.90
V430-W8-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	152.80	EC003015	683088	4549734191869	#		SB	SBZ	USA	8544.4210.00
V430-W8-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	192.50	EC003015	683090	4549734191883	#		SB	SBZ	USA	8544.4210.00
V430-W8LD-10M-E	V/F 430-F M12 to flying leads cable, right angle down, 10 m	189.90	EC003015	707150	4549734833431			SB	SBZ	ITA	8544.4290.90
V430-W8LD-15M-E	V/F 430-F M12 to flying leads cable, right angle down, 15 m	218.60	EC003015	707149	4549734833424			SB	SBZ	ITA	8544.4290.90
V430-W8LD-20M-E	V/F 430-F M12 to flying leads cable, right angle down, 20 m	235.90	EC003015	707148	4549734833417			SB	SBZ	ITA	8544.4290.90
V430-W8LD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	165.00	EC003015	683092	4549734191906			SB	SBZ	USA	8544.4210.00
V430-W8LD-5M-E	V/F 430-F M12 to flying leads cable, right angle down, 5 m	161.30	EC003015	707147	4549734833400			SB	SBZ	ITA	8544.4290.90
V430-W8LU-10M-E	V/F 430-F M12 to flying leads cable, right angle up, 10 m	189.90	EC003015	707154	4549734833479			SB	SBZ	ITA	8544.4290.90
V430-W8LU-15M-E	V/F 430-F M12 to flying feads cable, right angle up, 15 m	218.60	EC003015	707153	4549734833462			SB	SBZ	ITA	8544.4290.90
V430-W8LU-20M-E	V/F 430-F M12 to flying leads cable, right angle up, 20 m	235.90	EC003015	707152	4549734833455			SB	SBZ	ITA	8544.4290.90
V430-W8LU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	165.00	EC003015	683093	4549734191913			SB	SBZ	USA	8544.4210.00
V430-W8LU-5M-E	V/F 430-F M12 to flying leads cable, right angle up, 5 m	161.30	EC003015	707151	4549734833448			SB	SBZ	ITA	8544.4290.90
V430-WE-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 10 m	189.90	EC002599	707100	4549734833080			SB	SBZ	ITA	8544.4210.00
V430-WE-15M-E	V/F 430-F Ethernet cable M12 pluq on camera to RJ45 connector, 15 m	218.60	EC002599	707101	4549734833097			SB	SBZ	ITA	8544.4210.00
V430-WE-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 20 m	235.90	EC002599	707099	4549734833073			SB	SBZ	ITA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	153.80	EC002599	683087	4549734191852	#		SB	SBZ	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	192.50	EC002599	683091	4549734191890	#		SB	SBZ	USA	8544.4210.00
V430-WELD-10M-E	V/F 430-F Ethernet cable M12 pluq on camera to RJ45 connector, right angle down, 10 m	189.90	EC002599	707132	4549734833257			SB	SBZ	ITA	8544.4210.00
V430-WELD-15M-E	V/F 430-F Ethernet cable M12 pluq on camera to RJ45 connector, right angle down, 15 m	218.60	EC002599	707134	4549734833271			SB	SBZ	ITA	8544.4210.00
V430-WELD-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 1 m	112.40	EC002599	707144	4549734833370			SB	SBZ	ITA	8544.4210.00
V430-WELD-20M-E	V/F 430-F Ethernet cable M12 pluq on camera to RJ45 connector, right angle down, 20 m	235.90	EC002599	707142	4549734833356			SB	SBZ	ITA	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle down, 3 m	153.80	EC002599	683094	4549734191920			SB	SBZ	USA	8544.4210.00
V430-WELD-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 5 m	161.30	EC002599	707146	4549734833394			SB	SBZ	ITA	8544.4210.00
V430-WELU-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 10 m	189.90	EC002599	707131	4549734833240			SB	SBZ	ITA	8544.4210.00
V430-WELU-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 15 m	218.60	EC002599	707133	4549734833264			SB	SBZ	ITA	8544.4210.00
V430-WELU-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 1 m	112.40	EC002599	707143	4549734833363			SB	SBZ	ITA	8544.4210.00
V430-WELU-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 20 m	235.90	EC002599	707129	4549734833233			SB	SBZ	ITA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 3 m	153.80	EC002599	683095	4549734191937			SB	SBZ	USA	8544.4210.00
V430-WELU-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 5 m	161.30	EC002599	707145	4549734833387			SB	SBZ	ITA	8544.4210.00
V430-WQ-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	121.90	EC003015	698186	4549734555593			SB	SBZ	USA	8544.4290.90
V430-WQ-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	152.80	EC003015	698187	4549734555609			SB	SBZ	USA	8544.4290.90
V430-WQ-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	183.10	EC003015	698188	4549734555616			SB	SBZ	USA	8544.4290.90
V430-WQK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2,7 m	549.50	EC003015	698189	4549734555630			SB	SBZ	USA	8544.4290.90
V430-WQR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2,7 m	305.10	EC003015	692731	4549734555623			SB	SBZ	USA	8544.4210.00
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	121.90	EC003015	698184	4549734555579			SB	SBZ	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	127.10	EC003015	698185	4549734555586			SB	SBZ	USA	8544.4290.90
V440-AM1	R-70 Smart series ring light mounting kit	74.80	EC003015	703463	4549734702904			SB	SBZ	USA	9031.9000.00
V440-AM2	R-100 Smart series ring light mounting kit	86.30	EC003015	703462	4549734702911			SB	SBZ	USA	9031.9000.00
<b>Görsel Denetim Sistemleri FH</b>											
FHV-VDB 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	609.00	EC003015	685302	4549734282758	#		SC	SCA	CHN	8544.4290.90
FHV-VDB 20M	FHV7 Power / IO Cable, straight 20 m, M12 connector	1,009.00	EC003015	685227	4549734282765			SC	SCA	CHN	8544.4290.90
FHV-VDB 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	185.00	EC003015	685299	4549734282727			SC	SCA	CHN	8544.4290.90
FHV-VDB 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	237.50	EC003015	685300	4549734282734			SC	SCA	CHN	8544.4290.90
FHV-VDB 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	346.20	EC003015	685301	4549734282741	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 10M	FHV7 Power / IO Cable, right angle 10 m, M12 connector	609.00	EC003015	685306	4549734282802			SC	SCA	CHN	8544.4290.90
FHV-VDLB 2M	FHV7 Power / IO Cable, right angle 2 m, M12 connector	185.00	EC003015	685303	4549734282772			SC	SCA	CHN	8544.4290.90
FHV-VDLB 3M	FHV7 Power / IO Cable, right angle 3 m, M12 connector	237.50	EC003015	685304	4549734282789			SC	SCA	CHN	8544.4290.90
FHV-VDLB 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	346.20	EC003015	685305	4549734282796	#		SC	SCA	CHN	8544.4290.90
FHV-VNB 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	438.60	EC002599	685294	4549734282659	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	840.50	EC002599	685380	4549734282666	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	175.90	EC002599	685291	4549734282628			SC	SCA	CHN	8544.4210.00
FHV-VNB 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	217.50	EC002599	685292	4549734282635			SC	SCA	CHN	8544.4210.00
FHV-VNB 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	281.00	EC002599	685293	4549734282642	#		SC	SCA	CHN	8544.4210.00
FHV-VNB-2M-E	FHV7 Ethernet cable, straight 2 m, M12 connector	175.90	EC002599	707586	4549734835787			SC	SCA	ITA	8544.4210.00
FHV-VNLB 10M	FHV7 Ethernet cable, right angle 10 m, M12 connector	438.60	EC002599	685298	4549734282703			SC	SCA	CHN	8544.4210.00
FHV-VNLB 5M	FHV7 Ethernet cable, right angle 5 m, M12 connector	281.00	EC002599	685297	4549734282697	#		SC	SCA	CHN	8544.4210.00
FHV-VUB 10M	Smart Camera data unit cable, bend resistant, 10 m	786.50	EC003015	688777	4549734496162			SC	SCA	CHN	8544.4290.90
FHV-VUB 5M	Smart Camera data unit cable, bend resistant, 5 m	412.20	EC003015	688776	4549734496155			SC	SCA	CHN	8544.4290.90
FHV-VULB 2M	Smart Camera data unit cable, bend resistant, right angle, 2 m	228.30	EC003015	688779	4549734496186			SC	SCA	CHN	8544.4290.90
FHV-VULB 3M	Smart Camera data unit cable, bend resistant, right angle, 3 m	291.80	EC003015	688780	4549734496193			SC	SCA	CHN	8544.4290.90
<b>Görsel Denetim Sistemleri FH</b>											
FHV7H-C004-C	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4,438.00	EC003015	685333	4549734283885	#		SC	SCA	JPN	9031.8080.00
FHV7H-C004-H06-W	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	7,335.00	EC003015	689046	4549734497008			SC	SCA	JPN	9031.8080.00
FHV7H-C016-C	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	685334	4549734283892	#		SC	SCA	JPN	9031.8080.00
FHV7H-C016-S12-W	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,260.00	EC003015	685365	4549734284318			SC	SCA	JPN	9031.8080.00
FHV7H-C016-S25-W	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 25 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,260.00	EC003015	685377	4549734284479			SC	SCA	JPN	9031.8080.00
FHV7H-C032-C	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	685335	4549734283908	#		SC	SCA	JPN	9031.8080.00
FHV7H-C032-H06-W	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	8,800.00	EC003015	689044	4549734497022			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S09-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 9 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,140.00	EC003015	685363	4549734284288			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S12-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,140.00	EC003015	685369	4549734284363			SC	SCA	JPN	9031.8080.00
FHV7H-C050-C	FH Vision Smart Camera, high performance, color type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	6,830.00	EC003015	685336	4549734283915	#		SC	SCA	JPN	9031.8080.00
FHV7H-C063R-C	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	687437	4549734283922	#		SC	SCA	JPN	9031.8080.00
FHV7H-C120R-C	FH Vision Smart Camera, high performance, color type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	687438	4549734283939			SC	SCA	JPN	9031.8080.00
FHV7H-M004-C	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4,438.00	EC003015	685231	4549734282826			SC	SCA	JPN	9031.8080.00
FHV7H-M016-C	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	685232	4549734282833			SC	SCA	JPN	9031.8080.00
FHV7H-M032-C	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	685233	4549734282840			SC	SCA	JPN	9031.8080.00
FHV7H-M050-C	FH Vision Smart Camera, high performance, monochrome type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	6,830.00	EC003015	685234	4549734282857	#		SC	SCA	JPN	9031.8080.00
FHV7H-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	687435	4549734282864			SC	SCA	JPN	9031.8080.00



Catalog Description (Image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV7H-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	687436	4549734282871			SC	SCA	JPN	9031.8080.00
<b>GörSEL Denetim Sistemleri FH</b>											
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1,613.00	EC003015	688770	4549734282512	#		SC	SCA	JPN	9031.9000.00
FHV-LEM-H19	FHV7 Liquid lens module, 19 mm focal length	1,613.00	EC003015	688771	4549734282529			SC	SCA	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	926.50	EC003015	685283	4549734282536	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	926.50	EC003015	685284	4549734282543	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	926.50	EC003015	685285	4549734282550	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	926.50	EC003015	685286	4549734282567	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	926.50	EC003015	685287	4549734282574	#		SC	SCA	CHN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	2,048.00	EC003015	685290	4549734282611	#		SC	SCA	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	1,025.00	EC003015	685289	4549734282598	#		SC	SCA	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	609.00	EC003015	688772	4549734496117			SC	SCA	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	750.00	EC003015	688773	4549734496124	#		SC	SCA	JPN	9031.9000.00
<b>GörSEL Denetim Sistemleri Aksesuarları FH</b>											
FHV-XDF	FHV7 Diffusion filter	606.00	EC003015	685307	4549734451949			SC	SCZ	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z4S-LE SV-H series	213.00	EC003015	685311	4549734451994	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-LEM	FHV7 Waterproof hood, for motorized lens modules	244.70	EC003015	685312	4549734452007	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z4S-LE SV-V series	217.50	EC003015	685310	4549734451987			SC	SCZ	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	74.55	EC003015	685313	4549734452014	#		SC	SCZ	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	255.20	EC003015	685308	4549734451956	#		SC	SCZ	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	724.00	EC003015	686997	4549734451963	#		SC	SCZ	JPN	9031.9000.00
FHV-XWP-HD-SL	FHV7 waterproof packing for hood	12.69	EC003015	685317	4549734452052			SC	SCZ	JPN	9031.9000.00
<b>Robot Yedek Parçaları</b>											
13131-210F	License Dongle, EM2100 Legacy	183.90	EC000000	701881	4549734592789			YR	YRA	USA	8523.8090.00
<b>Robot Yedek Parçaları</b>											
ROBOT RE-PAINT	After Sales Robotic Services : Robot re-paint	667.50		683372				YR	YRA	NLD	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.J.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-424K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,310.00	EC001413	203758	4549734752671			NA	NAA	NLD	8471.4100.00
NYB35-424E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,825.00	EC001413	203764	4549734752537			NA	NAA	NLD	8471.4100.00
NYB35-424G6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,170.00	EC001413	203765	4549734753844			NA	NAA	NLD	8471.4100.00
NYB35-424M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,130.00	EC001413	203766	4549734755351			NA	NAA	NLD	8471.4100.00
NYB35-424M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,165.00	EC001413	203767	4549734755358			NA	NAA	NLD	8471.4100.00
NYB35-424M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,430.00	EC001413	203768	4549734753375			NA	NAA	NLD	8471.4100.00
NYB35-424D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,712.00	EC001413	203415	4549734729734			NA	NAA	NLD	8471.4100.00
NYB35-424D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,712.00	EC001413	203416	4549734729741			NA	NAA	NLD	8471.4100.00
NYB35-424D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	4,980.00	EC001413	203417	4549734729758			NA	NAA	NLD	8471.4100.00
NYB35-424E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,859.00	EC001413	203418	4549734729765			NA	NAA	NLD	8471.4100.00
NYB35-424E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,859.00	EC001413	203419	4549734729772			NA	NAA	NLD	8471.4100.00
NYB35-424E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,135.00	EC001413	203420	4549734729789			NA	NAA	NLD	8471.4100.00
NYB35-424K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,993.00	EC001413	203421	4549734729796			NA	NAA	NLD	8471.4100.00
NYB35-424E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,993.00	EC001413	203422	4549734729802			NA	NAA	NLD	8471.4100.00
NYB35-424G6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,260.00	EC001413	203423	4549734729819			NA	NAA	NLD	8471.4100.00
NYB35-424L1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,345.00	EC001413	203424	4549734729826			NA	NAA	NLD	8471.4100.00
NYB35-424L2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,345.00	EC001413	203425	4549734729833			NA	NAA	NLD	8471.4100.00
NYB35-424L6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,615.00	EC001413	203426	4549734729840			NA	NAA	NLD	8471.4100.00
NYB35-424M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,715.00	EC001413	203427	4549734729857			NA	NAA	NLD	8471.4100.00
NYB35-424M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,715.00	EC001413	203428	4549734729864			NA	NAA	NLD	8471.4100.00
NYB35-424M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,990.00	EC001413	203429	4549734729871			NA	NAA	NLD	8471.4100.00
NYB35-424P1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 30T/C, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,580.00	EC001413	203329	4549734729888			NA	NAA	NLD	8471.4100.00
NYB35-424P2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 30T/C, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,580.00	EC001413	203330	4549734729895			NA	NAA	NLD	8471.4100.00
NYB35-424P6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 30T/C, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,845.00	EC001413	203331	4549734729901			NA	NAA	NLD	8471.4100.00
NYB35-50460	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,553.00	EC001413	202749	4549734755382			NA	NAA	NLD	8471.4100.00
NYB35-50460	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, 4 EtherNet Ports	6,730.00	EC001413	208443	4549734772501			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC'NY</b>											
NYP27-30000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,545.00	EC001414	200264	4549734688017			NA	NAA	NLD	8471.4100.00
NYP27-30006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 6 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, with capacitive touchscreen, build-in type	7,400.00	EC001414	200269	4549734688079			NA	NAA	NLD	8471.4100.00
NYP27-30466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,425.00	EC001414	200275	4549734688123			NA	NAA	NLD	8471.4100.00
NYP27-30470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,730.00	EC001414	200276	4549734688130			NA	NAA	NLD	8471.4100.00
NYP27-40000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,675.00	EC001414	200268	4549734688089			NA	NAA	NLD	8471.4100.00
NYP27-40006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,515.00	EC001414	200271	4549734688147			NA	NAA	NLD	8471.4100.00
NYP27-40466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,515.00	EC001414	200272	4549734688154			NA	NAA	NLD	8471.4100.00
NYP27-40470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,845.00	EC001414	200277	4549734688147			NA	NAA	NLD	8471.4100.00

Fiyatlarımızda herhangi bir ihbara gerek duymaksızın değişiklik yapma hakkımız mahfuzdur.

İçeride görülen resim ve teknik değerler genel bilgi amaçlıdır.

Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birlikte verilen işletme talimatını esas alınız.

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ET
NYP27-40470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,855.00	EC
NYP27-50000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,650.00	EC
NYP27-50006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 6 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414
NYP27-50466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,500.00	EC001414
NYP27-50470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,820.00	EC001414
NYP27-50476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,840.00	EC001414
NYP2A-20450-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,691.00	EC001414
NYP2A-20460-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,815.00	EC001414
NYP2C-20450-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,388.00	EC001414
NYP2C-20460-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 64 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,155.00	EC001414
NYP2C-20470-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,304.00	EC001414
NYP2C-21491-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 64 GB SSD (S.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,625.00	EC001414
NYP2C-21492-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 64 GB SSD (S.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,625.00	EC001414
NYP2C-21496-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,180.00	EC001414
NYP2C-214C-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,150.00	EC001414
NYP2C-214C2-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,150.00	EC001414
NYP2C-214C6-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,410.00	EC001414
NYP2C-214K-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,440.00	EC001414
NYP2C-214K2-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 4 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,015.00	EC001414
NYP2C-214K6-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 64 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,336.00	EC001414
NYP2C-20460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,485.00	EC001414
NYP2C-30470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast (M.2), WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,922.00	EC001414
NYP2C-31491-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 64 GB SSD (S.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,740.00	EC001414
NYP2C-31492-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 64 GB SSD (S.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,740.00	EC001414
NYP2C-31496-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,300.00	EC001414
NYP2C-314C-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,280.00	EC001414
NYP2C-314C2-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,840.00	EC001414
NYP2C-314K-12WC1000	Industrial Panel PC with Intel® Celeron® J960U, 8 GB DRAM (non-ECC), 128 GB SSD (M.2), WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,585.00	EC001414

Daha fazlasını öğrenmek ister misiniz?

OMRON TÜRKİYE

+90 (216) 556 51 30

industrial.omron.com.tr

## Satış & Destek Ofisleri

### Almanya

Tel: +49 (0) 2173 680 00  
industrial.omron.de

### Finlandiya

Tel: +358 (0) 207 464 200  
industrial.omron.fi

### İspanya

Tel: +34 913 777 902  
industrial.omron.es

### Norveç

Tel: +47 22 65 75 00  
industrial.omron.no

### Avusturya

Tel: +43 (0) 2236 377 800  
industrial.omron.at

### Fransa

Tel: +33 (0) 1 56 63 70 00  
industrial.omron.fr

### İsveç

Tel: +46 (0) 8 632 35 00  
industrial.omron.se

### Polonya

Tel: +48 22 458 66 66  
industrial.omron.pl

### Belçika

Tel: +32 (0) 2 466 24 80  
industrial.omron.be

### Güney Afrika

Tel: +27 (0)11 579 2600  
industrial.omron.co.za

### İsviçre

Tel: +41 (0) 41 748 13 13  
industrial.omron.ch

### Portekiz

Tel: +351 21 942 94 00  
industrial.omron.pt

### Çek Cumhuriyeti

Tel: +420 234 602 602  
industrial.omron.cz

### Hollanda

Tel: +31 (0) 23 568 11 00  
industrial.omron.nl

### İtalya

Tel: +39 02 326 81  
industrial.omron.it

### Rusya

Tel: +7 495 648 94 50  
industrial.omron.ru

### Danimarka

Tel: +45 43 44 00 11  
industrial.omron.dk

### İngiltere

Tel: +44 (0) 1908 258 258  
industrial.omron.co.uk

### Macaristan

Tel: +36 1 399 30 50  
industrial.omron.hu

### Diğer Omron

Temsilcileri  
industrial.omron.eu